

ASSIGNMENT 2

QUES:-CREATE DATABASE ASSIGNMENT2?

```
mysql> create database assignment2;
```

Query OK, 1 row affected (0.03 sec)

```
mysql> show databases;
+-----+
| Database |
+-----+
| assignment1 |
| assignment2 |
| assignment3 |
| information_schema |
| mysql |
| performance_schema |
| sakila |
| sys |
| world |
+-----+
```

QUES:- USE ASSIGNMENT2?

```
mysql> use assignment2;
```

Database changed

QUES:- CREATE TABLE EMPLOYEES?

```
mysql> create table employees(employee_id int primary key,first_name
varchar(30),last_name varchar(30),email varchar(50),phone_number
varchar(20),hire_date date,job_id varchar(20),salary decimal(10,2),department_id int);
```

Query OK, 0 rows affected (0.12 sec)

QUES:-INSERT INTO EMPLOYEE?

```
mysql> INSERT INTO employees
```

-> (employee_id, first_name, last_name, email, phone_number, hire_date, job_id,
salary, department_id)

-> VALUES

-> (100, 'Steven', 'King', 'SKING', '515.123.4567', '2003-06-17', 'AD_PRES', 24000.00, 90),

ASSIGNMENT 2

-> (101, 'Neena', 'Kochhar', 'NKOCHHAR', '515.123.4568', '2005-09-21', 'AD_VP', 17000.00, 90),

-> (102, 'Lex', 'De Haan', 'LDEHAAN', '515.123.4569', '2001-01-13', 'AD_VP', 17000.00, 90),

-> (103, 'Alexander', 'Hunold', 'AHUNOLD', '590.423.4567', '2006-01-03', 'IT_PROG', 9000.00, 60),

-> (104, 'Bruce', 'Ernst', 'BERNST', '590.423.4568', '2007-05-21', 'IT_PROG', 6000.00, 60),

-> (105, 'David', 'Austin', 'DAUSTIN', '590.423.4569', '2005-06-25', 'IT_PROG', 4800.00, 60),

-> (106, 'Valli', 'Pataballa', 'VPATABAL', '590.423.4570', '2006-02-05', 'IT_PROG', 4800.00, 60),

-> (107, 'Diana', 'Lorentz', 'DLORENTZ', '590.423.4571', '2007-02-07', 'IT_PROG', 4200.00, 60),

-> (108, 'Nancy', 'Greenberg', 'NGREENBE', '515.124.4569', '2002-08-17', 'FI_MGR', 12000.00, 100),

-> (109, 'Daniel', 'Faviet', 'DFAVIET', '515.124.4169', '2002-08-16', 'FI_ACCOUNT', 9000.00, 100),

-> (110, 'John', 'Chen', 'JCHEN', '515.124.4169', '2005-09-28', 'FI_ACCOUNT', 8200.00, 100),

-> (111, 'Ismael', 'Sciarra', 'ISCIARRA', '515.124.4369', '2005-09-30', 'FI_ACCOUNT', 7700.00, 100),

-> (112, 'Jose', 'Manuel', 'JMANUEL', '515.124.4369', '2006-03-07', 'FI_ACCOUNT', 7800.00, 100),

-> (113, 'Luis', 'Popp', 'LPOPP', '515.124.4567', '2007-12-07', 'FI_ACCOUNT', 6900.00, 100),

-> (114, 'Den', 'Raphaely', 'DRAPHEAL', '515.127.4561', '2002-12-07', 'PU_MAN', 11000.00, 30);

Query OK, 15 rows affected (0.03 sec)

Records: 15 Duplicates: 0 Warnings: 0

ASSIGNMENT 2

QUES:- DISPLAY TABLE EMPLOYEES?

mysql> select * from employees;

```
mysql> select * from employees;
```

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	department_id
100	Steven	King	SKING	515.123.4567	2003-06-17	AD_PRES	24000.00	90
101	Neena	Kochhar	NKOCHHAR	515.123.4568	2005-09-21	AD_VP	17000.00	90
102	Lex	De Haan	LDEHAAN	515.123.4569	2001-01-13	AD_VP	17000.00	90
103	Alexander	Hunold	AHUNOLD	590.423.4567	2006-01-03	IT_PROG	9000.00	60
104	Bruce	Ernst	BERNST	590.423.4568	2007-05-21	IT_PROG	6000.00	60
105	David	Austin	DAUSTIN	590.423.4569	2005-06-25	IT_PROG	4800.00	60
106	Valli	Pataballa	VPATABAL	590.423.4570	2006-02-05	IT_PROG	4800.00	60
107	Diana	Lorentz	DLORENTZ	590.423.4571	2007-02-07	IT_PROG	4200.00	60
108	Nancy	Greenberg	NGREENBE	515.124.4569	2002-08-17	FI_MGR	12000.00	100
109	Daniel	Faviet	DFAVIET	515.124.4169	2002-08-16	FI_ACCOUNT	9000.00	100
110	John	Chen	JCHEN	515.124.4169	2005-09-28	FI_ACCOUNT	8200.00	100
111	Ismael	Sciarra	ISCIARRA	515.124.4369	2005-09-30	FI_ACCOUNT	7700.00	100
112	Jose	Manuel	JMANUEL	515.124.4369	2006-03-07	FI_ACCOUNT	7800.00	100
113	Luis	Popp	LPOPP	515.124.4567	2007-12-07	FI_ACCOUNT	6900.00	100
114	Den	Raphaely	DRAPHEAL	515.127.4561	2002-12-07	PU_MAN	11000.00	30

15 rows in set (0.00 sec)

QUES1:-

mysql> select first_name,last_name from employees;

```
mysql> select first_name,last_name from employees;
```

first_name	last_name
Steven	King
Neena	Kochhar
Lex	De Haan
Alexander	Hunold
Bruce	Ernst
David	Austin
Valli	Pataballa
Diana	Lorentz
Nancy	Greenberg
Daniel	Faviet
John	Chen
Ismael	Sciarra
Jose	Manuel
Luis	Popp
Den	Raphaely

15 rows in set (0.00 sec)

15 rows in set (0.00 sec)

ASSIGNMENT 2

QUES2:-

```
mysql> select distinct department_id from employees;
```

```
mysql> select distinct department_id from employees;
+-----+
| department_id |
+-----+
|          90   |
|          60   |
|         100   |
|          30   |
+-----+
4 rows in set (0.00 sec)
```

QUES3:-

```
mysql> select * from employees order by first_name desc;
```

```
mysql> select * from employees order by first_name desc;
```

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	department_id
106	Valli	Pataballa	VPATABAL	590.423.4570	2006-02-05	IT_PROG	4800.00	60
100	Steven	King	SKING	515.123.4567	2003-06-17	AD PRES	24000.00	90
101	Neena	Kochhar	NKCOCHHR	515.123.4568	2005-09-21	AD_VP	17000.00	90
108	Nancy	Greenberg	NGREENBE	515.124.4569	2002-08-17	FI_MGR	12000.00	100
113	Luis	Popp	LPOPP	515.124.4567	2007-12-07	FI_ACCOUNT	6900.00	100
102	Lex	De Haan	LDEHAAN	515.123.4569	2001-01-13	AD_VP	17000.00	90
112	Jose	Manuel	JMANUEL	515.124.4369	2006-03-07	FI_ACCOUNT	7800.00	100
110	John	Chen	JCHEN	515.124.4169	2005-09-28	FI_ACCOUNT	8200.00	100
111	Ismael	Sciarra	ISCIARRA	515.124.4369	2005-09-30	FI_ACCOUNT	7700.00	100
107	Diana	Lorentz	DLorentz	590.423.4571	2007-02-07	IT_PROG	4200.00	60
114	Den	Raphaely	DRAPHEAL	515.127.4561	2002-12-07	PU_MAN	11000.00	30
105	David	Austin	DAUSTIN	590.423.4569	2005-06-25	IT_PROG	4800.00	60
109	Daniel	Faviet	DFAVIET	515.124.4169	2002-08-16	FI_ACCOUNT	9000.00	100
104	Bruce	Ernst	BERNST	590.423.4568	2007-05-21	IT_PROG	6000.00	60
103	Alexander	Hunold	AHUNOLD	590.423.4567	2006-01-03	IT_PROG	9000.00	60

15 rows in set (0.01 sec)

ASSIGNMENT 2

QUES4:-

mysql> select first_name,last_name,salary,salary*0.15 as pf from employees;

```
mysql> select first_name,last_name,salary,salary*0.15 as pf from employees;
+-----+-----+-----+-----+
| first_name | last_name | salary | pf      |
+-----+-----+-----+-----+
| Steven     | King      | 24000.00 | 3600.0000 |
| Neena      | Kochhar   | 17000.00 | 2550.0000 |
| Lex        | De Haan   | 17000.00 | 2550.0000 |
| Alexander  | Hunold    | 9000.00  | 1350.0000 |
| Bruce      | Ernst     | 6000.00  | 900.0000  |
| David      | Austin    | 4800.00  | 720.0000  |
| Valli      | Pataballa | 4800.00  | 720.0000  |
| Diana      | Lorentz   | 4200.00  | 630.0000  |
| Nancy      | Greenberg | 12000.00 | 1800.0000 |
| Daniel     | Faviert   | 9000.00  | 1350.0000 |
| John       | Chen      | 8200.00  | 1230.0000 |
| Ismael     | Sciarra   | 7700.00  | 1155.0000 |
| Jose       | Manuel    | 7800.00  | 1170.0000 |
| Luis       | Popp      | 6900.00  | 1035.0000 |
| Den        | Raphaely  | 11000.00 | 1650.0000 |
+-----+-----+-----+-----+
15 rows in set (0.03 sec)
```

QUES5:-

mysql> select employee_id,first_name,last_name,salary from employees order by salary asc;

```
mysql> select employee_id,first_name,last_name,salary from employees order by salary asc;
+-----+-----+-----+-----+
| employee_id | first_name | last_name | salary |
+-----+-----+-----+-----+
| 107         | Diana      | Lorentz   | 4200.00 |
| 105         | David      | Austin    | 4800.00 |
| 106         | Valli      | Pataballa | 4800.00 |
| 104         | Bruce      | Ernst     | 6000.00 |
| 113         | Luis       | Popp      | 6900.00 |
| 111         | Ismael     | Sciarra   | 7700.00 |
| 112         | Jose       | Manuel    | 7800.00 |
| 110         | John       | Chen      | 8200.00 |
| 103         | Alexander  | Hunold    | 9000.00 |
| 109         | Daniel     | Faviert   | 9000.00 |
| 114         | Den        | Raphaely  | 11000.00 |
| 108         | Nancy      | Greenberg | 12000.00 |
| 101         | Neena      | Kochhar   | 17000.00 |
| 102         | Lex        | De Haan   | 17000.00 |
| 100         | Steven     | King      | 24000.00 |
+-----+-----+-----+-----+
15 rows in set (0.00 sec)
```

QUES6:-

mysql> select sum(salary) as 'total salary'from employees;

```
mysql> select sum(salary) as 'total salary'from employees;
+-----+
| total salary |
+-----+
| 149400.00    |
+-----+
```

ASSIGNMENT 2

QUES7:-

mysql> select max(salary) as 'maximum salary',min(salary) as 'minimum salary' from employees;

```
mysql> select max(salary) as 'maximum salary',min(salary) as 'minimum salary' from employees;
+-----+-----+
| maximum salary | minimum salary |
+-----+-----+
|          24000.00 |          4200.00 |
+-----+-----+
1 row in set (0.01 sec)
```

QUES8:-

mysql> select avg(salary) as 'average salary',count(*) as 'number of employees' from employees;

```
mysql> select avg(salary) as 'average salary',count(*) as 'number of employees' from employees;
+-----+-----+
| average salary | number of employees |
+-----+-----+
|  9960.00000000 |             15 |
+-----+-----+
1 row in set (0.00 sec)
```

QUES9:-

mysql> select count(*) as 'number of employees' from employees;

```
mysql> select count(*) as 'number of employees' from employees;
+-----+
| number of employees |
+-----+
|             15 |
+-----+
1 row in set (0.01 sec)
```

ASSIGNMENT 2

QUES10:-

mysql> select count(distinct job_id) as 'number of jobs' from employees;

```
mysql> select count(distinct job_id) as 'number of jobs' from employees;
+-----+
| number of jobs |
+-----+
|                6 |
+-----+
1 row in set (0.03 sec)
```

QUES11:-

mysql> select upper(first_name) as 'first_name' from employees;

```
mysql> select upper(first_name) as 'first_name' from employees;
+-----+
| first_name |
+-----+
| STEVEN     |
| NEENA      |
| LEX        |
| ALEXANDER  |
| BRUCE      |
| DAVID      |
| VALLI      |
| DIANA      |
| NANCY      |
| DANIEL     |
| JOHN       |
| ISMAEL     |
| JOSE       |
| LUIS       |
| DEN        |
+-----+
15 rows in set (0.01 sec)
```

QUES12:-

mysql> select substring(first_name,1,3) as 'first 3 character' from employees;

```
mysql> select substring(first_name,1,3) as 'first 3 character' from employees;
+-----+
| first 3 character |
+-----+
| Ste               |
| Nee               |
| Lex               |
| Ale               |
| Bru               |
| Dav               |
| Val               |
| Dia               |
| Nan               |
| Dan               |
| Joh               |
| Ism               |
| Jos               |
| Lui               |
| Den               |
+-----+
15 rows in set (0.00 sec)
```

ASSIGNMENT 2

QUES13:-

mysql> select 171*214+625 as result;

```
mysql> select 171*214+625 as result;
+-----+
| result |
+-----+
|  37219 |
+-----+
1 row in set (0.00 sec)
```

QUES14:-

mysql> select concat(first_name,',last_name) as 'employee name' from employees;

```
mysql> select concat(first_name,',last_name) as 'employee name' from employees;
+-----+
| employee name |
+-----+
| StevenKing    |
| NeenaKochhar  |
| LexDe Haan    |
| AlexanderHunold |
| BruceErnst    |
| DavidAustin   |
| ValliPataballa |
| DianaLorentz  |
| NancyGreenberg |
| DanielFaviet  |
| JohnChen      |
| IsmaelSciarra |
| JoseManuel    |
| LuisPopp      |
| DenRaphaely   |
+-----+
15 rows in set (0.01 sec)
```

ASSIGNMENT 2

QUES15:-

mysql> select trim(first_name) as 'first_name' from employees;

```
mysql> select trim(first_name) as 'first_name' from employees;
+-----+
| first_name |
+-----+
| Steven    |
| Neena     |
| Lex       |
| Alexander |
| Bruce     |
| David     |
| Valli     |
| Diana     |
| Nancy     |
| Daniel    |
| John      |
| Ismael    |
| Jose      |
| Luis      |
| Den       |
+-----+
15 rows in set (0.00 sec)
```

QUES16:-

mysql> select first_name,last_name,length(concat(first_name, ' ',last_name)) as 'name length' from employees;

```
mysql> select first_name,last_name,length(concat(first_name, ' ',last_name)) as 'name length' from employees;
+-----+-----+-----+
| first_name | last_name | name length |
+-----+-----+-----+
| Steven    | King      | 12          |
| Neena     | Kochhar   | 14          |
| Lex       | De Haan   | 12          |
| Alexander | Hunold    | 17          |
| Bruce     | Ernst     | 12          |
| David     | Austin    | 13          |
| Valli     | Pataballa | 16          |
| Diana     | Lorentz   | 14          |
| Nancy     | Greenberg | 16          |
| Daniel    | Faviet    | 14          |
| John      | Chen      | 10          |
| Ismael    | Sciarra   | 15          |
| Jose      | Manuel    | 12          |
| Luis      | Popp      | 10          |
| Den       | Raphaely  | 13          |
+-----+-----+-----+
15 rows in set (0.00 sec)
```

ASSIGNMENT 2

QUES17:-

```
mysql> select first_name from employees where first_name regexp '[0-9]';
```

Empty set (0.08 sec)

QUES18:-

```
mysql> select * from employees limit 10;
```

```
mysql> select * from employees limit 10;
```

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	department_id
100	Steven	King	SKING	515.123.4567	2003-06-17	AD_PRES	24000.00	90
101	Neena	Kochhar	NKOCHHAR	515.123.4568	2005-09-21	AD_VP	17000.00	90
102	Lex	De Haan	LDEHAAN	515.123.4569	2001-01-13	AD_VP	17000.00	90
103	Alexander	Hunold	AHUNOLD	590.423.4567	2006-01-03	IT_PROG	9000.00	60
104	Bruce	Ernst	BERNST	590.423.4568	2007-05-21	IT_PROG	6000.00	60
105	David	Austin	DAUSTIN	590.423.4569	2005-06-25	IT_PROG	4800.00	60
106	Valli	Pataballa	VPATABAL	590.423.4570	2006-02-05	IT_PROG	4800.00	60
107	Diana	Lorentz	DLORENTZ	590.423.4571	2007-02-07	IT_PROG	4200.00	60
108	Nancy	Greenberg	NGREENBE	515.124.4569	2002-08-17	FI_MGR	12000.00	100
109	Daniel	Faviet	DFAVIET	515.124.4169	2002-08-16	FI_ACCOUNT	9000.00	100

10 rows in set (0.00 sec)

QUES19:-

```
mysql> select first_name, last_name, round(salary/12,2) as 'monthly salary' from employees;
```

```
mysql> select first_name, last_name, round(salary/12,2) as 'monthly salary' from employees;
```

first_name	last_name	monthly salary
Steven	King	2000.00
Neena	Kochhar	1416.67
Lex	De Haan	1416.67
Alexander	Hunold	750.00
Bruce	Ernst	500.00
David	Austin	400.00
Valli	Pataballa	400.00
Diana	Lorentz	350.00
Nancy	Greenberg	1000.00
Daniel	Faviet	750.00
John	Chen	683.33
Ismael	Sciarra	641.67
Jose	Manuel	650.00
Luis	Popp	575.00
Den	Raphaely	916.67

15 rows in set (0.01 sec)