

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

?

≡

👤

🔔

☰

Data Explorer

{} My Queries

⚙️ Data Modeling

CLUSTERS (1)

Search clusters

🔍

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

🔍 View monitoring

📊 Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

{}

Generate query ⚡

Explain ▾

Reset

Find

Options ▶

➕ ADD DATA ▾

📄 BULK ▾

📄 EXPORT CODE

25 ▾

1 - 8 of 8

🔄

⏪

⏩

▾

☰

🔍

📄

▼

{

"_id": {},

"customer_id": 101,

"name": "Ravi Kumar",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

▼

{

"_id": {},

"customer_id": 102,

"name": "Priya Sharma",

"city": "Vijayawada",

"account_type": "Current",

"balance": 125000,

"status": "Active"

}

▼

{

"_id": {},

"customer_id": 103,

"name": "Arjun Reddy",

"city": "Hyderabad",

"account_type": "Savings",

}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

?

≡

👤

🔔

☰

Data Explorer

{} My Queries

⚙️ Data Modeling

CLUSTERS (1)

Search clusters

🔍

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

🔍 View monitoring

📊 Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

{

"status": "Active"

}

Generate query ⚡

Explain ▾

Reset

Find

Options ▶

➕ ADD DATA ▾

📄 BULK ▾

📄 EXPORT CODE

25 ▾

1 - 7 of 7

🔄

⏪

⏩

▾

☰

🔍

📄

_id: ObjectId('6a89140bce9950b31e66b8ee')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

_id: ObjectId('6a891424ce9950b31e66b8f2')

customer_id: 103

name: "Arjun Reddy"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

transactions

customers

Cluster0 > bankdb > customers

🔍 View monitoring

📊 Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

```
{
  "balance": {
    "$gt": 100000
  }
}
```

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 4 of 4

🔄

<

>

🔍

{ }

📄

```
{
  "_id": ObjectId('6a891419ce9950b31e66b8f0'),
  "customer_id": 102,
  "name": "Priya Sharma",
  "city": "Vijayawada",
  "account_type": "Current",
  "balance": 125000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId('6a89142ece9950b31e66b8f4'),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId('6a8914b3ce9950b31e66b8fa'),
  "customer_id": 106
}
```

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

```
{
  "city": "Hyderabad"
}
```

ADD DATA

BULK

EXPORT CODE

🔍

```
{
  "_id": {},
  "customer_id": 101,
  "name": "Ravi Kumar",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 85000,
  "status": "Active"
}
```

```
{
  "_id": {},
  "customer_id": 103,
  "name": "Arjun Reddy",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 45000,
  "status": "Active"
}
```

```
{
  "_id": {},
  "customer_id": 106,
  "name": "Anjali Singh",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 175000,
  "status": "Active"
}
```

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS {}

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

customers

Cluster0 > bankdb > customers

📊 View monitoring

📊 Visualize Your Data

Documents Aggregations Schema Indexes Validation

```
{
  "account_type": "Savings"
}
```

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-5 of 5

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89140bce9950...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce9950...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece9950...')	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce9950...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce9950...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS {}

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

customers

Cluster0 > bankdb > transactions

📊 View monitoring

📊 Visualize Your Data

Documents 15 Aggregations Schema Indexes Validation

```
{
  "amount": {
    "$gt": 20000
  }
}
```

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-9 of 9

transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...')	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...')	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...')	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915fdce9950...')	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89160fce9950...')	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891620ce9950...')	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...')	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace9950...')	1015	108	"Withdrawal"	30000	"ATM"	

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS {}

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

customers

Cluster0 > bankdb > transactions

📊 View monitoring

📊 Visualize Your Data

Documents 15 Aggregations Schema Indexes Validation

```
{
  "type": "Deposit"
}
```

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-8 of 8

transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...')	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...')	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...')	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce9950...')	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a89160fce9950...')	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891620ce9950...')	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...')	1014	108	"Deposit"	150000	"NEFT"	

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{

"mode": "ATM"

}

Generate query +

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1 - 7 of 7

	transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915c2ce9950...')	1002	101	101	"Withdrawal"	10000	"ATM"	
2	ObjectId('6a8915d8ce9950...')	1004	102	102	"Withdrawal"	15000	"ATM"	
3	ObjectId('6a8915ecce9950...')	1006	103	103	"Withdrawal"	5000	"ATM"	
4	ObjectId('6a8915fdce9950...')	1008	104	104	"Withdrawal"	25000	"ATM"	
5	ObjectId('6a891619ce9950...')	1011	106	106	"Withdrawal"	20000	"ATM"	
6	ObjectId('6a891629ce9950...')	1013	107	107	"Withdrawal"	12000	"ATM"	
7	ObjectId('6a89163ace9950...')	1015	108	108	"Withdrawal"	30000	"ATM"	

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

{

"type": "Deposit",

"amount": {

"\$gt": 50000

}

}

Generate query +

Explain

ADD DATA

BULK

EXPORT CODE

25 1 - 3 of 3

"_id": {},

"transaction_id": 1007,

"customer_id": 104,

"type": "Deposit",

"amount": 100000,

"mode": "NEFT",

"date": "2026-08-04",

"status": "Success"

"_id": {},

"transaction_id": 1010,

"customer_id": 106,

"type": "Deposit",

"amount": 75000,

"mode": "NEFT",

"date": "2026-08-06",

"status": "Success"

"_id": {},

"transaction_id": 1014,

"customer_id": 108,

"type": "Deposit",

"amount": 150000,

"mode": "NEFT",

"date": "2026-08-06",

"status": "Success"

ORGANIZATION
PAPPULA GNANESH...
PROJECT
Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers**
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

+ ADD DATA BULK EXPORT CODE ?

```
{
  "_id": {},
  "customer_id": 106,
  "name": "Anjali Singh",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 175000,
  "status": "Active"
}
```

ORGANIZATION

PAPPULA GNANESH...

PROJECT

Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Sort

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 1

Sort

```

1 {
2   "balance": -1
3 }

```

Output preview after \$sort stage (Sample of 8 documents)

```

_id: ObjectId('6a8914cbce9950b31e66b8fe')
customer_id: 108
name: "Meena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"

```

```

_id: ObjectId('6a89142ec0f')
customer_id: 104
name: "Sneha Rao"
city: "Marangal"
account_type: "Savings"
balance: 210000
status: "Active"

```

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

oplog.rs

sample_mflix

customers

Cluster0 > bankdb > customers

🔍 View monitoring

📊 Visualize Your Dat

Documents 8

Aggregations

Schema

Indexes 1

Validation

Sort

Generate aggregation

🔍

Explain

Run

Options

Sort Customer...

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage1

\$sort

1 {

2 "balance": -1

3 }

Output preview after \$sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')

customer_id: 108

name: "Keena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

_id: ObjectId('6a89142ecce')

customer_id: 104

name: "Sneha Rao"

city: "Warangal"

account_type: "Savings"

balance: 210000

status: "Active"

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

oplog.rs

sample_mflix

customers

Cluster0 > bankdb > transactions

🔍 View monitoring

Documents 15

Aggregations

Schema

Indexes 1

Validation

\$group

Generate aggregation

🔍

Explain

Untitled - modified

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

15 Documents in the collection

Stage1

\$group

1 {

2 "_id": null,

3 "total_amount": {

4 "\$sum": "\$amount"

5 }

6 }

Output preview after \$group stage (Sample of 1 document)

_id: null

total_amount: 602000

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

oplog.rs

sample_mflix

customers

Cluster0 > bankdb > transactions

🔍 View monitoring

Documents 15

Aggregations

Schema

Indexes 1

Validation

\$group

Generate aggregation

🔍

Explain

Untitled - modified

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

15 Documents in the collection

Stage1

\$group

1 {

2 "_id": null,

3 "average_amount": {

4 "\$avg": "\$amount"

5 }

6 }

Output preview after \$group stage (Sample of 1 document)

_id: null

average_amount: 40133.333333333336

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit" total_amount: 485000	_id: "Withdrawal" total_amount: 117000
--	---

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103 transaction_count: 2	_id: 102 transaction_count: 2
----------------------------------	----------------------------------

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 25000 mode: "UPI" date: "2026-08-01" status: "Success" customer_details: Array (1)	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 mode: "ATM" date: "2026-08-02" status: "Success" customer_details: Array (1)
--	---

Stage 2 \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 25000 mode: "UPI" date: "2026-08-01"	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 mode: "ATM" date: "2026-08-02"
--	---

PAPPULA GNANESH...

Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

oplog.rs

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

\$lookup

\$unwind

\$project

\$sort

Generate aggregation + Explain Run Options

PREVIEW STAGES TEXT WIZARD

Untitled - modified SAVE CREATE NEW EXPORT CODE

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

total_transaction: 65000
customer_id: 102
customer_name: "Priya Sharma"

total_transaction: 95000
customer_id: 106
customer_name: "Anjali Singh"

total_transaction: 180000
customer_id: 108
customer_name: "Meena Devi"

total_transaction: 125000
customer_id: 104
customer_name: "Sneha Rao"

Stage 6 \$sort

1 {
2 "total_transaction": -1
3 }

Output preview after \$sort @ stage (Sample of 8 documents)

total_transaction: 180000
customer_id: 108
customer_name: "Meena Devi"

total_transaction: 125000
customer_id: 104
customer_name: "Sneha Rao"

PAPPULA GNANESH...

Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

oplog.rs

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

\$match

\$lookup

\$unwind

\$group

\$sort

Generate aggregation + Explain Run Options

PREVIEW STAGES TEXT WIZARD

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

> 8 Documents in the collection

Stage 1 \$match

1 {
2 "status": "Active",
3 "balance": {
4 "\$gt": 80000
5 }
6 }

Output preview after \$match @ stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8de')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"

Stage 2 \$lookup

1 {
2 "from": "transactions",
3 "localField": "customer_id",
4 "foreignField": "customer_id",
5 "as": "transactions"
6 }

Output preview after \$lookup @ stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8de')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000

_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000

Alert Customer Churns All Dead

