

Product Documentation

Facets Core Solution Data Models Guide

Release 5.50.004.000 August 2018 Revised Aug. 29, 2018

NOTE: Some links in this PDF file may access wiki content on the TriZetto Customer Exchange (CX) website. To view the content, you must log in with your CX account credentials.



Copyright

© 2000 - 2018 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Information.

Warning: This information is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under the law.

Trademarks

A comprehensive list of all Cognizant TriZetto Software Group, Inc. product legal names and trademarks is located on our <u>website</u>.

Document Revision History

The *Facets 5.50.004 Data Models Guide* includes changes made to the Facets database for 5.50.004. This document replaces the draft version of this guide that was made available in June 2018.

The table below lists the changes for 5.50.004 along with changes that have made to the database starting with 5.50.001.000 (Nov. 2017).

Date	Data Model	Description
Aug. 29, 2018	Claim	Corrected CMC_CLEB_EOB_AMTS by adding column CLEB_FATX_CTR1, which had been omitted in error. Note: This is a documentation correction, not a change to the database. Tracking ID: 1713154
Aug. 15, 2018	Workflow	Replaced the Workflow Miscellaneous diagram, which had errors. Note: This is a documentation correction, not a change to the database.
Aug. 1, 2018 (5.50.004)	Accounting	CMC_BPCD_CLM_DTL Added Column BPCD_PR_LN_CNTL_NO_NVL CMC_BPSL_SP_LINE Added Columns: CDSP_RISK_WH_AMT_NVL and CDSP_SC_RSK_WH_AMT_NVL CMC_CLDL_CLM_DTL Added Column CLDL_PR_LN_CNTL_NO_NVL
Aug. 1, 2018 (5.50.004)	Claim	CMC_CDDL_CL_LINE Added column CDDL_PR_LN_CNTL_NO_NVL CMC_CDFD_DNLI_ORIG Added column CDFD_PR_LN_CNTL_NO_NVL CMC_CDFM_LI_ORIG Added column CDFM_PR_LN_CNTL_NO_NVL CMC_CDML_CL_LINE Added column CDML_PR_LN_CNTL_NO_NVL CMC_CDNP_NWX_PRCNG Column change: CDNP_VOLUME from NUMERIC(13,4) to NUMERIC(14,5) CMC_CDPP_LI_ITS_PR Added column CDPP_MARKET_ID_NVL CMC_CDSP_SP_LINE Added columns: CDSP_RISK_WH_AMT_NVL and CDSP_SC_RSK_WH_AMT_NVL CMC_CLPP_ITS_PROV Added column CLPP_MARKET_ID_NVL
Aug. 1, 2018 (5.50.004)	Commission	CMC_CMPR_COMM_PREPRO Add Column CMPR_RECON_IND

Date	Data Model	Description
Aug. 1, 2018 (5.50.004)	ITS Plan	CMC_ITPR_PRXY_PROV Added Columns: ITPR_COST_GP_FROM_NVL, ITPR_COST_GP_TO_NVL, and ITPR_MARKET_ID_NVL
Aug. 1, 2018 (5.50.004)	Member/ Subscriber	New Table CMC_MMEQ_WORK_QUE
Aug. 1, 2018 (5.50.004)	NetworX Pricer (Facets Client)	New tables: NWX_NPRD_PROVIDER_DATE NWX_NPRR_PROVIDER_RATE NWX_NRSV_SCH_REV_VALUE NWX_NRTT_RATE_TYPE NWX_NDRG_DRG_WGT Change NDRG_RELATIVE_WGT from NUMERIC(13,4) to NUMERIC(14,5)
Aug. 1, 2018 (5.50.004)	Plan	CMC_SEPY_SE_PYMT Added columns: SESE_RULE_ALT2_NVL and SESE_RULE_ALT_CON2_NVL
Aug. 1, 2018 (5.50.004)	Provider	CMC_PRPR_PROV Added Columns: SYS_BITMAP_NVL and SYS_LAST_OFFSET_NVL
Aug. 1, 2018 (5.50.004)	System	New table: CER_PTFK_PUB_FKEY
May 9, 2018 (5.50.003)	Billing	Corrected the following tables by removing columns BLRE_SEQ_NO and BLRE_TYPE, which had been included in error: CMC_BLAC_BILL_ACCT, CMC_BLAS_AGG_SUMM, CMC_BLBL_BILL_SUMM, CMC_BLCS_CONT_STOT, CMC_BLCT_COMP_TOTL, CMC_BLDI_DISCRETN, CMC_BLFD_FEE_DISC, CMC_BLFT_FEE_TOTL, CMC_BLIV_INVOICE, CMC_BLPP_PCT_PREM, CMC_BLPT_PLAN_TOTL, CMC_BLRC_BILL_RCPT, CMC_BLSB_SB_DETAIL, CMC_BLSC_SB_CHOICE, CMC_BLSF_SB_FEES, CMC_BLSH_SUM_HIST, and CMC_BLSS_SB_SUB Note: This is a documentation correction, not a change to the database.
May 2, 2018 (5.50.003)	Billing	CDS_INPA_PMT_ACT: Added column BLRE_SEQ_NO CMC_RCPT_RECEIPTS: Added column BLRE_SEQ_NO New table: CMC_BLRE_RELAT_ENT
May 2, 2018 (5.50.003)	Catalog	CMC_CTTX_CAT_TAG_U: Column length modified CTTX_ENTITY_ID

Date	Data Model	Description
May 2, 2018 (5.50.003)	Claim	CMC_CLMI_MISC: Added column CLMI_INP_METH_ACT_NVL
		CMC_CLPP_ITS_PROV: Column length modified CLPP_FLEX_NTWK_GRP_NVL
		CMC_CDPP_LI_ITS_PR: Column length modified CLPP_FLEX_NTWK_GRP_NVL
May 2, 2018 (5.50.003)	Managed Care	CMC_AAPR_AC_PREPRO: Added column SBSB_CK
May 2, 2018 (5.50.003)	Member/ Subscriber	CMC_MEME_MEMBER: Added column MEME_MCTR_GENP_NVL
		CMC_SBSB_SUBSC: Added columns SYS_BITMAP_NVL and SYS_LAST_OFFSET_NVL
		CMC_GRGR_GROUP: Added columns SYS_BITMAP_NVL and SYS_LAST_OFFSET_NVL
		New table: CMC_ACW1_WORK_QUE
May 2, 2018 (5.50.003)	NetworX Pricer (Facets Client)	New tables: NWX_NASU_ASA_UNITS Note: since the 5.50.003 Draft Data Models Guide, NASA_ID INT was changed to NASU_ID NWX_NASM_ASA_MOD Note: since the 5.50.003 Draft Data Models Guide, Column NASM_ID's datatype was changed from INT to NUMERIC(10,0)
May 2, 2018 (5.50.003)	Plan	CMC_PDPX_DESC: Added column SYS_ROW_ID New table: CMC_SEPG_SE_PYMT_GEN
May 2, 2018 (5.50.003)	Workflow	In Miscellaneous, added WAWQ_ADJUST_TYPE to NWX_WQCA_WORK_QUE. (Tracking Number 1711391) Note: This is a documentation correction, not a change to the database for 5.50.
Feb. 7, 2018 (5.50.002)	Claim	New tables: CMC_CDTD_TRAN_TRAIL CMC_CDTM_TRAN_TRAIL CMC_CLTE_TRAN_ERROR CMC_CLTO_TRAN_OVR CMC_CLTT_TRAN_TRAIL CMC_CLTU_TRAN_UWARN CMC_CLTW_TRAN_WARN CMC_CDMI_LI_ITS: Added column CDMI_SF_SEQ_NO_NVL

Date	Data Model	Description
Feb. 7, 2018 (5.50.002)	HIPAA Gateway (FHG)	FHG_TPIT_INBOUND_U: Added column TPIT_277CA_IND_NVL FHG_TLOG_TRANS_LOG: Added column TLOG_TRANS_LBU_ID_NVL FHG_GCAK_277CA_WORK: Added column GCAK_STC03_CLM_ACT_CD
Feb. 7, 2018 (5.50.002)	Member/ Subscriber	New tables: CMC_MAAR_MATX CMC_FAAR_FATX CMC_ACW0_WORK_QUE CMC_ACW1_WORK_QUE CMC_EXID_EXT_ID: Column moved out of primary key: EXID_ID (position changed from 2nd to 3rd).
Feb. 7, 2018 (5.50.002)	System	New tables: CER_PHIH_MSG_HDR CER_PHID_MSG_DETAIL CER_MAXC_MAX_COLUMN: Column MAXC_TABLE modified: Size increased from varchar (30) to varchar (128).
Feb. 7, 2018	Plan	Corrections made for table CMC_CSPB_PLAN_BENV: Removed the following five columns which had had been included in error: CSPB_CARD_STOCK, CSPB_MCTR_CTYP, CSPB_OPEN_BEG_MMDD, CSPB_OPEN_END_MMDD and CSPB_POSTPONE_IND. Also corrected the size of SYS_USUS_ID to varchar (48) in that table. Note: These are documentation corrections, not a change to the database.
Dec. 1, 2017	Member/ Subscriber	A correction was made to the data model for table CMC_FATX_ACCUM_TX: column FATX_ACC_TYPE had been shown incorrectly as FAAC_ACC_TYPE in the earlier versions of this document. Note: This is a documentation correction, not a change to the database.
Nov. 13, 2017	Plan	The Plan data model now displays column WMDS_SEQ_NO_NVL in tables UTIP and UTSE; that column was missing from those tables in earlier versions of this guide. Note: this is a documentation correction, not a change to the database. Tracking ID: 1709632
Nov. 7, 2017 (5.50.001)	FHD – HIPAA Development	Due to a production error, the FHD data model in the Nov. 1 guide had many incorrect table labels, and the column names did not include the column attributes. This guide has been updated with the corrected FHD data model.

Date	Data Model	Description
Nov. 1, 2017 (5.50.001)	Accounting	CMC_BPCE_EOB_AMTS Removed references to MEAC and FAAC columns and added references to MATX and FATX columns. CMC_BPCL_CLM Added columns: CLCK_PRM_INT_AMT_NVL; CLCK_SC_INT_AMT_NVL; CLCK_PR_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL CMC_BPSB_EOB_AMTS Removed references to MEAC and FAAC columns and added references to MATX and FATX columns. CMC_CKDM_TEMP_CLCK Added columns: CLCK_PRM_INT_AMT_NVL; CLCK_SC_INT_AMT_NVL; CLCK_PR_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; CMC_CKMM_TEMP_CLCK Added columns: CLCK_PRM_INT_AMT_NVL; CLCK_SC_INT_OVR_PD_NVL CMC_CKMM_TEMP_CLCK Added columns: CLCK_PRM_INT_AMT_NVL; CLCK_SC_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL; and CLCK_CLCK_CLM_CHECK Added columns: CLCK_PRM_INT_AMT_NVL;
		CLCK_SC_INT_AMT_NVL; CLCK_PR_INT_OVR_PD_NVL; and CLCK_SC_INT_OVR_PD_NVL
Nov. 1, 2017 (5.50.001)	Claim	CMC_CLAR_ARCHIVE Column name change: ARCHIVE_FILE_NAME_NVL renamed CLAR_ARCHIVE_PATH_NVL CMC_CLCL_CLAIM Column name changes: CLCL_BITMAP_NVL renamed SYS_BITMAP_NVL; and CLCL_LAST_OFFSET_NVL renamed SYS_LAST_OFFSET_NVL CMC_CLEB_EOB_AMTS Removed references to MEAC and FAAC columns and added references to MATX and FATX columns CMC_CLPU_WORK: Added column: PURH_ROW_ID CMC_CLSB_EOB_AMTS Removed references to MEAC columns and added references to MATX and FATX columns
Nov. 1, 2017 (5.50.001)	HIPAA Gateway	New table FHG_GCAK_277CA_WORK
Nov. 1, 2017 (5.50.001)	Managed Care	CMC_MCPT_CSPI_TFR Added columns: MCPT_CSCS_ID_TO_NVL and MCPT_COMM_UPD_IND_NVL

Date	Data Model	Description
Nov. 1, 2017 (5.50.001)	Member/ Subscriber	Deleted tables: CMC_ABE0_WORK_TABLE CMC_FAAC_ACCUM CMC_MEAC_WORK_TABLE New tables: CMC_ABEF_WORK_TABLE CMC_ABEM_WORK_TABLE CMC_ABEX_EXTRACT_STATUS CMC_FATX_ACCUM_TXN CMC_MEDI_DENT_INC CMC_MATX_ACCUM_TXN
Nov. 1, 2017 (5.50.001)	Plan	New table: CMC_CSPB_PLAN_BENV CMC_CSPI_CS_PLAN: Removed columns: CSPI_PDPD_BEG_MMDD and CSPI_PDPD_CO_MNTH CMC_DEDE_DEDUCT: Added column SYS_ROW_ID CMC_LTLT_LIMIT: Added column SYS_ROW_ID CMC_PBCD_COLUMN_DEFN: Removed column SYSTEM_ROW_ID and added SYS_ROW_ID CMC_PBCF_CONFIGURATION: Removed column SYSTEM_ROW_ID CMC_PBCN_CONSTITUENT Removed column: SYSTEM_ROW_ID CMC_PBNA_NET_LVL_ADDL_DATA Removed column: SYSTEM_ROW_ID CMC_PBND_NET_LVL_DEFN: Removed column: SYSTEM_ROW_ID CMC_PBNL_NET_LVL: Removed column: SYSTEM_ROW_ID CMC_PBNL_NET_LVL: Removed column: SYSTEM_ROW_ID CMC_PBNT_NET_LVL_DATA: Removed column: SYSTEM_ROW_ID CMC_PBRP_PROD_REL: Removed column: SYSTEM_ROW_ID CMC_PBPR_RELATION: Removed column: SYSTEM_ROW_ID CMC_PBRL_RELATION: Removed column: SYSTEM_ROW_ID CMC_PBST_STATUS_DEFN: Removed column: SYSTEM_ROW_ID CMC_PST_STATUS_DEFN: Added column: SYS_ROW_ID CMC_SEPY_SE_PYMT: Added column: SYS_ROW_ID CMC_SETR_TIER: Added column: SYS_ROW_ID

Date	Data Model	Description
Nov. 1, 2017 (5.50.001)	System	New tables: CER_MAXC_MAX_COLUMN CER_PURD_RUN_DETAIL CER_PURH_RUN_HISTORY CER_PUTT_TARGET_TABLES

Chapter 1 Overview

The Facets Data Models Guide provides a complete set of Facets ERwin diagrams. These diagrams offer a high-level, logical view of the data in the Facets database, identifying the logical entities and relationships, associations and/or dependencies between those entities. These data models can be a valuable reference for customers in the areas of data analysis, validation, troubleshooting and for creating custom reports.

The data models are divided into the following domains:

- Accounting
- Auditing
- Billing
- Business Process Automation
- Capitation
- Case Management
- Catalog
- Claim
- Commission
- Criteria
- Customer Service
- Disability
- HIPAA Development
- HIPAA Privacy
- ITS Claim
- ITS Plan
- Managed Care
- Member/Subscriber
- NetworX Pricer
- Plan
- Provider
- System

- Taxes
- Utilization Management
- Vision
- Workflow

Please note that while every attempt has been made to consolidate diagrams onto whole pages, certain tables had to be continued onto additional pages due to column length.

Accounting Data Model

Facets Accounting Data Model - 5.50.004 CMS-CLICK-CLM: CHRICKSoftware Group, Inc. All rights reserved. Confidential and Trade Secret Material. CLCL_CLAIM_v Page 1 of 8 CLCL In chart 12) is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] CLCK_PAYEE_IND: chart 19 CLCL_ID: char(12) LOBD ID: char(4) PYPY DEFN V CKPY_REF_ID: char(16) CKPY_PAY_DT: datetime PRPR_ID: char(12) MEME_CK: int PYPY_ID: char(8) CMC CKCK CHECK CKPY_REF_ID: char(16) CKCK_SEQ_NO: int CMC_ACDI_INT_DET SBSB_CK: int CLCK_PAYEE_PR_ID: char(12) CLCL_ID: char(12) CLCK_PAYEE_IND: char(1) PYPY ID: char(8) CLCK_COMB_IND: char(1) CLCK_ORIG_AMT: money CKCK_CK_NO: int CKCK_CASHED_DT: datetime LOBD_ID: char(4) ACDI_INT_TIER_NO: smallir CMC_PYPY_PAYOR CLCK_EOB_IND: char(1)
CLCK_UM_VIOL_IND: char(1)
CLCK_NTWK_IND: char(1)
CLCK_PROM_PAY_DISC: money CKCK_PRINTED_DT: datetime CKCK_REISS_DT: datetime PYPY_ID: char(8)
PYPY_EFF_DT: datetime ACDI_CONT_DAYS: smallint EXCD_ID: char(4) PDDS_MCTR_BCAT: char(4 CKCK_TYPE: char(1) CKCK_PAYEE_NAME: char(50) PYPY TERM DT: datetime CLCK_DISC_PCT: money CLCK_PRIOR_PD: money CKCK_CURR_STS: char(2)
CKST_SEQ_NO: int ACDI_INT_BEGIN_DT: datet ACDI_INT_DAYS_CALC: sm PYBA_ID: char(4)
PYPY_TAX_ID: char(9)
PYPY_PADOR.1xAME: char(50)
PYPY_ADDR1: char(40)
PYPY_ADDR3: char(40)
PYPY_ADDR3: char(40)
PYPY_ADDR3: char(40)
PYPY_CITY: char(19)
PYPY_STATE: char(2)
PYPY_ZIP: char(11)
PYPY_COUNTY: char(20)
PYPY_CTRY_CD: char(4)
PYPY_PHONE: char(20)
PYPY_PHONE: char(20)
PYPY_PHONE_EXT: char(4)
PYPY_PAX_char(20)
PYPY_FAX_char(20)
PYPY_FAX_EXT: char(4)
PYPY_EMAIL: char(40)
PYPY_EMAIL: char(40)
PYPY_EDI_DEST_ID: char(11)
PYPY_EDI_DEST_ID: char(11)
PYPY_EDI_DEST_ID: char(12)
PYPY_BOSS_PAY_METH: char(3)
PYPY_BSS_PAY_METH: char(3)
PYPY_NAIL_PIAN_ID: varchar(50)
PYPY_MIC_CODE: varchar(50)
PYPY_WEBS_ITE: varchar(50)
PYPY_BC_PHONE: varchar(50)
PYPY_BC_PHONE: varchar(50)
PYPY_BC_PHONE: varchar(50)
PYPY_BC_PHONE: varchar(50)
PYPY_BC_PHONE: varchar(50)
PYPY_BC_PHONE: varchar(50) PYBA_ID: char(4) PYPY_TAX_ID: char(9) CLCK_PRIOR_PD: money
CLCK_NET_AMT: money
CLCK_AGPP_EXCD_ID: char(3)
CLCK_CL_TYPE: char(10)
CLCK_CL_TYPE: char(10)
CLCK_CALC_TIPE. when the char(10)
CLCK_CALC_TIPE_AMT: money
CLCK_CALC_TIN_AMT: money
CLCK_CALC_TIN_AMT: money
CLCK_HSA_PRIOR_PD: money
MEDA_COURTEN_INITE char(11) CKCK_REISS_USUS_ID: char(10)
CKCK_LOCK_TOKEN: smallint ACDI_INT_CALC_SIII
ACDI_INT_CALC_AMT: mon
ACDI_LOCK_TOKEN: smallii
ATXR_SOURCE_ID: datetim ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: date SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(4 CLCK_HSA_PRIOR_PD: money
MEDA_CONFID_IND: char(01)
CLCK_ALLOW: money
CLCK_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CLCK_PRM_INT_CALC_NVL: money
CLCK_SC_INT_CALC_NVL: money CLCK_PR_ORIG_AMT_NVL: money CLCK_SC_ORIG_AMT_NVL: money CLCK_SC_PRIOR_PD_NVL: money CLCK_SC_PRIOR_PD_NVL: money CLCK_SC_PRIOR_PD_NVL: money CLCK_SC_INT_AMT_NVL: money CLCK_SC_INT_AMT_NVL: money CLCK_SC_INT_OVR_PD_NVL: money CLCK_SC_INT_OVR_PD_NVL: money CMC_CKST_STATUS CKPY_REF_ID: char(16) CKCK_SEQ_NO: int CKST_SEQ_NO: int CKST_STS: char(2) CKST_STS_DT: datetime USUS_ID: char(10) CMC_CKPY_PAYEE_SUM CKPY_REF_ID: char(16) CKST_MCTR_SRSN: char(4)
CKST_LOCK_TOKEN: smallint CKPY_TYPE: char(2) CKPY_PAY_DT: datetime ATXR_SOURCE_ID: datetime PYPY_WEBSITE: varchar(256)
PYPY_BC_NAME: varchar(50)
PYPY_BC_PHONE: varchar(20)
PYPY_BC_PHONE_EXT: char(4)
PYPY_BC_FAX: varchar(20)
PYPY_BC_EMAIL: varchar(40)
PYPY_TC_NAME: varchar(30)
PYPY_TC_PHONE: varchar(20)
PYPY_TC_PHONE: Varchar(20)
PYPY_TC_FAX: varchar(20)
PYPY_TC_EMAIL: varchar(40)
PYPY_TC_EMAIL: varchar(40)
PYPY_TC_WEBSITE: varchar(256)
PYPY_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime CKPY_PAYEE_PR_ID: char(12)
CKPY_PAYEE_PR_ID: char(12)
CKPY_PAYEE_CK: int
CKPY_PAYEE_TYPE: char(1)
CKPY_PYMT_TYPE: char(1)
CKPY_COMB_IND: char(1) CKPY_PER_END_DT: datetime CKPY_ORIG_AMT: money CKPY_ORIG_AMT: money
CKPY_DEDUCT_AMT: money
CKPY_NET_AMT: money
CKPY_CURR_CKCK_SEQ: int
CKPY_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime CMC_CKID_INDIC CKPY_REF_ID: char(16) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CKPY_INT_AMT_NVL: money CKCK_SEQ_NO: int CKID_ADDR1: char(40) CKID_ADDR2: char(40) CKID_ADDR3: char(40) CMC ACPR PYMT RED CKID_CITY: char(19) CKID_STATE: char(02) ACPR_REF_ID: char(16) ACPR_SUB_TYPE: char(01) CKID_ZIP: char(11) CKID_COUNTY: char(20) ACPR_TX_YR: char(04) ACPR_TYPE: char(02) ACPR_CREATE_DT: datetime CKID_CTRY_CD: char(04) CKID_ROUTING: char(35) CMC_ACGI_PAY_HIST CKID_TRANSIT: char(35)
CKID_CONTROL: char(35) CKPY_REF_ID: char(16) CKCK_SEQ_NO: int BPID_TYPE: char(4) CLCL_ID: char(12) LOBD_ID: char(04) ACPR_PAYEE_PR_ID: char(12) CKID_ACCT_NO: char(40)
CKID_ACCT_NAME: char(60)
CKID_MCTR_ATYP: char(04)
MCBD_ID: char(12) ACPR_PATEE_PR_ID. Claim (12)
ACPR_PAYEE_Ct. int
ACPR_PAYEE_TYPE: char(01)
ACPR_ORIG_AMT: money
ACPR_RECOV_AMT: money
ACPR_RECD_AMT: money CMC_PYBA_BANK_ACCT PYBA ID: char(4) LOBD_ID: char(4)
PRPR_CL_EFT_IND: char(01)
PRPR_RA_DEST_IND: char(01)
ACGI_LOCK_TOKEN: smallint MEDA_CONFID_IND: char(01)
CKID_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime PYBA BANK_NAME: char(50) PYBA_ADDR1: char(40) ACPR_WOFF_AMT: money ACPR_NET_AMT: money PYBA_ADDR2: char(40) PYBA_ADDR3: char(40) ATXR_SOURCE_ID: datetime PYBA_CITY: char(19)
PYBA_STATE: char(2)
PYBA_ZIP: char(11)
PYBA_COUNTY: char(20) ACPR_STS: char(01) EXCD ID: char(03) USUS_ID: char(10) PDDS_PREM_IND: char(01) ACPR_VARCHAR_MSG: varchar(255) ACPR_EXT_PYMT_IND: char(01) PYBA_CTRY_CD: char(4) PYBA_PHONE: char(20) PYBA_PHONE_EXT: char(4)
PYBA_FHONE_EXT: char(4)
PYBA_FAX: char(20)
PYBA_FAX_EXT: char(4)
PYBA_EMAIL: char(40)
PYBA_BANK_CONTROL: char(4)
PYBA_BANK_ROUTING: char(5) SBFS_PLAN_YEAR_DT: datetime ACPR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime PYBA_BANK_TRANSIT: char(5) PYBA_CHECKING_ACCT: char(20) CMC_ACRH_RED_HIST PYBA_LAST_CK_NO: int PYBA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime ACPR_REF_ID: char(16) ACPR_SUB_TYPE: char(01)
ACRH_SEQ_NO: int CMC ACBR REC STS ACRH_CREATE_DT: datetime ACPR REF ID: char(16) ACRH_EVENT_TYPE: char(01)
CKPY_REF_ID: char(16)
ACRH_RECD_DT: datetime
ACRH_PER_END_DT: datetime ACPR_SUB_TYPE: char(01)
ACRH_SEQ_NO: int ACBR_CREATE_DTM: datetime ACRH_EVENT_TYPE: char(01) ACRH_AMT: money USUS_ID: char(10) ACRH AMT: money ACRT_AWIT INDIREY
ACBR_STS: char(02)
ACBR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime ACRH_MCTR_RSN: char(04) ACRH_RCVD_CKNO: char(08)

ACRH_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Magret of 8 This File is for the exclusive use of Maty SSME_BPIDaINPIAIliance Plan (HAP). [02/01/2019] SYIN_INST: integer BPID_STOCK_ID: char(10) BPID TYPE: char(4) CMC LOBD LINE BUS BPID SEQ NO: int LOBD_ID: char(4) BPID_SUB_TYPE: char(1) CKPY_REF_ID: char(16) CLCL_ID: char(12) PRPR_ID: char(12) CMC_BPCI_CLM CER_SYIN_INST_V LOBD_MCTR_TYPE: char(4) LOBD_NAME: char(50) LOBD_ADDR1: char(40) CKPY_REF_ID: char(16) CLCL_ID: char(12) SYIN_INST: integer CLHP_ADM_TYPE: char(02)
CLHP_ADM_DT: datetime
CLHP_DC_STAT: char(02)
CLHP_DC_DT: datetime
CLHP_STAMENT_FR_DT: datetime
CLHP_STAMENT_TO_DT: datetime
AGPP_EXCD_ID: char(03)
AGPP_EXCD_TEXTL_varchor(70) SYSTEM_MODEL: varchar(25) OBD_ADDR2: char(40) PRPR_MCTR_TYPE: char(4) PRPR_NPI: char(10) LOBD ADDR3: char(40) BPID_TITLE: char(10)
CKPY_PAYEE_CK: int
CKPY_PAY_DT: datetime
PRPR_ENTITY: char(1) LOBD_CITY: char(19) LOBD_STATE: char(2) LOBD_STATE: char(2)
LOBD_ZIP: char(11)
LOBD_COUNTY: char(20)
LOBD_COUNTY: char(20)
LOBD_CTRY_CD: char(4)
LOBD_PHONE: char(20)
LOBD_PHONE_EXT: char(4)
LOBD_FAX: char(20)
LOBD_FAX. EXT: char(4)
LOBD_FAX_EXT: char(4)
LOBD_EMAIL: char(40)
LOBD_PAY_CL_METH: char(1)
LOBD_DAY_CL_METH: char(1)
LOBD_OVP_EXCD_ID: char(3)
ACPE_ID: char(4) LOBD_ID: varchar(50) LOBD_NAME: char(50) CMC LOBD LINE BUS V AGPP_EXCD_TEXT1: varchar(70) AGPP_EXCD_TEXT2: varchar(70) PYPY_ID: char(8) PYBA_ID: char(4) LOBD ID: char(4) CLCB_COB_AMT: money
CLCB_COB_ALLOW: money
CLCB_COB_SANCTION: money
CLCB_COB_DED_AMT: money BPID_PAYEE_ID: char(12)
CKPY_PAYEE_TYPE: char(1)
CKCK_PAYEE_NAME: varchar(50)
CKCK_SEQ_NO: int
CKPY_NET_AMT: money
BPID_CK_NO: int From_Plan: char() CLCB_COB_DED_AMT: money
CLCB_COB_COINS_AMT: money
CLCB_COB_COPAY_AMT: money
CLCB_COB_REAS_CD: varchar(05)
CLCB_COB_TYPE: char(01)
CLCB_COB_TYPE: char(01)
CLCB_COB_DISALLOW: money
CLSM_OC_ALLOW: money
CLSM_OC_DED_AMT: money
CLSM_OC_COINS_AMTD: money
CLSM_OC_COINS_AMTD: money LOBD_OVP_EXCB_ID: Char(3)
ACPE_ID: char(4)
PYPY_ID: char(8)
LOBD_ID_COMM: char(4)
LOBD_CR_RED_IND: char(01)
LOBD_PR_RED_IND: char(01) BPID_PRINTED_DT: datetime PYPY_PAYOR_NAME: varchar(50) CMC_PYBA_BANK_ACCT_V PYPY_ADDR1: varchar(40) PYPY_ADDR2: varchar(40) PYPY_ADDR3: varchar(40) PYPY_CITY: varchar(19) PYBA_ID: char(4) CLSM_OC_ALLOW: money
CLSM_OC_DED_AMT: money
CLSM_OC_COINS_AMTM: money
CLSM_OC_COINS_AMTM: money
CLSM_OC_COINS_AMTM: money
CLSM_OC_GROUP_CD: char(02)
CLSM_OC_PAID_AMT: money
CLSM_OC_PAID_AMT: money
CLSM_OC_PAID_AMT: money
CLSM_OC_PAID_AMT: money
CLSM_OC_PAID_AMT: money
CLSM_OC_PAID_FAC: varchar(12)
CLMF_INPUT_TXMM_CD: char(12)
CLMF_INPUT_TXMM_CD: char(12)
CLMF_PRPR_FA_NPI: varchar(10)
CLMF_PRPR_FA_NPI: varchar(10)
CLMF_PRPR_FA_TAX: varchar(9)
CLMF_PRPR_RF_NPI: varchar(10)
CLMF_PRPR_SE_TAX: varchar(9)
CLMF_INPUT_SBSB_ID: varchar(10)
CLMF_INPUT_SBSB_ID: varchar(10)
CLHP_PRPR_AD_TAX: varchar(9)
CLHP_PRPR_AD_TAX: varchar(9)
CLHP_PRPR_OD_NPI: varchar(10)
CLHP_PRPR_OD_NPI: varchar(10)
CLHP_PRPR_OD_TAX: varchar(9)
CLHP_PRPR_OD_TAX: varchar(9)
CLHP_PRPR_OD_TAX: varchar(10)
CLHP_MED_REC_NO: varchar(10)
CLHP_MED_REC_NO: varchar(17)
CLHP_PRPR_ID_OPER: char(12)
BPCI_INT_EXCD_ID: char(13)
BPCI_INT_TEXTD: varchar(70)
BPCI_INT_TEXTD: varchar(70)
BPCI_INT_TEXTD: varchar(70)
MEME_HEALTH_ID: varchar(80)
CLMF_EXT_REFRAL_NO: varchar(50)
BPCI_LOCK_TOKEN: smallint
CSPI_SEC_PLAN_CD_NVL: char(2)
CLSM_SQEST_AMT_NVL: money LOBD_NR_RED_IND: char(01)
LOBD_CO_RED_IND: char(02)
LOBD_PAY_FSAC_METH: char(01) From Accounts: char() PYPY_STATE: char(2) PYPY_ZIP: char(11) PYPY_CTRY_CD: char(4) PYPY_EMAIL: varchar(40) LOBD_PAY_DAC_MEITH. CHAIL
LOBD_PAY_DIS_METH: char(1)
LOBD_PAY_DIS_METH: char(1)
LOBD_PAY_VIS_METH: char(1)
LOBD_PAY_VIS_METH: char(1)
LOBD_VIS_RED_IND: char(1)
LOBD_LOCK_TOKEN: smallint PYBA_BANK_NAME: varchar(50)
PYBA_ADDR1: varchar(40)
PYBA_ADDR2: varchar(40)
PYBA_ADDR3: varchar(40) PYPY DEFN V ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) PYPY_ID: char(8) PYBA_CITY: varchar(19) PYBA_STATE: char(2) PYBA_SIATE: cnar(2)
PYBA_IP: char(11)
PYBA_CTRY_CD: char(4)
PYBA_EMAIL: varchar(40)
PYBA_BANK_CONTROL: char(4)
PYBA_BANK_ROUTING: char(5)
PYBA_BANK_TRANSIT: char(5) PYBA_CHECKING_ACCT: char(20)
BPID_PAYEE_ADDR1: varchar(40) CMC_BPST_STATUS ACPE_DĚFN_V SYIN_INST: integer BPID_STOCK_ID: char(10) BPID_PAYEE_ADDR2: varchar(40)
BPID_PAYEE_ADDR3: varchar(40) BPID_PAYEE_ADDR3: varchar(40)
BPID_PAYEE_CITY: varchar(19)
BPID_PAYEE_CITY: varchar(19)
BPID_PAYEE_CITY: varchar(19)
BPID_PAYEE_ZIP: char(11)
BPID_PAYEE_CIRY_CD: char(4)
BPID_PAYEE_EMAIL: varchar(40)
BPID_PAYEE_TAX_ID: char(9)
BPID_LIT_AMT: varchar(100)
BPID_OVP_RECOV: money
BPID_PYEE_ACCT_NO: varchar(40)
BPID_PYEE_ACCT_NO: varchar(40)
BPID_PYEE_ACCT_TVP: char(4)
BPID_PYEE_ACCT_TVP: char(4)
BPID_PYEE_BNK_NAME: varchar(50)
BPID_PYEE_BNK_TRNS: varchar(35)
BPID_PYEE_BNK_TRNS: varchar(35)
BPID_PYEE_BNK_CTRL: varchar(35)
MCBD_ID: char(12) ACPE_ID: char(4) BPID_TYPE: char(4) BPID_SEQ_NO: int CKPY_REF_ID: char(16) BPST_STS: char(1)
BPST_STS DT: datetime CMC_ACPE_PER_DTS ACPE_ID: char(4)
ACPE_BEGIN_DT: datetime ACPE_END_DT: datetime ACPE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime BHID_FYEE_ENN_CIRL. Validia MCBD_ID: char(12) BPID_PY_MCTR_LANG: char(4) MEDA_CONFID_IND: char(01) SYIN_REF_ID: char(16) BPID_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CKPY_INT_AMT_NVL: money CMC_CKCK_CHECK_v CKPY REF ID: char(16) From_Accounting: char()

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/6/2019]

CMC_CKUP_CK_NUM

SYIN_REF_ID: char(16)
BPID_STOCK_ID: char(10)
BPID_TYPE: char(04)
CKPY_REF_ID: char(16)

CKCK_CK_NO: int
CKCK_SEQ_NO: int
CKNO_STS: char(2)
CKCK_PRINTED_DT: datetime
CKUP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_CKNH_NUM_HIST

SYIN_REF_ID: char(16) BPID_STOCK_ID: char(10) CKNH_SEQ_NO: int

CKNH_START_REF_ID: char(16)
CKNH_END_REF_ID: char(16)
CKNH_START_CK_NO: int
CKNH_END_CK_NO: int
CKNH_END_CK_NO: the
CKCK_PRINTED_DT: datetime
CKNH_ENTRY_TYPE: char(01)
CKNH_LAST_UPD_USUS: char(10)
CKNH_LAST_UPD_USUS: char(10)
CKNH_PROCESS_DT: datetime
CKNH_STS: char(02)
CKNH_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime


CMC_CKNO_CK_NUM

SYIN_INST: integer
BPID_STOCK_ID: char(10)
BPID_TYPE: char(04)
CKPY_REF_ID: char(16)

CKCK_CK_NO: int
CKCK_SEQ_NO: int
CKNO_STS: char(2)
CKCK_PRINTED_DT: datetime
SYIN_REF_ID: char(16)
CKNO_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Page 2 continued

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



CLCL_ACPT_DTM: datetime
CLCL_OOA_IND: char(01)
CLCL_HSA_IND: char(01)
CLCL_REL_CLCL_ID: varchar(12)
CLCL_INPUT_METHOD: char(1)
SBIH_SBSB_ID_ORIG: char(09)
SYIN_REF_ID: varchar(16)
MEDĀ_CONFID_IND: char(01)
MCRL_MEME_CREL_CD: char(21)
MCRL_CREL_DESC: varchar(30)
PRPR_ENTITY: char(1)
AGAG_ID: char(12)
MCTN_ID: char(9)
CLCK_HSA_ORIG_AMT: money
CLCK_ALLOW: money
CLCK_ALLOW: money
CLCK_PRM_INT_CALC_NVL: money
CLCK_PRM_INT_CALC_NVL: money
CLCK_SC_INT_CALC_NVL: money
CLCK_SC_ORIG_AMT_NVL: money
CLCK_SC_NIG_AMT_NVL: money
CLCK_SR_INT_OMT_NVL: money
CLCK_SR_INT_OMT_NVL: money
CLCK_SR_INT_AMT_NVL: money CLCK_SC_INT_AMT_NVL: money CLCK_PR_INT_OVR_PD_NVL: money CLCK_SC_INT_OVR_PD_NVL: money

Facets Accounting Data Model - 5.50.004


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Newsylla Scent Ind NVL: money
This File is for the exclusive use of Maty Sylla - Health Alliance Page 31-continued 01/20 PR_IN_CNTL_NO_NVL: varchar(50)

CMC_BPHP_INDIC

SYIN_INST: int BPID_STOCK_ID: char(10) BPID_SEQ_NO: int CKPY_REF_ID: char(16)
CLCL_ID: char(12)
BPHP_PAYEE_ED_ID: char(15)
BPHP_PAYEE_ED_QUAL: char(2)
BPHP_PYEE_BANK_ED: char(15)
BPHP_PYEE_BANK_ED: char(2)
MCBD_DFI_ID_QUAL: char(2)
MCBD_DFI_ID_QUAL: char(3)
PRPR_CCT_NO_QUAL: char(3)
PRPR_CL_EFT_IND: char(1)
PRPR_CAP_EFT_IND: char(1)
PRPR_CAP_EFT_IND: char(1)
PRPR_CLENGHOUSE_ID: varchar(30)
PYPY_ED_ID: char(15) PRPR_RA_DEST_IND: char(1)
PRPR_CLRNGHOUSE_ID: varchar(30)
PYPY_ED_ID: char(15)
PYPY_ED_QUAL: char(2)
PYPY_ED_QUAL: char(2)
PYPY_ED_S3S_PAY_METH: char(3)
PYPY_835_ACH_FMT: char(10)
PYPY_DFI_ID_QUAL: char(2)
PYPY_PT_PHONE: char(20)
PYPY_PHONE_EXT: char(4)
PYPY_PHONE_EXT: char(4)
PYPY_PAX: char(20)
PYPY_PHONE_EXT: char(4)
SYIN_REF_ID: char(16)
PYPY_NATL_PLAN_ID: varchar(80)
PYPY_ID_NO: varchar(50)
PYPY_NATL_PLAN_ID: varchar(50)
PYPY_MESTITE: varchar(256)
PYPY_WEBSTITE: varchar(256)
PYPY_BC_PHONE_EXT: char(4)
PYPY_TC_PHONE_EXT: Char(2)
PYPY_TC_PHONE_EXT: Char(2)
PYPY_TC_EMBIL: varchar(20)
PYPY_TC_PHONE_EXT: Char(2)
PYPY_TC_EMBIL: varchar(256)
PRPR_RMT_DEL_NAME: varchar(256)
PRPR_RMT_DEL_NAME: varchar(256)
PRPR_RMT_DEL_NAME: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)
PRPR_RMT_COMM_NO: varchar(256)

CMC_WQ35_WORK_QUE WQ35_ROW_ID: int

SYIN_INST: int BPID_STOCK_ID: char(10) BPID_TYPE: char(4) BPID_SEQ_NO: int SYIN_REF_ID: char(16) BPST_UPDATE: char(1)



Page 4 continued

Facets Accounting Data Model - 5.50.004

Cognizant TriZetto St. BPHD DRPY PADJ CD: char(02) is reserved. Confidential and ATXR SQURCE. ID: datetime BPHD Grow Padd CD: char(02) is reserved. Confidential and CLM RP DATE PATD WIL: datetime BPHD CoB PADJ CD: char(5) BPHD. COB 8.835. CD: char(5) BPHD. COB 8.835. CD: char(5) BPHD. COB PADJ CD: char(5) BPHD. CE. PADJ CD: char(5) BPHD. CE. PADJ CD: char(6) BPHD. DNRP PADJ CD: char(6) BPHD. DRPD PADJ CD: varchar(50) BPHD. PCD. Varchar(60) BPHD. PCD. Varchar(60) BPHD. PCD. Varchar(60) BPHD. CBPY-HCP CD: varchar(60) BPHD. CBPY-HCP CD: varchar(60) BPHD. CB HCP CD: varchar(60) BPHD. CB HCP CD: varchar(60) BPHD. CB HCP CD: varchar(60) BPHD. DNRP HCP CD: varchar(60) BPHD. DNLTY RMK CD3: varchar(60) BPHD. DNLTY BPHD_PNLTY_RMK_CD3: varchar(25)
BPHD_PNLTY_RMK_CD5: varchar(5)
BPHD_PNLTY_RMK_CD5: varchar(5)
BPHD_CGPY_RMK_CD2: varchar(5)
BPHD_CGPY_RMK_CD3: varchar(5)
BPHD_CGPY_RMK_CD4: varchar(5)
BPHD_CGPY_RMK_CD4: varchar(5)
BPHD_LT_DS_RMK_CD5: varchar(5)
BPHD_LT_DS_RMK_CD3: varchar(5)
BPHD_LT_DS_RMK_CD3: varchar(5) BPHD_LT_DS_RMK_CD3: varchar(5)
BPHD_LT_DS_RMK_CD4: varchar(5)
BPHD_LT_DS_RMK_CD5: varchar(5)
BPHD_RW_DS_RMK_CD5: varchar(5)
BPHD_RW_DS_RMK_CD5: varchar(5)
BPHD_RW_DS_RMK_CD4: varchar(5)
BPHD_RW_DS_RMK_CD5: varchar(5)
BPHD_DPPY_RMK_CD5: varchar(5)
BPHD_DPPY_RMK_CD3: varchar(5)
BPHD_DPPY_RMK_CD4: varchar(5)
BPHD_DPPY_RMK_CD5: varchar(5)
BPHD_CE_DS_RMK_CD5: varchar(5)
BPHD_CE_DS_RMK_CD6: varchar(5)
BPHD_CE_DS_RMK_CD6: varchar(5)
BPHD_CE_DS_RMK_CD6: varchar(5)
BPHD_CE_DS_RMK_CD5: varchar(5)
BPHD_CE_DS_RMK_CD5: varchar(5)
BPHD_CE_DS_RMK_CD5: varchar(5)
BPHD_CE_DS_RMK_CD5: varchar(5)
BPHD_CISC_RMK_CD5: varchar(5) BPHD_CE_DS_RMM_CD4: varchar(5)
BPHD_CE_DS_RMM_CD5: varchar(5)
BPHD_DISC_RMM_CD2: varchar(5)
BPHD_DISC_RMM_CD3: varchar(5)
BPHD_DISC_RMM_CD4: varchar(5)
BPHD_DISC_RMM_CD5: varchar(5)
BPHD_PRIC_RMM_CD5: varchar(5)
BPHD_PRIC_RMM_CD3: varchar(5)
BPHD_PRIC_RMM_CD3: varchar(5)
BPHD_PRIC_RMM_CD4: varchar(5)
BPHD_PRIC_RMM_CD5: varchar(5)
BPHD_DRPR_RMM_CD5: varchar(5)
BPHD_DNRP_RMM_CD5: varchar(5)
BPHD_DNRP_RMM_CD5: varchar(5)
BPHD_DNRP_RMM_CD5: varchar(5)
BPHD_DNRP_RMM_CD5: varchar(5)
BPHD_DRP_RMM_CD5: varchar(5)
BPHD_DRP_RMM_CD5: varchar(5)
BPHD_PCA_RMM_CD5: varchar(5)
BPHD_COB_RMM_CD5: varchar(5)
BPHD_COB_RMM_CD5: varchar(5)
BPHD_COB_RMM_CD5: varchar(6) BPHD_COB_RMK_CD3: varchar(5)
BPHD_COB_RMK_CD4: varchar(5)
BPHD_COB_RMK_CD5: varchar(5)
BPHD_COB_RMK_CD5: varchar(5)
BPHD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

ACDI_CONT_DAYS. SMaillift EXCD_LDRG_TEXT1: varchar(; EXCD_LONG_TEXT2: varchar(; EXCD_LONG_TEXT2: varchar(; PDDS_MCTR_BCAT: char(4) ACDI_NT_BEGIN_DT: datetime ACDI_INT_DAYS_CALC: smalli ACDI_DAILY_RATE: int
ACDI_INT_CALC_AMT: money
BPDI_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Secret Monie index Described Secret Monie in Inc. All rights reserved. Confidential and Secret Monie in Inc. 2014 Secret M). [02/01/201ACAD_GEN_LDGR_NO: char(24)

CMC BPHM CLM DTL

CMC_BPIO_COB CKPY_REF_ID: char(16) CLCL_ID: char(12)

MEME CK: int CLIO_LAST_NAME: varchar(20)
CLIO_FIRST_NAME: varchar(10) CLIO_MID_INIT: char(1)
CLIO_OPL_ID: varchar(17)
CLIO_BIRTH_DT: datetime CLIO_OFL_ID: Varchar(11')
CLIO_BIRTH_ DT: datetime
CLIO_SEX: char(1)
CLIO_SEX: char(1)
CLIO_EMP_SCHL: varchar(18)
CLIO_PAYER_NAME: varchar(16)
CLIO_OPL_CALC_METH: char(3)
CLIO_OPL_DED_AMT: money
CLIO_OPL_COIN_AMT: money
CLIO_ALLOW_AMT: money
CLIO_PAID_AMT: money
CLIO_FAID_AMT: money
CLIO_FAID_INIT2: char(1)
CLIO_MID_INIT2: char(1)
CLIO_OP2_ID: varchar(25)
CLIO_BIRTH_DT2: datetime
CLIO_SEX2: char(1)
CLIO_OP2_CALC_METH: char(3)
CLIO_OP2_DED_AMT: money
CLIO_OP2_PAID_AMT: money
CLIO_OP2_PAID_AMT: money
CLIO_OP2_PAID_AMT: money
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_PAID_INIT: char(1)
CLIO_OP2_NATI_IND: char(1)
CLIO_OP2_NATI_IND: char(1)
CLIO_OP2_NCOV_AMT: money
CLIO_OP2_NCOV_AMT: money
CLIO_OP2_NCOV_AMT: money
CLIO_OP2_NS_OH_NIT: money
CLIO_OP2_NS_OH_NIT: money
CLIO_OP2_NS_OH_NITI_MONEY CLIO_OPZ_MWI_IND. Glant()
CLIO_OPL_NCOV_AMT: money
CLIO_OPL_SD_CV_AMT: money
CLIO_OPL_SB_HH_AMT: money
CLIO_OPL_SB_HH_AMT: money
CLIO_OPL_SB_LIAB: money
CLIO_OPZ_SB_LIAB: money
CLIO_OPZ_SB_LIAB: money
CLIO_OPZ_SB_LIAB: money
CLIO_PRIMACY_IND: char(1)
CLIO_COL_ORS_DAYS: smallint
CLIO_LIFE_RESV_DAY: smallint
CLIO_LIFE_RESV_DAY: smallint
CLIO_MED_CLM_NUM: varchar(12)
CLIO_MED_LMT_AMT: money
CLIO_COV_DAYS: smallint
CLIO_AMT_MAP_VAL: char(10)
CLIO_MON_COV_DAYS: smallint
CLIO_ADD_DATA: varchar(255)
CLIO_GR_PLAN_NUM: char(09) CLIO ADDIL DAI A: Varchar(255)
CLIO GR PLAN, NUM: char(09)
CLIO OC ADJ GP CD1: char(02)
CLIO OC ADJ GP CD2: char(02)
CLIO OC ADJ GP CD3: char(02)
CLIO OC ADJ GP CD4: char(02)
CLIO OC ADJ GP CD4: char(02)
CLIO OC ADJ GP CD5: char(02)
CLIO OC ADJ RSN 1: char(05)
CLIO OC ADJ RSN 2: char(05) CLIO_OC_ADJ_RSN_3: char(05)
CLIO_OC_ADJ_RSN_4: char(05)
CLIO_OC_ADJ_RSN_5: char(05)
CLIO_OC_ADJ_AMT_1: money CLIO_OC_ADJ_AMT_2: money CLIO_OC_ADJ_AMT_3: money CLIO_OC_ADJ_AMT_4: money CLIO_OC_ADJ_AMT_5: money BPIO_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CKPY_REF_ID: char(16) CLCL_ID: char(12) CDML_SEQ_NO: smallint

CDML_EXT_LINE_NO: smallint BPHM_PNLTY_835_CD: char(5) BPHM_SE_DIS_835_CD: char(5) BPHM_LT_DIS_835_CD: char(5) BPHM_RW_DIS_835_CD: char(5) BPHM_WW_DIS_835_CD: char(5)
BPHM_CE_DIS_835_CD: char(5)
BPHM_DIS_835_CD: char(5)
BPHM_DISC_835_CD: char(5)
BPHM_SUPDSC_835_CD: char(5)
BPHM_SUPDSC_835_CD: char(5)
BPHM_SD_DIS_835_CD: char(5) BPHM SUPDS (335 CD: char(5)
BPHM PCA 835 CD: char(5)
BPHM PCA 835 CD: char(5)
BPHM PCA 835 CD: char(5)
BPHM DISALL RMRK CD: char(05)
BPHM DISAL RMRK CD: char(05)
BPHM PNLTY RMRK CD: char(05)
BPHM ES DS RMRK CD: char(05)
BPHM LT DS RMRK CD: char(05)
BPHM LT DS RMRK CD: char(05)
BPHM LT DS RMRK CD: char(05)
BPHM DIS RMRK CD: char(05)
BPHM DISC RMRK CD: char(05)
BPHM DISC RMRK CD: char(05)
BPHM DISC RMRK CD: char(05)
BPHM SUPDS RMRK CD: char(05)
BPHM SUPDS RMRK CD: char(05)
BPHM SUPDS RMRK CD: char(05)
BPHM DISAL PADJ CD: char(02)
BPHM PNLTY PADJ CD: char(02)
BPHM LT DS PADJ CD: char(02)
BPHM CD S PADJ CD: char(02)
BPHM CD S PADJ CD: char(02)
BPHM CD S PADJ CD: char(02)
BPHM DISC PADJ CD: char(02)
BPHM SUPDS PADJ CD: char(02) BPHM_SD_DS_PADJ_CD: char(02)
BPHM_PCA_PADJ_CD: char(02)
BPHM_PCA_PADJ_CD: char(02)
CDML_GWID: varchar(32)
BPHM_COB_RMRK_CD: char(5) BPHM_COB_RMRK_CD: char(5)
BPHM_COB_835_CD: char(5)
BPHM_COB_PADJ_CD: char(5)
BPHM_PNLTY_HCP_CD: varchar(50)
BPHM_ED_IS_HCP_CD: varchar(50)
BPHM_LT_DIS_HCP_CD: varchar(50)
BPHM_RW_DIS_HCP_CD: varchar(50)
BPHM_UM_DIS_HCP_CD: varchar(50)
BPHM_CE_DIS_HCP_CD: varchar(50)
BPHM_CE_DIS_HCP_CD: varchar(50)
BPHM_CE_DIS_HCP_CD: varchar(50) BPHM_DISC_HCP_CD: varchar(50)
BPHM_PRIC_HCP_CD: varchar(50)
BPHM_SUPDSC_HCP_CD: varchar(50)
BPHM_SD_DIS_HCP_CD: varchar(50) BPHM_PCA_HCP_CD: varchar(50)
CDML_DISALL_HCP_CD: varchar(50)
BPHM_COB_HCP_CD: varchar(50)
BPHM_SCPA_835_CD: varchar(5) BPHM_SCPA_BOS_CD: varchar(5)
BPHM_SCPA_PADJ_CD: varchar(2)
BPHM_SCPA_HCP_CD: varchar(50)
BPHM_PADJ_835_CD: varchar(5) BPHM_PADJ_883_CD: varcnar(5)
BPHM_PADJ_RMRK_CD: varchar(2)
BPHM_PADJ_PADJ_CD: varchar(2)
BPHM_PADJ_HCP_CD: varchar(50)
BPHM_DISAL_RMK_CD3: varchar(5)
BPHM_DISAL_RMK_CD2: varchar(5)
BPHM_DISAL_RMK_CD4: varchar(5) BPHM_DISAL_RMK_CD5: varchar(5)
BPHM_PNLTY_RMK_CD2: varchar(5)
BPHM_PNLTY_RMK_CD3: varchar(5)
BPHM_PNLTY_RMK_CD4: varchar(5)
BPHM_PNLTY_RMK_CD5: varchar(5)
BPHM_SE_DS_RMK_CD2: varchar(5) BPHM_SE_DS_RMK_CD3: varchar(5)
BPHM_SE_DS_RMK_CD4: varchar(5) BPHM_SE_DS_RMK_CD4: varchar(5)
BPHM_SE_DS_RMK_CD5: varchar(6)
BPHM_LT_DS_RMK_CD3: varchar(6)
BPHM_LT_DS_RMK_CD4: varchar(5)
BPHM_LT_DS_RMK_CD4: varchar(5)
BPHM_LT_DS_RMK_CD5: varchar(5)
BPHM_RW_DS_RMK_CD5: varchar(5)
BPHM_RW_DS_RMK_CD3: varchar(5)
BPHM_RW_DS_RMK_CD3: varchar(5)
BPHM_RW_DS_RMK_CD4: varchar(5)
BPHM_RW_DS_RMK_CD4: varchar(5) BPHM_RW_DS_RMK_CD5: varchar(5)
BPHM_UM_DS_RMK_CD2: varchar(5)
BPHM_UM_DS_RMK_CD3: varchar(5)
BPHM_UM_DS_RMK_CD4: varchar(5)
BPHM_UM_DS_RMK_CD4: varchar(5)
BPHM_UM_DS_RMK_CD5: varchar(5)
BPHM_CE_DS_RMK_CD4: varchar(5)

BPHM_CE_DS_RMK_CD2: varchar(5)
BPHM_CE_DS_RMK_CD3: varchar(5)
BPHM_CE_DS_RMK_CD3: varchar(5)
BPHM_DISC_RMK_CD2: varchar(5)
BPHM_DISC_RMK_CD3: varchar(5)
BPHM_DISC_RMK_CD3: varchar(5)
BPHM_DISC_RMK_CD3: varchar(5)
BPHM_DISC_RMK_CD5: varchar(5)
BPHM_DISC_RMK_CD5: varchar(5)
BPHM_DISC_RMK_CD2: varchar(5)
BPHM_DISC_RMK_CD2: varchar(5)

BPHM_PRIC_RMK_CD2: varchar(5)
BPHM_PRIC_RMK_CD4: varchar(5)
BPHM_PRIC_RMK_CD4: varchar(5)
BPHM_PRIC_RMK_CD5: varchar(5)
BPHM_SUPDS_RMK_CD2: varchar(5)
BPHM_SUPDS_RMK_CD2: varchar(5)
BPHM_SUPDS_RMK_CD3: varchar(5)
BPHM_SUPDS_RMK_CD4: varchar(5)
BPHM_SUPDS_RMK_CD4: varchar(5)
BPHM_SUPDS_RMK_CD5: varchar(5)
BPHM_SUPDS_RMK_CD6: varchar(5)
BPHM_SUPDS_RMK_CD6: varchar(5)

BPHM_SUPUS_RMM_CD5: varchar(5)
BPHM_SD_DS_RMK_CD4: varchar(5)
BPHM_SD_DS_RMK_CD5: varchar(5)
BPHM_PCA_RMK_CD5: varchar(5)
BPHM_PCA_RMK_CD5: varchar(5)
BPHM_PCA_RMK_CD5: varchar(5)
BPHM_PCA_RMK_CD5: varchar(5)

CMC_ACGL_ACCT_DEF ACGL_SYS_REGION: char(1)
ACGL_TYPE: char(1)
ACGL_ACTIVITY: char(1)
LOBD_ID: char(4)
ACCT_CAT: char(4)
ACGL_VAR_DATA_1: char(20)
ACGL_VAR_DATA_2: char(20)
ACGL_VAR_DATA_3: char(20) ACAD_GEN_LDGR_NO: char(24) ACGL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CKMM CLCK ROW ID: numeric(10,0) indentity

CLCL_ID: char(12)
CLCL_ID: char(12)
CLCK_PAYEE_IND: char(1)
LOBD_ID: char(4)
CKPY_REF_ID: char(16)
CKPY_PAY_DT: datetime
PRPR_ID: char(12)
MEME_CK: int
SBSB_CK: int
CLCK_PAYEE_PR_ID: char(12)
CLCK_COMB_IND: char(1)
CLCK_COMB_IND: char(1)
CLCK_EOB_IND: char(1)
CLCK_UM_VIOL_IND: char(1)
CLCK_UM_VIOL_IND: char(1)
CLCK_UM_VIOL_IND: char(1) CLCK_DIMW_IND: char(1)
CLCK_NTWK_IND: char(1)
CLCK_PROM_PAY_DISC: money
CLCK_DISC_PCT: money
CLCK_PRIOR_PD: money CLCK_NET_AMT: money
CLCK_AGPP_EXCD_ID: char(3)
CLCK_PYMT_OVRD_IND: char(1) CLCK_AGPP_EXCD_ID: char(3)
CLCK_PYMT_OVRD_IND: char(1)
CLCL_CL_TYPE: char(1)
CLCK_INT_AMT: money
CLCK_CALC_INT_AMT: money
CLCK_HSA_DRIG_AMT: money
CLCK_HSA_DRIG_AMT: money
CLCK_HSA_PRIOR_PD: money
MEDA_CONFID_IND: char(01)
CLCK_DCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
PAYMENT_GROUPING: int
CLCK_PM_INT_CALC_NVL: money
CLCK_SC_INT_CALC_NVL: money
CLCK_PC_ORIG_AMT_NVL: money
CLCK_PC_ORIG_AMT_NVL: money
CLCK_PC_PRIOR_PD_NVL: money
CLCK_SC_INT_AMT_NVL: money
CLCK_PR_INT_AMT_NVL: money
CLCK_PR_INT_OVR_PD_NVL: money
CLCK_PC_INT_OVR_PD_NVL: money

CMC CKMM TEMP CLCK

CMC CKDM TEMP CLCK

CKDM_CLCK_ROW_ID: numeric(10,0) indentity

CLCL_ID: char(12) CLCK_PAYEE_IND: char(1) LOBD_ID: char(4) CKPY_REF_ID: char(16) CKPY_PAY_DT: datetime CKPY_PAY_DT: datetime
PRPR_ID: char(12)
MEME_CK: int
SBSB_CK: int
CLCK_PAYEE_PR_ID: char(12)
CLCK_COMB_IND: char(1)
CLCK_ORIG_AMT: money
CLCK_EOB_IND: char(1)
CLCK_UM_VIOL_IND: char(1)
CLCK_NTWK_IND: char(1)
CLCK_PROM_PAY_DISC: money
CLCK_PRIOR_PD: money
CLCK_PRIOR_PD: money
CLCK_PRIOR_PD: money CLCK_PRIOR_PD: money
CLCK_NET_AMT: money
CLCK_AGPP_EXCD_ID: char(3)
CLCK_CLTYPE: char(1)
CLCK_CLTYPE: char(1)
CLCK_INT_AMT: money
CLCK_CALC_INT_AMT: money
CLCK_HSA_PRIOR_PD: money
CLCK_HSA_PRIOR_PD: money

CLCK_HSA_PRIOR_PD: money
MEDA_CONFID_IND: char(01)
CLCK_ALLOW: money
CLCK_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CLCK_PRM_INT_CALC_NVL: money
CLCK_SC_INT_CALC_NVL: money
CLCK_PR_ORIG_AMT_NVL: money
CLCK_SC_ORIG_AMT_NVL: money CLCK_PR_PRIOR_PD_NVL: money CLCK_SC_PRIOR_PD_NVL: money CLCK_PRM_INT_AMT_NVL: money
CLCK_SC_INT_AMT_NVL: money
CLCK_PR_INT_OVR_PD_NVL: money
CLCK_SC_INT_OVR_PD_NVL: money CMC_CLPI_WORK_MEDPP

ACAD_ACCT_DESC: char(70) ACAD_LOCK_TOKEN: smallint

ATXR SOURCE ID: datetime

CLPI ROW ID: numeric(10.0) identity CLCL_ID: char(12) MEME_CK: int GRGR_CK: int SBSB_CK: int SGSG_CK: int
CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1)
CLCL_CUR_STS: char(2) NWNW_ID: char(12)
CLCL_PAY_PR_IND: char(1)
CLCL_DRAG_DT: datetime

CMC CLPD WORK PREDE

CLPD_ROW_ID: numeric(10,0) identity

CLCL ID: char(12) MEME_CK: int GRGR_CK: int SBSB_CK: int SBSB_CK: int
SGSG_CK: int
CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1)
CLCL_CUR_STS: char(2)
NWNW_ID: char(12)
CLCL_PAY_PR_IND: char(1)
CLCL_DRAG_DT: datetime

CMC NFWQ WORK QUE

NFWQ ROW ID: numeric(10,0) PYPY ID: char(8) PYBA_ID: char(4) PYBA_CHECKING_ACCT: char(20) PYBA_CHECKING_ACCI: cr SYIN_INST: int BPID_STOCK_ID: char(10) BPID_TYPE: char(4) BPID_SEQ_NO: int SYIN_REF_ID: char(16) FILE_ID_MODIFIER: char(1) BATCH NUMBER: int

CMC_CLFM_WORK_FSA

CLFM_ROW_ID: numeric(10,0) identity CLCL_ID: char(12) MEME_CK: int GRGR_CK: int SBSB_CK: int CLCL_CL_TYPE: char(01)
CLCL_CL_SUB_TYPE: char(01)
CLCL_CUR_STS: char(02)
LOBD_ID: char(04) CLCL_PAY_PR_IND: char(01)
CLFM_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

CMC_CKFM_WORK_FSCK

CKFM_ROW_ID: numeric(10,0) identity

CLCL_ID: char(12) LOBD_ID: char(04) CLFC_PAYEE_CK: int CLFC_PAYEE_IND: char(01) CLFC_PAYEE_IND: char(01)
CKPY_REF_ID: char(16)
CKPY_PAY_DT: datetime
CLFC_COMB_IND: char(01)
CLCL_CL_SUB_TYPE: char(01)
CLCL_SUB_TYPE: char(01)
CLFC_PIG_AMT: money
CLFC_PRIG_PAID: money
CLFC_PRIG_PAID: money
CLFC_PYMT_OVRD_IND: char(01)
CLFC_SOURCE_YR_CD: char(01)
CKFM_LOCK_TÖKEN: smallint
ATXR_SOURCE_ID: datetime

CMC CKZP INDIC

CKPY_REF_ID: char(16) CKZP_PAYEE_NAME: char(50) CKZP_FAYEE_NAME: cnar(50)
CKZP_ADDR1: varchar(40)
CKZP_ADDR2: varchar(40)
CKZP_ADDR3: varchar(40)
CKZP_CITY: varchar(19)
CKZP_STATE: char(02)
CKZP_ZIP: varchar(11)
CKZP_CTRY_CD: char(04)
MEDA_CONFID_IND: char(01)
CKZP_CCK_TOKEN: smallint CKZP LOCK TOKEN smallint ATXR_SOURCE_ID: datetime

Facets Accounting Data Model - 5.50.004

Cogn BPHM_PCA_RMK_CD4: varchar(5)
BPHM_PCA_RMK_CD8.Varchar(5)pup, Inc.
BPHM_IDGB_RMK_CD4: varchar(5)
BPHM_COB_RMK_CD4: varchar(5)
BPHM_COB_RMK_CD5: varchar(5)
BPHM_SCPA_RMK_CD5: varchar(6)
BPHM_SCEXL_RMK_CD5: varchar(6)
BPHM_SCEXL_RMS: CD5: varchar(6)
BPH BPHM_SCEXL_HCP_CD_NVL: varchar(50)
BPHM_SCAMT_835_CD_NVL: varchar(5)
BPHM_SCAMT_RMRK_CD_NVL: varchar(5)
BPHM_SCAMT_RMK_CD2_NVL: varchar(5) BPHM_SCAMT_RMK_CD3_NVL: varchar(5)
BPHM_SCAMT_RMK_CD4_NVL: varchar(5)

BPHM_SCAMT_RMK_CD5_NVL: varchar(5)
BPHM_SCAMT_PADJ_CD_NVL: char(2)
BPHM_SCAMT_HCP_CD_NVL: varchar(50)

CKPY_REF_ID: char(16)
CKPY_PAY_DT: datetime
CLFC_COMB_IND: char(01)
CLCL_CL_SUB_TYPE: char(01) SBFS_PLAN_YEAR_DT: datetime CLFC_ORIG_AMT: money CLFC_PRIOR_PAID: money CLFC_NOT_AMT: money
CLFC_PYMT_OVRD_IND: char(01)
CLFC_SOURCE_YR_CD: char(01)
CLFC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_BPSB_EOB_AMTS

Page 5 continued

CKPY_REF_ID: char(16)
CLCL_ID: char(12)
EBCL_TYPE: char(1)
EBCL_YEAR_IND: char(1)
ACAC_ACC_NO: smallint EBCL PFX MAX: char(4)

CLSB_CUR_YEAR: datetime CLSB_MATX_AMT1: money CLSB_MATX_AMT2: money CLSB_MATX_AMT2: money
CLSB_FATX_AMT2: money
CLSB_FATX_AMT2: money
CLSB_FATX_AMT2: money
DEDE_AGG_PERSON: smallint
DEDE_FAM_AMT: money
DEDE_MEME_AMT: money
LTLT_AMT1: money
LTLT_AMT2: money
BPSB_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)
CLSB_MATX_CTR1_NVL: numeric(13,2)
CLSB_MATX_CTR2_NVL: numeric(13,2)
CLSB_MATX_CTR1_NVL: numeric(13,2) CLSB_FATX_CTR1_NVL: numeric(13,2) CLSB_FATX_CTR2_NVL: numeric(13,2) CLSB_FATX_PERSONS_NVL: smallint

CMC_BPSL_SP_LINE

CKPY_REF_ID: char(16) CLCL_ID: char(12) CDML SEQ NO: smallint

MEME_CK: int
CDSP_CL_NTWK_IND: char(1)
CDSP_SC_CL_NET_IND: char(1)
LTL_PFX: char(4)
CDSP_SC_CL_NET_IND: char(1)
LTL_PFX: char(4)
CDSP_SC_CDEDE_PFX: char(4)
CDSP_SC_DEDE_PFX: char(4)
CDSP_SC_DEDE_PFX: char(4)
CDSP_PRICE_AMT: money
CDSP_SC_PRICE_AMT: money
SEPY_PFX: char(4)
CDSP_SC_SEPY_PFX: char(4)
CDSP_SC_SEPX_PFX: char(3)
CDSP_SC_SESE_RULE: char(3)
CDSP_ALLOW_AMT: money
CDSP_SC_ALLOW_AMT: money
CDSP_SC_DED_AMT: money
CDSP_SC_DED_ACC_UM_NO: smallint
CDSP_COPAY_AMT: money
CDSP_SC_DED_ACC_NO: smallint
CDSP_COPAY_AMT: money
CDSP_SC_COPAY_AMT: money
CDSP_SC_COPAY_AMT: money
CDSP_SC_COPAY_AMT: money
CDSP_SC_COINS_AMT: money
CDSP_SC_COINS_AMT: money
CDSP_SUNITS_ALLOW: smallint
CDSP_COINS_AMT: money
CDSP_SC_COINS_AMT: money
CDSP_SUNITS_ALLOW: smallint
CDSP_COINS_AMT: money
CDSP_SC_COINS_AMT: money
CDSP_SC_COINS_ MEME_CK: int EXCULLONG_IEXT1: Varchar(70)
SC_EXCD_LONG_TEXT1: varchar(70)
SC_EXCD_LONG_TEXT2: varchar(70)
CDSP_LOCK_TOKEN: smallint
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CDSP_RISK_WH_AMT_NVL: money
CDSP_SC_RSK_WH_AMT_NVL: money

CMC BPSP CLAIM

CKPY_REF_ID: char(16) CLCL_ID: char(12)

MEME_CK: int
PDPD_ID: char(8)
NWPE_PFX: char(4)
NWPR_PFX: char(4)
NWPR_PFX: char(4)
PDBC_PFX_SPPR: char(4)
PDBC_PFX_SPPR: char(4)
PDBC_PFX_SPPR: char(4)
CLSP_NTWK_IND: char(1)
NWNW_ID: char(12)
PDPD_ACC_SFX: char(4)
AGAG_ID: char(12)
AGRG_ID: char(4)
CLSP_AG_SOURCE: char(4) AGNO-D. Claid (4)
CLSP_AG_SOURCE: char(1)
PDDS_PROD_TYPE: char(1)
PDDS_MCTR_BCAT: char(4)
CLSP_TOT_AMT_APLY: money
BPSP_LOCK_TOKEN: smallint
SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC_CLMM_WORK_PAY_MED

CLMM ROW ID: numeric(10.0) identity CLCL ID: char(12) MEME_CK: int GRGR_CK: int SBSB_CK: int SGSG_CK: int CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1)
CLCL_CUR_STS: char(2) NWNW_ID: char(12)
CLCL_PAY_PR_IND: char(1)
CLCL_DRAG_DT: datetime

CMC CLDM WORK PAY DENT

CLDM_ROW_ID: numeric(10.0)identity CLCL ID: char(12) MEME_CK: int GRGR_CK: int SBSB_CK: int SGSG_CK: int CLCL_CL_TYPE: char(01)
CLCL_CL_SUB_TYPE: char(01) CLCL_CUR_STS: char(02) NWNW_ID: char(12) CLCL_PAY_PR_IND: char(01)
CLCL_DRAG_DT: datetime

CMC_BPFL_FSA_LINE

CLCL ID: char(12) CDFL_SEQ_NO: smallint FSEC_PDBC_PFX: char(04) FSEC_ID: char(04)
FSEC_DESC: varchar(70) CDFL_FROM_DT: datetime
CDFL_TO_DT: datetime
CDFL_EXT_REF: varchar(20)
CDFL_NAME: varchar(35) CDFL_COMMENT: varchar(70)
CDFL_EXT_LINE_NO: smallint
CDFL_EXPNS_AMT: money
CDFL_PAID_AMT: money CDFL_DISALL_AMT: money

CLCL_CLAIM_v CDML_CLCL_LINE_v CLCL_ID: char(12) CLCL ID: char(12) From_Claims: char() CDML_SEQ_NO: smallint From_Claims: char() CMC BPLS SUPP DATA CKPY_REF_ID: char(16) CLCL_ID: char(12) CDML SEQ NO: smallint MEME CK int

MEME_CK: Int CDSD_PRPR_ID_REND: varchar(12) CDSD_PRPR_RE_NPI: varchar(10) CDSD_PRPR_RE_TAX: varchar(9) CDSD_SVC_AREA_IND: char(1) CDSD_MED_AMB_ZIP: varchar(11)

DFSC_ID: varchar(8)
CDSD_DOFR_RISK_IND: char(1)
CDSD_DOFR_RISK_ID: varchar(12)
CDSD_DOFR_DELG_CL: char(1) CDSD DOFR CL ID: varchar(12) CDSD_DOFR_DELG_UM: char(1) CDSD_DOFR_UM_ID: varchar(12) CDSD_LINE_GRP_PTR: smallint

CDSD_HIER_VALUE: char(1)
CDSD_NET_VALUE_AMT: money
CDSD_VALUE_AMT: money
CDSD_STOPLOSS_AMT: money BPLS_PR_NAME: varchar(55) BPLS_PR_ADDR1: varchar(40)

BPLS_PR_ADDR2: varchar(40) BPLS_PR_ADDR3: varchar(40) BPLS_PR_CITY: varchar(19)
BPLS_PR_STATE: char(2)
BPLS_PR_ZIP: varchar(11)
BPLS_PR_ZIP: varchar(11)
BPLS_PR_CTRY_CD: char(4)
BPLS_PR_PHONE_EXT: char(4)
BPLS_PR_PHONE_EXT: char(4)

BPLS PR EMAIL: varchar(40) EAPG_ID: char(5)

EAPM_PAY_METH_IND: char(2)
CDSD_SURCH_AMT: money
SCPA_SURCH_PCT: money
CDSD_MCTR_REAS: char(4) SCPA_EXCD_ID: char(3) SCPA_EXCD_LIAB_IND: char(1) SCPA_EXCD_TXT1: varchar(70) SCPA_EXCD_TXT2: varchar(70)

PADJ_AMT: money
PADJ_EXCD_ID: char(3)
PADJ_EXCD_LIAB_IND: char(1)
PADJ_EXCD_TXT1: varchar(70) PADJ_EXCD_TXT2: varchar(70) BPLS_LOCK_TOKEN: smallint

ATXR_SOURCE_ID: datetime
IPCD_DESC1_NVL: varchar(35)
IPCD_DESC2_NVL: varchar(48)
IPCD_DESC3_NVL: varchar(500)

CKPY_REF_ID: char(16) EXCD_ID: char[03)
EXCD_DESC_TEXT1: varchar(70)
EXCD_DESC_TEXT2: varchar(70)
EXCD_DESC_TEXT2: varchar(70)
BPFL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC BPCL CLM v CKPY_REF_ID: char(16) CLCL_ID: char(12) From_CMC_BPCL_CLM: char() CMC_BPSD_SUPP_DATA CKPY_REF_ID: char(16) CLCL_ID: char(12)

CMC_BPLO_L_ITS_OPL CKPY_REF_ID: char(16) CLCL_ID: char(12) CDML SEQ NO: smallint CDIO SEQ NO: smallint

MEME_CK: int
CDIO_OPL_DED_AMT: money
CDIO_OPL_COIN_AMT: money
CDIO_OPL_COIN_AMT: money
CDIO_OPL_PAID_AMT: money
CDIO_OPL_PAID_AMT: money
CDIO_OPL_SB_HH_AMT: money
CDIO_OPL_SB_LIAB_AMT: money
CDIO_MED_LMT_AMT: money
CDIO_COPAY_AMT: money
CDIO_COPAY_AMT: money
CDIO_COPAY_AMT: money
CDIO_CO_ADJ_GP_CD1: char(02)
CDIO_OC_ADJ_GP_CD2: char(02)
CDIO_OC_ADJ_GP_CD3: char(02)
CDIO_OC_ADJ_GP_CD4: char(02)
CDIO_OC_ADJ_GP_CD5: char(02)
CDIO_OC_ADJ_GP_CD6: char(02) MEME_CK: int CDIO_OC_ADJ_RSN_1: char(05)
CDIO_OC_ADJ_RSN_2: char(05)
CDIO_OC_ADJ_RSN_3: char(05)
CDIO_OC_ADJ_RSN_4: char(05) CDIO_OC_ADJ_RSN_5: char(05) CDIO_OC_ADJ_RSN_6: char(05) CDIO_OC_ADJ_AMT_1: money CDIO_OC_ADJ_AMT_2: money CDIO_OC_ADJ_AMT_3: money CDIO_OC_ADJ_AMT_4: money CDIO_OC_ADJ_AMT_5: money CDIO_OC_ADJ_AMT_6: money CDIO_ADDL_DATA: varchar(255) BPLO_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC_BPFC_FSA_CLM

CKPY_REF_ID: char(16) CLCL_ID: char(12) PLDS_DESC: varchar(70) PAGR_ID: char(09)

GRGR_CK: int GRGR_ID: char(08) GRGR_NAME: varchar(50) GRGR_MCTR_TYPE: char(04) SGSG_CK: int

SBSB_ID: char(09)

SBSB_MID_INT. Clar(01)
SBSB_TITLE: varchar(10)
SBSB_EMPLOY_ID: varchar(10)
BPFC_SB_MCTR_LANG: char(04)

PRPR_ID: char(12)
PRPR_NAME: varchar(35)
PRPR_MCTR_TYPE: char(04)
BPFC_EOB_LNAME: varchar(35)

MEME CK: int CLSD_OPTOUT_INPUT: char(1)
CLSD_OPTOUT_CALC: char(1) CLSD_REDIRECT_IND: char(1)
CLSD_EXT_RECD_DT: datetime

DOFR_ID: varchar(12) CLSD_ACPLUS_IND: char(1) CLSD_ACPLUS_IND: char(1) CLSD_PRPR_ID_IPA: varchar(12) CLSD_EMERG_IND: char(1) CLSD_EXT_ENC_ID: varchar(25) MEET_EXCP_TYPE: char(1) MEET_MCTR_MRSN: char(4) BBSD_ICOK_TMCEN: cmallist BPSD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

ATAR_SOURCE_ID. dateume
CLSD_PRPR_ID_REND_NVL: varchar(12)
CLSD_PRPR_RE_NPI_NVL: varchar(18)
CLSD_PRPR_RE_TAX_NVL: varchar(5)
BPSD_REPR_NAME_NVL: varchar(55)
BPSD_REPR_ADDR1_NVL: varchar(40) BPSD_REPR_ADDR2_NVL: varchar(40)
BPSD_REPR_ADDR3_NVL: varchar(40)

BPSD_REPR_AUDR3_NVL: Varchar(44)
BPSD_REPR_CITY_NVL: varchar(19)
BPSD_REPR_STATE_NVL: char(2)
BPSD_REPR_COUNTY_NVL: char(20)
BPSD_REPR_CTRY_OD_NVL: char(20)

Check Extract

CDS_CKFX_CHECK_EXT

CKPY_REF_ID: char(16) REC_ORDER: smallint REC_KEY: varchar(50)

CHECK_EXT_DATA1: char(200) CHECK_EXT_DATA2: char(200) CHECK_EXT_DATA3: char(200) CHECK_EXT_DATA4: char(200) CHECK_EXT_DATA4: char(200) CHECK_EXT_DATA5: char(200) CHECK_EXT_DATA6: char(200) CHECK_EXT_DATA7: char(200) CHECK_EXT_DATA8: char(200 CHECK_EXT_DATA9: char(200)

LOBD_ID: char(04)
SYIN_REF_ID: char(16)
CLCL_PAID_DT: datetime
CLCL_INPUT_DT: datetime
CLCL_RECD_DT: datetime
CLCL_ACPT_DTM: datetime
CLCL_ACPT_DTM: datetime
CLCL_ID_ADJ_FROM: varchar(12)
CLCL_ID_CRTE_FROM: varchar(12) CLCL_ID_CRTE_FROM. Valchar(1 CLCL_REL_CLCL_ID: varchar(12) CLCL_CL_TYPE: char(01) CLCL_MICRO_ID: varchar(18) PDDS_PROD_TYPE: char(01) CSPI_ID: char(08)

SGSG_ID: char(04) SGSG_NAME: varchar(50) SBSB_CK: int

SBSB_LAST_NAME: varchar(35) SBSB_FIRST_NAME: varchar(15) SBSB_MID_INIT: char(01)

SBEM_LOC: char(08)
SBEM_LOC: char(08)
SBSB_SSN: char(09)
SBEM_TYPE: char(04)
SBEM_OCC_CD: char(02)
SBEM_DEPT: char(08)
MEME_CK: int
MEME_SEX: char(01)
MEME_BIRTH_DT: datetime
DRPPR_DE_char(12)

BPFC EOB FNAME: varchar(15) BPFC_EOB_MID_INIT: char(01)
BPFC_EOB_TITLE: varchar(10)
BPFC_EOB_ADDR1: varchar(40)

BPFC_EOB_ADDR2: varchar(40) BPFC_EOB_ADDR3: varchar(40) BPFC_EOB_CITY: varchar(19)
BPFC_EOB_STATE: char(02)
BPFC_EOB_ZIP: varchar(11)
BPFC_EOB_CTRY_CD: char(04)

BPFC_EOB_EMAIL: varchar(40) EXCD_ID: char(03) EXCD_LONG_TEXT1: varchar(70) EXCD_LONG_TEXT2: varchar(70)

USUS_ID: char(10)
PDDS_MCTR_BCAT: char(04)
CLFS_INPUT_SOURCE: char(01)
CLFS_PLDG_CTRB_AMT: money CLFS_PAID_YTD: money CLFS_BALANCE: money

CLFS_PAID_CUR: money SBFS_PLAN_YEAR_DT: datetime SBIH_SBSB_ID_ORIG: char(09) CLFC_ORIG_AMT: money

CLFC_NET_AMT: money
CLFC_PRIOR_PD_AMT: money
CLFC_PAYEE_IND: char(01)
BPFC_CURR_YR_AMT: money BPFC_PRIOR_YR_AMT: money CLFC_SOURCE_YR_CD: char(01)

BPFC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CLFS_PRO_AMT_NVL: money CLFS FY PRO PD NVL: money

CMC_BPHL_HSA_DTL

CKPY_REF_ID: char(16) CLCL_ID: char(12) CDML_SEQ_NO: smallint

LOBD ID: char(04) CDHL_CONSIDER_AMT: money CDHL_NONCONSDR_AMT: money CDHL_DISALL_AMT: money
BPHL_EXCD_ID: char(03)
BPHL_EXCD_TEXT1: varchar(70)
BPHL_EXCD_TEXT2: varchar(70) CDHL_PAID_AMT: money
CDHL_SB_PYMT_AMT: money
CDHL_PR_PYMT_AMT: money
CDHL_HSA_PCS_IND: char(01) CDHL_DED_AMT: money
CDHL_DED_ACC_NO: smallint BPHL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC_BPHS_HSA_CLM

CKPY_REF_ID: char(16) CLCL_ID: char(12)

CLHS_TOT_CONSIDER: money CLHS_TOT_PAID: money HSAI_ID: char(08) HSAI_ACC_SFX: char(04) HSAI_HSA_FSA_IND: char(01) SBHS_DED_AMT: money
SBHS_ME_DED_AMT: money
SBHS_DED_ACCUM_AMT: money
MEHS_DED_ACCUM_AMT: money CLHS_SB_ALLOC_AMT: money CLHS_ME_ALLOC_AMT: money SBHS_PAID_AMT: money SBHS_PAID_CUR: money SBHS_PAID_CUR: money
MEHS_PAID_AMT: money
SBHS_PLAN_YR_DT: datetime
SBHS_DED2_AMT: money
SBHS_ME_DED2_AMT: money
SBHS_DED2_ACCM_AMT: money
MEHS_DED2_ACCM_AMT: money SBHS_DED_IND: char(01) SBHS_DED2_IND: char(01) BPHS_LOCK_TOKEN: smallint

CMC_BPIL_CLM_DTL

CKPY_REF_ID: char(16) CLCL ID: char(12) CDML_SEQ_NO: smallint

CDMI_PRCE_METH: char(2)
CDMI_PRCE_PRI_RULE: char(6)
CLMI_ITS_SCCF_NO: varchar(25)
CDMI_PCT_FCTR: money CDMI_PCT_FCTR: money
CDPP_CLASS_PROV: char(1)
CDPP_PRPR_TYP_AVLB: char(1)
CDMI_SF_PRICE: money
CDMI_SURCHG_PCT: money
CDMI_SURCHG_AMT: money
CDMI_SURCHG_AMT: money
CDMI_CALC_DIS_AMT: money
CDMI_ADDL_DATA: varchar(255)
CDMI_PVT_RM_DIFF: money ITCD_ITS_CODE1: char(4) ITCD_DESC1: varchar(70) ITCD_ITS_CODE2: char(4) ITCD_DESC2: varchar(70)
ITCD_ITS_CODE3: char(4)
ITCD_DESC3: varchar(70) ITCD_ITS_CODE4: char(4) ITCD_DESC4: varchar(70) ITCD_ITS_CODE5: char(4) ITCD_DESC5: varchar(70) BPIL_CDOR_XD_AMT: money BPIL_CDOR_XD_AMT: money
BPIL_CDOR_XD_EXCD: char(3)
BPIL_CDOR_XD_EXCD: char(70)
BPIL_CDOR_XD_TXT1: varchar(70)
BPIL_CDOR_XD_TXT2: varchar(70)
CDIM_HCP_CODE1: varchar(15)
CDIM_HCP_CODE3: varchar(15)
CDIM_HCP_CODE3: varchar(15)
CDIM_HCP_CODE4: varchar(15)
CDIM_HCP_CODE5: varchar(15)
BPIL_DCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CDMI_SUPP_DISC_AMT_NVL: money

VISION CARE ACCOUNTING AT A BIZETO Software Group, Inc. All rights reserved. Confidential and Trade Secret Materi Page 7 of 8 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_ACVP_VIS_SUM

CLCL_ID: char(12)
ACVP_PAYEE_IND: char(1) LOBD_ID: char(4)

CKPY_REF_ID: char(16)
CKPY_PAY_DT: datetime
ACVP_COMB_IND: char(1)
ACVP_PAYEE_PR_ID: char(12)
ACVP_SVC_PRPR_ID: char(12)
MCTN_D: char(12) MCTN ID: char(9) MEME_CK: int
MEME_HEALTH_ID: varchar(80) MEME_HEALTH_ID: Varchar(80)
SBSB_CK: int
MEDA_CONFID_IND: char(1)
ACVP_ORIG_AMT: money
ACVP_PRIOR_PD_AMT: money
ACVP_ALLOW_AMT: money
ACVP_INT_AMT: money
ACVP_INT_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money
ACVP_NET_WORE, IND: char(1)
ACVP_NETWORK_IND: char(1)
ACVP_STS: char(2)
MEME_LAST_NAME: varchar(35)
MEME_FIRST_NAME: varchar(15)
ACVP_SGLA_ID2: char(1)
ACVP_SGLA_ID2: char(1) ACVP_SGLA_ID2: char(1)
ACVP_SGLA_ID2: char(1)
ACVP_SGLA_TAG2: varchar(15)
ACVP_CHARGE_AMT: money
ACVP_SVC_DT: datetime
ACVP_ORDER_ID_TYPE: char(1)
ACVP_ORDER_NO: varchar(15) ACVP_PRGR_NAME: varchar(15)
PRCP_ID: char(12)
ACVP_PRCP_NAME: varchar(55)
CLVS_PRPR_ID_IPA: char(12)
CLVS_PRPR_ID_PRGR: char(12)
ACVP_IPA_NAME: varchar(55)
ACVP_PRGR_NAME: varchar(55)
ACVP_CREATE_DTM: datetime ACVP_CREATE_DTM. datetime ACVP_LOCK_TOKEN: smallint SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS DBUSER ID: varchar(48)

CMC_BPVE_EOB_AMT

CKPY_REF_ID: char(16) CLCL_ID: char(12) BPVE_VSAL_ID: char(4)

VSAL_DESC: varchar(70) VSAL_COUNT: smallint VSAL_AMOUNT: money VSAL_OCCUR: smallint MVLA_COUNT_USED: smallint
MVLA_AMOUNT_USED: money
MVLA_OCCUR_USED: smallint
BPVE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC_BPVI_VIS_CLM

CKPY_REF_ID: char(16) CLCL_ID: char(12)

LOBD ID: char(4) LOBD_ID: char(4)
ACVP_SVC_PRPR_ID: char(12)
BPVI_SVC_PRPR_ID: char(12)
CLVS_PAPER_CL_IND: char(1)
CLVS_DOA_IND: char(1)
CLVS_TOT_ADMN_FEE: money
CLVS_GRTOT_ADM_FEE: money
CLVS_DIS_PA_LIAB: money
CLVS_TOT_PA_LIAB: money CLCB_COB_TYPE: char(1)
CLCB_COB_AMT: money
CLCB_COB_DISALLOW: money
CLCB_COB_ALLOW: money CLCB_SANCTION: money
CLCB_COB_DED_AMT: money CLCB_COB_COPAY_AMT: money CLCB_COB_COINS_AMT: money CLCB_COB_REAS_CD: char(4) VCFL_PFX: char(4) BPVI_LOCK_TOKEN: smallint

CLCL_ID: char(12) CMC_BPVC_VIS_CLM

CMC_CKVP_TEMP_ACVP CKVP_ROW_ID: numeric(10,0) CLCL_ID: char(12)
ACVP_PAYEE_IND: char(1)
LOBD_ID: char(4)
CKPY_REF_ID: char(16)
CKPY_PAY_DT: datetime ACVP_COMB_IND: char(1) ACVP_PAYEE_PR_ID: char(12) ACVP_SVC_PRPR_ID: char(12)
ACVP_SVC_PRPR_ID: char(12)
MCTN_ID: char(9)
MEME_CK: int
MEME_HEALTH_ID: varchar(80) MEME_HEALTH_ID: varchar(80)
SBSB_CK: int
MEDA_CONFID_IND: char(1)
ACVP_ORIG_AMT: money
ACVP_PRIOR_PD_AMT: money
ACVP_ALLOW_AMT: money
ACVP_CALC_INT: money
ACVP_INT_AMT: money
ACVP_NET_AMT: money
ACVP_NET_AMT: money ACVP_NEI_AMI: money
ACVP_ADMIN_FEE: money
ACVP_INT_ADMIN_FEE: money
CLCL_CL_TYPE: char(1)
ACVP_NETWORK_IND: char(1)
ACVP_EOB_IND: char(1)
ACVP_EOB_IND: char(1) ACVP_EOB_IND: char(1)
ACVP_STS: char(2)
MEME_LAST_NAME: varchar(35)
MEME_FIRST_NAME: varchar(15)
ACVP_SGLA_ID1: char(1)
ACVP_SGLA_ID2: char(1)
ACVP_SGLA_ID2: char(1)
ACVP_SGLA_ID2: varchar(15)
ACVP_CHARGE_AMT: money
ACVP_SVC_DT: datetime
ACVP_ORDER_ID_TYPE: char(1)
ACVP_ORDER_NO: varchar(15)

ACVP_ORDER_NO: varchar(15) PRCP_ID: char(12)

ACVP_PRCP_NAME: varchar(55) CLVS_PRPR_ID_IPA: char(12) CLVS_PRPR_ID_PRGR: char(12)

ACVP IPA NAME: varchar(55) ACVP_PRGR_NAME: varchar(55)
ACVP_CREATE_DTM: datetime CKVP_LOCK_TOKEN: smallint

CLCL CLAIM V

CMC_BPVX_EXPL

CKPY_REF_ID: char(16) CLCL_ID: char(12) CDVL_SEQ_NO: smallint

BPVX_SVGR_DIS_EXCD: char(3)
BPVX_SVGR_DIS_AMT: money BPVX_SVGR_DIS_AMT: money
BPVX_SVGR_DIS_AMT: money
BPVX_SVGR_TEXT1: varchar(70)
BPVX_SVGR_TEXT2: varchar(70)
BPVX_LT_DIS_EXCD: char(3)
BPVX_LT_DIS_AMT: money
BPVX_LT_TEXT1: varchar(70)
BPVX_COB_DIS_AMT: money
BPVX_COB_DIS_AMT: money
BPVX_COB_TEXT1: varchar(70)
BPVX_COB_TEXT1: varchar(70)
BPVX_PRIC_DIS_AMT: money
BPVX_PRIC_DIS_AMT: money
BPVX_PRIC_TEXT1: varchar(70)
BPVX_WKFL_DIS_EXCD: char(3)
BPVX_WKFL_DIS_AMT: money BPVX_WKFL_DIS_EACD. CHal(s)
BPVX_WKFL_DIS_AMT: money
BPVX_WKFL_TEXT1: varchar(70)
BPVX_WKFL_TEXT2: varchar(70)
BPVX_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC BPVO OVP REC

CKPY_REF_ID: char(16) ACPR_REF_ID: char(16) ACPR_SUB_TYPE: char(2) ACRH SEQ NO: int

BPVR_CLCL_ID: char(12) ACPR_TYPE: char(1) ACRH_AMT: money

CKPY REF ID: char(16) CLCL_ID: char(12)

SYIN_REF_ID: char(16) SYIN_REF_ID: char(16)
CLC_PAID_DT: datetime
CLCL_INPUT_DT: datetime
CLCL_ACCD_DT: datetime
CLCL_ACPT_DTM: datetime
CLCL_ACPT_DTM: datetime
CLCL_ID_ADJ_FROM: char(12)
CLCL_ID_CRTE_FROM: char(12)
CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1)
CLCL_NTW_INID_char(1) CLCL_NTWK_IND: char(1) CLCL_MICRO_ID: varchar(18) CLCL_MICRO-ID: Varchar(18)
CICI_Dic_char(2)
CLCL_PA_ACCT_NO: varchar(35)
CLCL_PRE_PRICE_IND: char(1)
CLCL_PAP_EOB_IND: char(1)
CLCL_EXT_AUTH_NO: varchar(18)
CSCS_ID: char(1)
MANNAM_ID: varchar(12) NWNW_ID: varchar(12)
NETWORK_NAME: varchar(15)
PDDS_PROD_TYPE: char(1)
CSPI_ID: char(8)
PLDS_DESC: varchar(70) PAGR_ID: char(9) PAGR_NAME: varchar(50) GRGR_CK: int GRGR_ID: char(8) GRGR_NAME: varchar(50) GRGR_MCTR_TYPE: char(4) SGSG_CK: int

SGSG_ID: char(4) SGSG_NAME: varchar(50) SBSB_CK: int SBSB_ID: char(9)

SBSB_LAST_NAME: varchar(35)
SBSB_FIRST_NAME: varchar(15)
SBSB_MID_INIT: char(1)
SBSB_TITLE: varchar(10) SBSB_EMPLOY_ID: varchar(10)
BPVC_SBSB_EMAIL: varchar(40)
BPVC_SB_MCTR_LANG: char(4)
SBEM_LOC: char(8)

SBEM_COC. char(9)
SBSB_SSN: char(9)
SBEM_TYPE: char(4)
SBEM_OCC_CD: char(2)
SBEM_DEPT: char(8) MEME_CK: int MEME_SFX: char(2)

MEME_SFA. Char(2)
MEME_HEALTH_ID: varchar(80)
MEME_LAST_NAME: varchar(35)
MEME_FIRST_NAME: varchar(15)
MEME_MID_NIT: char(1)
MEME_SEX: char(1)
MEME_TITLE: varchar(10)

MEME_SSN: char(9)
MEME_REL: char(2)
MEME_BIRTH_DT: datetime
MEME_HICN: varchar(12)

MEME_HIGH. Valcifal(12)
MEDA_CONFID_IND: char(1)
BPVC_PRPR_MCTR_TYPE: char(4)
BPVC_PR_TYPE_DESC: varchar(50)
BPVC_PR_SPEC_DESC: varchar(50)
BPVC_PR_ADDR1: varchar(40)

BPVC_PR_ADDR1: Varchar(40)
BPVC_PR_ADDR2: varchar(40)
BPVC_PR_CITY: varchar(19)
BPVC_PR_STATE: char(2)
BPVC_PR_ZIP: varchar(11)
BPVC_PR_CTRY_CD: char(4)

BPVC_PR_PHONE: varchar(20)
BPVC_PR_PHONE EXT: varchar(4)

BPVC_PR_PHONE_EXT: varchar(4)
BPVC_PR_EMAIL: varchar(40)
BPVC_PR_PRCP_ID: char(12)
BPVC_PR_PRCP_NAME: varchar(55)
BPVC_PR_GROUP_ID: char(12)
BPVC_PR_IPA_ID: char(12)
BPVC_PR_IPA_ID: char(12)

BPVC_PR_IPA_NAME: varchar(55) BPVC_EOB_LNAME: varchar(35)

BPVC_EOB_FNAME: varchar(15)
BPVC_EOB_MID_INIT: char(1)
BPVC_EOB_TITLE: varchar(10)
BPVC_EOB_ADDR1: varchar(40) BPVC_EOB_ADDR2: varchar(40) BPVC_EOB_ADDR3: varchar(40)

BPVC_EOB_ADDR3: varchar(19)
BPVC_EOB_CITY: varchar(19)
BPVC_EOB_STATE: char(2)
BPVC_EOB_ZIP: varchar(11)
BPVC_EOB_CTRY_CD: char(4)
BPVC_EOB_EMAIL: varchar(40)

EXCD_ID: char(3)
EXCD_LONG_TEXT1: varchar(70)
EXCD_LONG_TEXT1: varchar(70)
EXCD_LONG_TEXT2: varchar(70)
PDDS_MCTR_BCAT: char(4)
CLCL_INPUT_METHOD: char(1)
ACVP_ALLOW_AMT: money
ACVP_RIG_AMT: money
ACVP_PRIGR_PD_AMT: money
ACVP_PRIGR_PD_AMT: money
ACVP_PXEE_IND: char(1)
ACVP_INT_AMT: money
BPVC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_LAST_UPD_DTM: datetime
SYS_DBUSER_ID: varchar(48) EXCD ID: char(3)

CMC_BPVL_CLM_DTL

CKPY_REF_ID: char(16) CLCL_ID: char(12) CDVL_SEQ_NO: smallint

PRPR_ID: char(12) DEDE_PFX: char(4) SESE_ID: char(4) JECE_ID. Clark(4)
IPCD_ID: char(7)
IDCD_ID: varchar(10)
IDCD_ID REL: varchar(10)
CDVL_FROM_DT: datetime
CDVL_CHG_AMT: money
CDVL_CONSIDER_CHG: money CDVL_CONSIDER_CHG: money
CDVL_ALLOW: money
CDVL_UNITS: smallint
CDVL_UNITS: smallint
CDVL_DED_ALLOW: smallint
CDVL_DED_ACC_NO: smallint
CDVL_COPAY_AMT: money
CDVL_COINS_AMT: money
CDVL_PAID_AMT: money
CDVL_PAID_AMT: money CDVL_PAID_AMT: money
CDVL_DISALL_AMT: money
CDVL_DISALL_EXCD: char(3)
BPVL_DIS_EXCD_TEXT1: varchar(70)
BPVL_DIS_EXCD_TEXT2: varchar(70)
CDVL_DISC_AMT: money
CDVL_CL_NTWK_IND: char(1)
CDVL_SB_PYMT_AMT: money
CDVL_PR_PYMT_AMT: money
CDVL_PR_PYMT_AMT: money CDVL_PR_PYMI_AMI: money
CDVL_EOB_EXCD: char(3)
BPVL_EOB_EXCD_TEXT1: varchar(70)
BPVL_EOB_EXCD_TEXT2: varchar(70)
CDVL_OOP_CALC_BASE: money
CDVL_TOT_PA_LIAB: money
CDVL_DIS_PA_LIAB: money
PRCF_MCTR_SPEC: char(4)
SGLA_ID: char(4) SGLA_DESC: varchar(70) CDVL_SVGR_ID_BENE: char(4) BPVL_SVGR_BENE_DESC: varchar(70)
CDVL_SVGR_ID_PRICE: char(4)
BPVL_SVGR_PRI_DESC: varchar(70)
SVRU_RULE: char(4) SVRU_RULE-char(4)
DMBA_CHG_IND: char(1)
DMBA_BASIS_IND: char(1)
CDVL_SCND_CHG_AMT: money
SPKG_ID: char(4)
SPKG_ID: char(4)
SPKG_EVEL_IND: char(1)
BSME_STRATEGY_IND: char(1)
CDVL_ME_ALLOW_AMT: money
BSME_PFX: char(4)
BSME_AOOP_AMT: money
BSME_EXP_CAT: char(4)
BSME_ACCT_CAT: char(4)
BSME_ACCT_CAT: char(1)
BSME_PKG_IND: char(1)
AGWF_FCTR: money BSME_PKG_IND: char(1)
AGWF_FCTR: money
CDVL_NON_COV_AMT: money
CDVL_LAB_PYMT_AMT: money
CDVL_LAB_CRDT_AMT: money
CDVL_FUND_WO_AMT: money
CDVL_FUND_WO_AMT: money
CDVL_TOT_ADMN_FEE: money
CDVL_TOT_ADMN_FEE: money
CDVL_TOT_ADMN_FEE: money
CDVL_MAT_MFG_CD: char(1)
CDVL_FACQ_COST: money
CDVL_CHG_BACK_AMT: money
CDVL_LAB_AFEE_AMT: money
CVCB_COB_TYPE: char(1)
CVCB_PRO_RATE_AMT_IND: char(1)
CVCB_COB_AMT: money CVCB_COB_AMT: money
CVCB_COB_DISALLOW: money
CVCB_COB_ALLOW: money
CVCB_ADJ_AMT: money CVCB_ADJ_AWT: money
CVCB_SUBTRACT_AMT: money
CVCB_COB_SAV: money
CVCB_COB_APP: money
CVCB_COB_OOP: money CVCB_COB_OOP: money
CVCB_COB_SANCTION: money
CVCB_COB_DED_AMT: money
CVCB_COB_COPAY_AMT: money
CVCB_COB_COPAY_AMT: money
CVCB_COB_COINS_AMT: money
CVCB_COB_REAS_CD: char(4)
CVCB_ALLOW_PRI: money
CVCB_DED_AMT_PRI: money
CVCB_COINS_AMT_PRI: money
CVCB_COPAY_AMT_PRI: money
CVCB_COB_CLNT_BILL: money
CVCB_COB_CLNT_BILL: money
CVCB_COB_BAL_DUE: money
CVCB_COB_PROV_PMT: money
CVCB_COB_PROV_PMT: money
BVL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

© 2000 - 2018 Cognizant TriZetto Software Group Inc. All rights reserved. Confidential and Trade Secret Materials.

ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: decimal() SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

ACRH AMI: money

COBPARTION (146 KP) Smalling Coup, Inc. All rights reserved. Confidential and Trade Secret Material.

ATAR SQUECE ID: datetime sys_LAST_UPD_DTM: datetime sys_USUS_ID: varchar(48)

SYS_DBUSER_ID: varchar(48)

Page 8 of 8

CMC_ACOV_OVERPAY

CLCL_ID: char(12) ACOV_PAYEE_IND: char(1) LOBD_ID: char(4)

ACVP_PAYEE_PR_ID: char(12)
ACOV_CREATE_DT: datetime
ACOV_AMT: money
ACOV_AUTO_REDUC: char(1)
ACPR_REF_ID: char(16)
ACOV_STS: char(2)
ACOV_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC_BPCS_CAP_SUM

SYIN_INST: int
BPID_STOCK_ID: char(10)
BPID_SEQ_NO: int
CKPY_REF_ID: char(16)

BPCS_CURR_AMT: money
BPCS_RETRO_ADJ_AMT: money
BPCS_MAN_ADJ_AMT: money
BPCS_CLM_RED_AMT: money
BPCS_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

Chapter 3 Auditing Data Model

Facets Audit Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 1 of 1

The key of an Auditing table is the same as the key of the table that is being audited. Ex.

The key to the Facets dbo.CMC_MEEL_ELIG_ENT table is MEME_CK, MEEL_EFF_DT and MEEL_INSQ_DT. The key for the audit.CMC_MEEL_ELIG_ENT table would be the same.


The first part of the data portion of the audit table will contain a history block.

HIST_ROW_ID HIST_CREATE_DTM HIST_USUS_ID HIST_LOG_ACT_CD HIST_PHYS_ACT_CD HIST_IMAGE_CD HIST_TERM_ID TXN1_ROW_ID

The rest of the table contains all the columns from the data portion of the table being audited.

The installation of the main Facets database includes a stored procedure named (CERSP_AULS_AUD_LIST), which can be used to produce a list of database tables enabled for auditing.

CER_TXN1_TRANS



audit_table

Key_of_table_being_audited.: timestamp

HIST_ROW_ID: numeric(10,0)
HIST_CREATE_DTM: datetime
HIST_USUS_ID: char(20)
HIST_LOG_ACT_CD: char(1)
HIST_IMAGE_CD: char(1)
HIST_IMAGE_CD: char(10)
HIST_TERM_ID: char(20)
TXN1_ROW_ID: numeric(10,0)
Data_columns_of_table_being_au: timestamp

CDS_UPDT_SUMMARY

UPDT_TBL_ID: char(4) HIST_ROW_ID: numeric(10,0) UPDT_SEQ_NO: smallint

HIST_ROW_ID_BEFORE: numeric(10,0)
UPDT_CHANGED_COL: char(18)
UPDT_BEFORE_VAL: varchar(255)
UPDT_AFTER_VAL: varchar(255)
UPDT_ORIG_DATA_TYP: char(1)

The summary table is populated from a batch process that does modification comparisons at the column level.

This table will be used for reporting.

Chapter 4 Billing Data Model

Facets Billing Data Model - 5.50.003 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. Page 1 of 12 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] CMC_BLPR_BL_PREPRO CMC_BLEI_ENTY_INFO PZAP_APP_ID: char(4) BLEI_CK: int (FK) To RCPT Page 4 BLEI CK: int SBSB_CK_LOW: int BLEI_BILL_LEVEL: char(1) BLEI_BILL_LEVEL_CK: int SBSB_CK_HIGH: int BLEI_BILL_LEVEL_CK: int
BLEI_NET_DUE: money
BLEI_NET_ALLOC_SUSP: money
BLEI_LST_BL_DUE_DT: datetime
BLEI_LST_BL_END_DT: datetime
BLEI_LST_APRV_DT: datetime
BLEI_LST_TL_DUE_DT: datetime
BLEI_LST_TL_DUE_DT: datetime
BLEI_LST_RC_DUE_DT: datetime
BLEI_LST_RC_DUE_DT: datetime
BLEI_LST_BILL_DTM: datetime
BLEI_MULT_BL_END: datetime
BLEI_MULT_BL_END: datetime
BLEI_MULT_BL_STS: char(2)
BLEI_MAN_TO_DUE_DT: datetime
BLEI_PCS_STS: char(1)
BLEI_SUSPND_BL_IND: char(1) BLBL_DLNQ_DT: datetime BLPR_WEIGHT: int To BLBL Page 3 BLPR_ROW_ID: numeric (10,0) BLPR_STS: int BLEI_BILL_LEVEL: char(1)
BLPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime BLCR To Page 2 BLPS BLCL BLEI_SUSPND_BL_IND: char(1)
BLEI_LST_ARCH_DT: datetime BLEI_RECON_IND: char(1)
BLEI_ELIG_UPD_IND: char(1) CMC BLAF ALT FND BLEI_ELIG_UPD_IND: char(1)
BLEI_SBSR_IND: char(1)
BLEI_TOL_METH: char(1)
BLEI_REMIT_TOL_AMT: money
BLEI_REMIT_TOL_PCT: int CMC_BLEP_ELEC_PYMT CMC BLCN CONTRACT BLEI CK: int (FK) BLEI_CK: int (FK)
BLEP_EFF_DT: datetime BLEI CK: int (FK) BLAF_MODE: char(01) BLAF_MODE: char(01)
BLAF_SYNC DAY: char(01)
BLAF_GEN_VAL: smallint
BLAF_MCTR_FTYP: char(04)
BLAF_MCTR_PMTH: char(04)
BLAF_RUN_OUT_MNTHS: smallint
BLAF_FND_STOP_DT: datetime
BLAF_LST_FND_TH_DT: datetime
BLAF_LST_FND_TH_DT: datetime BLCN_ID: char(12) BLEP_TERM_DT: datetime
BLEP_TYPE_IND: char(1)
MCBD_ID: char(12)
BLEP_ACCT_NO: char(40)
BLEP_ACCT_NAME: char(60)
BLEP_MCTR_ATYP: char(4)
BLEP_HOLD_DRFT_IND: char(1)
BLEP_REC_BEG_DT: datetime
BLEP_AUTH_IND: char(1)
BLEP_PRE_NOTE_CD: char(4)
BLEP_LST_PRE_NOTE_CD: datetime BLEI_REMII_IOL_PCI: int
BLEI_AUTORECON_IND: char(1)
BLEI_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48) BLCN_DESC: char(40)
BLCN_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_DBUSER_ID: varchar(48) BLAF_LST_FND_CR_DT: datetime BLAF_LST_FND_DTM: datetime BLAF_FND_BAT_STS: char(02) BLAF_CLM_STS: char(02) BLEP_LST PRE_NOTE_LD. Cliaf(4)
BLEP_LST PRE_NT_DT: datetime
BLEP_CARD_EXP_DT: datetime
BLEP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
BLEP_EFT_IND_NVL: char(1) BLAF_MNTH_LIAB_IND: char(1) BLAF_CLM_FEE_INCL: char(1) BLAF_OVRPY_ADJ_IND: char(1)
BLAF_START_DAY: smallint
BLAF_INT_INCL_IND: char(1)
BLAF_LOCK_TOKEN: smallint CMC_BLCI_CONT_ITEM BLEI_CK: int (FK) CSPI_ID: char(8) PMFA_ID: char(2) ATXR_SOURCE_ID: datetime BLCN ID: char(12) (FK) BLCI_ID. Ghar(12) (FK)
BLCI_YR1_FCT: int
BLCI_YR1_FROM_DT: datetime
BLCI_VR1_THRU_DT: datetime
BLCI_LOCK_TOKEN: smallint
BLCI_SBSDY_INC_IND_NVL: char(1) CMC_BLRP_REBATE BLEI_CK: int (FK)
BLRP_YEAR: char(4) BLRP_PREFERENCE: char(1) BLRP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) CMC_BLRQ_REQUEST CMC_BLDF_BL_DEFINE CMC_BLAD_ADDR BLEI_CK: int (FK)
BLDF_EFF_DT: datetime BLEI_CK: int (FK)
BLRQ_CREATE_DT: datetime BLEI_CK: int (FK) BLRQ_SEQ_NO: int BLAD ADDR1: char(40) SYS DBUSER ID: varchar(48) BLDF_TERM_DT: datetime BLDF_TERM_DT: datetime
BLDF_BL_TYPE: char(1)
BLDF_MCTR_STMT: char(4)
BLDF_STOCK_ID: char(10)
BLDF_BL_GEN_METH: char(1)
BLDF_BL_GEN_VAL: smallint
BLDF_DUE_DAY: smallint
BLDF_MODE: smallint
BLDF_PRORATE_METH: char(1)
BLDF_PRORATE_VAL: smallint
BLDF_PRORATE_VAL: smallint
BLDF_PRORATE_VAL: smallint BLAD_ADDR2: char(40) BLAD_ADDR3: char(40) BLMD_ID: char(4) (FK) BLRQ_TYPE: char(1) BLAD_CITY: char(19)
BLAD_STATE: char(2)
BLAD_ZIP: char(11)
BLAD_COUNTY: char(20)
BLAD_CTRY_CD: char(4)
BLAD_PHONE: char(20) BLRQ_FROM_DT: datetime BLRQ_THRU_DT: datetime BLRQ_IHRU_DI: datetime BLRQ_DELINQ_IND: char(1) USUS_ID: char(10) BLRQ_STS: char(2) BLRQ_USID_ROUTE: char(10) BLAD_PHONE_EXT: char(4) BLAD_FAX: char(20) BLRQ_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime BLDF_ANNIV_MMDD: smallint BLDF_GRACE_PER: smallint BLAD_FAX_EXT: char(4) CMC_BLPF_PROFILE BLAD_EMAIL: char(40)
BLAD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime BLPF CK: int BLDF_TOL_METH: char(1) BLDF_IOL_MIE I H: char(1)
BLDF_TOL_PCT: ift
BLDF_TOL_AMT: money
PMFE_PFX: char(4) (FK)
PMDS_PFX: char(4) (FK)
PMDD_PFX: char(4) (FK)
BLDF_MDP_IND: char(1)
BLDF_NUM_MODE: smallint
BLDF_LOCK_TOKEN: smallint
BLDF_LOCK_TOKEN: smallint BLPF_ID: char(12) BLPF_DESC: char(70) BLPF_STS: char(1) BLPF_BGBG_IND: char(1) BLPF_GRGR_IND: char(1)
BLPF_SGSG_IND: char(1)
BLPF_SBSB_IND: char(1)
BLPF_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) To Page 2 BLRH Го Page 7 To Page 7 To Page 7 To Page 7 To Page 7 **PMFE** BLMD

© 2000 - 2018 Cognizant Trizetto Software Group Inc. All rights reserved. Confidential and Trade Secret Materials.

Facets Billing Data Model - 5.50.003


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Ma Page 2 of 12 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

<---- To BLEI Page 1 Page 1 <---- To BLEI


CMC BLCR CAP DTL CMC_BLHD_HCFA_DTL <---- To BLEI BLEI_CK: int (FK)
BLCR FNDG FROM DT: datetime BLHD_ROW_ID: numeric (10, 0) Page 1 SBBI BL ITEMS BLCR_SEQ_NO: int BLEI_CK: int ı ayc CMC_BLSB_SB_DETAIL BLBL_DUE_DT: datetime CSPI_ID: char(8) SBSB_CK: int BLCR_FNDG_THRU_DT: datetime BLCR_CREATE_DT: datetime BLCR_CR_PAID_DT: datetime BLEI_CK: int (FK)
BLBL_DUE_DT: datetime (FK)
CSPI_ID: char(8)
PDPD_ID: char(8) PDPD_ID: char(8)
BLHD_PDBL_ID_PRTA: char(4)
BLHD_PDBL_ID_PRTB: char(4)
BLHD_COV_DUE_DT: datetime CSPI_ID: char(8) PDPD_ID: char(8) PDBL_ID: char(4) MEME_CK: int BLCR_EARN_DT: datetime CRME_CR_PR_ID: char(12) BLCR_CRPR_NAME: char(55) CMC_BLCL_CLM_DTL SBBI_COV_FROM_DT: datetime PDBL_ID: char(4) MEME_CK: int
SBSB_CK: int
GRGR_CK: int
SSYIN_INST: int
BLHD_INPUT_ROW_NO: int
BGBG_ID: char(8) BLSB_COV_DUE_DT: datetime BLSB_COV_FROM_DT: datetime BLEI_CK: int (FK) SBBI_COV_THRU_DT: datetime BLEI_BILL_LEVEL: char(1) BLCL_FNDG_FROM_DT: datetime CRPL_POOL_ID: char(12)
CRFD_FUND_ID: char(4)
CRME_FUND_AMT: money
CRME_PYMT_METH_IND: char(1) BLSB_PREM_TYPE: char(1) BLCL_SEQ_NO: int BLEI_CK: int SGSG_CK: int SBSB_CK: int BLCL FNDG THRU DT: datetime MEME_CK: int BLSB_CREATE_DTM: datetime SBBI_PREM_IND: char(1)
SBBI_PREM_TYPE: char(1)
SBBI_PREM_BASIS: smallint BLCL_CREATE_DT: datetime
BLCL_CL_PAID_DT: datetime PRPR_ID: char(12) PRPR_NAME: char(55) MEME_HICN: char(12)
BLHD_RUN_DT: datetime BLSB_COV_THRU_DT: datetime BLEI_BILL_LEVEL: char(1) SGSG_CK: int CLCL_PAID_DT: datetime SBBI_TKEW_DAGS. SITURE
SBBI_LVS_SB: smallint
SBBI_LVS_DEP: smallint
SBBI_VOL: money
SBBI_PREM_SB: money
SBBI_PREM_DEP: money CSPI_ID: char(8) PLDS_DESC: char(70) BLHD_ADJ_RSN_CD: char(2) BLHD_LAST_NAME: char(12) BLHD_FIRST_NAME: char(7) BLHD_MID_INIT: char(1) CLCL_ID: char(12)
CLCL_ID_ADJ_FROM: char(12)
BLCL_ADJ_CD: char(1) PDPD_ID: char(8) PDDS_DESC: char(70) BLSB_DISP_CD: char(1)
BLSB_RESOLVE_IND: char(1) CDML_SEQ_NO: smallint
CDDL_SEQ_NO: smallint
CLCL_CL_TYPE: char(1)
CLCL_CL_SUB_TYPE: char(1) LOBD_ID: char(4) CRFD_ACCT_CAT: char(4) BLHD_BIRTH_DT: datetime BLHD_PRTA_IND: char(1) BLHD_PRTB_IND: char(1) BLHD_SEX: char(1) BLSB_INVOICE_DTM: datetime BLSB_PREM_IND: char(1) SBBI PREM DEP: money
SBBI LOAD AMT SB: money
SBBI LOAD AMT SB: money
SBBI CONV PREM SB: money
SBBI CONV PREM DEP: money
SBBI LAB LMT SB: money
SBBI LIAB LMT DEP: money
SBBI COUNT 1: smallint
SBBI COUNT 1: smallint SBSB_CK: int SBEM_OCC_CD: char(2) SBEM_DEPT: char(8) SBEM_LOC: char(8) BLSB MODE: smallint BLSB LVS SB: smallint CLCL_CUR_STS: char(2)
BLCL_RUN_OUT_IND: char(1)
PRPR_ID: char(12)
MEME_CK: int BLHD_SCC: char(5) BLHD_AGE_GR: char(4) BLSB_LVS_DEP: smallint BLSB_VOL: money BLHD_AGE_GR: char(4)
BLHD_OUT_AREA_IND: char(1)
BLHD_HSPC_IND: char(1)
BLHD_ESRD_IND: char(1)
BLHD_INST_IND: char(1)
BLHD_IND: IND: char(1)
BLHD_MECD_IND: char(1)
BLHD_MECD_IND: char(1)
BLHD_NO_MOS: smallint
BLHD_NO_MOS: smallint SBEM_TYPE: char(4) GRGR_CK: int BLSB_PREM_SB: money BLSB_PREM_DEP: money SBSB_CK: int
SBEM_OCC_CD: char(2)
SBEM_DEPT: char(8)
SBEM_LOC: char(8) SGSG_CK: int
AFCP_PER_NO: int
AFAL CK: int
BLCR_OUT_YEAR_IND: char(1)
BLCR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime BLSB_LOAD_AMT_SB: money BLSB_LOAD_AMT_DEP: money BLSB_CONV_PREM_SB: money BLSB_CONV_PREM_DEP: money SBBI_COUNT_2: smallint SBBI_COUNT_3: smallint SBBI_COUNT_4: smallint SBBI_COUNT_4: smallint
SBBI_COUNT_5: smallint
SBBI_COUNT_5: smallint
SBBI_COUNT_6: smallint
MCRE_CRCR_ID: char(9) (FK)
CSCS_ID: char(4)
SBBI_RT_char(1)
SBBI_RT_CNTY: char(2)
SBBI_RT_CNTY: char(3)
SBBI_RT_AREA: char(8)
SBBI_RT_SIC: char(8)
PDBL_TYPE: char(1)
SBBI_MR_ENTL_CD: char(1)
PDPD_CAP_POP_LVL: char(1)
PDBC_PFX: char(4) SBEM_TYPE: char(4) GRGR_CK: int BLSB_ANNL_PREM_SB: money BLSB_ANNL_PREM_DEP: money SGSG_CK: int CSPD_CAT: char(1) CSPD_CAT: char(1)
CRME_EARN_FROM_DT: datetime BLHD_PRTA_AMT: money BLHD_PRTB_AMT: money BLSB_LIAB_LMT_SB: money
BLSB_LIAB_LMT_DEP: money CSCS_ID: char(4) CSPI ID: char(8) CRME_SEQ_NO: smallint BLHD_PBP_ID: char(04)
BLHD_RACE_CD: char(04) BLSB_COL_STRUCT: char(1)
BLSB_COUNT_1: smallint PLDS_DESC: char(70) BLHD_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime BLSB_COUNT_2: smallint BLSB_COUNT_3: smallint PDPD ID: char(8) PDPD_ID. crian(o)
PDDS_DESC: char(70)
LOBD_ID: char(4)
BLCL_ACCT_CAT: char(4)
BLCL_EXP_CAT: char(4) BLSB_COUNT_4: smallint
BLSB_COUNT_5: smallint
BLSB_COUNT_6: smallint
BLSB_COUNT_6: smallint
BLSB_BONW_ROW_IND: char(1)
MCRE_CRCR_ID: char(9) (FK)
CSCS_ID: char(4) SESE_ID: char(4) IDCD_ID: varchar(10) CMC_BLPS_PYMT_SUMM CMC_BLHC_HCFA_CHC IDCD_ID_REL: varchar(10) CSCS_ID: char(4)
BLSB_RT_ST: char(1)
BLSB_RT_ST: char(2)
BLSB_RT_CNTY: char(3)
BLSB_RT_AREA: char(8)
BLSB_RT_SIC: char(8)
PDBL_TYPE: char(1) BLEI_CK: int (FK) IDCD_ID_REL: varchar(10)
IPCD_ID: char(7)
IPCD_ID: char(5)
CGCG_ID: char(5)
CGCG_ID: char(2)
BLCL_FROM_DT: datetime
BLCL_TO_DT: datetime
BLCL_CHG_AMT: money
BLCL_CONSIDER_CHG: money BLHD_ROW_ID: numeric (10, 0) (FK) MEME_CK: int BLPS_FNDG_FROM_DT: datetime BLHC_PRDA_IND: char(1) BLHC_PRDA_IND: char(1)
BLHC_MED_IND: char(1)
BLHC_DFLT_NBNF_IND: char(1)
BLHC_NC_MCA_CAT_MIDC: char(4)
BLHC_NO_MOS_PRTA: smallint
BLHC_NO_MOS_PRTB: smallint
BLHC_RSK_ADJ_FCTRA: int
BLHC_RSK_ADJ_FCTRB: int
BLHC_RSK_PREM_PRTA: money
BLHC_RSK_PREM_PRTB: money
BLHC_RSK_PREM_BINDA: money BLPS_SEQ_NO: int SBBC_BL_CHOICE BLPS_FNDG_THRU_DT: datetime SBSB_CK: int MEME_CK: int CSPI_ID: char(8) CLCL_ID: char(12)
BLCR_EARN_DT: datetime
BLPS_PAID_DT: datetime BLSB_MR_ENTL_CD: char(1)
PDPD_CAP_POP_LVL: char(1)
PDBC_PFX: char(4)
BLSB_LOCK_TOKEN: smallint BLCL_ALLOW: money PDPD_ID: char(8) BLCL_RISK_WH_AMT: money BLCL_PAID_AMT: money BLCL_DISC_AMT: money BLCL_PRICE_IND: char(1) BLCL_CAP_IND: char(1) BLPS_SOURCE: char(1) AFCP_PER_NO: int PDBL_ID: char(4)
SBBI_COV_FROM_DT: datetime AFCP_PER_NO: If LOBD_ID: char(4) SBSB_CK: int GRGR_CK: int SGSG_CK: int CSPI_ID: char(8) PDPD_ID: char(8) SBBI_COV_THRU_DT: datetime SBBC_PRDA_IND: char(1) SBBC_MEDI_IND: char(1) SBBC_DFLT_NBNF_IND: char(1) SBBC_MRAC_CAT_MIDC: char(4) BLHC_PREM_BLNDA: money BLHC_PREM_BLNDB: money
BLHC_CHF_IND: char(01)
BLHC_CHF2_IND: char(01)
BLHC_CHF3_IND: char(01)
BLHC_CRA_FCTR_TYPE: char(02)
BLHC_CFRAL_IND: char(01) BLCL_CAP_IND. Char(1)
CSPI_PDPD_BEG_MMDD: smallint
AFCP_FAM_SL_AMT: money
BLCL_EXCL_IND: char(1)
AFCP_PER_NO: int CMC BLSC SB CHOICE BLPS_FROM_DT: datetime BLPS_TO_DT: datetime SBBC_RSK_ADJ_FCTRA: int SBBC_RSK_ADJ_FCTRB: int BLEI_CK: int (FK) BLCL_EXTRACONT_IND: char(01) BLPS_RUN_OUT_IND: char(1)
BLPS_OUT_YEAR_IND: char(1) SBBC_PRTA_CHC_PREM: money SBBC_PRTB_CHC_PREM: money BLCL_EXTRACONT_IND: char(01)
BLCL_SURCH_AMT: money
BLCL_OUT_YEAR_IND: char(1)
CDHL_HSA_PAID_AMT: money
BLCL_SPEC_ADJ_IND: char(1)
BLCL_INDIV_SL_AMT: money
BLCL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
BLCL_SUPP_DISC_AMT_NVL: money BLHC_PREV_DSABL: char(01) BLHC_LAG_IND: char(01) BLBL_DUE_DT: datetime (FK)
CSPI_ID: char(8) (FK) BLPS_AMT: money
BLPS_SSL_AMT: money
BLPS_SSL_EXC_AMT: money
BLPS_EXTRACONT_AMT: money SBBC_PRTA_NET_PREM: money SBBC_PRTB_NET_PREM: money DEDE (DE) (FK)
PDPD [D: char(8) (FK)
PDBL_ID: char(4) (FK)
BLSB_COV_DUE_DT: datetime (FK)
BLSB_COV_FROM_DT: datetime (FK)
BLSB_PREM_TYPE: char(1) (FK)
SBSB_CK: int (FK) BLHC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime BLPS_ASO_AMT: money BLPS_ITS_FEE: money BLPS_ITS_ADM_AMT: money BLPS_INT_AMT: money BLPS_PROM_PAY_DISC: money BLPS_SURCH_AMT: money CMC BLRH RED HIST MEME_CK: int (FK)
BLSB CREATE DTM: datetime (FK) CMC BLDE BL DELETE MEME_CK: int BLEI CK: int (FK) BLDE_ROW_ID: numeric(10,0) BLSC PRDA IND: char(1) AFCP_PER_NO: int
BLRH_FNDG_FROM_DT: datetime BLEI_CK: int BLBL_DUE_DT: datetime CSPI_ID: char(8) PDPD_ID: char(8) PDBL_ID: char(4) BLSC_MEDI_IND: char(1)
BLSC_DFLT_NBNF_IND: char(1)
BLSC_MRAC_CAT_MIDC: char(4)
BLSC_RSK_ADJ_FCTRA: int BLPS_HSA_AMT: money BLPS_LOCK_TOKEN: smallint BLRH_SEQ_NO: int ATXR_SOURCE_ID: datetime BLPS_SUPP_DISC_AMT_NVL: money BLRH_FNDG_THRU_DT: datetime BLRH_SOURCE: char(1) LOBD_ID: char(4) GRGR_CK: int SGSG_CK: int BLSC_RSK_ADJ_FCTRB: int
BLSC_PRTA_CHC_PREM: money
BLSC_PRTB_CHC_PREM: money
BLSC_PRTA_NET_PREM: money BLSB_COV_DUE_DT: datetime BLSB_COV_FROM_DT: datetime BLSB PREM TYPE: char(1) SBSB_CK: int MEME_CK: int CSPI_ID: char(8) PDPD_ID: char(8) BLSC_PRTB_NET_PREM: money
BLSC_LOCK_TOKEN: smallint ACRH_EVENT_TYPE: char(1)
ACPR_REF_ID: char(16)
ACRH_SEQ_NO: int BLSB_CREATE_DTM: datetime To Page 1 ACRH_CREATE_DT: datetime ACRH_AMT: money BLRH_ORIG_CLCL_ID: char(12) BLRH_SSL_AMT: money BLRH_SSL_EXC_AMT: money BLRH_ASO_AMT: money BLRH_HSA_AMT: money BLRH_LOCK_TOKEN: smallint


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

To RCPT Page ----> To BLRC Page 4





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]





Facets Billing Data Model - 5.50.003

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 8 of 12

To Page 3 BLMG ----

CMC_BLSS_SB_SUB

CMC_BLSS_SB_SUB

BLEI_CK: int (FK)
BLBL_DUE_DT: datetime (FK)
CSPI_ID: char(8) (FK)
PDPD_ID: char(8) (FK)
PDBL_ID: char(4) (FK)
BLSB_COV_DUE_DT: datetime (FK)
BLSB_COV_FROM_DT: datetime (FK)
BLSB_PREM_TYPE: char(1) (FK)
BSBB_CK: int (FK)
MEME_CK: int (FK)
BLSB_CREATE_DTM: datetime (FK)
MESU_MCTR_TYPE: char(4)

MESU_MCTR_TYPE: char(4)

BLSB_COV_THRU_DT: datetime
BLEI_BILL_LEVEL: char(1)
BGBG_CK: int
SGSG_CK: int
BLSS_DISP_CD: char(1)
BLSS_RESOLVE_IND: char(1)
BLSB_RESOLVE_IND: char(1)
BLSB_RESOLVE_IND: char(1)
BLSB_PREM_IND: char(1)
BLSB_PREM_IND: char(1)
BLSB_PREM_IDE: money
BLSS_PREM_DEP: money
BLSS_PREM_DEP: money
BLSS_LOAD_AMT_DEP: money
BLSS_LOAD_AMT_DEP: money
BLSS_CONV_PREM_DEP: money
BLSS_CONV_PREM_DEP: money
BLSS_ANNL_PREM_DEP: money
BLSS_ANNL_PREM_DEP: money
BLSS_LIAB_LMT_DEP: money
BLSS_LOCK_TOKEN: smallint
SYS_LAST_UPD_DTM: datetime
SYS_LSUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

To Page 3 BLFD ---->

- To Page 7 PMFA

<----To Page 7 BLMD

To Page 7 PMFA

> To Page 3 BLDI --

Facets Billing Data Model - 5.50.003 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 9 of 12 CMC_BLCB_COMP_SUB BLCB_ROW_ID: int BLEI CK: int BLEL_CK: int BLBL_DUE_DT: datetime CSPI_ID: char(8) PDPD_ID: char(8) PDBL_ID: char(4) BLCB_DISP_CD: char(1) BLCB_PREM_TYPE: char(1) BLCB_SOURCE: char(1) BLCB_GCK: int BLCB_CREATE_DTM: datetime BLCB_ICK_ITM: datetime BLCB_ICK_ITM: datetime To Page 3 BLMG BGBC_CK: int BLCB_CREATE_DTM: datetime BLCB_INVOICE_DTM: datetime BLCB_SPECIMEN_IND: char(1) BLCB_PREM_IND: char(1) BLCB_PREM_IND: char(1) BLCB_BILLED_AMT: money BLCB_PREM_SB: money BLCB_PREM_SB: money BLCB_COND_AMT_SB: money BLCB_LOAD_AMT_DEP: money BLCB_COND_PREM_SB: money BLCB_CONV_PREM_DEP: money BLCB_CONV_PREM_DEP: money BLCB_ANNL_PREM_DEP: money BLCB_ANNL_PREM_DEP: money BLCB_LIAB_LMT_DEP: money BLCB_LICB_LIAB_LMT_DEP: money BLCB_LICB_LOCK_TOKEN: smallint SYS_LSST_UPD_DTM: datettime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) BLCB_LOCB_PCT_NVL: int LOBD_ID: char(4) BLCB_LOBD_PCT_NVL: int BLCB_LOBD_LOR_LND_INVL: char(1) To Page 3 BLFD ----> To Page \$ BLDI -

Facets Billing Data Model - 5.50.003

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 10 of 12

CMC_BLBH_BAT_HIST

BLBH_RECORD_TYPE: char(4)
BLBH_RUN_DTM: datetime
BLBH_CREATE_DTM: datetime

SYIN_INST: int BLBH_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CDS INEP ELEC PYMT

BLIV_ID: char(12) (FK)

MCBD_ID: char(12)
MCBD_BANK_NAME: char(50)
MCBD_ADDR1: char(40)
MCBD_ADDR2: char(40)
MCBD_ADDR3: char(40)
MCBD_ADDR3: char(40)
MCBD_STATE: char(2)
MCBD_STATE: char(2)
MCBD_STATE: char(2)
MCBD_COUNTY: char(20)
MCBD_CTRY_CD: char(4)
MCBD_CTRY_CD: char(4)
MCBD_PHONE: char(20)
MCBD_PHONE: char(20)
MCBD_FAX: char(20)
MCBD_FAX: char(20)
MCBD_FAX: char(4)
MCBD_EMAIL: char(35)
MCBD_EMAIL: char(35)
MCBD_TRANSIT: char(35)
MCBD_ROUTING: char(35)
BLEP_ACCT_NO: char(40)
BLEP_ACCT_NO: char(40)
BLEP_MCTR_ATYP_DES: char(70)
BLEP_MCTR_ATYP_DES: char(70)
BLEP_MCTR_ATYP_DES: char(70)
BLEP_ACT_BIS (BG)
BLEP_MCTR_CT (BG)
BLEP_ACT (BG)
BLEP_MCTR_CT (BG)
BLEP_ACT (BG)
BLEP_BCD (BG)
BLEP_ACT (BG)
BLEP_BCD (BG)
BCD (BG)
BCD

CDS INID INVOICE

BLIV ID: char(12) SYIN_INST: int BLDF_MCTR_STMT: char(4) BLDF_STOCK_ID: char(10) BLEI_CK: int
BLBL_DUE_DT: datetime BLBL_END_DT: datetime
BLBL_CREATE_DTM: datetime BLIV_CREATE_DTM: datetime BLBL_BILLED_AMT: money BLBL_BILLED_AMI: money
INID_OUTSTAND_BAL: money
BLEI_NET_DUE: money
BLEI_BILL_LEVEL: char(1)
INID_CIC_ID: char(2)
BLBL_TYPE: char(1)
BLBL_SPCL_BL_IND: char(1)
INID_MCTR_STM_DESC: char(30)
GRĞR_CK: int
CBCB_ID: char(4) GRGR_ID: char(8) SGSG_CK: int SGSG_ID: char(4) BGBG_CK: int BGBG_ID: char(8) SBSB_CK: int SBSB_ID: char(9)
INID_BLEI_ID: char(12) INID_BLEI_ID: char(12)
INID_BLEI_NAME: char(50)
INID_BLEI_ADDR1: char(40)
INID_BLEI_ADDR2: char(40)
INID_BLEI_ADDR3: char(40)
INID_BLEI_CITY: char(19)
INID_BLEI_CITY: char(12)
INID_BLEI_CIP: char(11)
INID_BLEI_COUNTY: char(20) INID_BLEI_COUNTY: char(20)
INID_BLEI_CTRY_CD: char(4)
INID_BLEI_PHONE: char(20)
INID_BLEI_PHON_EXT: char(4)
INID_BLEI_FAX: char(20)
INID_BLEI_FAX_EXT: char(4)
INID_BLEI_FAX_EXT: char(40)
INID_PMT_TYPE: char(11)
MEME_HICN: char(12)
INID_INID_ROLITE: char(10) INID_USID_ROUTE: char(10)
USUS_DESC: char(70) BLBL_FNDG_FROM_DT: datetime BLBL_FNDG_THRU_DT: datetime AFAI_CK: int AFAI_ID: char(12) INID_HSA_AMT: money
INID_LOCK_TOKEN: smallint BLBL_SUBSIDY_AMT_NVL: money

CDS_INPA_PMT_ACT

BLIV_ID: char(12) (FK) INPA_SEQ_NO: int

INPA_PREV_BL_CR_DT: datetime
INPA_PREV_NET_DUE: money
RCPT_CREATE_DTM: datetime
RCPT_ID: char(12)
RCPT_RCPT_CD: char(1)
RCPT_AMT: money
RCPT_CHECK_NO: char(8)
USUS_ID: char(10)
USUS_DESC: char(70)
INPA_LOCK_TOKEN: smallint
BLRE_SEQ_NO: smallint

CDS_HFBD_BL_DTL

BLEI CK: int MEME_HICN: char(12) BLBL_DUE_DT: datetime HFBD_COV_DUE_DT: datetime CSPI_ID: char(8) PDPD ID: char(8)

PDPD_ID: char(8)

HFBD_SOURCE_CD: char(1)

HFBD_BLSP_PRTA_AMT: money

HFBD_BLSP_PRTA_AMT: money

HFBD_BLSB_PRTB_AMT: money

HFBD_BLSB_PRTB_AMT: money

HFBD_BLSB_PRTB_AMT: money

HFBD_BLSB_PRTB_AMT: money

HFBD_BLSB_PRTB_AMT: money

HFBD_PBL_ID_FRTB_AMT: money

HFBD_PBL_ID_PRTB_CD: char(2)

MEME_CK: int

GRGR_CK: int

GRGR_

CDS INCB COMPONENT

BLIV_ID: char(12) (FK)
CSPI_ID: char(8) (FK)
PDPD_ID: char(8) (FK)
PDBL_ID: char(4) (FK)
BLCB_DISP_CD: char(1) (FK)
BLCB_PREM_TYPE: char(1) (FK)
BLCB_SOURČE: char(1) (FK)
MESU_MCTR_TYPE: char(4)

BGBG CK: int
PLDS_DESC: varchar(70)
PDDS_DESC: varchar(70)
PDDS_DESC: varchar(70)
BLCB_BILLED_AMT: money
BLCB_PREM_SB: money
BLCB_COND_PEP: money
BLCB_LOAD_AMT_DEP: money
BLCB_LOAD_AMT_DEP: money
BLCB_CONV_PREM_DEP: money
BLCB_CONV_PREM_DEP: money
BLCB_LIAB_LMT_SB: money
BLCB_LIAB_LMT_DEP: money
BLCB_LIAB_LMT_DEP: money
BLCN_ID: char(12)
INCB_LOCK_TOKEN: smallint
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)
BLCB_ACCT_CAT_NVL: char(4)
BLCB_LOBD_PCT_NVL: int
LOBD_ID: char(4)
BLCB_LOBD_YCT_NVL: int


CDS_HFBC_BL_CHC

BLEI_CK: int (FK)
MEME_HICN: char(12) (FK)
BLBIL_DUE_DT: datetime (FK)
HFBD_COV_DUE_DT: datetime (FK)
CSPI_ID: char(8) (FK)
PDPD_ID: char(8) (FK)

HFBD_LOCK_TOKEN: smallint

HFBC_NO_MOS_PRTA: smallint
HFBC_NO_MOS_PRTB: smallint
HFBC_MEMD_PRDA_IND: char(1)
HFBC_BLHC_PRDA_IND: char(1)
HFBC_BLHC_PRDA_IND: char(1)
HFBC_BLHC_MEDI_IND: char(1)
HFBC_BLHC_MEDI_IND: char(1)
HFBC_BLHC_MEDI_IND: char(1)
HFBC_BLSC_MIDC_CAT: char(4)
HFBC_BLSC_MIDC_CAT: char(4)
HFBC_BLSC_RA_FCTRA: int
HFBC_BLSC_RA_FCTRA: int
HFBC_BLSC_RA_FCTRB: int
HFBC_BLSC_RA_PREMA: money
HFBC_BLSC_RA_PREMA: money
HFBC_BLSC_RA_PREMB: money
HFBC_BLSC_BLSC_RA_PREMB: money
HFBC_BLSC_BLSC_RA_IND: char(01)
HFBC_BLSC_CHS_IND: Char(01)
HFBC_BLSC_CHS_IND: Char(01)
HFBC_BLSC_CHS_IND: Char(01)
HFBC_BLSC_CHS_IND: Char(01)
HFBC_BLSC_CFRA_IND: char(01)
HFBC_BLSC_CFRA_IND: char(01)
HFBC_BLSC_CFRA_IND: char(01)
HFBC_BLSC_CFRA_IND: char(01)
HFBC_BLSC_CFT_OKEN: smallint

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Facets Billing Data Model - 5.50.003 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 12 of 12 CMC_BLHA_HCFA_ADDL CMC BLFT FEE TOTL CMC_BLSF_SB_FEES BLHD_ROW_ID: numeric (10, 0) (FK) BLFT_CK: int BLHA_SEGMENT_ID: char(3)
BLHA_ENRL_SOURCE: char(1)
BLHA_EGHP_IND: char(1)
BLHA_BAS_PREM_PRTA: money BLEI_CK: int (FK)
BLBL_DUE_DT: datetime (FK) CDS_FNAC_FNCL_ACT BLEI_CK: int (FK) BLEI_CK: int (FK)
BLBL_DUE_DT: datetime (FK)
PMFA_ID: char(2)
BLFT_COV_DUE_DT: datetime
BLFT_COV_FROM_DT: datetime
BLFT_SOURCE: char(1)
BLFT_CREATE_DTM: datetime
BLFT_DOV_THRU_DT: datetime
BLFT_DISP_CD: char(1)
BLFT_INVOICE_DTM: datetime
BLFT_INVOICE_DTM: datetime
BLFT_SPECIMEN_IND: char(1)
BLFT_SPECIMEN_IND: char(1)
BLFT_SPECIMEN_IND: char(1) PMFA_ID: char(2)
BLSF_COV_DUE_DT: datetime
BLSF_COV_FROM_DT: datetime
BLSF_COV_FROM_DT: datetime
MEME_CK: int BLEI_CK: int (FK)
FNAC_ACTIVITY_DT: datetime
FNAC_TYPE_IND: char(1) BLHA_BAS_PREM_PRTA: money BLHA_CS_REB_PRTA: money BLHA_CS_REB_PRTB: money BLHA_SUP_REB_PRTB: money BLHA_SUP_REB_PRTB: money BLHA_PRA_REB_PRTB: money FNAC_SEQ_NO: int BLBL_DUE_DT: datetime BLBL_END_DT: datetime BLBL_DAYS_BILLED: smallint FNAC_PREM_TYPE: char(1) BLSF_CREATE_DTM: datetime BLSF_COV_THRU_DT: datetime BLEI_BILL_LEVEL: char(1) SGSG_CK: int BLHA_PRB_REB_PRTB: money BLHA_SUPA_REB_PRTD: money CSPI_ID: char(8) PLDS_DESC: varchar(70) BLSF_DISP_CD: char(1)
BLSF_RESOLVE_IND: char(1)
BLSF_INVOICE_DTM: datetime
BLSF_FAM_CNT: int BLFT_SPECIMEN_IND: char(1)
BLFT_FEE_AMT: money
BLFT_FAM_CNT: int
BLFT_LVS: int
BLFT_PEEM: money
BLFT_LOCK_TOKEN: smallint
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48) BLHA_SUPA_REB_FRID: Inioley BLHA_PAY_PRTA: money BLHA_PAY_PRTB: money BLHA_PAY_AB: money BLHA_PAY_AB: money BLHA_RSK_ADJ_FCTRD: int BLHA_RSK_ADJ_FCTRD: int PDPD_ID: char(8)
PDDS_DESC: varchar(70) PDBL_ID: Char(4)

FNAC_TOT_PREM: money
FNAC_TOT_YR1_PREM: money
FNAC_TOT_RNWL_PREM: money
FNAC_MOD_PREM: money
FNAC_MOD_PREM: money
FNAC_MOD_PREM: money BLSF_MODE: smallint BLSF_LVS: int BLSF_PREM: money
BLSF_FEE_AMT: money
BLSF_BONW_ROW_IND: char(1) BLHA_LICS_FCTR: int BLHA_LTI_IND: char(1) BLHA_LTI_FCTR: int
BLHA_BAS_REB_PRTD: money
BLHA_BAS_PREM_PRTD: money
BLHA_DIR_SUB_PRTD: money CSCS ID: char(4) FNAC_MOD_RNWL_PREM: money FNAC_MOD_PREM_SB: money BLSF_LOCK_TOKEN: smallint FNAC_MOD_PREM_SB. III01ey
FNAC_MOD_PREM_DEP: money
FNAC_RET_PREM: money
FNAC_RET_YR1_PREM: money
FNAC_RET_RNWL_PREM: money
FNAC_RET_PREM_SB: money
FNAC_RET_PREM_DEP: money CMC BLFK IDENT REC BLHA_REIN_SUB: money
BLHA_CS_LICS: money
BLHA_PAY_PRTD: money
BLHA_NO_MOS_PRTD: smallint BLFT ROW ID: numeric(10, 0) CDS_INSF_SB_FEES BLHA_NO_MIOS_FRM: money BLHA_CS_PACE: money BLHA_ESRD_MSP: char(1) BLHA_MSA_DEPA: money BLIV_ID: char(12) FNAC_TOT_PAID_REV: money FNAC_TOT_PAID_CSH: money DELVELO: CHAR(2)
PMFA_ID: char(2)
BLSF_COV_DUE_DT: datetime
BLSF_COV_FROM_DT: datetime
BLSF_CK: int
BLSF_CREATE_DTM: datetime CDS_INFT_FEE_TOTL BLIV_ID: char(12)
PMFA_ID: char(2)
BLFT_COV_DUE_DT: datetime
BLFT_COV_FROM_DT: datetime
BLFT_PREM_TYPE: char(1)
BLFT_SOURCE: char(1) FNAC_YR1_PAID_CSH: money FNAC_RNWL_PAID_CSH: money BLHA_MSA_DEPB: money BLHA_MSA_MOS: char(2) FNAC_MOD_LVS_SB: int FNAC_MOD_LVS_DEP: int BLHA_MECD_STS: char(1)
BLHA_DEMINIMIS: char(1) BLSF_DISP_CD: char(1) FNAC_RET_LVS_SB: int FNAC_RET_LVS_DEP: int BLHA_DEMINIMIS. dial(1)
BLHA_DUAL_STS: char(1)
BLHA_LTI_AB_IND: char(1)
BLHA_MSP_FCTR: int
BLHA_MSP_REDA: money BLSF COV THRU DT: datetime BLCT_VOL: money
BLCT_EXP_CAT: char(4) BLSF_COV_INRO_D1. date
BLSE_LVS: int
BLSF_FAM_CNT: int
BLSF_PREM: money
BLSF_PEE_AMT: money
GRGR_CK: int BLFT_DISP_CD: char(1) AFAI_CK: Int AFAI_ID: Char(12) BEIN_LOCK_TOKEN: smallint BLBP_BILL_PER_NVL: smallint BLBP_EFF_DT_NVL: datetime BLBP_TERM_DT_NVL: datetime BLBP_CK: int BLFT_COV_THRU_DT: datetime BLCT_CK: int FNAC_ACCT_CAT: char(4) BLFT_FAM_CNT_index
BLFT_FEE_AMT: money
BLFT_LVS: int
BLFT_FAM_CNT: int
BLFT_PREM: money
INFT_LOCK_TOKEN: smallint BLHA_MSP_REDB: money
BLHA_COV_END_DT: datetime PMFA_ID: char(2)
BLFD_FEE_DISC_IND: char(1)
BLFD_FEE_AMT: money
BLFD_DISC_AMT: money BLHA_DUAL_MEDC: char(2) BLHA_DUAL_MEDC: char(2)
BLHA_GAP_AMT: money
BLHA_RAD_FCTR_TYPE: char(2)
BLHA_PRTA_RT: money
BLHA_PRTB_RT: money
BLHA_PRTD_RT: money
BLHA_PRTD_RT: money
BLHA_CLEANUP_ID: char(10)
BLHA_ADDL_DATA: varchar(255)
BLHA_LOCK_TOKEN: carellist GRGR_ID: char(8) GRGR_NAME: char(50) BLFD_DISC_AMT: money
BLFD_CK: int
FNAC_TOT_PAID_FEE: money
LOBD_ID: char(4)
MCRE_CRCR_ID: char(9)
MCRE_NAME: varchar(50)
FNAC_PRIM_LOBD_IND: char(1)
FDDS_MCTR_BCAT: char(4)
FNAC_LOCK_TOKEN: smallint SGSG_CK: int SGSG_ID: char(4) SGSG_NAME: char(50) CSCS_ID: char(4) CSCS_DESC: varchar(70)
INSF_LOCK_TOKEN: smallint BLHA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime BLHA_MTM_ADDON_NVL: money CMC BLEI ENTY INFO V BLEI_CK: int CDS_INAS_SS_ACCUM BLIV_ID: char(12) (FK) AFCP_PER_NO: int MEME_CK: int CMC_BLBP_BILL_PER BLBP_CK: int CMC_BLRE_RELAT_ENT

CDS_INMS_MEM_SUM

CDS_BEIN_BL_INDIC

BGBG_CK: int BGBG_ID: char(8)

GRGR_CK: int GRGR_ID: char(8)

BLEI_BILL_LEVEL: char(1) CICI_ID: char(2)

BGBG_NAME: char(50) PAGR_CK: int

PAGR_ID: char(9) PAGR_NAME: char(50)

GRGR_NAME: char(50) SGSG_CK: int SGSG_ID: char(4)

SGSG NAME: char(50) SBSB_CK: int SBSB_ID: char(9)

BEIN_SBSB_NAME: char(55)
BEIN_ORIG_EFF_DT: datetime

BEIN_BLEI_ID: char(12)
BEIN_BLEI_NAME: char(55)

BEIN_BLEI_ADDR1: char(40) BEIN_BLEI_ADDR2: char(40)

BEIN_BLEI_ADDR3: char(40) BEIN_BLEI_CITY: char(19)

BEIN_BLEI_STATE: char(2)
BEIN_BLEI_ZIP: char(11)

BEIN_BLEI_COUNTY: char(20)
BEIN_BLEI_CTRY_CD: char(4)

BEIN_BLEI_PHONE: char(20)
BEIN_BLEI_PHON EXT: char(4)

BEIN_BLEI_FAX: char(20) BEIN_BLEI_FAX_EXT: char(4)

BEIN_BLEI_EMAIL: char(40)
BEIN_TERM_DT: datetime
AFAI_NAME: char(50)

AFAI CK: int

BLEL CK: int

BLIV_ID: char(12) (FK) MEME CK int AFCP_PER_NO: int CSPI_ID: char(08)
PDPD_ID: char(08)
BLPS_SOURCE: char(01) INMS SEQ NO: int

BLPS_FNDG_FROM_DT: datetime BLPS_FNDG_THRU_DT: datetime BLPS_FNDG_THRU_DT: datetime GRGR_CK: int GRGR_ID: char(08) SGSG_CK: int SGSG_ID: char(04) SBSB_ID: char(09) SBSB_LAST_NAME: char(35) SBSB_FIRST_NAME: char(15) SBSB_MID_INIT: char(01)
SBSB_EMPLOY_ID: char(10) MEME_FIRST_NAME: char(15)
MEME_SFX: smallint
MEME_REL: char(01)
MEME_SEX: char(01) MEME_BIRTH_DT: datetime BLPS_FROM_DT: datetime BLPS_TO_DT: datetime BLPS_TO_DT: datetime BLPS_RUN_OUT_IND: char(01) BLPS_OUT_YEAR_IND: char(01) INMS_AMT: money INMS_SSL_AMT: money
INMS_SSL_EXC_AMT: money INMS_EXTRACONT_AMT: money INMS_ASO_AMT: money INMS_ITS_FEE: money INMS_ITS_FADM_AMT: money
INMS_INT_AMT: money
INMS_INT_AMT: money
INMS_PROM_PAY_DISC: money
INMS_SURCH_AMT: money
INMS_HSA_AMT: money INMS_INDIV_SL_AMT: money
MCRL_MEME_CREL_CD: char(2)
MCRL_CREL_DESC: varchar(30)
INMS_LOCK_TOKEN: smallint

INMS_SUPP_DISC_AMT_NVL: money

AFAI CK: int

MEAS_SSL_AMT: money
MEAS_EXC_AMT: money
INAS_LOCK_TOKEN: smallint

CDS BADE DETAIL

BLEI CK: int BLEI BILL LEVEL: char(1) BLEI BILL LEVEL: char(1)
BLEI ID: char(12)
BLEI NAME: char(50)
BLBL_FROM_DUE_DT: datetime
BLBL_TO_DUE_DT: datetime
BLAR_RET_MOS: int
BLAR_RET_IND: char(1)
BLAR_ARCH_MOS: int
BADE_LOCK_TOKEN: smallint

ATXR_SOURCE_ID: datetime

SBSB CK: int BLBP_EFF_DT: datetime
BLBP_TERM_DT: datetime
BLBP_VOID_IND: char(1) BLBP_BILL_IND: char(1)
GRGR_CK: int
BLBP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

BLEI_CK: int (FK)
BLRE_SEQ_NO: smallint
BLRE_TYPE: char(2)

BLRE_ACTIVE_IND: char(1)
BLRE_NAME: varchar(50) BLRE_ADDR1: varchar(40) BLRE_ADDR2: varchar(40) BLRE_ADDR3: varchar(40)
BLRE_CITY: varchar(19)
BLRE_STATE: char(2)
BLRE_ZIP: char(11) BLRE_COUNTY: varchar(20)
BLRE_CTRY_CD: char(4) BLRE_PHONE: varchar(20)
BLRE_PHONE_EXT: char(4)
BLRE_FAX: varchar(20)
BLRE_FAX_EXT: char(4) BLRE_FAA_EAT. Char(4)
BLRE_EMAIL: varchar(40)
BLRE_NAME_XLOW: char(8)
BLRE_CITY_XLOW: char(8)
BLRE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

Business Process Automation Data Model

Facets Business Process Automation Data Model - 5.50 Cognizant Brizatto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. BPA_QLDF_QUAL_D This The full here Helpe GUDF_ID: char(8) QLDF_METHOD: varchar(50) QLTD_QUAL_TYPE: char(04) (FK) RLQL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime BPA RLTD RTYP D QLDF_ENTRY_TYPE: int QLDF_DATA_TYPE: char(8) BPA_QLTD_QTYP_D BPA_APRL_APP_RUL_A RLTD RULE TYPE: char(04) QLTD_QUAL_TYPE: char(04) QLDF DEFAULT VAL: varchar(18) PZPZ_ID: char(2) PZAP_APP_ID: char(4) RLTD_RULE_TYPE: char(04) (FK) QLDF_DEFAULT_VAL: varchan QLDF_PARM_STYLE: char(1) APMD_ID: varchar(8) MCTR_ENTITY: char(4) MCTR_TYPE: char(4) QLDF_LOCK_TOKEN: smallint ATXR_SQURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_LAST_UPD_DTM: datetime QLTD_DESC: varchar(70) APMD_ID: varchar(8) QLTD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) RLTD_DESC: varchar(70) RLTD TXN LVL: char(1) APMD_ID: varchar(8) RLTD_LOCK_TOKEN: smallint APRL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS DBUSER ID: varchar(48) SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) BPA_QLGV_VALUE_U BPA_QLGR_QGRP_D BPA_QGRL_REL_R ™QLGR_GU_ID: char(36) (FK) MQLGV_SEQ_NO: smallint BPA_QLCD_COND_D "QLGR_GU_ID: char(36) SQLCD_GU_ID: char(36) (FK) QLGR_GU_ID: char(36) (FK) BPA QLDP PARM D GULCD_GU_ID: char(36) OLGR_GRP_DESC: varchar(50) RLTD_RULE_TYPE: char(04) (FK) QLTD_QUAL_TYPE: char(04) (FK) QLGR_EFF_DT: datetime QLGR_TERM_DT: datetime QLGR_AND_OR_IND: char(1) Page Control of the QLDF ID: char(8) (FK) QLCD_DESC: varchar(70) QLCD_EFF_DT: datetime QLCD_TERM_DT: datetime QLCD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetim QLGV_EFF_DT: datetim QLGV_TERM_DT: datet QGRI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetin SYS_LAST_UPD_DTM: dat QLDP DATA TAG: varchar(30) QLGV_DERM_DI: datetime QLGV_OPERAND_TYPE: smallint QLGV_CODE_TP_LOW: varchar(50) QLGV_CODE_TP_HIGH: varchar(50) QLGV_DISPLAY_LOW: varchar(50) QLDP_DATA_TAG: varchar(30) QLDP_COLL_IND: char(1) QLDP_COLL_NAME: char(18) QLDP_LOCK_TOKEN: smallint ATAR_SOURCE_ID: datetime SYS_LAST_UPD_IDT: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) QLGR_AND_OR_IND: char(1) QLGR_SMR_LINE_IND: char(1) QLGR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS USUS ID: varchar(48) QLGV_DISPLAY_HIGH: varchar(50) QLGV_LOCK_TOKEN: smallint SYS DRUSER ID: varchar(48) ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) BPA_RLGD_RUL_GRP_D PRLGD_GU_ID: char(36) BPA RLBP BP RULE D BPA_RLGR_GRP_SET_R RLGD_RUL_GRP_ID: char(18) RLTD_RULE_TYPE: char(04) QLTD_QUAL_TYPE: char(4) RLGD_DESC: varchar(70) RLGD_EFF_DT: datetime RLGD_TERM_DT: datetime RLGD_TERM_DT: datetime RLGD_TRYP_PCS_SEC: smallint RLBP_GU_ID: char(36) PRLGD_GU_ID: char(36) (FK) RLBP_GU_ID: char(36) (FK) RLTD_RULE_TYPE: char(04) RLBP_DESC: varchar(70) RLBP_EFF_DT: datetime RLBP_TERM_DT: datetime RLBP_SECTION: smallint RLBP_SEQ_NO: smallint PLBP_LEVEL: smallint RLGR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime BPA_SHDR_SECTION_HDR SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) RLGD LOCK TOKEN: smallint SHDR_GROUP_ID: varchar(18) GQLTD_QUAL_TYPE: char(4) RLTD_RULE_TYPE: char(04) SHDR_ID: char(04) ATXR SOURCE ID: datetime RLBP_LEVEL: smallint QLCD_GU_ID: char(36) (FK) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) QLCD_GU_ID: char(36) [FK] RLBP_ACT_VAL: char(01) RLBP_MCTR_REAS: char(04) RLBP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetim SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SHDR SECTION: smallint RLBP_GU_ID: char(36) (FK) SHDR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) BPA_BRGU_RUL_GRP_U BPA_BRGR_RUL_GRP_R MBRGU GU ID: char(36) SYS DBUSER ID: varchar(48) Parting (36) (FK) Serical (36) (FK) RLTD_RULE_TYPE: char(04) BPTD BUS PCS TYPE: char(04) BPA_VBMP_VBP_MAP BRGU EFF DT: datetime BRGR_LOCK_TOKEN: smallint BRGU TERM DT: datetim RLBP_GU_ID: char(36) (FK) ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime BRGU_USAGE_ID: varchar(18) BRGU_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) VBMP_TAG: varchar(18) VBMP_VALUE: varchar(32) VBMP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) BPA DSRM SVC MAP D SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) PRLBP_GU_ID: char(36) (FK) SCRM_SEQ_NO: smallint BPA_DSAS_DATA_STATE SAS_DATA_ID: varchar(36) DOFR ID: char(12) BPA_DPSC_SVC_CAT_A DFSC ID: char(8) 열DOFR_ID: char(12) (FK) 열QLTD_QUAL_TYPE: char(4) 열DFSC_ID: char(8) (FK) BPA_DSCR_COND_R TBTB_ID: char(4) DSRM_PRCS_SEQ: smallint DSRM_PRCS_SEC: smallint DSRM_CL_DELG_IND: char(01) DSRM_CL_DELG_ID: char(12) DSRM_CL_EXCD: char(04) DSRM_UM_DELG_IND: char(01) DSRM_UM_DELG_ID: char(12) DSRM_DR_SK_DELG_IND: char(01) DSRM_DSK_DELG_IND: char(01) DSAS ACTION CD: char(1) DSAS_LAST_UPD_DTM: datetime DSAS_LAST_USUS_ID: char(10) PSC_ID: char(8) (FK) QLCD_GU_ID: char(36) (FK) DPSC_SECTION: smallint RLBP_GU_ID: char(36) (FK) DPSC_LOCK_TOKEN: small QLTD_QUAL_TYPE: char(04) DSCR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) DSRM_RSK_DELG_ID: char(12) DSRM_REIMB_IND: char(01) DSRM_REIMB_IND: char(01) DSRM_CRFD_FUND_ID: char(04) DSRM_PRIORITY_IND: char(04) DSRM_PRIORITY_IND: char(05) DSRM_LOCK_TOKEN: Smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_IDIM datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS DBUSER ID: varchar(48)


DOFR DESC V MDOFR_ID: char(12)

DFSC SCAT DESC V PSC_ID: char(8)

from CMC DOFR DESC: char(18)

from_CMC_DFSC_SCAT_DESC: char(18)

Chapter 6 Capitation Data Model




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_CRER_EXT_RETRO

CRFS_SCHD_ID: char(12) CRER_PAY_DT: datetime CSPD_CAT: char(01) CRER_EARN_FROM_DT: datetime CRFD_FUND_ID: char(04) CRSF_MODIFIER: char(08)

CRER_STS: char(02)
CRER_CREATE_DTM: datetime
CRER_USUS_ID: char(10)
CRER_LST_CRPM_DT: datetime
CRER_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

MEME MEMBER



CMC_CRME_FUND_DETL

MEME_CK: int (FK)
CSPD_CAT: char(1)
CRME_EARN_FROM_DT: datetime CRME_SEQ_NO: smallint CRBD BAT ID: char(08) (FK) GRGR_CK: int SGSG_CK: int SGSG_CK: int
CRME_CR_PR_ID: char(12) (FK)
CRPL_POOL_ID: char(12) (FK)
CRFD_FUND_ID: char(4) (FK)
CRFD_FUND_ID: char(4) (FK)
CRME_EARN_THRU_DT: datetime
CRME_PAY_FROM_DT: datetime (FK)
LOBD_ID: char(4) (FK)
CRME_PAYEE_PR_ID: char(12) (FK)
CRME_CR_PR_TYPE: char(1) (FK)
CRME_CR_PR_TYPE: char(1) (FK)
CRME_CR_PR_TYPE: char(1) (FK) CRME_PYMT_METH_IND: char(1) (FK)
CRME_COV_FROM_DT: datetime
CRME_COV_THRU_DT: datetime
CRME_COV_PER_RSN: char(02) CRME_ADJ_PER: smallint CRFS SCHD ID: char(12) CRFT_FCTR: int PRPR_ID: char(12) NWNW_ID: char(12) CSPI_ID: char(8) PDPD_ID: char(8) PDPD_ID: char(s)

CRME_NWPE_NWCR_PFX: char(4)

CRME_CRCY_PRPR_ID: char(12)

PDDS_MCTR_BCAT: char(4)

CRME_PRORĀTE_RULE: char(1)

CRME_FUND_RATE_IND: char(1)

CRME_FUND_RATE: money CRME_FUND_AMT: money CRME_FUND_PCT: int CRME_CELL_RATE: money CRME_ME_MONTHS: money CRME_OPTS: char(4)
CRME_LOCK_TOKEN: smallint

CMC_CRPR_PROV_SUM

CRME_PAY_THRU_DT: datetime CRBD_BAT_ID: char(08) LOBD_ID: char(4) CRME_PAYEE_PR_ID: char(12)
CRME_CR_PR_TYPE: char(1)
CRME_PYMT_METH_IND: char(1)
CRME_CR_PR_ID: char(12) CRPR_CURR_AMT: money
CRPR_AUTO_ADJ_AMT: money
CRPR_MAN_ADJ_AMT: money
CRPR_CLM_RED_AMT: money CRPR_NET_AMT: money CRPR_CURR_ME_M: money CRPR_AUTO_ADJ_ME_M: money CRPR_MAN_ADJ_ME_M: money CRPR_MEMBERS: int CKPY_REF_ID: char(16)
CRPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_CRPF_POOL_FUND

REPORT_DT: datetime LOBD ID: char(4) PDDS_MCTR_BCAT: char(4) CRPL_POOL_ID: char(12) CRFD_FUND_ID: char(4) PRPR_ID: char(12) GRGR_CK: int SGSG_CK: int

CRPF_CURR_AMT: money
CRPF_AUTO_ADJ_AMT: money
CRPF_MAN_ADJ_AMT: money
CRPF_NET_FNDED_AMT: money
CRPF_CURR_ME_M: money
CRPF_AUTO_ADJ_ME_M: money
CRPF_MAN_ADJ_ME_M: money
CRPF_MET_ME_M: money
CRPF_MET_ME_M: money CRPF_NET_ME_M: money
CRPF_EXPENSE_AMT: money
CRPF_LST_CL_UPD_DT: datetime
CRPF_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC CREP SUM EXCL

MEME CK: int CSPD_CAT: char(1)
CRME_EARN_FROM_DT: datetime
CRME_SEQ_NO: smallint

CRBD_BAT_ID: char(8) GRGR_CK: int SGSG_CK: int CRME_CR_PR_ID: char(12)
CRPL_POOL_ID: char(12)
CRFD_FUND_ID: char(4)
CRME_EARN_THRU_DT: datetime
CRME_PAY_FROM_DT: datetime
CRME_PAY_THRU_DT: datetime CRME_PAY_THRU_DT: datetime LOBD_ID: char(4) CRME_PAYEE_PR_ID: char(12) CRME_CR_PR_TYPE: char(1) CRME_COV_FROM_DT: datetime CRME_COV_THRU_DT: datetime CRME_COV_THRU_DT: datetime CRME_COV_PROR_SN: char(2) CRME_ADJ_PER: smallint CRFS_SCHD_ID: char(12) CRFT_FCTR: int NWNW ID: char(12) NWNW_ID: char(12)
PRPR | ID: char(12)
CSPI | ID: char(8)
PDPD | ID: char(8)
CRME_NWPE_NWCR_PFX: char(4)
CRME_CRCY_PRPR_ID: char(12)
PDDS_MCTR_BCAT: char(4) PDUS_MCTR_BCAT: cnar(4)
CRME_PRORATE_RULE: char(1)
CRME_FUND_RATE_IND: char(1)
CRME_FUND_RATE: money
CRME_FUND_AMT: money
CRME_FUND_PCT: int
CRME_FUND_CT: int CRME_CELL_RATE: money
CRME_ME_MONTHS: money
CRME_OPTS: char(4)
CREP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CBFD_LOGICAL_CRME_V

CBFS_ROW_ID: numeric(10,0) CBFD_CR_PR_ID: char(12) CBFD_SIGN: char(1)

VIRTUAL_CBFD_PARENT: char(4) __CBFD_is_logically: char(4) a_child_of_CRME: char(4)

CMC_CBFD_ITS_DTL

CBFS_ROW_ID: numeric(10,0) (FK) CBFD_CR_PR_ID: char(12) (FK) CBFD SIGN: char(1) (FK)

CBFD_POS_SEQ_NO: int CBFD_CAP_PAID_AMT: money CBFD_SUPP_CAP_AMT: money CBFD_ADJ_IND_1: char(1) CBFD_ADJ_IND_CTR: smallint CBFH_PAY_DT: datetime
CBFH_TRANS_IND: char(1)
GRGR_CK: int
MEME_CK: int CBFS_EARN_DT: datetime CBFS_ITS_FP: char(3) CBFD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC_CRCA_CAP_ADJ

CRCA_PAY_DT: datetime CRCA_CR_PR_ID: char(12) CRPL_POOL_ID: char(12) CRFD_FUND_ID: char(4)
CRCA_EARN_DT: datetime LOBD_ID: char(4 CRCA SEQ DTM: datetime

CRCA_CREATE_DT: datetime CRCA_COV_FROM_DT: datetime CRCA_COV_THRU_DT: datetime CRCA_PAYEE_PR_ID: char(12) CRCA_PAYEE_PR_ID: char(12)
CRCA_STS: char(2)
MEME_CK: int
CRCA_CR_PR_TYPE: char(1)
PRPR_ID: char(12)
NWNW ID: char(12)
CSPI_ID: char(8)
PDPD_ID: char(8)
PDPD_ID: char(8)
CRCA_PYMT_METH_IND: char(1)
CRCA_CAP_ADJ_AMT: money
CRCA_MCTR_ARSN: char(4)
CRCA_ME_MONTHS: money
CRBD_BAT_ID: char(08)
USUS_ID: char(10)
CRCA_ADJ_TYPE: char(1) USUS_ID: char(10)
CRCA_ADJ_TYPE: char(1)
CSPD_CAT: char(1)
CRMM_MIN_MAX_ID: char(03)
CRCA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_SYPM_SYS_PARM

SYPM_RECORD_TYPE: char(4)

SYPM_CAP_ADJ_PER: smallint SYPM_CAP_RUN_DAY: smallint SYPM_LAST_RUN_DT: datetime SYPM_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material Page 3 of 4 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CDS MDTL MEMB DTL

MEME_CK: int MDTL_EARN_DT: datetime CRBD_BAT_ID: char(08) CRME_CR_PR_ID: char(12) CRPL_POOL_ID: char(12) CRFD_FUND_ID: char(4) CRME_SEQ_NO: smallint

LOBD_ID: char(4)
CRME_CR_PR_TYPE: char(1)
CRME_FUND_AMT: money
CRME_COV_FROM_DT: datetime
CRME_ADJ_PER: smallint CRME_FUND_RATE: money
CRME_FUND_PCT: int
CRME_CELL_RATE: money
CRME_ME_MONTHS: money CRFS_SCHD_ID: char(12) CRFD_DESC: char(70) CRFD_DESC: char(70)
MDTL_PERIOD_IND: char(1)
MDTL_PAY_DT: datetime
CRME_PYMT_METH_IND: char(1)
CRME_PRORATE_RULE: char(1)
CRME_PAYEE_PR_ID: char(12)
CRME_PRPR_ID: char(12)
MDTL_PRPR_ADDR1: varchar(55)
MDTL_PRPR_ADDR1: varchar(40)
MDTL_PRPR_ADDR2: varchar(40)
MDTL_PRPR_ADDR3: varchar(40)
MDTL_PRPR_CITY: varchar(40)
MDTL_PRPR_CITY: varchar(19)
MDTL_PRPR_CITY: varchar(19)
MDTL_PRPR_STATE: char(2) MDTL_PRPR_STATE: char(2)
MDTL_PRPR_ZIP: char(11)
MDTL_PRPR_ZIP: char(11)
MDTL_PRPR_CTRY_CD: char(4)
MDTL_PRPR_PHONE: char(20)
MDTL_PRPR_PHON_EXT: char(4)
NWNW_ID: char(12) NWNW ID: char(12)
CSPI_D: char(8)
PDPD_ID: char(8)
PDDS_MCTR_BCAT: char(4)
MEME_FIRST_NAME: varchar(15)
MEME_LAST_NAME: varchar(35)
MEME_MID_INIT: char(1)
MDTL_MEME_ADDR1: varchar(40)
MDTL_MEME_ADDR2: varchar(40) MDTL_MEME_ADDR3: varchar(40) MDTL_MEME_CITY: varchar(19) MDTL_MEME_STATE: char(2) MDTL_MEME_ZIP: char(11)
MDTL_MEME_ZIP: char(11)
MDTL_MEME_CTRY_CD: char(4)
MDTL_MEME_PHONE: char(20)
MDTL_MEME_PHON_EXT: char(4) MEME_ORIG_EFF_DT: datetime
MEME_BIRTH_DT: datetime
MEME_REL: char(1)
MEME_SFX: smallint MEME_SEX: char(1) MEME_SSN: char(9) MEME_HICN: char(12) SBSB_ID: char(9) SBSB_ID: char(9)
SBSB_FIRST_NAME: varchar(15)
SBSB_LAST_NAME: varchar(35)
SBSB_MID_INIT: char(1)
MEPR_PRPR_ID: char(12)
PRPR_NAME: varchar(55)
MEPR_EFF_DT: datetime
GRGR_CK: int
GRGR_CK: int GRGR_ID: char(8) GRGR_NAME: varchar(50) GRGR_NAME: varchar(50)
SGSG_ID: char(4)
SGSG_NAME: varchar(50)
CKPY_REF_ID: char(16)
SBIH_SBSB_ID_ORIG: char(9)
MDTL_CR_PR_NPI: char(10)
MDTL_PAYEE_PR_NPI: char(10)
MDTL_PRR_NPI: char(10)
MCRL_MEME_CREL_CD: char(2)
MCRL_CREL_DESC: varchar(30)
MDTL_LOCK_TOKEN: smallint

MDTL_LOCK_TOKEN: smallint

CDS_PYIN_PAYEE_IND

CKPY REF ID: char(16) CKPY_REF_ID: CRBI (10)
PYIN_PAY_DT: datetime
LOBD_ID: char(4)
CRME_PAYEE_PR_ID: char(12)
CRBD_BAT_ID: char(08)
CRME_CR_PR_TYPE: char(1)
CRME_PYMT_METH_IND: char(1) CRME_CR_PR_ID: char(12) PYIN_CR_NAME: char(50) PYIN_CR_MCTR_TYPE: char(4) PYIN_CR_MCTR_SPEC: char(4) PYIN_CR_ADDR1: char(40) PYIN_CR_ADDR1: char(40)
PYIN_CR_ADDR2: char(40)
PYIN_CR_ADDR3: char(40)
PYIN_CR_CITY: char(19)
PYIN_CR_STATE: char(2)
PYIN_CR_ZIP: char(11)
PYIN_CR_COUNTY: char(20)
PYIN_CR_CTRY_CD: char(4)
PYIN_CR_PHONE: char(20) PYIN_CR_PHON_EXT: char(4) PYIN_CR_FAX: char(20) PYIN CR PHON EXT: char(4)
PYIN_CR_FAX: char(20)
PYIN_CR_FAX: char(20)
PYIN_CR_FAX EXT: char(4)
PYIN_PY_NAME: char(50)
PYIN_PY_MCTR_TYPE: char(4)
PYIN_PY_MCTR_TYPE: char(4)
PYIN_PY_ADDR1: char(40)
PYIN_PY_ADDR2: char(40)
PYIN_PY_ADDR3: char(40)
PYIN_PY_ADDR3: char(40)
PYIN_PY_ADDR3: char(19)
PYIN_PY_CITY: char(19)
PYIN_PY_CITY: char(11)
PYIN_PY_COUNTY: char(20)
PYIN_PY_COUNTY: char(20)
PYIN_PY_COUNTY: char(20)
PYIN_PY_PHON_EXT: char(4)
PYIN_PY_FAX: char(20)
PYIN_PY_FAX: char(20)
PYIN_PY_FAX: Char(40)
PYIN_PY_FAX: EXT: char(4)
PYIN_PY_FAX: EXT: char(4)
PYIN_PY_EMAIL: char(40)
CRPR_CURR_AMT: money
CRPR_AUTO_ADJ_AMT: money
CRPR_CURR_MED_AMT: money
CRPR_CURR_MED_AMT: money
CRPR_CURR_MED_MMT: money
CRPR_MAN_ADJ_ME_M: money
CRPR_MEMBERS: int
LOBD_NAME: char(50)
RPID_TYPE: char(4)

CDS_ICBF_CNTRL_DTL

ITLC_LOCAL_PLAN_CD: char(3)
ICBF_PAY_DT: datetime
ICBF_TRANS_IND: char(1) ICBF_SEQ_NO: int

GRGR_CK: int MEME_CK: int
SBSB_CK: int
SBSB_CK: int
CRME_CR_PR_ID: char(12)
ICBF_ADJ_IND: char(2)
ICBF_CAP_SUPPL_AMT: money
ICBF_CAP_SUPCG_AMT: money
ICBF_CAP_SUPCG_AMT: money ICBF_CAP_SURCG_AMT: money ICBF_EARN_FROM_DT: datetime ICBF_EARN_FROM_DT: datetime ICBF_EARN_THRU_DT: datetime ICBF_FUND_POOL: char(3) ICBF_INVOICE_NO: char(8) ICBF_RATE_AMT: money ITMA_CTRL_GRGR_ID: char(9) ITMA_CTRL_GRGR_ID: char(9) ITMA_CTRL_SECT_ID: char(6) ITNW_ITS_NW_ID: char(4) MEIT_ITS_SBSB_ID: char(17) MEIT_PAT_REL: char(2) MEME_FIRST_NAME: char(35) MEME_LAST_NAME: char(15) MEME_LAST_NAME: char(1) MEME_SFX: smallint MEME_SFX: smallint SBSB_ID: char(9) SYIN_INST: int ICBF_ADDL_DATA: varchar(255) ICBF_CREATE_DTM: datetime ICBF_LOCK_TOKEN: smallint

CDS FDSM FUND SUM

LOBD_NAME: char(50) BPID_TYPE: char(4)
PYIN_CR_PR_NPI: char(10)
PYIN_PAYEE_PR_NPI: char(10)

PYIN_LOCK_TOKEN: smallint

FDSM EARN DT: datetime FDSM_PAY_DT: datetime LOBD_ID: char(4) CRPL_POOL_ID: char(12) CRFD_FUND_ID: char(4) NWNW_ID: char(12)

CRME_CR_PR_ID: char(12)


CRME_CR_PR_TYPE: char(1)

CRME_PAYEE_PR_ID: char(12) CRME PYMT METH IND: char(1)

PRPR NAME: char(55) CRPL_DESC: char(70) CRFD_DESC: char(70) NWNW_NAME: char(50) LOBD_NAME: char(50) FDSM_PY_NAME: char(50)
CRME_FUND_AMT: money
CRCA_CAP_ADJ_AMT: money
CRFD_ACCT_CAT: char(4) FDSM_LOCK_TOKEN: smallint

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 4 of Alliance Plan (HAP).



CMC_CAPR_CAP_PREPR

GRGR_CK: int

CAPR_WEIGHT: int
CAPR_ROW_ID: numeric (10, 0)
CAPR_STS: smallint
MEME_CK_LOW: int
MEME_CK_HIGH: int
CAPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_CRGH_GRGR_HIST

CRBD_BAT_ID: char(08)
CRBH_PAY_DT: datetime
GRGR_CK: int

CRGH_STS: smallint
CRGH_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_NWPC_PSCOM_REL

NWPX_ID: char(8)
NWNW_ID: char(12)
NWPE_PFX: char(4)
NWPC_CR_PR_ID: char(12)
NWPC_EFF_DT: datetime

NWPC_TERM_DT: datetime NWPC_MCTR_TRSN: char(4) CRFS_SCHD_ID: char(12) CRPL_POOL_ID: char(12) AGAG_ID: char(12) NWPC_ADJ_PER: smallint NWPC_LOCK_TOKEN: smallint

CMC_CRMM_RULE

CRMM_MIN_MAX_ID: char(03) CRMM_EFF_DT: datetime

CRMM_ID_DESC: varchar(70)
CRMM_TERM_DT: datetime
CRMM_MIN_AMT: money
CRMM_MAX_AMT: money
CRMM_CALC_STOP_DT: datetime
CRMM_FUND_ID: char(04)
CRMM_LOBD_ID: char(04)
CRCA_MCTR_ARSN: char(04)
CRMM_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_LAST_UPD_TM: datetime
SYS_DBUSER_ID: varchar(48)

CMC_CRMT_CYCLE_AMT

CRMT_PAYEE_PR_ID: char(12)
CRMT_PAY_FROM_DT: datetime
CRMT_EARN_FROM_DT: datetime
CRMM_MIN_MAX_ID: char(03)

CRMT_PYMT_AMT: money
CRMT_MEM_MOS: money
CRMT_AMC_AMT: money
CRMM_MIN_AMT: money
CRMM_MAX_AMT: money
CRMM_CUR_OFSET_AMT: money
CRMT_PRV_OFSET_AMT: money
CRMT_NET_OFSET_AMT: money
CRCA_SEQ_DTM: datetime
CRMT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CRFT_ID: char(4)
CRFT_MCTR_LSTY: char(4)
CRFT_EFF_DT: datetime

CRFT_TERM_DT: datetime CRFT_FCTR: int CRFT_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CRPP_CR_EARN_DT: datetime CRPP_SK: char(27)

CRPP_CURRENT_PREM: money CRPP_CURRENT_LVS: int CRPP_RETRO_PREM: money CRPP_RETRO_MEM_MOS: int CRPP_LOCKED_IND: char(1) CRPP_LOCKED_IND: char(1) CRPP_LOCKED_ITM: datetime CRPP_LOCKED_ITM: datetime CRPP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC_CRAR_ARCHIVE

GRGR_CK: int MEME_CK: int CSPD_CAT: char(1) CRME_EARN_FROM_DT: datetime CRME_SEQ_NO: smallint

CRBD_BAT_ID: char(8)
CRAR_CREATE_DT: datetime
CRAR_STATUS: char(2)
CRAR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_CRPA_CAP_PREPR
GRGR CK: int

CRPA_WEIGHT: int CRPA_ROW_ID: numeric (10,0) CRPA_STS: int CRPA_LOCK_TOKEN: smallint ATXR_SOURGE_ID: datetime

TRIAL ALLOCATION


CDS_CRSX_TEMP_SUM

CRBD_BAT_ID: char(8)
LOBD_ID: char(4)
CRME_PAYEE_PR_ID: char(12)
CRME_CR_PR_TYPE: char(1)
CRME_PYMT_METH_IND: char(1)
CRME_CR_PR_ID: char(12)
GRGR_CK: int
CRFD_FUND_ID: char(4)
CRSX_COV_TYPE: char(1)

CRSX_CAP_ALLOC_AMT: money CRSX_ME_MOS: money GRGR_ID: char(8) CRSX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Chapter 7 Case Management Data Model


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Facets Case Management Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 2 of 3




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Chapter 8 Catalog Data Model

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]


Page 1 of 1



Chapter 9 Claim Data Model



This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.


This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Electronic Adjudication Data


These tables exists only on the interim database used as input to Electronic Adjudication. When the claim is accepted in batch there will be no data in these tables.



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



CMC_CLAR_ARCHIVE

CLCL_ID: char(12)

MEME_CK: int
CLAR_STATUS: char(01)
CLAR_CREATE_DT: datetime
CLAR_LAST_ACT_DT: datetime
CLAR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CLAR_ARCHIVE_PATH_NVL: varchar(255)

CMC_CLXQ_WORK_QUE

CLXQ_ROW_ID: numeric(10,0)
CLCL_ID: char(12)

CMC_QWKR_RESTART

QWK0_ROW_ID: int
QWKR_SEQ_NO: int

PZPZ_ID: char(2)
PZAP_APP_ID: char(4)
QWKR_CREATE_DTM: datetime
QWKR_STRING_VALUE1: varchar(50)
QWKR_STRING_VALUE3: varchar(50)
QWKR_STRING_VALUE3: varchar(50)
QWKR_STRING_VALUE4: varchar(50)
QWKR_STRING_VALUE6: varchar(50)
QWKR_STRING_VALUE6: varchar(50)
QWKR_STRING_VALUE6: varchar(50)
QWKR_STRING_VALUE6: varchar(50)
QWKR_STRING_VALUE6: varchar(50)
QWKR_STRING_VALUE9: varchar(50)
QWKR_STRING_VALUE9: varchar(50)
QWKR_STRING_VALUE9: varchar(50)
QWKR_INT_VALUE1: int
QWKR_INT_VALUE3: int
QWKR_INT_VALUE3: int
QWKR_INT_VALUE4: int
QWKR_INT_VALUE5: int
QWKR_INT_VALUE5: int
QWKR_LOCK_TOKEN: smallint

CMC_CLHR_WARN_REL

CLST_MCTR_REAS: char(04) CLHR SEQ NO: smallint

CLHR_EFF_DT: datetime
CLHR_TERM_DT: datetime
GRGR_CK: int
SGSG_CK: int
CSPI_ID: char(08)
PDPD_ID: char(08)
PRPR_ID: char(12)
CLHR_RELEASE_DAYS: smallint
CLHR_RELEASE_IND: char(1)
CLHR_PCA_BYPASS: char(1)
CLHR_LOCK_TOKEN: smallint
ATAR_SOURCE_ID: datetime

CMC_MCEQ_WORK_QUE

MCEQ_ROW_ID: numeric(10,0)
BGBG_ID: char(08)

BGBG_CK: int
MEME_CK: int
CLCL_ID: char(12)
MCEQ_CDML_LINE_CTR: int

CMC_CLWQ_WORK_QUE

CLWQ_ROW_ID: numeric (10,0) IDENTITY

CLCL_ID: char(12)
MEME_CK: int
SBSB_CK: int
SBSB_ID: char(9)
CLST_STS: char(2)
CLST_MCTR_REAS: char(4)
CLWQ_INPUT_METH: char(1)
CLHR_RELEASE_DAYS: smallint
CLHR_RELEASE_IND: char(01)
CLHR_PCA_BYPASS: char(01)
WQMS_MESSAGE_ID: varchar(30)
WMGT_MSG_TYPE: int
WFDN_TRANS_ID: varchar(36)
EXCD_ID: char(03)
CLWQ_LOCK_TOKEN: smallint
CLWQ_LOCK_TOKEN: smallint
CLWQ_LOUST_TYPE: char(01)

CMC_CLDQ_WORK_QUE_DENT

CLDQ_ROW_ID: numeric(10,0)IDENTITY

CLCL_ID: char(012)
MEME_CK: int
SBSB_CK: int
SBSB_ID: char(009)
CLST_STS: char(002)
CLST_MCTR_REAS: char(004)
CLDQ_INPUT_METH: char(001)
CLHR_RELEASE_IND: char(001)
CLHR_PCA_BYPASS: char(001)
WQMS_MESSAGE_ID: varchar(30)
WMGT_MSG_TYPE: int
WFDN_TRANS_ID: varchar(36)
EXCD_ID: char(03)
CLDQ_LOCK_TOKEN: smallint
CLDQ_ADJUST_TYPE: char(1)

CMC_CLFQ_WORK_QUE

CLFQ_ROW_ID: numeric(10.0)

CLCL_ID: char(012)

MEME_CK: int
SBSB_ID: char(009)

SBSB_CK: int
CLST_STS: char(002)

CLST_MCTR_REAS: char(004)

CLFQ_INPUT_METH: char(001)

CLHR_RELEASE_IND: char(001)

CLHR_PCA_BYPĀSS: char(001)

CLHR_PCA_BYPĀSS: char(001)

CMC_CLEQ_WORK_QUE

CLEQ_ROW_ID: numeric(10,0) IDENTITY

CLCL_ID: char(12)

MEME_CK: int
SBSB_CK: int
SBSB_ID: char(9)

CLST_STS: char(2)

CLST_MCTR_REAS: char(4)

CLEQ_INPUT_METH: char(1)

CLHR_RELEASE_IND: char(1)


WQMS_MESSAGE_ID: varchar(30)


WMGT_MSG_TYPE: int
WFDN_TRANS_ID: varchar(36)

EXCD_ID: char(3)

CLEQ_LOCK_TOKEN: smallint


Facets Claim Data Model - 5.50.004







Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.


This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 9 of 13







Facets Claim Data Model - 5.50.004



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. DUAL This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] **ELIGIBLES** COST SHARING CMC_CLCL_CLAIM_V CLCL_ID: char(12) CMC CLSP CLAIM CLCL_ID: char(12) MEME_CK: int CMC_CDTD_TRAN_TRAIL PDPD_ID: char(8) NWPE_PFX: char(04) CLCL_ID: char(12) CMC_CLCS_STATUS NWPR_PFX: char(04) NWCR_PFX: char(04) CLTT_DTM: datetime CLCL_ID: char(12) CDDL_SEQ_NO: smallint NWCR_PFX: char(04)
PDBC_PFX_NPPR: char(04)
PDBC_PFX_SPPR: char(04)
PDBC_PFX_SEDF: char(04)
CLSP_NTWK_IND: char(01)
NWNW_ID: char(12)
PDPD_ACC_SFX: char(04)
AGAG_ID: char(12)
AGRG_ID: char(12)
CLSP_AG_SOURCE: char(01)
PDDS_PROD_TYPE: char(01)
PDDS_PROD_TYPE: char(01)
PDDS_NCTR_BCAT_char(04) CLCL_CUR_STS: char(02) MEME_CK: int CDDL FROM DT: datetime MEME_CK: int GRGR CK: int PSDC_ID: char(02)
CGCG_ID: char(02)
DPDP_ID: char(02)
DPDP_ID: char(05)
CDDL_CHG_AMT: money
CDDL_UNITS: smallint GRGR_UK: Int SBSB_CK: int CLCL_CL_TYPE: char(01) PDPD_ACC_SHDW_SFX_NVL: char(04) CLCS_CREATE_DTM: datetime CLCS STS: char(02) CDTD LOCK TOKEN: smallint CLCS_PROC_DTM: datetime CLCS_LOCK_TOKEN: smallint SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) PDDS_PROD_TYPE: char(01)
PDDS_MCTR_BCAT: char(04)
CLSP_TOT_AMT_APLY: money
CLSP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC_CDML_CL_LINE_V CMC_CDDL_CL_LINE_V CLCL_ID: char(12) CDDL_SEQ_NO: smallint CLCL_ID: char(12)
CDML SEQ NO: smallint CMC CDSC SHAD MED CMC_CDDS_SHAD_DENT CLCL_ID: char(12) CDML_SEQ_NO: smallint CMC CLPU WORK CLCL_ID: char(12) CDDL_SEQ_NO: smallint MEME_CK: int
CLCS_STS: char(02)
SEPY_SHDW_PFX_NVL: char(04)
SESE_RULE: char(03)
CDSC_ALT_RULE_IND: char(01)
DEDE_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: shar(04)
CDML_CONSIDER_CHG: money
CDSC_PRICE_UNITS: smallint
CDSC_ALLOW: money
CDSC_UNITS_ALLOW: smallint
CDSC_DED_AMT: money
CDSC_DED_AMT: money
CDSC_DED_ACC_NO: smallint CLPU_ROW_ID: numeric(10,0) CMC_CDSP_SP_LINE CLCL ID: char(12) MEME_CK: int MEME_CK: int
CLCS_STS: char(02)
DPPY_SHDW_PFX_NVL: char(04)
CGPY_SHDW_PFX_NVL: char(04)
CGCG_RULE: char(03)
DEDE_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: char(04)
LTLT_SHDW_PFX_NVL: char(04)
CDDL_CONSIDER_CHG: money
CDDS_PRICE_ALLOW: money
CDDS_PRICE_UNITS: smallint
CDDS_ALLOW: money
CDDS_ALLOW: money
CDDS_INITS_ALLOW: smallint CLCL_ID: char(12) PURH_ROW_ID: numeric(10,0) CDML SEQ NO: smallint MEME_CK: int
CDSP_CL_NTWK_IND: char(01)
CDSP_SC_CL_NET_IND: char(01)
LTLT_PFX: char(04) LTLT_PFX: char(04)
CDSP_SC_LTLT_PFX: char(04)
DDDE_PFX: char(04)
CDSP_SC_DEDE_PFX: char(04)
CDSP_SC_DEDE_PFX: char(04)
CDSP_SC_PRICE_AMT: money
CDSP_SC_PRICE_AMT: money
SEPY_PFX: char(04)
CDSP_SC_SEPY_PFX: char(04)
SESE_RULE: char(03)
CDSP_SC_SESF_RULE: char(03)
CDSP_SC_SESF_RULE: char(04) CMC_CLCQ_WORK_QUE CLCQ_ROW_ID: numeric(10,0) SBSB CK: int CDDS_ALLOW: money
CDDS_UNITS_ALLOW: smallint
CDDS_DED_AMT: money
CDDS_CDPAY_AMT: money
CDDS_COINS_AMT: money
CDDS_PAID_AMT: money
CDDS_PAID_AMT: money CLCL_ID: char(12)
CLCS_CREATE_DTM: datetime
CLCS_LOCK_TOKEN: smallint CDSC_DED_AWT: money
CDSC_COPAY_AMT: money
CDSC_COINS_AMT: money
CDSC_PAID_AMT: money
CDSC_DISALL_AMT: money SESE_RULE: char(03)
CDSP_SC_SESE_RULE: char(03)
CDSP_ALLOW_AMT: money
CDSP_SC_ALLOW_AMT: money
CDSP_SC_DED_AMT: money
CDSP_SC_DED_AMT: money
CDSP_DED_ACCUM_NO: smallint
CDSP_SC_DED_ACC_NO: smallint
CDSP_COPAY_AMT: money
CDSP_SC_COPAY_AMT: money
CDSP_SC_COPAY_AMT: money CDDS_DISALL_AMT: money CDDS_DISALL_EXCD: char(03) CDDS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_CLTO_TRAN_OVR CDSC_DISALL_EXCD: char(03) CDSC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CLCL_ID: CHAR(12) CLTT_DTM: datetime
CLTO_LINE_SEQ_NO: smallint
CLTO_OR_ID: char(02) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS_DBUSER_ID: varchar(48) MEME CK: int CDSP_SC_COPAY_AMT: money CDSP_COINS_AMT: money CLTO_OR_AMOUNT: money CLTO_OR_VALUE: varchar(30) CLTO_OR_DT: datetime CDSP_SC_COINS_AMT: money CDSP_UNITS_ALLOW: smallint CDSP_SC_UNITS_ALLOW: smallint
CDSP_SC_UNIT_ALLOW: smallint
CDSP_PAID_AMT: money
CDSP_SC_PAID_AMT: money
CDSP_SC_DISALL_AMT: money
CDSP_SC_DISALL_AMT: money
CDSP_SC_DISALL_EXCD_ID: char(03)
CDSP_SC_DISALL_EXCD_ID: char(03) CLTO_AUTO_GEN: char(01) USUS_ID: char(10) CMC CLCL CLAIM V CLTO_LOCK_TOKEN: smallint CLCL ID: CHAR(12) CMC_CLTU_TRAN_UWARN CLCL ID: CHAR(12) CLTT_DTM: datetime CLTU_LINE_SEQ_NO: smallint WMUD_REC_TYPE: char(04) CDSP_SC_DIS_EXCD_DIS_cnar(04)
CDSP_SEPY_EXP_CAT: char(04)
CDSP_SC_SP_EXP_CAT: char(04)
CDSP_SC_YACCT_CAT: char(04)
CDSP_SC_SP_ACT_CAT: char(04)
CDSP_EOB_EXCD: char(03) CMC_CDTM_TRAN_TRAIL WMDS_SEQ_NO: smallint CLCL_ID: CHAR(12) MEME_CK: int CLTT_DTM: datetime CDML_SEQ_NO: smallint CDSP_EOB_EXCD: char(03)
CDSP_SC_EOB_EXCD: char(03)
APCD_ID: char(04)
CDSP_SC_APCD_ID: char(04)
APSI_STS_IND: char(02)
CDSP_SC_APSI_STS: char(02)
CDSP_UNITS_APLY: smallint
CDSP_AMT_APLY: money
CDSP_SC_AMT_APLY: money
CDSP_LOCK_TOKEN: smallint
ATXB_SQUIRCF_ID: datetime WMUD_PFX: char(04) CLTU_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEME_CK: int CDML_FROM_DT: datetime CMC_CLTT_TRAN_TRAIL CLCL_ID: CHAR(12) CLTT_DTM: datetime CDML_TO_DT: datetime PSCD_ID: char(02) SESE_ID: char(04) USUS ID: CHAR(10) CLST_STS: char(2)
CLMI_ITS_CUR_STS: char(2)
MEME_CK: int
GRGR_CK: int CMC_CLTW_TRAN_WARN IPCD_ID: char(07) RCRC_ID: char(04) CLCL_ID: NATIONAL CHAR VARYING()
CLTT_DTM: datetime CDML_CHG_AMT: money CDML_UNITS: smallint CLTW_LINE_SEQ_NO: smallint
WMWM_APP_LVL: char(01)
WMWM_SEQ_NO: smallint
CLTW_EXT_MSG_CD: varchar(10) ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CDTM_LOCK_TOKEN: smallint GNOT_ON. III.

CLCL_LOW_SVC_DT: datetime
CLCL_TOT_CHG: money
CLCL_TOT_PAYABLE: money
CLCL_PAID_DT: datetime
PZAP_ID: char(4) CMC_CLTE_TRAN_ERROR CDSP_RISK_WH_AMT_NVL: money CDSP_SC_RSK_WH_AMT_NVL: money MEME_CK: int CLCL_ID: CHAR(12) WMWM_PFX: char(04)
CLTW_LOCK_TOKEN: smallint CLTT DTM: datetime SYS_ROW_ID: varchar(36) CLTT_LOCK_TOKEN: smallint CLTE_LINE_SEQ_NO: smallint SYMD_ID: char(08) ATXR SOURCE ID: datetime SYMD MSG CD: int CLTE EXT MSG CD: varchar(10) MEME_CK: int CLTE_LOCK_TOKEN: smallint


Chapter 10 Commission Data Model

Facets Commission Data Model - 5.50.004 BLEI_ENTY_INFO Cognizant TriZmtoBcotvomm/Gremp, Inc. All rights reserved. Confidential and Trade Secret Material. Page 1 of 4 This File เมื่อเปรา คุย เมื่อเปรา และ Of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] BLEI_CK: int CSPI_ID: char(8) (FK) PMFA_ID: char(2) (FK) from_billing_model: integer BLCO_SEQ_NO: smallint COAR_ID: char(12) (FK) BLCO_EFF_DT: datetime BLCO_TERM_DT: datetime BLCO_PCT: int from billing BLCO_PCT: int BLCO_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) BLCO_SBSDY_INC_IND_NVL: char(1) BLCO_CO_BILLED_IND_NVL: char(1) BLCI_CONT_ITEM mode BLEI CK: int (FK) SPI_ID: char(8) PMFA_ID: char(2) BLCN ID: char(12) BLCI_YR1_PCT: int BLCI_YR1_FROM_DT: datetime BLCI_YR1_THRU_DT: datetime BLCI_LOCK_TOKEN: smallint CMC_COAR_ARANGEMNT To Page 2 COAR_ID: char(12) COCP CMC_COPR_COMM_PREPRO COAR_DESC: char(70) COAR_PER_BEG_DT: datetime COPR_KEY_ID: char(12) COAR_PER: smallint COAR_ROLOVR_BASIS: char(1) COPR_KEY_CK: int PZAP_APP_ID: char(4) COAR_ROLOVR_BASIS. cliai(1) COAR_ROLOVR_MOS: smallint COAR_BAT_STS: int COAR_LAST_BATCH_DTM: datetime COAR_LOCK_TOKEN: smallint COPR ROW ID: numeric(10,0) ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC_COPP_COMM_PREPRO COPP KEY ID: char(12) COPP WEIGHT: int COPP_ROW_ID: numeric(10,0) COPP_STS: int PZAP_APP_ID: char(4) CMC_COAG_AGREEMENT CMC CMPR COMM PREPRO COAR_ID: char(12) (FK) COCE_ID: char(12) (FK) CMPR ROW ID: numeric(10,0) BLEI_CK: int COAG_EFF_DT: datetime CMC_COSC_COMM_SCHD COAP ID: char(12) COCE_ID: char(12) COCE_ID: pAyEE: char(12) COCP_BEG_DT: datetime COCP_END_DT: datetime COAG_EFF_DT: datetime COSC_ID: char(4) COSC_ID: char(4) (FK) COAG_TERM_DT: datetime COAG_MCTR_TRSN: char(4) COSC_DESC: char(70) COSC_CALC_METH: char(1) COSC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime COAG_WCTR_ETYP: char(4) COAG_SCHD_FCTR: int COCE_OVRD_ID: char(12) COAG_OVRD_FCTR: int COCP_COMM_PER: smallint CODE_PRIM_LOBD_IND: char(01) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) COAG_VENT_FORM. IND: char(1) COAG_SUSP_PYMT_IND: char(1) COAG_PT_OF_SCL_IND: char(1) COAG_ADV_FREQ_CD: char(1) COAG_ADV_CALC_METH: char(1) COAG_ADV_MOS: smallint LOBD_ID: char(04) LOBD_ID_COMM: char(04) SYS_DBUSER_ID: varchar(48) CMPR_WEIGHT: int CMPR_STS: int PZAP_APP_ID: char(04) CMPR_RECON_IND: char(1) COAG_ADV_PCT: int COAG_ADV_RECON_CD: char(1) COAG_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_COSD_COSC_DUR COSC_ID: char(4) (FK) COSD_EFF_DT: datetime COSD_DUR_START: smallint SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) COSD_TERM_DT: datetime COSD_DUR_END: smallint COSD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC_COST_COSC_TIER COSC_ID: char(4) (FK) COSD_EFF_DT: datetime (FK) COSD_DUR_START: smallint (FK) COST_FROM_AMT: money COST_THRU_AMT: money COST_CK: int COST_PCT: int COST_AMT: money COSC_CALC_METH: char(1) COST_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

To Page 3 COCE

Facets Commission Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. Page 2 of 4
This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Facets Commission Data Model - 5.50.004 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 3 of 4 CMC COCE COMM ENTY COCE_ID: char(12) (FK) CMC_COER_RELATION COCE CK: int COCE_ID: char(12) (FK) COTD_ENTY_TYPE: char(4) (FK) COCE_NAME: char(4) COCE_NAME: char(4) COCE_NAME: char(4) COCE_NAME: char(5) CMC COCA COMM ADJ COER_EFF_DT: datetime COCE_ID: char(12) (FK) COER_TERM_DT: datetime COER_MCTR_TRSN: char(4) COCE_ID_RELATION: char(12) COCA SEQ NO: int COCA_PAID_DT: datetime COCA_PYMT_TYPE: char(1) COCA_PYMT_AMT: money COCA_STS: char(1) COCE_NAME_XLOW: char(8) COCE_MCTR_VIP: char(4) COER_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime COCI_ID: char(12) (FK) COAD_TYPE_CHECK: char(1) (FK) COAD_TYPE_MAIL: char(1) (FK) COCA_MCTR_RSN: char(4) COCA_PYMT_DESC: char(70) COAR_ID: char(4) COAR_ID: char(12) COAG_EFF_DT: datetime COCP_COMM_PER: smallint MCTN ID: char(9) COCE_SUSP_PYMT_IND: char(1) COCE_MCTR_CURR: char(4) COCE_MAILING_IND: char(1) COCE_EXTN_ADDR_IND: char(1) GRGR_ID: char(8) SGSG_ID: char(4) MCBR_CK: int COCE_STMT_FROM_DT: datetime COCE_STMT_THRU_DT: datetime COCE_LOCK_TOKEN: smallint SBSB_ID: char(9) BGBG_ID: char(8) BGBG_ID: char(18) AFAI_ID: char(12) BLEI_CK: int COCA_REF_DUE_DT: datetime COCA_UPDATE_DTM: datetime USUS_ID: char(10) COCE_ID_PAYEE: char(12) ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC_COTD_TYPE_DEF COTD_ENTY_TYPE: char(4) COTD_DESC: char(30) CORQ_CK: int COTD_REL_LVL: char(1) COTD_LOCK_TOKEN: smallint COCA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) ATXR_SOURCE_ID: datetime SYS_DBUSER_ID: varchar(48) BLBP_BILL_PER: smallint CMC_COAD_ADDRESS COCE_ID: char(12) COAD_TYPE: char(1) CMC_COPY_COMM_PYMT COAD ADDR1: char(40) COPY_PAY_DT: datetime COCE_PAY_CO_METH: char(1) COAD_ADDR2: char(40) COAD_ADDR3: char(40) COAD_CITY: char(19) LOBD_ID: char(4) COCE_ID_PAYEE: char(12) COCE_ID: char(12) (FK) COPY_PAY_TYPE: char(1) COAD_STATE: char(2) COAD_ZIP: char(11) COAD_COUNTY: char(20) COAD_CTRY_CD: char(4) COAD_PHONE: char(20) COAD_PHONE_EXT: char(4) CMC_COCI_COMN_INFO CKPY_REF_ID: char(16) LOBD_ID_COMM: char(4) COCI ID: char(12) COPY_NET_AMT: money COPY_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime COAD_FAX: char(20) COAD_FAX_EXT: char(4) COCI_TYPE: char(1) COCI_SSN: char(9) CMC_COLI_LICENSE COCI_SSN: cnar(9) COCI_MCTR_LANG: char(4) COCI_GRP_NAME: char(50) COCI_GRP_NAME_XLOW: char(8) COCI_LST_NAME: char(35) COCI_LST_NAME_XLOW: char(8) COCI_LST_NAME: char(15) COAD_EMAIL: char(40) COAD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime COCI_ID: char(12) (FK) COLI_LOC: char(4) COLI_EFF_DT: datetime COLI_TERM_DT: datetime COLI_MCTR_TRSN: char(4) COLI_MCTR_LSTS: char(4) COLI_NUMBER: char(12) COCI_FIRS1_NAME: char(15) COCI_MID_INIT: char(1) COCI_TITLE: char(10) COCI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) CDS_TEMP_COSS_SUMM CMC_CORE_REL_ENTY COCI_ID: char(12) (FK) CORE_MCTR_TYPE: char(4) MCRE_ID: char(9) (FK) ROW_ID: numeric(10,0) COLI_NOMBER. Chal(12) COLI_LAST_VER_DT: datetime COLI_LAST_VER_NAME: char(30) COLI_MCTR_VMTH: char(4) COLI_LOCK_TOKEN: smallint LOBD_ID_COMM: char(4) COCE_ID_PAYEE: char(12) CORE EFF DT: datetime COSS_SEQ_NO: int COCE_ID: char(12) COAR_ID: char(12) COCP_COMM_PER: smallint ATXR_SOURCE_ID: datetime SYS DBUSER ID: varchar(48) CORE_TERM_DT: datetime CORE_MCTR_TRSN: char(4) CORE_LAST_VER_DT: datetime CORE_LAST_VER_NAME: char(30) CORE_MCTR_VMTH: char(4) COSS_LVS: int COSS PER BILL CTR: smallint COSS_PER_BILL_CTR: smallint COEC_SOURCE_AMT: money COEC_OVRD_AMT: money COEC_COMM_AMT_EARN: money COEC_COMM_AMT_PAID: money COEC_ADV_AMT_EARN: money COEC_HLD_FOR_RECON: money COEC_HLD_FOR_RECON: money CORE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MCRE_RELAT_ENT COAE_ADV_OVPYMT_WO: money COSS_ADV_AMT: money MCRE ID: char(9) CMC COPH PROF HIST COSS_ADV_AMT_PAID: money COSS_ADJ_AMT_PAID: money COSS_NET_CHECK_AMT: money MCRE_NAME: char(50) MCRE_TYPE: char(2) MCRE_ADDR1: char(40) COCI_ID: char(12) (FK) COPH_SEQ_NO: smallint SYIN INST: int MCRE_ADDR1: char(40) MCRE_ADDR2: char(40) MCRE_ADDR3: char(40) MCRE_CITY: char(19) COPH_TYPE: char(1) COPH_SCHOOL_NAME: char(30) COPH_DT: datetime MCRE_CITY: char(19) MCRE_STATE: char(2) MCRE_ZIP: char(11) MCRE_COUNTY: char(20) MCRE_CTRY_CD: char(4) MCRE_PHONE: char(20) MCRE_PHONE_EXT: char(4) MCRE_FAX: char(20) MCRE_FAX_EXT: char(4) MCRE_FAX_EXT: char(4) MCRE_FAX_EXT: char(4) COPH_DEGREE: char(15) COPH_DEGREE: char(15) COPH_SCHOOL_LOC: char(30) COPH_MCTR_CTRY: char(4) COPH_MCTR_CERT: char(4) COPH_LAST_VER_DT: datetime COPH_LAST_VER_NAME: char(30) COPH_MCTR_VMTH: char(4) COPH_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MCRE_EMAIL: char(40) MCRE_NAME_XLOW: char(8) MCRE_CITY_XLOW: char(8) MCRE_LOCK_TOKEN: smallint

ATXR_SOURCE_ID: datetime

Facets Commission Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 4 of 4




Chapter 11 Criteria Data Model


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusivilliman Na Roberts On alth Alliance Plan (HAP). [02/01/2019]

Data




Cognizant TriZetto Software Group Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Chapter 12 Customer Service Data Model


Cognizant TriZetto Software Group, Inc.*All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Call ID, Links to Contact Record and Task Rows




Facets Customer Service Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret MateriPage 2 of 4
This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Facets Customer Service Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. Page 3 of 4 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_CHCH_CHANNEL

CHCH_ID: char(12)

CHCH_ORIG: char(1)
CHCH_ENTITY: char(1)
MEME_CK: int
SBSB_CK: int
SGSG_CK: int
SGSG_CK: int
PRPR_ID: char(12)
CSPD_CAT: char(1)
CHCH_ZIP: char(14)
CHCH_ZIP: char(19)
CHCH_STATE: char(2)
CHCH_SPEC: char(4)
CHCH_PRR_TYPE: char(4)
CHCH_BECIFIC_IND: char(1)
CHCH_BECIFIC_IND: char(1)
CHCH_BECIFIC_IND: char(1)
CHCH_TIER: smallint
CHCH_SVCS_SEC: char(4)
CHCH_PRED_TYPE: char(4)
CHCH_PRED_TYPE: char(4)
CHCH_SECS: int
CHCH_SCS_SEC: char(4)
CHCH_SEULTS: smallint
CHCH_SCS_SID: char(10)
CHCH_SECS: int
CHCH_CHAN_DT: datetime
USUS_ID: char(10)
CHCH_CUST_TYPE: char(1)
CHCH_CUST_TYPE: char(1)
CHCH_MILES: smallint
CHCH_AC_ID: char(12)
CHCH_MILES: smallint
CHCH_CUST_TYPE: char(4)
CHCH_CUST_TYPE: char(10)
CHCH_CUST_TYPE: char(11)
CHCH_CLOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_TREE_TEMPLATE

TREE_ID: char(04)
TREE_PARENT_ID: char(12)

TREE_BRANCH_DESC: varchar(70)
TREE_BRANCH_ORDER: smallint
PZAP_APP_ID: char(04)
TREE_NUM: int

TREE_ADDL_DATA1: varchar(255)
TREE_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

1

CMC_TREC_CHILDREN

TREE_ID: char(04)
TREE_PARENT_ID: char(12)
TREC_CHILD_ID: char(12)
MCPD_SOURCE: char(04)

TREC_DESC: varchar(70)
TREC_ADD_DESC_TAG: char(18)
TREC_ASSOCIATION: char(12)
TREC_ORDER: smallint
PZAP_APP_ID: char(04)
TREC_NUM: int
TREC_RECUR_ID: varchar(16)
TREC_ADDL_DATA1: varchar(255)
TREC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CUSTOMER SERVICE ARCHIVE BATCH TABLES

CMC_CSWQ_WORK

CSWQ_ROW_ID: numeric(10,0)
CSSC_ID: char(12)

CMC_CSAR_ARCHIVE_WORK

CSAR_ROW_ID: numeric(10,0)
CSSC_ID: char(12)
CSTK_LAST_UPD_DTM: datetime

CMC_CSAH_ARCHIVE_HIST

CSSC_ID: char(12)

CSAH_ARCHIVE_DTM: datetime

CMC_CHPR_CHAN_PROV

CHCH_ID: char(12) PRPR_ID: char(12) CHPR_SEQ_NO: smallint

PRAD_ID: char(12)
PRAD_TYPE: char(3)
CHPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Chapter 13 Disability Data Model

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_DIST_STATUS


CMC DICL_DIS_CLAIM DICL_ID: char(18) (FK) Page 1 of 8 DIST SEQ NO: smallint DICL ID: char(18) DIST CUR STS: char(2) DICL_CL_TYPE: char(1) USUS ID: char(10) DICL REL CLAIM ID1: char(18) DIST STS DTM: datetime DICL REL CLAIM ID2: char(18) DIST MCTR REAS: char(4) DICL_REL_CLAIM_ID3: char(18) DIST USID_ROUTE: char(10) MEME CK: int DIST LOCK TOKEN: smallint SBSB CK: int ATXR SOURCE ID: datetime GRGR_CK: int SYS LAST UPD DTM: datetime SGSG_CK: int SYS USUS ID: varchar(48) CSCS_ID: char(4) SYS_DBUSER_ID: varchar(48) CSPI ID: char(8) PDPD ID: char(8) PDDS_MCTR_BCAT: char(4) CSPD CAT: char(1) CMC_DICO_CL_OVR DICL INPUT DT: datetime DICL_ID: char(18) (FK) DICL RCD DT: datetime DICO_OR_ID: char(2) DICL CREATE DTM: datetime DICL LST ACT DTM: datetime DICO OR AMT: money DIST_CUR_STS: char(2) DICO_OR_VALUE: varchar(30) DIST SEQ NO: smallint DICO OR DT: datetime DIST MCTR REAS: char(4) EXCD ID: char(3) DICL TERM EXCD: char(3) DICO AUTO GEN: char(1) DICL_NXT_REV_DT: datetime DICO_OR_USID: char(10) DIDI MEMO: varchar(70) DICO LAST UPD DTM: datetime USUS ID: char(10) DICO LOCK TOKEN: smallint DICL LOCK TOKEN: smallint ATXR SOURCE ID: datetime ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_LAST_UPD_DTM: datetime SYS USUS ID: varchar(48) SYS_USUS_ID: varchar(48) SYS DBUSER ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC_DIOR_DI_OVR DICL_ID: char(18) (FK) DIOR OR ID: char(2) CMC DIAP ALT PAYEE DIOR_EFF_DT: datetime DICL ID: char(18) (FK) DIOR TERM DT: datetime DIAP EFF DT: datetime DIOR_MCTR_TRSN: char(4) DIAP TERM DT: datetime DIOR OR AMT: money DIAP NAME: varchar(50) DIOR_OR_VALUE: varchar(30) DIAP_ADDR1: varchar(40) DIOR OR DT: datetime DIAP_ADDR2: varchar(40) EXCD ID: char(3) DIAP_ADDR3: varchar(40) DIOR AUTO GEN: char(1) DIAP CITY: varchar(19) DIOR OR USID: char(10) DIAP_STATE: char(2) DIOR_LAST_UPD_DTM: datetime DIAP ZIP: varchar(11) DIOR_LOCK_TOKEN: smallint DIAP COUNTY: varchar(20) ATXR SOURCE ID: datetime DIAP CTRY CD: char(2) SYS LAST UPD DTM: datetime DIAP PHONE: varchar(20) SYS USUS ID: varchar(48) DIAP PHONE EXT: char(4) SYS_DBUSER_ID: varchar(48) DIAP FAX: varchar(20) DIAP FAX EXT: char(4) DIAP_EMAIL: varchar(40) DIAP LOCK TOKEN: smallint ATXR SOURCE ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48)

SYS DBUSER ID: varchar(48)

Cognizant TriEMCs. P. C. P. C. A.M. rights reserved. Confidential and Trade Secret Material. ib[Cthap): char(18) - Health Alliance Plan (HAP). [02/01/2019] Page 2 of 8 This File

CMC_DIMC_HEADER DICL_ID: char(18) (FK) DIMC_SEQ_NO: smallint DIMC ADJ IND: char(1) MEME BIRTH DT: datetime DIMC_ACPT_DT: datetime DIMC_ACD_DT: datetime DIMC ACD STATE: char(2) DIMC_LDW_DT: datetime DIMC_IPV_DT: datetime DIMC SICK RM: smallint DIMC DISAB DT: datetime DIMC RTW DT: datetime DIMC_DEATH_DT: datetime DIMC_SSN: char(9) DIMC_SALARY: money DIMC_SALARY_TYPE: char(1) DIMC_DIS_TYPE: char(1) IDCD_ID: varchar(10) IDCD ID2: varchar(10) IDCD ID3: varchar(10) IDCD ID4: varchar(10) IDCD ID REL: varchar(10) IDCD TYPE: char(18) DIMC_BEN_BGN_DT: datetime DIMC BEN END DT: datetime DIMC LPAY BGN DT: datetime DIMC LPAY END DT: datetime DIMC_LST_RUN_DT: datetime DIMC_NXT_RUN_DT: datetime PDBC PFX DIDI: char(4) DIDI_EXCL_FICA_IND: char(1) DIMC_FICA_BGN_DT: datetime DIMC_FICA_END_DT: datetime DIMC WP PERIOD: char(1) DIMC_WP_PER_CTR: smallint DIMC_EMP_CONTR_PCT: money DIMC_BEN_PERIOD: char(1) DIMC_BEN_PER_RULE: char(1) DIMC_BEN_PER_CTR: smallint DIMC_MAX_PERIOD: char(1) DIMC MAX CTR CAUSE: smallint DIMC BEN STOP AGE: smallint DIDI_PAYMENT_FREQ: char(1) DIMC_BEN_PER_BEGIN: smallint DIDI_CHK_REL_IND: char(1) DIDI_CHK_REL_DAYS: smallint DIMC_PER_BASIS1: char(1) DIMC_PER_CTR1: smallint DIMC BEN CALC1: money DIMC_TIER1_END_DT: datetime DIMC_TIER1_EXCD_ID: char(3) DIMC_PER_BASIS2: char(1) DIMC_PER_CTR2: smallint DIMC_BEN_CALC2: money DIMC_TIER2_EXCD_ID: char(3) LOBD_ID: char(4) DIDI FED WH PCT: money DIMC DIPY1 FXCD ID char(3)

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/49/92016]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 4 of 8

CMC DIAC WORK DIS

DIAC ROW ID: numeric(10.0)

DICL_ID: char(18)

DIAC_PAY_DT: datetime

GRGR_CK: int SBSB_CK: int

DICL_CL_TYPE: char(1)

LOBD_ID: char(4)

DIST_CUR_STS: char(2)
DIAC_LOCK_TOKEN: smallint
ATXR SOURCE ID: datetime

CMC CKDD WORK DIS

CKDD ROW ID: numeric(10.0)

DICL_ID: char(18)

DIDP_SEQ_NO: smallint

LOBD_ID: char(4)

DIDP_PAYEE_IND: char(1)

DICL_CL_TYPE: char(1)
DIPS CUR STS: char(2)

CKDD LOCK TOKEN: smallint

ATXR_SOURCE_ID: datetime

CKPY DEFN V

CKPY_REF_ID: char(16)

CMC ACDP DIS SUM

DICL ID: char(18)

DIDP_SEQ_NO: smallint

DIDP_ADJ_NO: smallint

LOBD ID: char(4)

ACDP PAYEE IND: char(1)

DICL_CL_TYPE: char(1)

CKPY_REF_ID: char(16) (FK)

CKPY_PAY_DT: datetime

ACDP_PAYEE_CK: int

ACDP_CALC_AMT: money

ACDP_NET_AMT: money

ACDP_PYMT_OVR_IND: char(1)

ACDP_OP_BYPASS_IND: char(1)

DIMC SEQ NO: smallint

ACDP_COMB_IND: char(1)

ACDP_LOCK_TOKEN: smallint

ATXR_SOURCE_ID: datetime

SYS_LAST_UPD_DTM: datetime

SYS_USUS_ID: varchar(48)

SYS_DBUSER_ID: varchar(48)

CMC_CKDP_TEMP_ACDP

CKDP_ROW_ID: numeric(10.0)

DICL ID: char(18)

DIDP_SEQ_NO: smallint

DIDP_ADJ_NO: smallint

LOBD_ID: char(4)

ACDP_PAYEE_IND: char(1)

DICL_CL_TYPE: char(1)

CKPY_REF_ID: char(16)

CKPY_PAY_DT: datetime

ACDP_PAYEE_CK: int

ACDP_CALC_AMT: money

ACDP_NET_AMT: money

ACDP_PYMT_OVR_IND: char(1)

ACDP_OP_BYPASS_IND: char(1)


DIMC_SEQ_NO: smallint

ACDP_COMB_IND: char(1)

ACDP_LOCK_TOKEN: smallint

ATXR_SOURCE_ID: datetime

Page 5 of 8



ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48)

SYS DBUSER ID: varchar(48)

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP), [02/01/2019] Page 6 of

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 6 of 8 CMC_BPDC_DIS_CLM CMC_CSPI_PLAN_DESC_v CMC MEME MEMBER v CKPY REF ID: char(16) CSPI ID: char(8) DICL ID: char(18) (FK) MEME CK: int DIMC_SEQ_NO: smallint (FK) CSPI ID: char(8) (FK) PDPD ID: char(8) CSPD CAT: char(1) CMC_SBSB_SUBSC_v CSCS ID: char(4) SBSB CK: int PAGR_ID: char(9) PAGR NAME: varchar(50) GRGR CK: int GRGR_ID: char(8) GRGR_NAME: varchar(50) CMC_DICL_DIS_CLAIM_v GRGR_MCTR_TYPE: char(4) DICL_ID: char(18) SGSG CK: int SGSG ID: char(4) SGSG_NAME: varchar(50) SBSB_CK: int (FK) SBSB ID: char(9) SBSB_LAST_NAME: varchar(35) CMC_DIMC_HEADER_v SBSB FIRST NAME: varchar(15) DICL ID: char(18) (FK) SBSB_MID_INIT: char(1) DIMC SEQ NO: smallint SBSB TITLE: varchar(10) SBSB EMPLOY ID: varchar(10) CMC BPDD PYMT DTL SBEM LOC: varchar(8) CKPY REF ID: char(16) (FK) SBEM TYPE: char(4) DICL_ID: char(18) (FK) SBEM DEPT: char(8) DIDP SEQ NO: smallint (FK) MEME_CK: int (FK) DIDP ADJ NO: smallint (FK) MEME_SFX: smallint CMC DIDP DI PMT v MEME SEX: char(1) DIMC_SEQ_NO: smallint (FK) DICL ID: char(18) (FK) MEME BIRTH DT: datetime DIPY TIER SEQ NO: smallint DIDP SEQ NO: smallint DICL_TERM_EXCD_ID: char(3) DIDP PAY FROM DT: datetime DIDP ADJ NO: smallint DICL_TRM_TEXT1: varchar(70) DIDP_PAY_TO_DT: datetime DICL TRM TEXT2: varchar(70) DIDP_BEN_CALC1: money DIMC SEQ NO: smallint (FK) DIMC_DISAB_DT: datetime DIDP_BEN_CALC2: money DIMC_BEN_BEG_DT: datetime DIDP PAID AMT: money DIDP_BEN_DAYS: smallint DIMC_SALARY: money DIMC EMP CONT PCT: money DIDP EXCD ID: char(3) CMC_DIPR_PAY_RED_v DIMC_BEN_PERIOD: char(1) BPDD_DIDP_TEXT1: varchar(70) DIMC_BEN_CALC1: money BPDD_DIDP_TEXT2: varchar(70) DICL ID: char(18) (FK) DIDP_SEQ_NO: smallint (FK) DIMC_BEN_CALC2: money BPDD_BEN_OVR1_AMT: money DIDP_ADJ_NO: smallint (FK) DIMC TIER1 EXCD ID: char(3) BPDD_OVR1_EXCD_ID: char(3) ODDS TYPE: char(1) BPDC_TIER1_TEXT1: varchar(70) BPDD OVR1 TEXT1: varchar(70) ODDS_ID: char(4) BPDC TIER1 TEXT2: varchar(70) BPDD OVR1 TEXT2: varchar(70) DIMC TIER2 EXCD ID: char(3) BPDD BEN OVR2 AMT: money BPDC TIER2 TEXT1: varchar(70) BPDD OVR2 EXCD ID: char(3) BPDC_TIER2_TEXT2: varchar(70) BPDD_OVR2_TEXT1: varchar(70) SYIN_REF_ID: char(16) BPDD_OVR2_TEXT2: varchar(70) CMC BPDR RED DTL BPDC_LOCK_TOKEN: smallint DIDP_SS_AMT: money CKPY REF ID: char(16) (FK) ATXR_SOURCE_ID: datetime DIDP MED AMT: money DICL ID: char(18) (FK) SYS_LAST_UPD_DTM: datetime BPDD FICA EXCD ID: char(3) DIDP SEQ NO: smallint (FK) SYS_USUS_ID: varchar(48) BPDD FICA EX TEXT1: varchar(70) DIDP ADJ NO: smallint (FK) SYS DBUSER ID: varchar(48) BPDD_FICA_EX_TEXT2: varchar(70) ODDS TYPE: char(1) (FK) DIDP_OFST_AMT: money ODDS ID: char(4) (FK) DIDP DED AMT: money DIDP_FIT_AMT: money ODDS_DESC: varchar(70) DIDP_DIPY_EXCD_ID: char(3) DIPR_RED_AMT: money DIDP_DIPY_EX_TEXT1: varchar(70) BPDR_LOCK_TOKEN: smallint DIDP DIPY EX TEXT2: varchar(70) ATXR SOURCE ID: datetime BPDD LOCK TOKEN: smallint SYS_LAST_UPD_DTM: datetime ATXR SOURCE ID: datetime SYS USUS ID: varchar(48) SYS LAST UPD DTM: datetime SYS DBUSER ID: varchar(48) SYS USUS ID: varchar(48) SYS DBUSER ID: varchar(48)

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. PDBC PFX V This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] PDBC PFX: char(4) CMC_DIDI_ADMIN PDBC PFX: char(4) (FK) DIDI_PLAN_TYPE: char(1) DIDI_EFF_DT: datetime DIDI TERM DT: datetime CMC DIPY PYMT DIDI CL ACPT MNTHS: smallint PDBC_PFX: char(4) (FK) DIDI_PRE_X_MNTHS: smallint DIDI_PLAN_TYPE: char(1) (FK) DIDI_BEN_TERM_EXCD: char(3) DIDI_EFF_DT: datetime (FK) DIDI DUP EXCD: char(3) DIPY TIER SEQ NO: smallint WMDS SEQ NO: smallint DIDI MEMO: varchar(70) DIDI TERM DT: datetime DIDI_EMP_CONTR_PCT: money DIPY PERIOD BASIS: char(1) DIDI_FED_WH_IND: char(1) DIPY PERIOD CTR: smallint DIDI_FED_WH_PCT: money DIPY PYMT BASIS: char(1) DIDI_EXCL_FICA_IND: char(1) DIPY AMT PCT: money DIDI_ROUNDING_RULE: char(1) DIPY MIN AMT: money DIDI_PAYMENT_FREQ: char(1) DIPY MIN EXCD: char(3) DIDI BEN PER BEGIN: smallint DIPY MAX AMT: money DIDI CHK REL IND: char(1) DIPY_MAX_EXCD: char(3) DIDI CHK REL DAYS: smallint DIPY_LOCK_TOKEN: smallint DIDI ACD COV IND: char(1) ATXR_SOURCE_ID: datetime DIDI_ACD_COV_EXCD: char(3) SYS LAST UPD DTM: datetime DIDI_ACD_WP_IND: char(1) SYS USUS ID: varchar(48) DIDI ACD WP CTR: smallint SYS_DBUSER_ID: varchar(48) DIDI ILL COV IND: char(1) DIDI ILL EXCD: char(3) DIDI_ILL_WP_IND: char(1) DIDI_ILL_WP_CTR: smallint DIDI_HOSP_COV_IND: char(1) CDS CKDX CHECK EXT DIDI_HOSP_EXCD: char(3) DIDI_HOSP_WP_IND: char(1) CKPY REF ID: char(16) DIDI_HOSP_WP_CTR: smallint REC_ORDER: smallint DIDI NOFLT COV IND: char(1) REC KEY: varchar(50) DIDI_NOFLT_EXCD: char(3) CHECK_EXT_DATA: char(1800) DIDI_NOFLT_WP_IND: char(1) DIDI_NOFLT_WP_CTR: smallint DIDI_OCC_COV_IND: char(1) DIDI_OCC_EXCD: char(3) DIDI_OCC_WP_IND: char(1) DIDI_OCC_WP_CTR: smallint DIDI ACCM PER IND: char(1) DIDI_ACCM_PER_RULE: char(1) DIDI_ACCM_PER_CTR: smallint DIDI MAX PER IND: char(1) DIDI_MAX_CTR_CAUSE: smallint DIDI_MAX_CTR_EXCD: char(3) DIDI_MAX_CTR_ALL: smallint DIDI MAX ALL EXCD: char(3) DIDI_BEN_STOP_AGE: smallint DIDI_STOP_AGE_EXCD: char(3) MBDR_ID_V MBDR_ID: char(4) (FK) DIDI_REL_PER_IND: char(1) MBDR_ID: char(4) DIDI_REL_PER_CTR: smallint DIDI_REL_PER_EXCD: char(3) DIDI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) © 2000 - 2018 Cognizant TriZetto Software Group Inc. SYS_DBUSER_ID: varchar(48) All rights reserved. Confidential and Trade Secret Materials.

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_FIPM_FICA_PARM

FIPM EFF DT: datetime

FIPM_TERM_DT: datetime
FIPM_SS_PCT: money
FIPM_MDCR_PCT: money
FIPM_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

Page 8 of 8

CMC NRAG NORM AGES

 $NRAG_BIRTH_YR_FROM: small int$

NRAG EFF DT: datetime

NRAG_BIRTH_YR_TO: smallint
NRAG_TERM_DT: datetime
NRAG_YEARS: smallint
NRAG_MONTHS: smallint
NRAG_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_ODDS_OFDE_DESC

ODDS_ID: char(4)

ODDS_DESC: varchar(70)
ODDS_TYPE: char(1)

ODDS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

MBDR ID V

MBDR_ID: char(04)

CMC_MBDR_BEN_DUR

MBDR_ID: char(04) (FK)
MBDR_AGE_FROM: smallint
MBDR_EFF_DT: datetime

MBDR_TERM_DT: datetime
MBDR_AGE_TO: smallint
MBDR_NRAG_IND: char(1)
MBDR_MONTHS: smallint
MBDR_OPERAND: char(1)
MBDR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_MBDS_DESC


MBDR_ID: char(4)

MBDS_DESC: varchar(70)
MBDS_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

Chapter 14 HIPAA Development (FHD) Data Model

Page 1 of 14


Transaction Model




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Facets HIPAA Development

Page 2 of 14

Interchange



Documents



This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 3 of 14

Code Definition

FHD_SYCD_SYS_CD_D

SYCD ENTITY: char(4) SYCD_TYPE: char(24)

SYCD_SYSTEM_INDB: char(1) SYCD MOD DESC INDB: char(1) SYCD_DESCS: varchar(80) SYCD_RESERVED: char(12) SYCD_LAST_USUS_ID: char(10) SYCD_LAST_UPD_DTM: datetime SYCD_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

FHD_SYCV_SYS_VAL_D

SYCD ENTITY: char(4) (FK) SYCD_TYPE: char(24) (FK) SYCV_VALUE: char(4)

SYCV_DESCS: varchar(80) SYCV VALUE SIZE: smallint SYCV_RESERVED: char(12) SYCV_LAST_USUS_ID: char(10) SYCV_LAST_UPD_DTM: datetime SYCV LOCK TOKEN: smallint ATXR SOURCE ID: datetime

FHD PZCD PROD CD A

PZPZ_ID: char(2) SYCD_ENTITY: char(4) (FK) SYCD_TYPE: char(24) (FK) SYCV_VALUE: char(4) (FK)

PZCD_DESCS: varchar(80) PZCD FILTER: char(4) PZCD_RESERVED: char(12) PZCD LAST USUS ID: char(10) PZCD_LAST_UPD_DTM: datetime PZCD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

FHD CKYN CONTRIVE

CKYN ID: char(4)

CKYN_CKN: numeric(15,0) CKYN_INC_VALUE: smallint CKYN_LOCK_TOKEN: smallint

FHD STST STATUS D

PZPZ_ID: char(2) GTGT_PZCD_CTYP: char(4) STST STS VALUE: int

STST_DESCS: varchar(80) STST_DESC: varchar(160) STST_RESERVED: char(12) STST_LAST_USUS_ID: char(10) STST_LAST_UPD_DTM: datetime STST_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

FHD_STSR_STATUS_R

PZPZ_ID: char(2) STST_PZCD_CTYP: char(4) STST_STS_VALUE: int STSR SEQ NO: smallint

STSR_RELATED_STS: int STSR_ACTIVE_INDB: char(1) STSR_RESERVED: char(12) STSR_LAST_USUS_ID: char(10) STSR_LAST_UPD_DTM: datetime STSR_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Facets HIPAA Development

Job Control

FHD_SECT_JOB_CTL_X

PZPZ_ID: char(2)
PZAP_APP_ID: char(4)
SENG_ENGINE_NUMBER: smallint

SECT_REQ_STS: int
SECT_REQ_DTM: datetime
SECT_REQ_DTM: datetime
SECT_REQ_DTM: datetime
SECT_REQ_DTM: datetime
SECT_REQ_DTM: datetime
SECT_REQ_DTM: datetime
SECT_REQ_PARMS: char(10)
SECT_REQ_CMD: varchar(128)
SECT_REQ_PARMS: varchar(128)
SECT_REQ_PARMS: varchar(255)
SECT_RESP_TEXT: varchar(255)
SECT_RESERVED: char(12)
SECT_LAST_USUS_ID: char(10)
SECT_LAST_UPD_DTM: datetime
SECT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

FHD_SEST_ENG_ST

PZPZ_ID: char(2) PZAP_APP_ID: char(4) SENG ENGINE NUMBER: smallint SEST_RUN_STS: int SEST_RUN_RPM: int SEST_CREATE_DTM: datetime SEST LAST TXN DTM: datetime SEST ROW UPD CTR: int SEST_UNIT_CTR: int
SEST_UNIT_CTR: int
SEST_TO_RESP_SEC_L: numeric(10,4)
SEST_BE_RESP_SEC_L: numeric(10,4)
SEST_GW_RESP_SEC_L: numeric(10,4)
SEST_TO_RESP_SEC_A: numeric(10,4) SEST_BE_RESP_SEC_A: numeric(10,4) SEST_GW_RESP_SEC_A: numeric(10,4) SEST_TO_RESP_SEC_M: numeric(10,4)
SEST_BE_RESP_SEC_M: numeric(10,4)
SEST_GW_RESP_SEC_M: numeric(10,4) SEST_TO_RESP_SEC_X: numeric(10,4)
SEST_BE_RESP_SEC_X: numeric(10,4) SEST_GW_RESP_SEC_X: numeric(10,4) SEST_RESERVED: char(12) SEST_LAST_USUS_ID: char(10) SEST_LAST_UPD_DTM: datetime SEST_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

FHD_SEHI_ENG_HIST

PZPZ_ID: char(2) (FK)
PZAP_APP_ID: char(4) (FK)
SENG_ENGINE_NUMBER: smallint (FK)
SEHI_ROW_ID: numeric(10,0)


SEST_RUN_STS: int
SEST_RUN_RPM: int
SEST_CREATE_DTM: datetime
SEST_LAST_TXN_DTM: datetime
SEST_LAST_TXN_DTM: datetime
SEST_ROW_UPD_CTR: int
SEST_TO_RESP_SEC_L: numeric(10,4)
SEST_BE_RESP_SEC_L: numeric(10,4)
SEST_GW_RESP_SEC_L: numeric(10,4)
SEST_GW_RESP_SEC_A: numeric(10,4)
SEST_GW_RESP_SEC_A: numeric(10,4)
SEST_GW_RESP_SEC_A: numeric(10,4)
SEST_GW_RESP_SEC_A: numeric(10,4)
SEST_GW_RESP_SEC_M: numeric(10,4)
SEST_GW_RESP_SEC_M: numeric(10,4)
SEST_GW_RESP_SEC_X: numeric(10,4)
SEST_LAST_USUS_ID: char(10)
SEST_LAST_UPD_DTM: datetime
SEST_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Facets HIPAA Development


Index Definition and Storage




This File is for the exaltes AIPAA De Welton Seller - Health Alliance Plan (HAP). [02/01/2019]

Page 6 of 14

Entity Definition





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive เรืออย่าง ประชาชาย Alliance Plan (HAP). [02/01/2019]



Page 8 of 14

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive pacets Hiptya Deliverophrelith Alliance Plan (HAP). [02/01/2019]





FHG_EXVT_TRANS_U

EXSY_PZCD_TYPE: char(4) EXVT_PZCD_TYPE: char(4) GTGT_PZCD_BTYP: char(4)

EXVT_RESERVED: char(12)
EXVT_LAST_USUS_ID: char(10)
EXVT_LAST_UPD_DTM: datetime
EXVT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Facets HIPAA Development

Page 10 of 14

HIPAA Privacy Batch

FHD_PTII_WORK

PTII_ROW_ID: numeric

PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric GTST_STS_CURR: int FHD_PTMR_WORK

PTMR_ROW_ID: numeric


PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric GTST_STS_CURR: int DOHD_CKN: numeric(15,0) FHD_PTMO_WORK

PTMO_ROW_ID: numeric

PZPZ_ID: char(2)
PZAP_APP_ID: char(4)
GTGT_CKN: numeric
GTGT_PZCD_BTYP: char(4)
GTST_STS_CURR: int

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Facets HIPAA Development

Transformation Method Tables



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Facets HIPAA Development Page 12 of 14

Application/Message Relationship

FHD_APMR_APP_MSG_R

PZPZ_ID: char(2) PZAP_APP_ID: char(4) SYMD_ID: char(8)

APMR_RESERVED: char(12)
APMR_LAST_USUS_ID: char(10)
APMR_LAST_UPD_DTM: datetime
APMR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

FHD_SYMR_MSG_ID_R

SYMD_ID: char(8) SYMD_ID_REL: char(8)

SYMR_RESERVED: char(12)
SYMR_LAST_USUS_ID: char(10)
SYMR_LAST_UPD_DTM: datetime
SYMR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Facets HIPAA Development

Page 13 of 14

FHD_CDTR_CD_TRAN_D

CDTR_ID: char(4)
CDTR_PZCD_TYPE: char(4)
CDTR_PZCD_STYP: char(4)
CDTR_FROM_QUAL: char(8)
CDTR_FROM_VAL: char(4)
CDTR_TO QUAL: char(8)

CDTR_TO_VAL: varchar(255)
CDTR_RESERVED: char(12)
CDTR_LAST_USUS_ID: char(10)
CDTR_LAST_UPD_DTM: datetime
CDTR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

FHD CDQT TO QUAL D

CDTR_ID: char(4)
CDTR_PZCD_TTYP: char(4)
CDTR_PZCD_STYP: char(4)
CDTR_TO_QUAL: char(8)

CDTR_TO_QUAL_DESCS: varchar(80) CDQT_RESERVED: char(12) CDQT_LAST_USUS_ID: char(10) CDQT_LAST_UPD_DTM: datetime CDQT_LOCK_TOKEN: smallint AXTR_SOURCE_ID: datetime

FHD_CDQF_FR_QUAL_D

CDTR_ID: char(4)
CDTR_PZCD_TTYP: char(4)
CDTR_PZCD_STYP: char(4)
CDTR_FROM_QUAL: char(8)


CDTR_FR_QUAL_DESCS: varchar(80)
CDQF_RESERVED: char(12)
CDQF_LAST_USUS_ID: char(10)
CDQF_LAST_UPD_DTM: datetime
CDQF_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Facets HIPAA Development

Page 14 of 14

Product Parameter Overrides



FHD_PMOV_PARM_OVERRIDE

PMOV_ID: varchar(35)
PZPZ_ID: char(2)
SCSC_SECTION_ID: char(20) (FK)
PMSC_PARM_ID: char(20) (FK)

PZPV_SEQ_NO: smallint PMOV_RESERVED: char(12)
PMOV_LAST_UPD_USUS: char(10)
PMOV_LAST_UPD_DTM: datetime
PMOV_LOCK_TOKEN: smallint
AXTR_SOURCE_ID: datetime


Chapter 15 HIPAA Gateway (FHG) Data Model


Facets HIPAA Gateway (FHG) Data Model - 5.50.002

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 1 of 6

Gateway Transaction Model - Inbound






This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 2 of 6

Gateway Transaction Model -Real-Time


Gateway Transaction Model - Compliance



Facets HIPAA Gateway (FHG) Data Model - 5.50.002

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

X12 Envelope Data



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use Work Tables Ith Alliance Plan (HAP). [02/01/2019]

Inbound Batch

Outbound Batch

FHG_JPIC_WORK

JPIC ROW ID: numeric(10,0) PZPZ ID: char(2)

PZAP APP ID: char(4) GTGT CKN: numeric(15,0)

FHG_JPIU_WORK

JPIU ROW ID: numeric(10,0) PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT CKN: numeric(15,0)

FHG_JPIF_WORK

JPIF_ROW_ID: numeric(10,0) PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric(15,0) XGSS_SEQ_NOL: int XSTS_SEQ_NOL: int EXSY_ID_DEST: char(4) GTGT_PZCD_BTYP: char(4) GTGT_SIZE: numeric(15,0)

FHG JPOR WORK

JPOR ROW ID: numeric(10,0) PZPZ ID: char(2) PZAP APP ID: char(4) GTGT CKN: numeric(15,0) EXSY_ID_DEST: char(4) GTGT_PZCD_BTYP: char(4) GTGT_SIZE: numeric(15,0)

FHG JPOE WORK

JPOE ROW ID: numeric(10,0) PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric(15,0) EXSY_ID_DEST: char(4) GTOP_UNIT_COUNT: int GTOP_EC_CUSTNO: char(35) Page 4 of 6

FHG JPOS WORK

JPOS ROW ID: numeric(10,0) PZPZ ID: char(2) PZAP APP ID: char(4) GTGT CKN: numeric(15,0) GTGT SIZE: numeric(15,0)

Alternate Index Batch

FHG JPOM WORK

JPOM_ROW_ID: numeric(10,0) PZPZ_ID: char(2) PZAP APP_ID: char(4) GTGT_CKN: numeric(15,0) EXSY_ID_DEST: char(4) GTGT_PZCD_BTYP: char(4) GTGT SIZE: numeric(15,0)

FHG JPAI WORK

JPAI_ROW_ID: numeric(10,0) PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric(15,0) EXSY_ID_SOURCE: char(4) GTGT_PZCD_BTYP: char(4)

FHG_AICL_ATL_CLAIM_ID_U

CLCL_ID: char(12)

INTL_CNTL_ID: varchar(50) AICL_STS: smallint SYIN_INST: int AICL_LAST_USUS_ID: char(10) AICL_LAST_UPD_DTM: datetime AICL LOCK TOKEN: smallint ATXR SOURCE ID: datetime

Purge and Archive Batch

FHG GTAR WORK

GTGT_CKN: numeric(15, DOHD_CKN: numeric(15 PURGE_IND: char(1) SYIN_INST: int

FHG_DOAR_WORK

DOHD_CKN: numeric(15,0) CATEGORY: char(04) XGSS SEQ NOL: int SYIN INST: int

FHG_JPIT_WORK

JPIT ROW ID: numeric(10,0)

PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric(15,0) XGSS_SEQ_NOL: int XSTS_SEQ_NOL: int EXSY_ID_DEST: char(4) GTGT_PZCD_BTYP: char(4) GTGT SIZE: numeric(15,0)

FHG JPOC WORK

JPOC ROW ID: numeric(10,0) PZPZ ID: char(2) PZAP APP ID: char(4) GTGT CKN: numeric(15,0) EXSY_ID_DEST: char(4) GTGT_PZCD_BTYP: char(4) GTGT_SIZE: numeric(15,0)

FHG JPOP WORK

JPOP_ROW_ID: numeric(10,0) PZPZ_ID: char(2) PZAP_APP_ID: char(4) GTGT_CKN: numeric(15,0) EXSY_ID_DEST: char(4) GTGT PZCD BTYP: char(4) GTOU EC CUSTNO: varchar(35)

Facets HIPAA Gateway (FHG) Data Model - 5.50.002

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 5 of 6

Business Type Translation

Purge and Archive Status

tem Media Connections

FHG BTTR BTYP TR D

PZPZ ID: char(2) BTTR PZCD VTYP: char(4) BTTR VALUE: char(24)

GTGT PZCD BTYP: char(4) HDOC TYPE: varchar(25) BTTR RESERVED: char(12) BTTR LAST USUS ID: char(10) BTTR LAST UPD DTM: datetime BTTR LOCK TOKEN: smallint ATXR SOURCE ID: datetime

FHG_GTPA_PURGE_X

GTGT_CKN: numeric(15,0)

GTPA_PZCD_TYPE: char(4) GTPA PURGE DTM: datetime GTPA INDEX IND: char(1)

SYIN INST: int

GTPA RESERVED: char(12) GTPA LAST USUS ID: char(10) GTPA_LAST_UPD_DTM: datetime GTPA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

FHG SYMC MED CON D

SYMC PZCD TYPE: char(4)

SYMC PZCD MTYP: char(4) SYMC MEDIA INFO1: varchar(250) SYMC MEDIA INFO2: varchar(250) SYMC_MEDIA_INFO3: varchar(250) SYMC MEDIA INFO4: varchar(250) SYMC_RESERVED: char(12) SYMC LAST USUS ID: char(10) SYMC LAST UPD DTM: datetime SYMC LOCK TOKEN: smallint ATXR SOURCE ID: datetime

TA1 ACKNOWLEGDMENT TABLES

FHG_TPOT_OUTBOUND_U

CUSTNO: varchar(35) GTGT_PZCD_BTYP: char(4)

TPOT ACTIVE IND: char(1)

TPOT ISA13: int TPOT_ISA15: char(1)

TPOT LAST_USUS_ID: char(10) TPOT_LAST_UPD_DTM: datetime TPOT_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

FHG TPIT INBOUND U

CUSTNO: varchar(35) GTGT_PZCD_BTYP: char(4)

TPIT CMP INDB: char(1) TPIT ACK INDB: char(01) TPIT ACK TRAN: char(03) TPIT TF XSLT: varchar(255) TPIT LAST USUS ID: char(10) TPIT LAST UPD DTM: datetime TPIT LOCK TOKEN: smallint ATXR SOURCE ID: datetime TPIT_277CA_IND_NVL: char(01)

FHG TPET ENVL D

TPET_ID: varchar(15) TPET PZCD TYPE: char(4)

TPET NAME: varchar(50) TPET DESCL: varchar(255) TPET IT_ISA05: char(2) TPET_IBOX: varchar(255) TPET_OBOX: varchar(255) TPET_CORE_INDB: char(1) TPET_TA1_INDB: char(1) TPET_ISA14_POS_IND: char(1) TPET ISA14 NEG IND: char(1) TPET_IT_ISA03_IND: char(1)

TPET IT ISA04: char(10) TPET OT ISA03: char(2) TPET OT ISA04: char(10)

TPET_OT_ISA14: char(1)

TPET_LAST_UPD_DTM: datetime TPET_LAST_UPD_USUS: char(10) TPET_LOCK_TOCKEN: smallint ATXR_SOURCE_ID: datetime

FHG_GTAK_ACK_X

GTGT_CKN: numeric(15,0) GTAK_PZCD_KTYP: char(4)

GTAK ACTION TYPE: char(1) GTAK_ACK_CODE: char(1) GTGT_CKN_ACK_TRAN: nume GTAK_LAST_USUS_ID: char(10 GTAK_LAST_UPD_DTM: datetii GTAK_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

Facets HIPAA Gateway (FHG) Data Model - 5.50.002

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 6 of 6


FHG_TLOG_TRANS_LOG

rng_ilog_ikans_log
TLOG_ROW_ID: numeric(18,0)
GTGT_CKN: numeric(15,0)
TLOG_REC_TYPE: char(01)
TLOG_RUN_DT: datetime
TLOG_PROCESS_IND: char(01)
TLOG_DIRECTION: varchar(03)
TLOG_FUNC_ID_CODE: varchar(02)
TLOG_TRANS_NAME: char(03)
TLOG_TRANS_VERSION: varchar(12)
TLOG_ISA_TYPE: varchar(05)
TLOG_CUSTNO: varchar(35)
TLOG_SEND_QUAL: varchar(02)
TLOG_ISA_TYPE: varchar(05) TLOG_CUSTNO: varchar(35) TLOG_SEND_QUAL: varchar(02) TLOG_SEND_CODE: varchar(15)
TLUG APP SEND CODE. Valchar(15)
TLOG_RECV_QUAL: varchar(02)
TLOG_RECV_CODE: varchar(15)
TLOG_APP_RECV_CODE: varchar(15)
TLOG_INTERCHANGE_NO: varchar(09)
TLOG_GROUP_NO: varchar(09)
TLOG_TRANS_NO: varchar(09)
TLOG_ERROR_CTR: int
TLOG_TRANS_CTR: int
TLOG_LINE_NO: int
TLOG_SEVERITY_CODE: varchar(02)
TLOG_SNIP_LEVEL: varcnar(2)
TLOG_SEVERITY_CODE: varchar(02) TLOG_SNIP_LEVEL: varchar(2) TLOG_MSG_NO: int TLOG_MSG_TEXT: varchar(635)
TLOG_MSG_TEXT: varchar(635)
TEOG_SEGMENT. Valchar(033)
TLOG_FILENAME: varchar(260) TLOG_LOCK_TOKEN: smallint
TLOG_LOCK_TOKEN. SHAIIIII
SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)
TLOG_TRANS_LBU_ID_NVL: varchar(70)
TEGO_TIANO_EDO_ID_NVE. Valchal(70)


Chapter 16 HIPAA Privacy Data Model

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive cast HIPWAI Privadya - Health Alliance Plan (HAPPage 2/0172019)

Member Transactions



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Facets HIPAA Privacy

Member Transactions PMED MEMBER V PMED CKE: int FHP PMDS RECORD X PMED_CKE: int (FK) PMDS_REQ_NO: smallint FHP PMAR AMEND X PMED_CKE: int (FK) PMDS_PZCD_RRSN: char(4) PMDS_PZCD_MTYP: char(4) PMDS_PZCD_RTYP: char(4) PMAR_REQ_NO: smallint PMDS_PZCD_RTYP: char(4) PMDS_RECEIVED_DT: datetime PMDS_REQUEST_DT: datetime PMDS_RQR_ENEN_CKE: int PMDS_RQR_ENEN_CTYP: char(4) PMDS_PZCD_SFMT: char(4) PMDS_PZCD_FRSN: char(4) PMDS_ENROIL_INDB: char(1) PMDS_CLAIMS_INDB: char(1) PMDS_PAYMENT_INDB: char(1) PMDS_MEDM_INDB: char(1) PMDS_ADDL_INDB: char(1) PMDS_REQ_FEE_INDB: char(1) PMDS_REQ_FEE_INDB: char(1) PMDS_FEE_AMT: money PMAR_PZCD_RRSN: char(4) PMAR_PZCD_MTYP: char(4) PMAR_RECEIVED_DT: datetime PMAR_RECEIVED_DT: datetime PMAR_REQUEST_DT: datetime PMAR_RQR_ENEN_CKE: int PMAR_RQR_ENEN_CTYP: char(4) PMAR_ENROLL_INDB: char(1) PMAR_CLAIMS_INDB: char(1) PMAR_PAYMENT_INDB: char(1) PMAR_MEDM_INDB: char(1) PMAR_ADDL_INDB: char(1) PMAR_ADDL_INDB: char(1) PMAR_FEE_AMT: money PMAR_REQ_FEE_INDB: char(1) PTST_PZCD_TTYP: char(4) PTST_CURR_SEQ_NO: smallint PMDS_FEE_AMT: money PTST_PZCD_TTYP: char(4) PTST_CURR_SEQ_NO: smallint PTST_CURR_STS: int PTST_CURR_STS: int PTST_CURR_STS: int PTST_CURR_STS_DTM: datetime PMAR_DESC: varchar(160) PMAR_CREATE_DTM: datetime PTST_CURR_SEQ_NO: smallint PTST_CURR_STS: int PTST_CURR_STS: int PTST_CURR_STS_DTM: datetime PMDS_DESC: varchar(160) PMDS_RESERVED: char(12) PMDS_CREATE_DTM: datetime PMDS_LAST_USUS_ID: char(10) PMDS_LAST_UPD_DTM: datetime PMDS_LOCK_TOKEN: int ATXR_SOURGE_ID: datetime PMAR_CREATE_DTM. dateIffle PMAR_RESERVED: char(12) PMAR_LAST_USUS_ID: char(10) PMAR_LAST_UPD_DTM: datetime PMAR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime FHP_PTST_TRANS_STS PMED_CKE: int (FK) PTST_PZCD_TTYP: char(4) PTST_TRANS_REQ_NO: smallint PTST_SEQ_NO: smallint PTST_STS: int PTST_STS_DTM: datetime PTST_PZCD_SRSN: char(4) PTST_RESERVED: char(12) PTST_LAST_USUS_ID: char(10) PTST_LAST_UPD_DTM: datetime PTST_LOCK_TOKEN: smallint

ATXR SOURCE ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 4 of 7

Facets HIPAA Privacy

Covered Entity

FHP_PCED_COV_ENT_D

PCED_CKE: int

PCED_ID: char(4)
PCED_CTYP: char(4)
PCED_EFF_DT: datetime
PCED_TERM_DT: datetime
PCED_PZCD_TRSN: char(4)
PCED_RESERVED: char(12)
PCED_LAST_USUS_ID: char(10)
PCED_LAST_UPD_DTM: datetime
PCED_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

FHP_PBEA_AGREE_D

PBEA_ID: char(8)

PBEA_PZCD_TYPE: char(4)
PBEA_DOC_NAME: varchar(80)
PBEA_DESC: varchar(160)
PBEA_RESERVED: char(12)
PBEA_LAST_USUS_ID: char(10)
PBEA_LAST_UPD_DTM: datetime
PBEA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime


FHP_PMAT_AUTH_D

PMAT_ID: char(8)

PMAT_PZCD_TYPE: char(4)
PMAT_DOC_NAME: varchar(80)
PMAT_DESC: varchar(160)
PMAT_RESERVED: char(12)
PMAT_LAST_USUS_ID: char(10)
PMAT_LAST_UPD_DTM: datetime
PMAT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Business Entity

FHP_PBED_BUSINES_D



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (Ipage) 5 [62/01/2019]

Facets HIPAA Privacy

Member Batch

FHD_GTGT_V
GTGT_CKN: numeric(15,0)
See_FHD_Model: text

FHP_PTMR_MEM_REG_X
GTGT_CKN: numeric(15,0) (FK)

PTMR_UNIQUE_ID: varchar(80)
PMED_ID: varchar(24)
EXEN_REC: int
ENEN_CKE: int

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 6 of 7

Facets HIPAA Privacy Privacy Filter - Method PZAP V PZPZ_ID: char(2) PZAP_APP_ID: char(4) from_CER_PZAP_APP: text FHP_MDAP_APP_METH_R FHP_MDMD_METHOD_D PZPZ_ID: char(2) (FK) PZAP_APP_ID: char(4) (FK) MDAP_PZCD_TIMING: char(4) MDMD_ID: char(16) MDMD_PZCD_CATEGORY: char(4) MDAP_SEQ_NO: smallint PZPZ_ID: char(2) (FK) PZAP_APP_ID: char(4) (FK) MDMD_NAME: varchar(80) MDMD_ID: char(16) (FK) MDMD ID: char(16) (FK) MDAP_DESCS: varchar(80) MDAP_RESERVED: char(12) MDAP_LAST_USUS ID: char(10) MDAP_LAST_UPD_DTM: datetime MDAP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MDMD_NAME: varchar(80) MDMD_DESCS: varchar(80) MDMD_RESERVED: char(12) MDMD_LAST_USUS_ID: char(10) MDMD_LAST_UPD_DTM: datetime MDMD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime FHP_MDAR_ARG_D MDMD_ID: char(16) (FK) MDAR_SEQ_NO: smallint MDAR_SEQ_NO: smallint MDAR_ARGUMENT_1: varchar(80) MDAR_ARGUMENT_2: varchar(80) MDAR_ARGUMENT_3: varchar(80) MDAR_ARGUMENT_4: varchar(80) MDAR_ARGUMENT_5: varchar(80) MDAR_ARGUMENT_6: varchar(80) MDAR_ARGUMENT_7: varchar(80) MDAR_ARGUMENT_9: varchar(80) MDAR_ARGUMENT_10: varchar(80) MDAR_ARGUMENT_11: varchar(80) MDAR_ARGUMENT_11: varchar(80) MDAR_ARGUMENT_11: varchar(80) MDAR_ARGUMENT_11: varchar(80) MDAR_ARGUMENT_15: varchar(80) MDAR_ARGUMENT_15: varchar(80) MDAR_ARGUMENT_15: varchar(80) MDAR_ARGUMENT_16: varchar(80) MDAR_ARGUMENT_16: varchar(80) MDAR_ARGUMENT_10: varchar(80) MDAR_LAST_USUS_ID: char(10) MDAR_LAST_USUS_ID: char(10) MDAR_LAST_UPD_DTM: datetime MDAR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 7 of 7 Facets HIPAA Privacy Privacy Filter - Rules PZAP_V PZPZ_ID: char(2) PZAP_APP_ID: char(4) from_CER_PZAP_APP: text FHP_RLRU_RULE_U RLRU_ROW_ID: numeric(10,0) PZPZ ID: char(2) (FK)
PZAP_APP_ID: char(4) (FK)
RLRL ID: char(16) (FK)
RLRU_EFF_DT: datetime
RLRU_TERM_DTM: datetime
RLRU_PZCD_TRSN: char(4) RLRU_CREATE_DTM: datetime RLRU_RESERVED: char(12) RLRU_LAST_USUS_ID: char(10) RLRU_LAST_UPD_DTM: datetime RLRU_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime DOHD V DOHD CK: numeric(15,0) FHP_RLRL_RULE_D FHP_RLCD_COND_D FHP_RLRG_REQ_GRP_D RLRL ID: char(16) RLCD ID: char(16) RLRG_ID: char(16) RLRL_NAME: varchar(30) RLRG_ID: char(16) (FK) RLCD_ID: char(16) (FK) RLCD_NAME: varchar(30) RLRG_NAME: varchar(30) RLCD_DESCS: varchar(80) RLRG DESCS: varchar(80) DOHD_CKN: numeric(15,0) RLAG_ID: char(16) (FK) RLRL_DESCS: varchar(80) RLRL_RESERVED: char(12) RLRG_RESERVED: char(12) RLCD_RESERVED: char(12) RLRG_LAST_USUS_ID: char(10)
RLRG_LAST_UPD_DTM: datetime
RLRG_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime RLCD_RESERVED. Clial (12)
RLCD_LAST_USUS_ID: char(10)
RLCD_LAST_UPD_DTM: datetime
RLCD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime RLRL_LAST_USUS_ID: char(10)
RLRL_LAST_UPD_DTM: datetime
RLRL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime FHP RLRA RQR D RLRG_ID: char(16) (FK) RLRA_SEQ_NO: smallint FHP_RLAG_ACT_GRP_D RLRA RQR CTYP: char(4) RLAG_ID: char(16) RLRA RESERVED: char(12) RLRA_LAST_USUS_ID: char(10) RLAG NAME: varchar(30) RLRA_LAST_UPD_DTM: datetime RLRA_LOCK_TOKEN: smallint RLAG_PZCD_ACTION: char(4) RLAG_DENY_INDB: char(1) RLAG_DESCS: varchar(80) ATXR SOURCE ID: datetime RLAG RESERVED: char(12) RLAG_RESERVED. Clial (12)
RLAG_LAST_USUS_ID: char(10)
RLAG_LAST_UPD_DTM: datetime
RLAG_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime FHP_RLCU_COL_ACT_U FHP_RLAP_APP_A RLAG_ID: char(16) (FK) PZPZ_ID: char(2) PZPZ_ID: char(2) (FK) PZAP_APP_ID: char(4) (FK) PZAP_APP_ID: char(4) RLAP_DESCS: varchar(80) RLAP_CREATE_DTM: datetime RLAP_RESERVED: char(12) RLCU_SEQ_NO: smallint PZAP V PZPZ_ID: char(2) RLCU_REPLACE_IND: char(1) RLCU_REPLACE_VALUE: varchar(32) RLCU_COLUMN_NAME: varchar(48) PZAP_APP_ID: char(4) RLAP_LAST_USUS_ID: char(10) RLAP_LAST_UPD_DTM: char() RLAP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime from_CER_PZAP_APP: text RLCU RESERVED: char(12) RLCU_LAST_USUS_ID: char(10) RLCU_LAST_UPD_DTM: datetime RLCU_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Chapter 17 ITS Claim Data Model

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 1 of 1

ITS Claim Domain Tables

CMC_CIFH_ITS_FD

SYIN_INST: numeric(18,0)
MEME_CK: int
CLCL_ID: char(12)
CIFH_TRANS_ID: char(1)
CIFH_REC_TYPE: char(2)
CIFH_REC_SEQ_NUM: smallint
CIFH_SEQ_NO: smallint
CIFH_SEQ_NO: smallint
CIFH_DATA_1: varchar(237)
CIFH_DATA_2: varchar(237)
CIFH_DATA_3: varchar(237)
CIFH_DATA_4: varchar(237)
CIFH_DATA_5: varchar(237)
CIFH_DATA_6: varchar(237)
CIFH_DATA_6: varchar(237)
CIFH_DATA_7: varchar(237)
CIFH_DATA_8: varchar(237)
CIFH_DATA_8: varchar(237)

CMC CISQ WORK QUE

CISQ_ROW_ID: numeric(10,0) identity

CLCL_ID: char(12)

MEME_CK: int

CLMI_ITS_CUR_STS: char(2)

CLMI_HOST_PLAN_CD: char(3)

CMC CIDH ITS DF

CIDH_ROW_ID: numeric(10,0)

CLCL_ID: char(12)

CIDH_DF_TYPE: char(2)

CIDH_DF_SEQ_NO: smallint

CIDH_SEQ_NO: smallint

CIDH_STATUS: smallint

CIDH_CREATE_DTM: datetime

CIDH_DATA_1: varchar(238)

CIDH_DATA_2: varchar(238)

CIDH_DATA_3: varchar(238)

CIDH_DATA_4: varchar(238)

CIDH_DATA_5: varchar(238)

CIDH_DATA_6: varchar(238)

CIDH_DATA_6: varchar(238)

CIDH_DATA_7: varchar(238)

CIDH_DATA_8: varchar(238)


Chapter 18 ITS Plan Data Model


ITSP domain tables

CMC_ITPP_PLAN_PRFL

ITPP_PRIMARY_ACCES: char(12)
ITPP_LOCAL_PLAN_CD: char(3)
ITPP_CLAIM_TYPE: char(2)
ITPP_EFF_START_DT: datetime
ITPP_R_I_START_DT: datetime

ITPP_EFF_END_DT: datetime ITPP_R_I_CODE: char(1) ITPP_R_I_END_DT: datetime ITPP_CTRL_PLAN_CD: char(3)
ITPP_ORIG_PAR_DT: datetime ITPP_SUBM_PRCS_IND: char(1)
ITPP_SUBM_EDIT_IND: char(1) ITPP_PROV_DATA_IND: char(1)
ITPP_PRCE_DATA_IND: char(1) ITPP_CL_DEVLP_IND: char(1)
ITPP_PROGRAM_CD: char(1) ITPP_PROGRAM_CD: cnar(1)
ITPP_XMT_MOD_CD: cnar(1)
ITPP_LOC_STN_CD_S: char(4)
ITPP_PRC_STN_CD_S: char(4)
ITPP_SCCF_PRCS_PLN: char(3)
ITPP_PLAN_PAYER_CD: char(1) ITPP_PLAN_PAYER_Q1: char(2)
ITPP_PLAN_PAYER_Q2: char(2) ITPP_PLAN_PAYER_Q3: char(2) ITPP_PLAN_PAYER_Q4: char(2) ITPP_PLAN_PAYER_Q5: char(2)
ITPP_SCDF_TYPE_CD: char(1)
ITPP_STATISTIC_CD: char(1)
ITPP_X1099_GEN_CD: char(1) ITPP_ENUS_GEN_CD: char(1)
ITPP_EOB_GEN_CD: char(1)
ITPP_MT_MOD_CD_DR: char(1)
ITPP_LOC_STN_CD_DR: char(4)
ITPP_ROLE_UPDT_DT: datetime ITPP_CFA_CD: char(1)
ITPP_ADM_EXP_AL_CD: char(1)
ITPP_AEA_NSTD_AMT: money ITPP_AEA_NSTD_AMT: money
ITPP_MANAG_CARE_CD: char(1)
ITPP_UPF_PR_EDT_CD: char(1)
ITPP_ACCESS_FEE_CD: char(1)
ITPP_BELIVERY_METH: char(1)
ITPP_PROD_TYPE_CD: char(2)
ITPP_ADJ_EDIT_IND: char(1)
ITPP_ADJ_EDIT_IND: char(1) ITPP_ADJ_EDIT_IND: char(1)
ITPP_NATION_OOA_CD: char(1)
ITPP_RESUB_DF_IND: char(1)
ITPP_NEWEFF_END_DT: datetime
ITPP_CTL_STN_CD_PP: char(4)
ITPP_LOC_STN_CD_PP: char(4)
ITPP_LOC_STN_CD_PP: char(1)
ITPP_AMT_MOD_CD_PP: char(1)
ITPP_ACT_PLN_NAME: char(3)
ITPP_LAST_CHNG_DT: datetime
ITPP_OPERATOR_ID: char(8)
ITPP_STATUS_CD: char(1) ITPP_STATUS_CD: char(1) ITPP_STATUS_QUAL: char(2) ITPP_STATUS_QUAL: char(2)
ITPP_CTL_CREATE_DT: datetime
ITPP_CTL_VERIFY_DT: datetime
ITPP_CTL_DIST_DT: datetime
ITPP_LOC_RECP_DT: datetime
ITPP_LOC_VERIFY_DT: datetime
ITPP_LOC_DIST_DT: datetime
ITPP_CTL_RECP_DT: datetime
ITPP_CTL_CANCEL_DT: datetime
ITPP_LOC_CANCEL_DT: datetime
ITPP_LAST_PRCS_DTM: datetime
ITPP_LAST_PRCS_DTM: datetime
ITPP_CIST_UST_DT: datetime ITPP_LAST_PRCS_DTM: datetime
ITPP_CL_IST_UPD_DT: datetime
ITPP_PP_REC_VER_NO: char(3)
ITPP_ACCT_TYPE_CD: char(1)
ITPP_ADDL_DATA: varchar(255)
ITPP_ADDL_DATA: varchar(255)
ITPP_OCK_TOKEN: enalliet ITPP LOCK TOKEN smallint ATXR_SOURCE_ID: datetime





ITPC_TERM_DT: datetime

ITPC_PFX: char(4) (FK)
ITPC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_ITPX_DESC ITPC_PFX: char(4) (FK) ITPC TYPE: char(4) (FK) ITPX_DESC: char(70) ITPX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_ITCP_CLAS_PROV

ITPT_DESC: char(70)

ITPT_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC ITPC ITS COMP V ITPC PFX: char(4)

ITPC_PFX: char(4) (FK) ITCP_SEQ_NO: smallint ITCP_DELIVERY_METH: char(1) ITCP_NTWK_IND: char(1)
ITCP_ITS_NTWK_TYPE: char(2)
PRPR_ENTITY: char(1) PRPR_MCTR_TYPE: char(4)
ITCP_CLASS_PROV: char(1)
ITCP_ADDL_DATA: varchar(255)
ITCP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

ITPC_PFX: char(4) (FK) PRPR ID: char(12) ITPE_EFF_DT: datetime

ITPE_TERM_DT: datetime ITPE_MCTR_TRSN: char(4)
ITPE_PAYEE_IND: char(1) ITPE_ADDL_DATA: varchar(255)
ITPE_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
ITPE_APP_LVL_NVL: char(1)

CMC_UPFP_METH_RULE ITPC_PFX: char(4) (FK) UPFP_SEQ_NO: smallint

UPFP_NW_STS: char(1)
UPFP_CL_TYPE: char(1)
UPFP_AGAG_TYPE: char(1)
UPFP_ROLLUP_IND: char(1)
UPFP_MT_PRCE_IND: char(1)
UPFP_UNIT_PRCE_IND: char(1)
UPFP_DISC_PRCE_IND: char(1)
UPFP_PRCE_METH: char(2)
UPFP_PRCE_METH: char(2)

UPFP_PRCE_METH: char(2)
UPFP_PRI_RULE: char(6)
UPFP_SEC_RULE: char(6)
AGAG_ID: char(12)
CDNP_SECTION: smallint
CDNP_RULE: varchar(25)
UPFP_ADDL_DATA: varchar(255)
UPFP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Facets ITD Plan Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 2 of 2

CMC_ICPE_PR_ENTITY

PRPR_ENTITY: char(01) ICPE_SEQ_NO: smallint

PRPR_MCTR_TYPE: char(04)
ICPE_ENTITY_TYPE: char(01)
ICPE_ADDL_DATA: varchar(255)
ICPE_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_IHRA_ITS_ADMIN

IHRA_ITS_PFX: char(4)

IHRA_MODEL: char(1)
IHRA_ADDL_DATA: varchar(255)
IHRA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_ITPR_PRXY_PROV

ITPR_PFX: char(4)
ITPR_SEQ_NO: smallint

ITPR ITS_CL_TYPE: char(2)
ITPR_CLASS_PROV: char(1)
ITPR_PROV_TYPE: char(4)
ITPR_PROV_SYPEC: char(2)
ITPR_PROV_SYPEC: char(2)
ITPR_PPO_AVAIL: char(1)
ITPR_PPO_TYPE: char(1)
ITPR_ECRP_CD: char(4)
PRPR_ID: char(12)
ITPR_ADDL_DATA: varchar(255)
ITPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
IHS_PRPR_ID_NVL: char(12)
RCRC_ID_NVL: char(12)
ITPR_COST_GP_FROM_NVL: char(3)
ITPR_COST_GP_TO_NVL: char(3)
ITPR_MARKET_ID_NVL: char(4)

CMC_ITAG_PROV_SANC

ITAG_PFX: char(4) ITAG_ITS_CL_TYPE: char(2)

ITAG_SPR_CD: char(3)
ITAG_SPR_AMT: money
ITAG_SPR_PCT: money
ITAG_SPR_CD_DAYS: char(3)
ITAG_SPR_CD_DAYS: char(3)
ITAG_SPR_DAYS_AMT: money
ITAG_ADDL_DATA: varchar(255)
ITAG_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)


CMC_ITCB_OPL_METH

ITCB_SEQ_NO: smallint


ITCB_COB_CALC_METH: char(1)
ITCB_SPPQ_IND: char(1)
ITCB_CHRG_CD: char(1)
ITCB_OPL_CALC_METH: char(3)
ITCB_ADDL_DATA: varchar(255)
ITCB_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Chapter 19 Managed Care Data Model

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Materia page 1 of 4 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret MaRagel.2 of 4
This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



MCAN_PTRL_ANSI_CD: char(2)
MCOT_LOCK_TOKEN: smallint

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



CMC_MCDB_DEBT_BANK

MCDB ID: char(12) MCDB_EFF_DT: datetime


MCDB_TERM_DT: datetime MCDB_NAME: varchar(50) MCDB_ADDR1: varchar(40) MCDB_ADDR1: varchar(40)
MCDB_ADDR2: varchar(40)
MCDB_ADDR3: varchar(40)
MCDB_ADDR3: varchar(19)
MCDB_STATE: char(2)
MCDB_ZIP: char(11)
MCDB_COUNTY: varchar(20)
MCDB_CTRY_CD: char(4)
MCDB_PHONE_EXT: char(4)
MCDB_PHONE_EXT: char(4)
MCDB_PHONE_EXT: char(20)
MCDB_CXV. varchar(20) MCDB_PHONE_EXT: char(4)
MCDB_FAX: varchar(20)
MCDB_FAX: EXT: char(4)
MCDB_EMAIL: varchar(40)
MCDB_STS: char(2)
MCDB_EXTNL_ID1: varchar(50)
MCDB_EXTNL_ID2: varchar(10)
MCDB_FSA_IND: char(1)
MCDB_HSA_IND: char(1)
MCDB_HSA_IND: char(1)
MCDB_LAST_UPD_DTM: datetime
MCDB_LST_USUS_ID: char(10)
MCDB_ADDL_DATA: varchar(255)
MCDB_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime


MCDI_ADDR2: varchar(40)
MCDI_ADDR3: varchar(40)
MCDI_CITY: varchar(19)
MCDI_STATE: char(2)
MCDI_ZIP: char(11)
MCDI_COUNTY: varchar(20)
MCDI_CTRY_CD: char(4)
MCDI_PHONE: varchar(20)
MCDI_PHONE: varchar(20)
MCDI_PHONE_EXT: char(4)
MCDI_FAX: varchar(40)
MCDI_EMAIL: varchar(40)
MCDI_STS: char(4)
MCDI_STS: char(2)
MCDI_STS: thar(2)
MCDI_STXINL_IDI: varchar(5)

MCDI_STS: char(2)
MCDI_EXTNL_ID1: varchar(50)
MCDI_EXTNL_ID2: varchar(10)
MCDI_FSA_IND: char(1)
MCDI_HSA_IND: char(1)
MCDI_HSA_IND: char(1)
MCDI_MLTI_PL_CD: char(2)
MCDI_LST_USUS_ID: char(10)
MCDI_LST_USUS_ID: char(10)
MCDI_LADTL_DATA: varchar(255)
MCDI_LOCK_TOKEN: smallint MCDI_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime

MCPN_LAST_USUS_ID: ch MCPN_LAST_UPDT_DT: de MCPN_LOCK_TOKEN: sma ATXR_SOURCE_ID: datetin SYS_LAST_UPD_DTM: date SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(

Cognizant TriZetto Software Group, Inc. All rights reserved. Confiden page of Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]






CMC_MCPM_PBP_MAP

GRGR_ID: char(08)
METR_PBP_ID: char(03)
METR_PARTD_SBSDY: char(03)
METR_COPAY_CAT: char(01)
MCPM_EFF_DT: datetime

MCPM_TERM_DT: datetime
SGSG ID: char(04)
CSCS_ID: char(04)
CSPD_CAT: char(01)
CSPL ID: char(08)
MCPM_RX_GROUP: varchar(15)
MCPM_RXBIN: char(06)
MCPM_RXPCN: char(10)
MCPM_COK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Chapter 20 Member/Subscriber Data Model

Facets Member/Subscriber Data Model - 5.50.004



Facets Member/Subscriber Data Model - 5.50.004 Cognizació Trizatto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. Page 2 of To Page 1 SBSB_ickinf(FK)he exclusive use of Maty Sylla - Health Alliance Plan (HoMe)sBSR0SB2RAft] (GRGR) SBSB_CK: int (FK) SBSR_TYPE: char(1) PDPD_ID: char(8) CMC_SBHS_HSA_ACCUM SBHS_PLAN_YR_DT: datetime SBAL_EFF_DT: datetime To Page 1 SBSB CK: int (FK) GRGR_CK: int SBAL_PROCESS_DTM: datetime SBAL_DED_AMT: money HSAI_ACC_SFX: char(4) SBHS_PLAN_YR_DT: datetime SBHS_EFF_DT: datetime (SBSG) PDBL_ID: char(4) PDRT_TYPE: char(1) SBSR_EFF_DT: datetime SBAL_ALLOC_AMT: money SBAL_MAX_CO_AMT: money SBAL_ME_DED_AMT: money SBHS_TERM_DT: datetime GRGR_CK: int SBSR_TERM_DT: datetime SBSR_SOURCE: varchar(10) SBSR_BASIS: smallint SBHS_DED_AMT: money SBHS_DED_ACCUM_AMT: money SBAL_ME_ALLOC_AMT: money SBAL_ME_ALLOC_AMT: money SBAL_ME_MAX_CO_AMT: money SBAL_MCTR_CRSN: char(4) SBAL_INPUT_SOURCE: char(1) SBSR_PREM_SB: money SBSR_PREM_DEP: money SBHS_ALLOC_AMT: money SBHS_CO_AMT: money SBHS_PAID_AMT: money SBSR_VOL: money SBAL_INPUT SOURCE: char(1) SBAL_DED_IND: char(1) SBAL_DED2_IND: char(1) SBAL_DED2_AMT: money SBAL_ME_DED2_AMT: money HSAL_FAM_STAT_IND: char(1) SBAL_PRORATE_MOS: smallint SBAL_SUBMIT_IND: char(1) HSAL_NON_ANN_PRO: char(1) HSAL_NON_ANN_PRO: char(1) HSAL_RED_ALLOC_IND: char(1) SBSR_SB_MOD_AMT: money SBSR_DEP_MOD_AMT: money SBHS_BALANCE_AMT: money HSAL_CO_CALC_IND: char(1) SBSR_SB_MOD_FCTR: int SBSR_DEP_MOD_FCTR: int SBSR_LOCK_TOKEN: smallint HSAL_CO_CALC_IND: char(1) HSAL_CO_PCT: money HSAL_ME_ALLOC_IND: char(1) SBHS_MAX_CO_AMT: money SBHS_ME_DED_AMT: money SBHS_ME_ALLOC_AMT: money SBHS_ME_ALLOC_AMT: money SBHS_ME_ALLOC_AMT: money SBHS_HRA_CARD_AMT: money ATXR_SOURCE_ID: datetime CMC_SBWM_SB_MSG SBSB_CK: int (FK) SBWM_EFF_DT: datetime HSAL_RED_ALLOC_IND: char(1) SBAL_LOCK_TOKEN: smallint WMDS_SEQ_NO: smallint SBHS_PAY_HOLD_IND: char(1) SBHS_DED_IND: char(1) SBHS_DED2_IND: char(1) ATXR_SOURCE_ID: datetime SBWM_TERM_DT: datetime SBWM_MCTR_TRSN: char(4) GRGR_CK: int CMC_SBAD_ADDR SBSB_CK: int (FK) SBAD_TYPE: char(1) SBHS_DED2_AMT: money SBHS_DED2_ACCM_AMT: money SBWM_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SBHS_ME_DED2_AMT: money SBHS_PAID_CUR: money SBHS_CARD_CUR: money SBHS_CARD_CUR: money SBHS_PYC_IND: char(1) SBHS_SUBMIT_IND: char(1) GRGR_CK: int SBAD_ADDR1: char(40) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SBAD_ADDR2: char(40) SBAD_ADDR3: char(40) SYS_DBUSER_ID: varchar(48) SBAD_CITY: char(19) SBHS_VBB_CREDIT: money SBHS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SBAD STATE: char(2) SBAD_STATE. Cliat(2) SBAD_ZIP: char(11) SBAD_COUNTY: char(20) SBAD_CTRY_CD: char(4) SBAD_PHONE: char(20) SBAD_PHONE_EXT: char(4) CMC ACCV TEMP SBSB SBAD_FAX: char(20) SBAD_FAX_EXT: char(4) SBAD_EMAIL: char(40) ACCV_SBSB_ROW_ID: numeric(10,0) CMC_SBSB_SUBSC SBSB_CK: int GRGR CK: int SBAD_CITY_XLOW: char(8) SBAD_LOCK_TOKEN: smallint SBSB CK: int SBSB_ID: char(9) ATXR_SOURCE_ID: datetime GRGR_CK: int (FK) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SBSB ID: char(9) SBSB_LAST_NAME: char(35) SBSB_FIRST_NAME: char(15) SYS_DBUSER_ID: varchar(48) CMC_SBEM_EMPLOY SBSB_FIRS1_NAME: cnar(15) SBSB_MID_INIT: char(1) SBSB_TITLE: char(10) SBSB_ORIG_EFF_DT: datetime SBSB_MCTR_STS: char(4) SBSB_MCTR_VP: char(1) SBSB_CK: int (FK) SBEM_EFF_DT: datetime SBEM_TERM_DT: datetime SBEM_MCTR_TRSN: char(4) CMC_SBEL_ELIG_ENT SBSB_MCTR_SRSN: char(4) SBSB CK: int (FK) GRGR_CK: int SBEM_OCC_CD: char(2) SBSB PRCS STS: char(2) SBEL_EFF_DT: datetime SBEL_INSQ_DT: datetime SBSB_EMPLOY_ID: char(10) SBSB_HIRE_DT: datetime SBSB_RETIRE_DT: datetime SBEM_DEPT: char(8) SBEM_LOC: char(8) SBEM_TYPE: char(4) GRGR_CK: int SBEL_ELIG_TYPE: char(2) CSPD_CAT: char(1) SBSB_CONV_DT: datetime SBEM_MCTR_DTYP: char(4) SBEM_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SBSB_FI: char(1) SBSB_PAY_CL_METH: char(1) SBSB_EFT_IND: char(1) SBAD_TYPE_HOME: char(1) CSPI_ID: char(8) SBEL_FI: char(1) EXCD_ID: char(3) SBEL_MCTR_RSN: char(4) SBAD_TYPE_MAIL: char(1) SBAD_TYPE_WORK: char(1) SBEL_MCTR_RSN: char(4) SBEL_VOID_IND: char(1) SBEL_MCTR_ORSN: char(4) USUS_ID: char(10) SBEL_UPDATE_DTM: datetime SBEL_LOCK_TOKEN: smallint CMC_SBAP_ACCUM_PTR SBSB_LAST_NAME_XLOW: char(8) MCBR CK: int SBSB_CK: int (FK) SBAP_EFF_DT: datetime SBSB_SIG_DT: datetime SBSB_RECD_DT: datetime SBSB_PAY_FSAC_METH: char(1) SBAP_TERM_DT: datetime SBSB_CK_TO: int SBAP_LOCK_TOKEN: int ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime SBEL_RATE_AS_IND_NVL: char(1) SBSB_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS DBUSER ID: varchar(48) CMC_SBCS_CLASS SBSB_MLR_EFT_IND_NVL: char(1) SYS_BITMAP_NVL: int SYS_LAST_OFFSET_NVL: varchar(100) SBSB CK: int (FK) SBCS_EFF_DT: datetime SBCS_TERM_DT: datetime GRGR_CK: int CSCS_ID: char(4) SBCS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) CMC_SBRT_RATE_DATA CMC_SBRD_RATE_DATA CMC_SBTF_ACC_TRANS CMC_SBSA_SALARY SBSB_CK: int (FK) SBRT_EFF_DT: datetime SBSB_CK: int (FK) SBRD_EFF_DT: datetime SBRD_INSQ_DT: datetime SBSB CK: int (FK) SBSB_CK: int (FK) SYS_DBUSER_ID: varchar(48) SBSA EFF DT: datetime GRGR_CK: int SBTF_SBSB_CK_FROM: int SBRT_TERM_DT: datetime GRGR_CK: int GRGR_CK: int GRGR_CK: int SBSA_SAL_TYPE: char(01) SBSA_SAL_AMT: money SBSA_OOP_IND: char(01) SBSA_LOCK_TOKEN: smallint GRGR_CK: int SBRD_TYPE: char(2) SBTF_GRGR_CK_FROM: int SBRT_SB_BILL_IND: char(1)

To Page 1 (MCRE)

ATXR_SOURCE_ID: datetime

CSPI_ID: char(8) SBRD_UNITS: int

SBRD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

USUS_ID: char(10)
SBTF_CREATE_DTM: datetime
SBTF_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

SBRT_SMOKER_IND: char(1) SBRT_RT_ST: char(2)

SBRT_RT_SIC: char(8)
SBRT_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

SBRT_RT_CNTY: char(3) SBRT_RT_AREA: char(8)

Facets Member/Subscriber Data Model - 5.50.004 CMCSINEMENT MEMBERS Software Group, Inc. All-Highes reserved. Confidential and Trade Secret Material. Page 3 CMC_MEEL_ELIG_ENT MEME_DISTRIBLE STOR THE exclusive use of MEME_CK.int (FIX) alth Alliance Plan CMCEMECE COB2019] MEME_CK: int (FK) MEEL_EFF_DT: datetime MEME_CK: int (FK) MEPR_EFF_DT: datetime GRGR_CK: int MECB_INSUR_TYPE: char(1) MECB_INSUR_ORDER: char(1) MECB_MCTR_STYP: char(4) MEEL_INSQ_DT: datetime SBSB_CK: int (FK) MEME_SFX: smallint MEPR_TERM_DT: datetime MEPR_MCTR_TRSN: char(4) MEPR_MCTR_ORSN: char(4) GRGR_CK: int MEME_REL: char(1) MEME_ID_NAME: char(6) MEEL_ELIG_TYPE: char(2) CSPD_CAT: char(1) MECB_EFF_DT: datetime MEPR_MCTR_ERSN: char(4) MEME_LAST_NAME: char(35) MEME_FIRST_NAME: char(15) MEME_MID_INIT: char(1) MECB_TERM_DT: datetime GRGR CK: int CSPI_ID: char(8) EXCD_ID: char(3) MEEL_MCTR_RSN: char(4) MEEL_VOID_IND: char(1) MEEL_MCTR_ORSN: char(4) PRPR_ID: char(12) MEPR_SOURCE: char(1) MECB_MCTR_TRSN: char(4) GRGR_CK: int MCRE_ID: char(9) MECB_POLICY_ID: varchar(25) MECB_MCTR_MSP: char(4) MEME_TITLE: char(10) MEME_ORIG_EFF_DT: datetime MEPR_DEMGRPHC_IND: char(1) MEPR_CR_EFF_DT: datetime MEPR_CR_TERM_DT: datetime USUS_ID: char(10) MEEL_UPDATE_DTM: datetime MEEL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEME_SSN: char(9) MEME_SEX: char(1) MEME_SEX: char(1) MEME_BIRTH_DT: datetime MEME_WRK_PHONE: char(20) MEME_WRK_PHONE_EXT: char(4) MEPR_CAP_REL_ENT: char(12) PDPD_CAP_RET_MOS: smallint MECB_MCTR_PTYP: char(4) MECB_RXBIN: char(6) MEPR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MECB_RXPCN: varchar(10) MECB RX GROUP: varchar(15) MEEL_RATE_AS_IND_NVL: char(1) MECB_RX_GROUP: varchar(15) MECB_RX_ID: varchar(20) MECB_LAST_VER_DT: datetime MECB_LAST_VER_NAME: varchar(3 MECB_MCTR_VMTH: char(4) MECB_LOI_START_DT: datetime MECB_PRIM_LAST_NM: varchar(35) MECB_PRIM_FIRST_NM: varchar(15 MEME_MCTR_STS: char(4) SYS_LAST_UPD_DTM: datetime MEME_MCTR_LANG: char(4) SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) MEME_RECORD_NO: char(11) MEME_LATE_ENR_IND: char(1) MEME_MARITAL_STATUS: char(1) CMC_MECH_CLM_HOLD CMC_MEST_STUDENT MEME CK: int (FK) MEME_HICN: char(12) MEME_MEDCD_NO: char(20) MEME_CK: int (FK) MECH_EFF_DT: datetime MEST_EFF_DT: datetime CMC_MEHE_HEALTH_DETL MEME_FAM_LINK_ID: char(12) SBAD_TYPE_HOME: char(1) SBAD_TYPE_MAIL: char(1) MECB_PRIM_ID: varchar(40) MECB_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MECH_TERM_DT: datetime MECH_DATE_IND: char(1) CLST_MCTR_REAS: char(4) MEST_TERM_DT: datetime MEME_CK: int (FK) MEHE IPCD ID: char(7) MEST_MCTR_TRSN: char(4) GRGR_CK: int SBAD_TYPE_WORK: char(1) MEME_LAST_NAME_XLOW: char(8) GRGR_CK: int MEST_SCHOOL_NAME: char(50) MEST_TYPE: char(1) MEST_LAST_VER_DT: datetime MEST_LAST_VER_NAME: char(30) MEST_MCTR_VMTH: char(4) MEST_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEHE_LAST_DT: datetime SYS LAST UPD DTM: datetime MECH_STS: char(1) SYS USUS ID: varchar(48) ATSY_ID: char(4) ATLD_ID: varchar(32) MEME_CCC_START_DT: datetime MEME_CCC_START_DT: datetime MEME_CCC_END_DT: datetime MEME_PREX_EFF_DT: datetime MEME_PRX_CRED_DAYS: smallint MEME_EXC_CRED_DAYS: smallint MEHE_PFX: char(1) SYS_DBUSER_ID: varchar(48) MEHE_SFX: char(1) MEHE_NEXT_DT: datetime MECH_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEHE_COMMENT: char(40) MEHE LOCK TOKEN: smallint ATXR SOURCE ID: datetime MEME_MCTR_ATYP: char(4) MEME_ELIG_DT: datetime CMC_MERD_RATE_DATA SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) MEME_QUALIFY_DT: datetime MEME_QUALIFY_DT: datetime MEME_NEW_SIG_DT: datetime MEME_PRBL_IND: char(1) MEME_PRBL_EFF_DT: datetime MEME_EOI_TERM_DT: datetime MEME_CK: int (FK) MERD_EFF_DT: datetime SYS_DBUSER_ID: varchar(48) CMC MERP RELATION MERD_INSQ_DT: datetime MEME_CK: int (FK) GRGR_CK: int MERD_TYPE: char(2) CSPI_ID: char(8) MERP_EFF_DT: datetime MEME_PREX_TERM_DT: datetime MEME_PREX_LIMIT1: smallint MERP_TERM_DT: datetime MERP_MCTR_TRSN: char(4) GRGR_CK: int CMC_MEMF_INTF_ADDL MERD_UNITS: int MERD_MOD_FCTR: int MEME_PREX_LIMIT2: smallint MEME_PREX_LIMIT3: smallint MEME_PREX_LIMIT3: smallint MCRL_MEME_CREL_CD: char(2) MEME_CK: int (FK) MEMI_SEQ_NO: smallint (FK) MERP_MCTR_TYPE: char(4) MERP_LAST_VER_DT: datetime MERP_LAST_VER_NAME: char(30) MERP_MCTR_VMTH: char(4) MCRP_ID: char(9) (FK) MERD_MOD_AMT: money MERD LOCK TOKEN smallint GRGR_CK: int MEMF_ADDL_DATA: char(255) MEMF_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEME_HIST_LINK_ID: char(12) MEME_CELL_PHONE: varchar(20) ATXR SOURCE ID: datetime MEME_HEALTH_ID: varchar(80) MEME_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MERP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) CMC_MEHD_HANDICAP SYS_DBUSER_ID: varchar(48) MEMM_ROW_ID: numeric(10,0) MEME CK: int (FK) CMC_MCRP_RELĂT_PER MEHD_EFF_DT: datetime CMC_MEPE_PRC\$_ELIG MEME_MCTR_RACE_NVL: char(4) MEME_MCTR_ETHN_NVL: char(4) MEME_EDI_RE_CODE_NVL: varchar(10) MEME_EDI_RE_SOURCE_NVL: varchar(7) MCRP_ID: char(9) MEHD_TERM_DT: datetime MCRP_ID: char(9) MCRP_LAST_NAME: char(35) MCRP_FIRST_NAME: char(15) MCRP_MID_INIT: char(1) MCRP_ADDR1: char(40) MCRP_ADDR1: char(40) MCRP_ADDR2: char(40) MCRP_ADDR3: char(40) MCRP_CITY: char(19) MCRP_STATE: char(02) MCRP_ZIP: char(11) MCRP_COUNTY: char(20) MCRP_CTRY_CD: char(4) MCRP_PHONE: char(20) MCRP_PHONE_EXT: char(4) MEME_CK: int (FK) MEHD_MCTR_TRSN: char(4) CSPD CAT: char(1) GRGR CK: int MEPE_EFF_DT: datetime MEME_MCTR_GENP_NVL: char(4) MEHD_DESC: char(70) MEHD_TYPE: char(1) MEHD_TYPE: char(1) MEHD_LAST_VER_DT: datetime MEHD_LAST_VER_NAME: char(30) MEHD_MCTR_VMTH: char(4) MEHD_LOCK_TOKEN: smallint ATYP_SQUIPCE_ID: datetime MEPE_TERM_DT: datetime MEPE_CREATE_DTM: datetime CSCS_ID: char(4) GRGR_CK: int SGSG CK: int ATXR_SOURCE_ID: datetime CSPI_ID: char(8) PDPD_ID: char(8) MEPE_ELIG_IND: char(1) EXCD_ID: char(3) MEPE_MCTR_RSN: char(4) MEPE_SYS_INEL_CD: char(4) MCRP_PHONE: char(20) MCRP_PHONE_EXT: char(4) MCRP_FAX: char(20) MCRP_FAX_EXT: char(04) MCRP_EMAIL: char(40) MCRP_PIN_NO: char(9) MCRP_PIN_WORD: char(20) MCRP_LAST_NAME_XLOW: char(8) MCRP_CITY_XLOW: char(8) MCRP_MCTR_LANG: char(4) MCRP_EXTN_ADDR_IND: char(1) MCRP_LOCK_TOKEN: smallint CMC MECD MEDICAID MEPE_FI: char(1) MEPE_ELIG_OVR_IND: char(1) MEPE_HAS_MEDX_IND: char(1) MEPE_HAS_WARN_CD: char(1) MEME CK: int (FK) MECD_EFF_DT: datetime MECD_TERM_DT: datetime MEPE_PRCS_STS: char(2) MECD_PAY_MCTR_MDCT; char(3) MECD_PAY_MCTR_MDCT; char(3) MECD_PAY_MCTR_MDCT; char(3) MEPE_SOURCE: char(1) MEPE_PLAN_ENTRY_DT: datetime CMC_MEDX_COND_ELIG MEPE_LOCK_TOKEN: smallint MEME_CK: int (EK) CSPD_CAT: char(1) MCRP LOCK TOKEN: smallint MECD_MCTR_MDST: char(2) CSPI_ID: char(8) IDCD_ID_REL: varchar(10) IDCD_TYPE: char(1) ATXR_SOURCE_ID: datetime MECD_LOCK_IND: char(1) MECD_LOCK_IND. draf(1) MECD_MCTR_AIDC: char(4) MECD_LOC_FUND_IND: char(1) MECD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEDX_EFF_DT: datetime MEDX_TERM_DT: datetime MEDX_MCTR_TRSN: char(4) GRGR_CK: int CMC_MERV_MECR_VER MEME CK: int (FK) MEMD_EVENT_CD: char(4) (FK) MEMD_HCFA_EFF_DT: datetime (FK) MEDX_PROC_IND: char(1) CMC_MEMA_MECR_ADDL EXCD_ID: char(3) MERV_SEQ_NO: smallint MEME_CK: int (FK) MEMD_EVENT_CD: char(4) (FK) MEMD_HCFA_EFF_DT: datetime (FK) MEDX_LOCK_TOKEN: smallint CMC MEDV MEDCD VER ATXR SOURCE ID: datetime GRGR_CK: int MERV_VER_DT: datetime MERV_VER_NAME: char(30) MERV_MCTR_VMTH: char(4) MEME_CK: int (FK) MECD_EFF_DT: datetime (FK) MEDV_SEQ_NO: smallint GRGR_CK: int MEMA_ADDL_DATA: varchar(255) MEMA_LOCK_TOKEN: smallint MEDV_LAST_VER_DT: datetime MEDV_LAST_VER_NAME: char(30) MEDV_MCTR_VMTH: char(4) MERV_MCTR_VRSN: char(4) CMC_MELC_LSTY_CD ATXR_SOURCE_ID: datetime MCRE ID: char(9) (FK) MERV_VER_FROM_DT: datetime MERV_VER_THRU_DT: datetime MERV_MCTR_RSLT: char(4) MEME CK: int (FK) To Page 1 MEDV_MCTR_VRSN: char(4) MEDV_LOCK_TOKEN: smallint MELC_EFF_DT: datetime (MCRE) MELC_TERM_DT: datetime MERV LOCK TOKEN: smallint ATXR_SOURCE_ID: datetime CRFT_MCTR_LSTY: char(4) MELC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime

© 2000 - 2018 Cognizant TriZetto Software Group Inc. All rights reserved. Confidential and Trade Secret Materials.


Facets Member/Subscriber Data Model - 5.50.004 Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. Page 4 CMC_SBSB_SUBSIDE Vs for the exclusive use Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] CMC_SBSL_EXTNL_ID CMC_MEHS_HSA_ACCUM of 12 SBSB_CK: int CMC_MEPT_CR_CALC MEME_CK: int (FK) HSAI_ACC_SFX: char(4) SBHS_PLAN_YR_DT: datetime SBSB_CK: int (FK) CMC MEAS SS ACCUM MEME_CK: int (FK) MEPR_PCP_TYPE: char(2) (FK) MEPR_EFF_DT: datetime (FK) MEPT_ACTION: char(1) GRGR CK: int SBXI_EXTNL_SBSB_ID: varchar(30) SBXI_LST_UPDT_DTM: datetime SBXI_LOCK_TOKEN: smallint from_page_2: char(18) MEME CK: int (FK) BLEI_CK: int AFCP_PER_NO: int GRGR CK: int ATXR_SOURCE_ID: datetime MEPT_IMAGE_TYPE: char(1) MEPT_SEQ_NO: smallint AFAI_CK: int MEAS_SSL_AMT: money MEAS_EXC_AMT: money AFSL_TIER_NO: smallint MEAS_LOCK_TOKEN: smallint MEHS_DED_ACCUM_AMT: money MEHS_CO_AMT: money MEHS_CO_AMT: money MEHS_PAID_AMT: money MEHS_BALANCE_AMT: money MEHS_HRA_CARD_AMT: money MEHS_DED2_ACCM_AMT: money MEHS_VBB_CREDIT: money MEHS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEPT_CREATE_DTM: datetime MEPR_TERM_DT: datetime MEPT_ROW_ID: numeric(10,0) GRGR CK: int ATXR_SOURCE_ID: datetime PRPR_ID: char(12) CMC_MEME_MEMBER V MEPR_SOURCE: char(1) MEPR_DEMGRPHC_IND: char(1) MEME CK: int MEPR_CR_EFF_DT: datetime MEPR_CR_EFF_DT: datetime MEPR_CAP_REL_ENT: char(12) PDPD_CAP_RET_MOS: smallint MEPT_MATCH_EFF_DT: datetime CMC MERE RELATION SBSB_CK: int (FK) MEME_CK: int (FK) MERE_TYPE: char(4) MERE_EFF_DT: datetime from_page_3: char(18) CMC_SBIH_ID_HIST SBSB_CK: int (FK) MERE_TERM_DT: datetime MERE_MCTR_TRSN: char(4) MEPT_STS: char(2) MEPT_ADDL_DATA: varchar(255) CMC_MATX_ACCUM_TXN GRGR CK: int SBIH SBSB ID ORIG: char(9) MEME_CK: int (FK) PDPD_ACC_SFX: char(4) MATX_ACC_TYPE: char(1) ACAC_ACC_NO: smallint MCRE_ID: char(9) MERE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SBIH_SBSB_ID_NEW: char(9) SBBD_BATCH_ID: char(8) SBIH_PRCS_DTM: datetime SBIH_LOCK_TOKEN: smallint MATX_BEN_BEG_DT: datetime CMC_SBIM_IMPORT MATX_SEQ_NO: int CMC_FATX_ACCUM_TXN GRGR_CK: int SBSB_CK: int GRGR_CK: int MATX_TXN_AMT1: money MATX_TXN_AMT2: money SBSB_CK: int (FK) PDPD_ACC_SFX: char(4) FATX_ACC_TYPE: char(01) ACAC_ACC_NO: smallint FATX_BEN_BEG_DT: datetime SBIM_FILE_NAME: varchar(70) SBIM_REC_NO: int SBIM_INPUT_GRGR_ID: char(8) SBIM_INPUT_SBSB_ID: char(9) SBSB_ID_NEW: char(9) MATX_TXN_AMT3: money MATX_TXN_CTR1: numeric(13,2) CMC MERT RATE DATA MEME_CK: int (FK) MERT_EFF_DT: datetime MATX_TXN_CTR2: numeric(13,2) MATX_AMT1: money FATX_SEQ_NO: int MATX_AMT2: money MATX_AMT3: money SBXI_EXTNL_SBSB_ID: varchar(30) SBIM_ERR_CD: char(2) GRGR_CK: int MERT_TERM_DT: datetime FATX_TXN_AMT1: money FATX_TXN_AMT2: money GRGR_CK: int MERT_SMOKER_IND: char(1) MATX_CTR1: numeric(13,2) SBIM_LOCK_TOKEN: smallint MATX_CTR2: numeric(13,2) MATX_CREATE_DTM: datetime MERT_MCTR_FCT1: char(4) MERT_MCTR_FCT2: char(4) MERT_MCTR_FCT3: char(4) MERT_MCTR_FCT3: char(4) MERT_LOCK_TOKEN: smallint FATX_TXN_CTR1: numeric(13,2) FATX_TXN_CTR2: numeric(13,2) MATX_STS_IND: char(1) CLCL_ID: char(12) MATX_MCTR_RSN: char(4) FATX_AMT1: money FATX AMT2: money FATX CTR1: numeric(13,2) ATXR SOURCE ID: datetime MATX_EXTERNAL_ID: varchar(50) USUS ID: varchar(10) FATX_CTR2: numeric(13,2) FATX_PERSON_CTR: smallint CMC MEDC DEBT CARD MATX_PERIOD_TYPE: char(1) MATX_PERSON_IND: char(1) FATX_PERSON_CTR_CO: smallint MEME_CK: int (FK) MEME CK: int CMC_MEIT_MEME_ITS MEDC_ACCT_TYPE: char(1) MEDC_EFF_DT: datetime MATX_PERSON_IND_CO: char(1) CMC_MEDA_ME_DATA FATX_CREATE_DTM: datetime MATX_PERSON_AMT: money MATX_PRISON_OAMT: money MATX_PRIOR_CO_AMT: money MATX_PRIOR_CO_AMT: money MATX_RENST_IND: char(1) MATX_NEXT_RENST_DT: datetime MEME_CK: int (FK) FATX_STS_IND: char(1) CLCL_ID: char(12) MEME_CK: int (FK) MEDC_TERM_DT: datetime MEDC_MCTR_TRSN: char(4) GRGR_CK: int MEIT_ITS_SBSB_ID: char(17) MEIT_PRPR_PLAN_CD: char(3) MEIT_PAT_REL: char(2) MEIT_PCP_CRSN: char(2) MEIT_EXIS_PAT: char(1) MEIT_EXIS_Char(1) MEIT_EXIS_CHAR(1) MEIT_EXIS_CHAR(1) MEIT_EXIS_CHAR(1) MEDA_CONFID_IND: char(1) MEDA_ADDL_DATA: varchar(255) FATX_MCTR_RSN: char(4) FATX_EXTERNAL_ID: varchar(50) MEDC_MCTR_TRSN: char(4) GRGR_CK: int MEDC_STS: char(2) CSPI_ID: char(8) GRDC_PFX: char(4) MEDC_CARD_NO: varchar(256) MEDC_CARD_ALT_NO: varchar(256) MEDC_MCTR_ERSN: char(4) MEDA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime USUS_ID: varchar(10) SYIN_INST: int MATX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime FATX_PERIOD_TYPE: char(1) SYIN_INST: int FATX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MEIT_EE_STS: char(1) MEIT_CONTRACT_TYPE: char(1) MEIT_MARITAL_STS: char(1) MEIT_MEF_LOAD_DT: datetime MEIT_ADDL_DATA: varchar(255) MEIT_CONFID_EFF_DT: datetime MEIT_CONFID_TM_DT: datetime MEIT_LOCK_TOKEN: smallint ATYP_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) MEDC_MOTR_ERSN: char(4) MEDC_ADDL_DATA: varchar(255) MEDC_LAST_UPD_DTM: datetime MEDC_LST_USUS_ID: char(10) MEDC_CDH_ELIG_DTM: datetime MEDC_TERM_SRCE_CD: char(1) CMC_GRDC_DCBK_REL GRDC_PFX: char(4) GRDC_EFF_DT: datetime CMC_SBDC_DEBT_CARD MEDC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime GRDC TERM DT: datetime SBSB_CK: int (FK) SBDC_ACCT_TYPE: char(1) SBDC_EFF_DT: datetime ATXR_SOURCE_ID: datetime GRDC_DESC: varchar(70) GRDC_STS: char(2) MCDB_ID: char(12) GRDC_BANK_EXT_ID: varchar(50) SBDC_TERM_DT: datetime CMC_MERA_REC_ACT GRDC_BAN_EXT_ID: Validation(30) MCDI_ID: char(12) GRDC_DCIM_EXT_ID: varchar(50) GRDC_FSA_IND: char(1) GRDC_HSA_IND: char(1) GRDC_HSA_IND: char(1) SBDC_MCTR_TRSN: char(4) GRGR_CK: int SBDC_STS: char(2) CSPI_ID: char(8) GRDC_PFX: char(4) MERA_ROW_ID: numeric(10,0) CMC_MERS_RETIRE BLEI_CK: int SBSB_CK: int BLBL_DUE_DT: datetime MEME_CK: int GRDC_STOCK_ID: char(4) GRDC_ACTIVATE_CD: char(1) GRDC_DBCD_EXP_MO: smallint SBDC_CARD_NO: varchar(256) SBDC_CARD_ALT_NO: varchar(256) SBDC_ADDL_DATA: varchar(255) MERS_COV_EFF_DT: datetime MERA_CREATE_DTM: datetime MERA_STS: char(2) MERA_LOCK_TOKEN: smallint MERS_COV_TERM_DT: datetime GRGR_CK: int GRDC_DBCD_EXP_MO: smallint GRDC_REVIEW_CD: char(2) GRDC_MAIL_CARD_CD: char(2) GRDC_SPEC_CDTX: varchar(30) GRDC_LAST_UPD_DTM: datetime GRDC_LST_USUS_ID: char(10) GRDC_ADDL_DATA: varchar(255) GRDC_LOCK_TOKEN: smallint SBDC_LAST_UPD_DTM: datetime SBDC_LST_USUS_ID: char(10) MERS_MCTR_APP_NO: char(4) MERS_INTF_STS: char(2) MERS_SOURCE_ID: char(1) ATXR SOURCE ID: datetime SBDC_CDH_ELIG_DTM: datetime SBDC_TERM_SRCE_CD: char(1) SBDC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MERS_LAST_UPD_DTM: datetime MERS_BATCH_ID: char(6) MERS_MCTR_UBOI: char(4) CMC_SBBD_BAT_DEF MERS_REL: char(1) MERS_TRANS_TYPE: char(3) MERS_DET_IND: char(1) MERS_REASON: char(2) ATXR_SOURCE_ID: datetime SBBD_BATCH_ID: char(8) CMC SBHR HSA REL SBSB_CK: int (FK) SBHR_EFF_DT: datetime SBBD_DESC: varchar(70) SBBD_DESC. validiat(10) SBBD_SOURCE_CD: char(1) SBBD_DEST_CD: char(1) SBBD_REPLACE_CD: char(1) SBBD_GR_SELECT_CD: char(1) MERS_SBSDY_EFF_DT: datetime MERS_SBSDY_TERM_DT: datetime USUS_ID: char(10) SBHR_TERM_DT: datetime SBHR_MCTR_TRSN: char(4) SBHR_STS: char(2) MERS_MCTR_RSN: char(4) MERS_ADDL_DATA: varchar(255) MERS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SBBD_RENEW_MO: smallint GRGR_MCTR_TYPE: char(4) SBHR_HSA_PAY_METH: char(1) SBHR_DFLT_PAY_IND: char(1) SBHR_PAY_ORDER_CD: char(2) CMC_SBDT_GR_DETL SBBD_STS: char(2) USUS_ID: char(10) SBBD_PRCS_DTM: datetime SBBD_BATCH_ID: char(8) (FK) SBHR_SIGN_DTM: datetime MCBD ID: char(12) GRGR_CK: int SBBD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime MCBD_ID: char(12) SBHR_ACCT_NO: varchar(40) SBHR_ACCT_NAME: varchar(60) SBHR_MCTR_ATYP: char(4) SBHR_LAST_UPD_DTM: datetime SBHR_LST_USUS_ID: char(10) SBDT_LOCK_TOKEN: smallint

SBHR_ADDL_DATA: varchar(255)
SBHR_ESIGN_IND: char(2)
SBHR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Facets Member/Subscriber Data Model - 5.50.004


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019page 5 of 12




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

ENROLLMENT MANAGER



OUTBOUND ACCUMULATORS



Facets Member/Subscriber Data Model - 5.50.004

Cognizant TriZ PDBC PEX V Cognizant TriZ PDB

This File s for the excitative use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] CDS_IDIN_ID_INDIC Defined_in_Plan_Model: char() MEME_CK: int CSPD_CAT: char(1)
MEIA_REQ_DT: datetime CDS IMEF CNTRL DTL CDS MMCT MEM COUNT SYIN INST: int SYIN INST: int MMCT_ELIG_DT: datetime ITLC_LOCAL_PLAN_CD: char(3)
ITMA_CTRL_PLAN_CD: char(3) MEIA_ROW_ID: numeric(10,0) CSPD_CAT: char(1) CMC MEEA ELIG ACT IDIN_CREATE_DT: datetime PDBC_PFX: char(4) (FK) MEIA_REQ_TYPE: char(2) CSPI_MCTR_CTYP: char(4) PRPR_ID: char(12)
MEPR_PCP_TYPE: char(2)
MMCT_TYPE: char(4)
GRGR_CK: int MEMĒ CK: int MEEA_ROW_ID: numeric (10, 0) GRGR_CK: int GRGR_CK: int GRGR_UK: Int SBSB_CK: int GRGR_ID: char(8) IMEF_COV_END_DT: datetime IMEF_COV_STRT_DT: datetime IMEF_SUB_DEP_IND: char(2) SGSG CK: int CSPI_CARD_STOCK: char(10)
MEME_ORIG_EFF_DT: datetime SGSG_CK: int SBSB_CK: int CSCS_ID: char(4) CSCS_ID: char(4) MEEA TYPE: char(4) CSPI_ID: char(8) MMCT_REL: char(1) MEME_SEX: char(1) MEPE_PLAN_ENTRY_DT: datetime MEPE_FI: char(1) CSCS ID: char(4) MEEA_STS: char(2)
MEEA_REQ_DT: datetime
MEEA_LOCK_TOKEN: smallint IMEE_SUB_DEP_IND: char(a)
ITMA_CTRL_GRGR_ID: char(b)
ITMA_CTRL_SECT_ID: char(6)
ITNW_ITS_NW_ID: char(4)
MEIT_ITS_SBSB_ID: char(17)
MEIT_PAT_REL: char(2)
MEME_BIRTH_IDT: datetime CSCS DESC: varchar(70) MCRL MEME CREL CD: char(2) CSPI ID: char(8) MMCT_FROM_AGE: int ATXR SOURCE ID: datetime PLDS_DESC: varchar(70) MMCT_THRU_AGE: int SYIN_INST: int SYIN_CREATE_DT_TM: datetime MMCT_MEMBERS: int GRGR_ID: char(8) PDPD_ID: char(8)
PDDS_DESC: varchar(70)
MEME_SFX: smallint
MEME_REL: char(1) CDS_IDPR_ID_PROV MEME_FIRST_NAME: char(15) MEME_LAST_NAME: char(35) CMC MEIA ID ACT SYIN INST: int (FK) MEME_LAST_NAME: varchar(35)
MEME_FIRST_NAME: char(15)
MEME_MID_INIT: char(1) MEME_CK: int (FK)
CSPD_CAT: char(1) (FK)
MEIA_REQ_DT: datetime (FK) MEME_MID_INIT: char(1)
MEME_SEX: char(1) MEIA_ROW_ID: numeric (10, 0) GRGR_NAME: char(50) SGSG ID: char(4) MEME_SFX: smallint
MEPR_EFF_DT: datetime
MEPR_TERM_DT: datetime SYIN INST: int SGSG_NAME: char(50) CSCS_DESC: char(70) MEME_TITLE: char(10) MEME_SSN: char(9) MEPR PCP TYPE: char(2) GRGR CK: int SGSG_CK: int SBSB_CK: int PLDS_DESC: char(70) PRPR_ID: char(12) MEME_SEX: char(1)
MEME_BIRTH_DT: datetime PRPR_NAME: char(55)
PRCP_TITLE: char(10)
MEPR_EFF_DT: datetime
PRAD_ADDR1: char(40) PRPR_ID: char(12) PRPR_NAME: char(55) PDPD_ID: char(8) PDDS_DESC: char(70) MEME_CK: int
MEIA_REQ_TYPE: char(2)
CSPI_ID: char(8) MEME_RECORD_NO: char(11) SBSB_ID: char(9)
IMEF_RECON_TO_DT: datetime LOBD_ID: char(4) LOBD_NAME: char(50) SBAD_ADDR1: varchar(40) SBAD_ADDR2: varchar(40) CSPD_CAT: char(1) CSCS ID: char(4) IMEF_ADDL_DATA: varchar(255) LOBD_ALT_RISK_ID: char(4)
PRPR_NAME: char(55)
MCRL_CREL_DESC: varchar(30)
MMCT_LOCK_TOKEN: smallint PRAD_ADDR2: char(40) SBAD_ADDR3: varchar(40) SBAD_CITY: varchar(19) IMEF_CREATE_DTM: datetime IMEF_LOCK_TOKEN: smallint PRAD ADDR3: char(40) MEIA_STS: char(2)
MEIA_REQ_DT: datetime SBAD_CITY: Varchar(19)
SBAD_STATE: char(2)
SBAD_ZIP: char(11)
SBAD_COUNTY: varchar(20)
SBAD_CTRY_CD: char(4)
SBSB_CK: int PRAD_CITY: char(19) PRAD_STATE: char(2) PRAD_ZIP: char(11) MEIA_SOURCE: char(4) MEIA_SOURCE: cliai(4)
MEIA_MREQ_CARD_NUM: smallint
MEIA_CREATE_DTM: datetime CMC SBRA RATE ACT PRAD_COUNTY: char(20)
PRAD_CTRY_CD: char(4)
PRAD_PHONE: char(20)
PRAD_PHONE_EXT: char(4) SBRA_ROW_ID: numeric(10,0) USUS_ID: char(10)
MEIA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime SBSB_ID: char(9)
SBSB_LAST_NAME: varchar(35)
SBSB_FIRST_NAME: char(15) CMC_ELPR_EL_PREPRO GRGR_CK: int SGSG_CK: int PRAD_FAX: char(20) ELPR_ROW_ID: numeric (10, 0) SBSB_CK: int PRAD_FAX_EXT: char(4) PRAD_EMAIL: char(40) SBSB MID INIT: char(1) GRGR CK: int CSPI_ID: char(8) SBRA_TYPE: char(4) SBSB_TITLE: char(10) SBSB_CK_LOW: int SBSB_CK_HIGH: int IDPR LOCK TOKEN: smallint SBSB_MCTR_VIP: char(1)
SBSB_EMPLOY_ID: char(10)
SBSB_HIRE_DT: datetime
SBSB_RETIRE_DT: datetime SBRA_STS: char(2) SBRA_DGR_IND: char(1) ELPR_WEIGHT: int CDS MEPA PMPM ACT SBRA_REQ_DTM: datetime SBRA_LOCK_TOKEN: smallint ELPR STS: int GRGR CK: int ELPR_LOCK_TOKEN: smallint PAGR_CK: int ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime CDS_SBRI_RATE_INQ SYIN INST: int PAGR_ID: char(9) PAGR_NAME: varchar(50) CSPD_CAT: char(1) MEPA_MOS: smallint MEPA_STS: char(2) SBSB_CK: int (FK) MEME_CK: int (FK) CSPI_ID: char(8) (FK) GRGR_CK: int GRGR_ID: char(8) CMC_MSIA_INTF_ACT MEPA_REQ_DT: datetime
MEPA_PCP_TYPE: char(14)
MEPA_TYPE_SPLIT: char(1)
MEPA_LOCK_TOKEN: smallint CMC MECA CDH ACT GRGR_NAME: varchar(50) PDPD ID: char(8) (FK)
PDBL_ID: char(4) (FK)
SBRI_COV_FROM_DT: datetime (FK) MSIA ROW ID: numeric (10, 0) SGSG_CK: int SGSG_ID: char(4) MECA ROW ID: numeric(10,0) PAGR CK: int SGSG_NAME: varchar(50) MEME_HICN: char(12) GRGR CK: int BLEI CK: int GRGR_CK: int ATXR SOURCE ID: datetime GRDC_PFX: char(4) SGSG_CK: int
SBSB_CK: int
MEME_CK: int
MSIA_TYPE: char(1)
MSIA_ORIG_CODE: char(4) SBRI_COV_THRU_DT: datetime BLEI_BILL_LVL: char(1) GRGR_CK: int SBSB_CK: int MECA_ACCT_TYPE: char(1) MCRE_ID: char(9) IDIN_ID_CARD_NUM: smallint DELG_CLAIMS: char(01) MECA_TYPE: char(4) MECA_STS: char(2) DELG_CASE: char(01)
DELG_ADDR1: varchar(40) SGSG_CK: int SBRI_PREM_IND: char(1) MECA_CREATE_DTM: datetime MSIA_INTF_IND: char(1)
MSIA_STS: char(2) MECA_ADDL_DATA: varchar(255)
MECA_LOCK_TOKEN: smallint DELG_ADDR2: varchar(40) DELG_ADDR3: varchar(40) SBRI_PREM_TYPE: char(1)
SBRI_PREM_BASIS: smallint MSIA_CREATE_DTM: datetime MSIA_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime DELG_CITY: varchar(19) SBRI_LVS_SB: smallint SBRI_LVS_DEP: smallint ATXR_SOURCE_ID: datetime DELG_STATE: char(02) DELG_ZIP: char(11) SBRI_VOL: money SBRI_VOL: money
SBRI_PREM_SB: money
SBRI_PREM_DEP: money
SBRI_LOAD_AMT_SB: money
SBRI_LOAD_AMT_DEP: money
SBRI_CONV_PREM_SB: money
SBRI_CONV_PREM_DEP: money
SBRI_CONV_PREM_DEP: money
SBRI_LIAB_LMT_SB: money
SBRI_LIAB_LMT_SB: money
SBRI_COL_STRUCT: char(1)
SBRI_COL_STRUCT: char(1) DELG_COUNTY: varchar(20) DELG_CTRY_CD: char(04) DELG_TRY_CD: char(u4)
DELG_PHONE: varchar(20)
DELG_UM: char(1)
DELG_NAME: varchar(50)
DELG_PHONE_EXT: char(04)
MCRL_MEME_CREL_CD: char(2) CMC_MECP_CDH_PREPR GRGR_CK: int SBSB_CK_LOW: int SBSB_CK_HIGH: int MECP_WEIGHT: int MECP_ROW_ID: numeric(10,0) MECP_STS: char(2) MECP_ADDL_DATA: varchar(255) MCRL_CREL_DESC: varchar(30)
MEMD_RX_ID: varchar(20)
IDIN_RX_GROUP: varchar(15)
IDIN_RXPCN: char(10) SBRI_COUNT_1: smallint SBRI_COUNT_2: smallint SBRI_COUNT_3: smallint IDIN_RXBIN: char(6) MECP_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime CDS_SBRC_RT_CHOICE SBRI_COUNT_4: smallint SBRI_COUNT_5: smallint SBRI_COUNT_6: smallint MCRE_CRCR_ID: char(9) IDIN_PBP: char(3)
IDIN_LOCK_TOKEN: smallint SBSB_CK: int MEME_CK: int CSPI_ID: char(8) PDPD_ID: char(8) CICI_ID: char(02) MEME_MEDCD_NO: char(20) CSCS_ID: char(4) CMC_SBST_SGSG_TFR CSCS_ID: char(4)
SBRI_FI: char(1)
SBRI_RT_ST: char(2)
SBRI_RT_CNTY: char(3)
SBRI_RT_AREA: char(8)
SBRI_RT_SIC: char(8)
PDBL_TYPE: char(1)
SBRI_MR_ENTL_CD: char(1)
SBRI_LOCK_TOKEN: smallint PDBL_ID: char(4) SBRI_COV_FROM_DT: datetime SBST_REF_ID: char(9) SBRI_COV_THRU_DT: datetime
SBRC_PRDA_IND: char(1)
SBRC_MEDI_IND: char(1)
SBRC_DFLT_NBNF_IND: char(1)
SBRC_MRAC_CAT_MIDC: char(4)
SBRC_RSK_ADJ_FCTRA: int
SBRC_RSK_ADJ_FCTRB: int SYIN_INST: int SBST_CREATE_DTM: datetime SBST_TYPE: char(1) SBST_STS: char(2) USUS ID: char(10) SBST_CHG_EFF_DT: datetime GRGR_CK: int SBST_SGSG_CK_FROM: int SBRC_PRTA_CHC_PREM: money SBRC_PRTB_CHC_PREM: money SBST_SGSG_CK_TO: int SBSG_MCTR_TRSN: char(4) SBST_ID_CARD_IND: char(1) SBST_SB_SEL_CNT: int SBRC_PRTA_NET_PREM: money SBRC PRTB NET PREM: money SBRC LOCK TOKEN: smallint SBST_PROC_CNT: int

SBST_ERR_CNT: int SBST_LOCK_TOKEN

ATXR_SOURCE_ID: datetime

TOKEN: smallint

Facets Member/Subscriber Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Plexible Spending Account tables: ile is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_SBFS_FSA_ACCUM

SBSB_CK: int SBFS_PLAN_YEAR_DT: datetime SBFS_FSA_TYPE: char(01) SBFS_EFF_DT: datetime

SBFS_TERM_DT: datetime
GRGR_CK: int
SBFS_SUBMIT_IND: char(01)
SBFS_EE_PLDG_AMT: money
SBFS_EE_PLDG_AMT: money
SBFS_EE_CNTRB_YTD: money
SBFS_EE_CNTRB_YTD: money
SBFS_ER_CNTRB_YTD: money
SBFS_PAID_YTD_AMT: money
SBFS_PAID_YTD_AMT: money
SBFS_FSA_CARD_AMT: money
SBFS_FSA_CARD_AMT: money
SBFS_PAY_HOLD_IND: char(1)
SBFS_PAID_CUR_AMT: money
SBFS_CARD_CUR_AMT: money
SBFS_CARD_CUR_AMT: money
SBFS_MCTR_CRSN: char(4)
SBFS_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SBFS_PRO_AMT_NVL: money
SBFS_PRO_MAX_AMT_NVL: money
SBFS_FY_PRO_PD_NVL: money

CMC SBFT FSA CNTRB

SBSB_CK: int SBFS_PLAN_YEAR_DT: datetime SBFS_FSA_TYPE: char(1) SBFT_TXN_DT: datetime SBFT_SEQ_NO: smallint

GRGR_CK: int
SBFT_PROCESS_DTM: datetime
SBFT_INPUT_SOURCE: char(01)
SBFT_EE_CNTRB_AMT: money
SBFT_ER_CNTRB_AMT: money
SBFT_MCTR_CRSN: char(04)
SBFT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_DCAT_CDH_ACC
DCAT_ID: numeric(18,0)

SBSB_CK: int
MEME_CK: int
DCAT_TRANS_TYPE: char(4)
CSPD_CAT: char(1)
DCAT_PLAN_YR_DT: datetime
DCAT_EFF_DT: datetime
HSAI_ACC_SFX: char(4)
SBFS_FSA_TYPE: char(1)
GRDC_PFX: char(4)
DCAT_CLAIM_AMT: money
DCAT_FAM_BAL: money
DCAT_FAM_BAL: money
DCAT_IND_TRANS_BAL: money
DCAT_IND_TRANS_BAL: money
DCAT_SOURCE: char(1)
DCAT_SOURCE: char(1)
DCAT_SOURCE: char(2)
DCAT_STS: char(2)
DCAT_STS: char(2)
DCAT_STS: char(2)
DCAT_STS: char(2)
DCAT_STS_DTM: datetime
DCAT_CREAT_USUS_ID: char(10)
DCAT_CREAT_USUS_ID: char(10)
DCAT_CREAT_USUS_ID: char(10)
DCAT_CREAT_DTM: datetime
DCAT_CLLECT_DTM: datetime
DCAT_VNDR_ERR_CD: varchar(10)
DCAT_VNDR_ERR_DESC: varchar(70)
DCAT_ADDL_DATA: varchar(255)
DCAT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC DCTI IMP ACCUM

DCTI_ID: numeric(18,0)

DCTI_ACCT_TYPE_CD: char(3)
DCTI_SSN: char(9)
DCTI_CARDHOLDER ID: varchar(50)
DCTI_DEBT_CARD_NO: varchar(256)
DCTI_FROM_DT: datetime
DCTI_TD_DT: datetime
DCTI_IND_DT: datetime
DCTI_IND_BS_AMT: money
DCTI_IND_PREAU_BAL: money
DCTI_FAM_DISB_AMT: money
DCTI_FAM_AVAIL_BAL: money
DCTI_FAM_PREAU_BAL: money
DCTI_FAM_DISB_AMT: money
DCTI_EMPLOYER_ID: char(12)
DCTI_MERCH_NAME: varchar(70)
DCTI_MERCH_NAME: varchar(4)
DCTI_NOTE: varchar(70)
DCTI_SETTLE_DT: datetime
DCTI_TRNS_DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_PLN_YR_BEG_DT: datetime
DCTI_PLN_YR_BEG_DT: datetime
DCTI_PLN_YR_BCT_INCATE(50)
DCTI_STS: char(2)
DCTI_STS: char(2)
DCTI_STS: DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_TRNS_CD: varchar(50)
DCTI_STS_DTM: datetime
DCTI_TRNS_CD: varchar(10)
PITM_TICKET_NO: char(36)
DCTI_MCTR_CNCL_RSN: char(4)
DCTI_DEPENDENT_ID: varchar(50)
DCTI_DEPENDENT_ID: varchar(50)
DCTI_LDUCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

TELADOC TABLES

CMC_GRTI_TELADOC

GRGR_CK: int GRTI_EFF_DT: datetime

GRTI_TERM_DT: datetime GRTI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) CMC SGTI TELADOC

SGSG_CK: integer SGTI_EFF_DT: datetime

SGTI_TERM_DT: datetime GRGR_CK: int SGTI_TELADOC_IND: char(1) SGTI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC_DCXT_EXT_ACCUM

DCTI_ID: numeric(18,0) (FK)

SBSB_CK: int
MEME_CK: int
DCXT_TRANS_TYPE: char(4)
DCXT_PLAN_YR_DT: datetime
HSAI_ACC_SFX: char(4)
SBFS_FSA_TYPE: char(1)
CSPD_CAT: char(1)
GRDC_PFX: char(4)
DCTI_FROM_DT: datetime
DCTI_DEBT_CARD_NO: varchar(256)
DCTI_TRNS_DTM: datetime
DCTI_TRNS_DTM: datetime
DCTI_SEQ_NO: int
DCTI_MERCH_TYPE_CD: char(4)
DCTI_MERCH_TYPE_CD: char(4)
DCTI_MERCH_NAME: varchar(70)
DCTI_ADJ_TRNS_STS: varchar(30)
DCXT_IND_CUR_BAL: money
DCXT_FAM_CUR_BAL: money
DCXT_CREATE_DTM: datetime
DCXT_ADDL_DATA: varchar(255)
DCXT_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Patient Centered Medical Home Tables

CMC_MEPV_PROV

MEME_CK: int MEPV_MCTR_PTYP: char(4) MEPV_EFF_DT: datetime

MEPV_TERM_DT: datetime
MEPV_MCTR_TRSN: char(4)
GRGR_CK: int
PRPR_ID: char(12)
MEPV_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC MEPK RISK

MEME_CK: int MEPK_MCTR_RTYP: char(4) MEPK_EFF_DT: datetime

MEPK_TERM_DT: datetime
MEPK_MCTR_TRSN: char(4)
GRGR_CK: int
MEPK_RISK_SCORE: int
MEPK_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_WQ34_WORK_QUE

WQ34_ROW_ID: numeric(10,0)

MEME_CK: int
AS_OF_DATE: datetime
ELIG_DATE_IND: character(1)

Constant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. CMC_MEMI_MECR_INTF

MEME_CK: int (FK)
MEMI_SEQ_NO: smallint

GRGR_CK: int
MEMI_INTF_STS: char(2)
MEMI_LAST_UPD_DT: datetime
MEMI_SOURCE_IND: char(1)
MEMI_BATCH_ID: char(6)
MEMI_TXN_CD: char(2)
MEMI_TXN_EFT_DT: datetime
MEMI_MCTR_MCST: char(4)
MEMI_MCTR_MCST: char(4)
MEMI_MCTR_MCST: char(4)
MEMI_MCTR_MCST: char(4)

MEMI_MCTR_MCCT: char(4)
BGBG_ID: char(8)
USUS_ID: char(10)
MEMI_MCTR_RSN: char(4)
MEMI_SIG_DT: datetime
MEMI_ELECT_TYPE: char(1)
MEMI_MCTR_PBP: char(4)
MEMI_EGHP_IND: char(1)
MEMI_SEGMENT_ID: char(3)
MEMI_PRIOR_COM_OVR: char(1)
MEMI_PREM_WH_OPT: char(1)
MEMI_PREM_WH_OPT: char(1)
MEMI_PRTC_PREM: money
MEMI_PRTD_PREM: money
MEMI_PRTO_COM_UND: char(1)

MEMI_PRTD_PREM: money
MEMI_CRED_COV_IND: char(1)
MEMI_UNCOV_MOS: smallint
MEMI_UNCOV_MOS: smallint
MEMI_RX_ID: varchar(20)
MEMI_MCTR_RX_GROUP: char(4)
MEMI_MCTR_RXBIN: char(4)
MEMI_MCTR_RXPCN: char(4)
MEMI_ENRL_OVRD: char(1)
MEMI_COB_IND: char(1)
MEMI_COB_IND: char(1)
MEMI_COB_RX_ID: varchar(20)
MEMI_COB_RX_GROUP: varchar(15)
MEMI_COB_RX_BIN: char(6)
MEMI_COB_RXPON: char(10)

MEMI_COB_RXBIN: char(6)
MEMI_COB_RXPCN: char(10)
MEMI_ENRI_SOURCE: char(1)
MEMI_MSP_CD: char(1)
MEMI_TRACK_ID: varchar(15)
MEMI_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
MEMI_FROM_CONTRACT_NVL: char(5)
MEMI_FROM_PBP_NVL: char(3)
MEMI_C_STS_NVL: char(1)
MEMI_IC_STS_NVL: char(2)
MEMI_IC_END_DT_NVL: datetime
MEMI_IC_TRSN_NVL: char(2)

CMC_RCNH_IHS_RECON_HIST

MEME_CK: int
RECN_ACTIVE_DT: datetime
RECN_CHANGE_DT: datetime
RECN_SNAP_DT: datetime

RECN_BGBG_ID: char(5)
RECN_MEME_HICN: char(12) RECN_MEME_HICN: char(12)
RECN_SBSB_ID: char(9)
RECN_MEME_SFX: char(3)
RECN_SUPP_ID: char(15)
RECN_MEME_FIRST_NAME: char(20)
RECN_MEME_FIRST_NAME: char(15)
RECN_MEME_SEX: char(1)
RECN_MEME_BIRTH_DT: char(8)
RECN_MEMD_MCTR_MCST: char(2)
RECN_MEMD_MCTR_MCCT: char(3)
RECN_SBAD_ADDR1: char(20)
RECN_SBAD_ADDR2: char(20)

RECN_SBAD_ADDR1: char(20)
RECN_SBAD_ADDR2: char(20)
RECN_SBAD_CITY: char(20)
RECN_SBAD_STATE: char(2)
RECN_SBAD_SIP: char(5)
RECN_SBAD_PHONE: char(20)
RECN_PARTA: char(1)
RECN_PARTB: char(1)
RECN_POSPICE: char(1)

RECN_HOSPICE: char(1) RECN_ESRD: char(1) RECN_WKAG: char(1) RECN_INST: char(1) RECN_NHC: char(1)

RECN_MDCD: char(1)
RECN_MDCD_ADD: char(1)

RECN_MDCD_ADD: char(1)
RECN_PIP: char(2)
RECN_CHF_ONE: char(1)
RECN_CHF_TWO: char(1)
RECN_CHF_TWO: char(1)
RECN_EMED_MCTR_PBP: char(3)
RECN_ENROLL: char(1)
RECN_LIVING: char(1)
RECN_MEME_SSN: char(9)
RECN_RECN_ECN_ECN_ECN_CAR(2)
RECN_DISABLED: char(1)
RECN_MEMD_SEGMENT_ID: char(3)
RECN_MEMD_SEGMENT_ID: char(3)
RECN_MEMD_ENRL_SOURCE: char(1)
RECN_MEMD_ENRL_SOURCE: char(1)
RECN_EGHP: char(1)

RECN_MEMD_EINN_GOUNCE. drai(1)
RECN_MEMD_PRTC_PREM: char(8)
RECN_MEMD_PREM_WH_OPT: char(3)
RECN_MEMD_PREM: char(6)
RECN_LATE_ENRL: char(1)

RECN_MEMD_UNCOV_MOS: char(3)
RECN_MEMD_PARTD_SBSDY: char(3)

RECN_LTII: char(1)

RECN_MEMD_RA_PRID_ECTR: char(7)

CMC_RCNT_IHS_RECON_TEMP MEME_CK: int RECN_ACTIVE_DT: datetime RECN_CHANGE_DT: datetime RECN_SNAP_DT: datetime

RECN_BGBG_ID: char(5)
RECN_MEME_HICN: char(12)
RECN_SBSB_ID: char(9)
RECN_MEME_SFX: char(3)
RECN_SUPP_ID: char(15)
RECN_MEME_LAST_NAME: char(20)
RECN_MEME_LAST_NAME: char(15)
RECN_MEME_SEX: char(1)
RECN_MEME_SEX: char(1)
RECN_MEME_BIRTH_DT: char(8)
RECN_MEMD_MCTR_MCST: char(2)
RECN_MEMD_MCTR_MCCT: char(3)
RECN_MEMD_MCTR_MCCT: char(3)

RECN_MEMD_MCTR_MCCT: ch RECN_SBAD_ADDR1: char(20) RECN_SBAD_ADDR2: char(20) RECN_SBAD_CITY: char(20) RECN_SBAD_STATE: char(2) RECN_SBAD_ZIP: char(5) RECN_SBAD_PHONE: char(20) RECN_PARTA: char(1)

RECN_PARTB: char(1)
RECN_HOSPICE: char(1)

RECN_HOSPICE: char(1)
RECN_ESRD: char(1)
RECN_WKAG: char(1)
RECN_INST: char(1)
RECN_INC: char(1)
RECN_MCD: char(1)
RECN_MDCD: char(1)
RECN_MDCD_ADD: char(1)
RECN_PIP: char(2)
RECN_CHF_ONE: char(1)
RECN_CHF_TWO: char(1)
RECN_CHF_THREE: char(1)
RECN_CHF_THREE: char(1)
RECN_ENROLL: char(1)
RECN_ENROLL: char(1)
RECN_LIVING: char(1)

RECN_ENROLL: char(1)
RECN_LIVING: char(1)
RECN_MEME_SSN: char(9)
RECN_RA_TYPE: char(2)
RECN_DISABLED: char(1)
RECN_MEMD_SEGMENT_ID: char(3)
RECN_MEMD_ENRL_SOURCE: char(1)
RECN_EGHP: char(1)
RECN_MEMD_PRTC_PREM: char(8)
RECN_MEMD_PRTC_PREM: char(3)
RECN_MEMD_PRTC_PREM: char(6)
RECN_MEMD_PRTD_PREM: char(6)
RECN_MEMD_PRTD_PREM: char(6)

RECN_LATE_ENRL: char(1)
RECN_MEMD_UNCOV_MOS: char(3)

RECN_MEMD_PARTD_SBSDY: char(3)
RECN_LTII: char(1)
RECN_MEMD_RA_PRTD_FCTR: char(7)

CMC_MEMD_MECR_DETL

MEME_CK: int (FK)
MEMD_EVENT_CD: char(4)
MEMD_HCFA_EFF_DT: datetime

GRGR_CK: int
MEMD_HCFA_TERM_DT: datetime
MEMD_INPUT_DT: datetime
MEMD_EVENT_EFF_DT: datetime
MEMD_EVENT_EFF_DT: datetime
MEMD_EVENT_TERM_DT: datetime
MEMD_MCTR_MCCT: char(4)
MEME_HICN: char(12)
BGBG_CK: int
MRAC_CAT: char(4)
MEMD_RA_PRTA_FCTR: int
MEMD_RA_PRTB_FCTR: int
MEMD_SIG_DT: datetime
MEMD_ELECT_TYPE: char(1)
MEMD_MCTR_PBP: char(4)
MEMD_SIG_META_FCTR: int
MEMD_SIG_META_FCTR: int
MEMD_MCTR_PBP: char(4)
MEMD_MCTR_PBP: char(3)
MEMD_RA_PRTD_FCTR: int
MEMD_RA_PRTD_FCTR: int
MEMD_RA_PRTD_FCTR: int GRGR_CK: int MEMD_RA_PRTD_FCTR: int
MEMD_RA_FCTR_TYPE: char(2)
MEMD_PREM_WH_OPT: char(1)
MEMD_PRTC_PREM: money
MEMD_PRTD_PREM: money
MEMD_PRTD_PREM: money
MEMD_PRTO_COM_OVR: char(1)
MEMD_ENRL_SOURCE: char(1)
MEMD_ENRL_SOURCE: char(1)
MEMD_MCTR_RX_GROUP: char(4)
MEMD_MCTR_RXBIN: char(4)
MEMD_MCTR_RXPGN: char(4) MEMD_MCTR_RXPCN: char(4)
MEMD_COB_IND: char(1)
MEMD_COB_RX_ID: varchar(20)
MEMD_COB_RX_GROUP: varchar(15)

MEMD_COB_RX_GROUP: varchar MEMD_COB_RXBIN: char(6) MEMD_COB_RXPCN: char(10) MEMD_PARTD_SBSDY: char(3) MEMD_COPAY_CAT: char(1) MEMD_LICS_SBSDY: money MEMD_LATE_PENALTY: money MEMD_LATE_WAIV_AMT: money MEMD_LATE_SBSDY: money MEMD_LATE_SBSDY: money

MEMD_LATE_SBSDY: money
MEMD_MSP_CD: char(1)
MEMD_RAD_FCTR_TYPE: char(02)
MEMD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
MEMD_IC_FLAG_NVL: char(01)
MEMD_IC_STS_NVL: char(02)
MEMD_IC_TRSN_NVL: char(02)

CMC_MERW_RWD_ACCUM

MEME_CK: int

MERW_CUR_YEAR: datetime
MERW_YR1_AMT: money
MERW_YR1_HRES_AMT: money
MERW_YR1_RWDCO_AMT: money
MERW_YR1_BONCO_AMT: money
MERW_YR1_BONCO_AMT: money
MERW_YR1_BONCO_AMT: money
MERW_YR1_BONUS_AMT: money
MERW_YR1_BONUS_AMT: money
MERW_YR2_AMT: money
MERW_YR2_AMT: money
MERW_YR2_RWDCO_AMT: money
MERW_YR2_BONCO_AMT: money
MERW_YR2_BONUS_AMT: money
MERW_YR2_BONUS_AMT: money
MERW_YR2_BONUS_AMT: money
MERW_YR3_AMT: money
MERW_YR3_AMT: money
MERW_YR3_HRES_AMT: money
MERW_YR3_BONCO_AMT: money
MERW_YR3_BONCO_CUNT: money
MERW_YR3_OON_COUNT: money
MERW_YR3_OON_COUNT: money
MERW_YR3_OON_COUNT: money
MERW_YR3_OON_COUNT: money
MERW_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime MERW CUR YEAR: datetime ATXR_SOURCE_ID: datetime

CDS_TRPR_TR_PREPRO

TRPR_KEY_ID: char(12) PZAP_APP_ID: char(4) GRGR_ID: char(8) SBSB_ID: char(9) MEME_SFX: smallint

TRPR WEIGHT: int TRPR_ROW_ID: numeric(10,0)
TRPR_STS: char(2)
TRPR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

2000 - 2018 Cognizant TriZetto Software Group Inc. All rights reserved. Confidential and Trade Secret Materials.

CDS_METR_TRAN_RPLY

SYIN_INST: int METR_HICN: char(12) METR_TR_REPLY: char(3)
METR_TR_TYPE: char(2)
METR_SEQ_NO: int

METR_ENT_TYPE: char(1) GRGR_ID: char(8) SBSB_ID: char(9)
MEME_SFX: smallint MEME_SFX: smallint
CSCS_ID: char(4)
CSPI_ID: char(8)
PDPD_ID: char(8)
MEME_LAST_NAME: varchar(35)
METR_LAST_NAME: char(12)
MEME_FIRST_NAME: varchar(15)
METR_FIRST_NAME: char(7) METR_FIRST_NAME: char(7 MEME_MID_INIT: char(1) METR_MID_INIT: char(1) MEME_SEX: char(1) MEME_SEX: char(1) MEME_BIRTH_DT: datetime MEME_BIRTH_DT: datetime MEMD_MDCD_IND: char(1) MEMD_MDCD_IND: char(1)
METR_MDCD_IND: char(1)
BGBG_ID: char(8)
MEMD_MCTR_MCST: char(2)
METR_MCST: char(2)
MEMD_MCTR_MCCT: char(3) METR_MCST: char(2)

MEMD_MCTR_MCCT: char(3)

METR_MCCT: char(3)

MEMD_DABL_IND: char(1)

METR_DABL_IND: char(1)

MEMD_HSP_IND: char(1)

MEMD_HSP_IND: char(1)

MEMD_INST_NHC_IND: char(1)

METR_INST_NHC_IND: char(1)

METR_INST_NHC_IND: char(1)

METR_ESRD_IND: char(1)

METR_ESRD_IND: char(1)

MEMD_HCFA_EFF_DT: datetime

METR_MCFA_EFF_DT: datetime

METR_MCFA_EFF_DT: datetime

METR_MCTR_PBP: char(3)

MEMD_MCTR_PBP: char(3)

MEMD_MCTR_PBP: char(3)

MEMD_PBP_TERM_DT: datetime

METR_MCTR_EST_DT: datetime

METR_PBP_EFF_DT: datetime

METR_PBP_EFF_DT: datetime

METR_PBP_EFF_DT: datetime

METR_PROR_FFF_DT: datetime

METR_PROR_EFF_DT: datetime

METR_NEW_HICN: char(12) METR_PRIOR_EFF_DI: datetime
METR_NEW_HICN: char(12)
MEMD_DEATH_ST_DT: datetime
METR_DEATH_ST_DT: datetime
MEMD_HSPC_ST_DT: datetime
METR_HSPC_ST_DT: datetime
MEMD_HSPC_END_DT: datetime
METR_HSPC_END_DT: datetime

MEMD_ESRD_ST_DT: datetime METR_ESRD_ST_DT: datetime MEMD_ESRD_END_DT: datetime MEMD_ESRD_END_DT: datetime
METR_ESRD_END_DT: datetime
MEMD_INNH ST_DT: datetime
METR_INNH_ST_DT: datetime
METR_INNH_END_DT: datetime
MEMD_MNH END_DT: datetime
MEMD_MDCD_ST_DT: datetime
MEMD_MDCD_ST_DT: datetime
MEMD_MDCD_END_DT: datetime
MEMD_MDCD_END_DT: datetime
METR_MDCD_END_DT: datetime
MEMD_PRTA_END_DT: datetime
MEMD_PRTA_END_DT: datetime
MEMD_WKAG_ST_DT: datetime
MEMD_WKAG_ST_DT: datetime
MEMD_WKAG_END_DT: datetime
MEMD_WKAG_END_DT: datetime
MEMD_WKAG_END_DT: datetime
METR_WKAG_END_DT: datetime

MEMD_WKAG_END_DT: datetime
METR_WKAG_END_DT: datetime
METR_PRTA_RI_DT: datetime
MEMD_PRTB_END_DT: datetime
MEMD_PRTB_END_DT: datetime
METR_PRTB_END_DT: datetime
METR_PRTB_RI_DT: datetime
MEMD_SCC: char(5)
METR_SCC: char(5)
METR_SOCC: char(3)
METR_DOC: char(3)
METR_SOURCE_ID: char(3)
MEMD_SIG_DT: datetime
METR_SIG_DT: datetime
METR_SIG_DT: datetime
METR_OOA_IND: char(1)
MEMD_SEGMENT_ID: char(3)
METR_SEGMENT_ID: char(3)

MEMD_SEGMENT_ID: char(3)
METR_SEGMENT_ID: char(3)
MEMD_PRTC_PREM: money
MEMD_PRTD_PREM: money
MEMD_PRTD_PREM: money
MEMD_PRTD_PREM: money
MEMD_ELECT_TYPE: char(1)
METR_ELECT_TYPE: char(1)
MEMD_ENTL_SOURCE: char(1)
MEMD_ENTL_SOURCE: char(1)
MEMD_PDOO: char(1)
MEMD_PDOO: char(1)

MEMD_PDOO: char(1)
METR_PDOO: char(1)
MEMD_PREM_WH_OPT: char(1)
METR_PREM_WH_OPT: char(1)
MEMD_UNCOV_MOS: smallint
MEMD_CRCO: char(1)
METR_CRCO: char(1)
MEMD_ESCO: char(1)

MEMD_ESEO: char(1)

Facets Member/Subscriber Data Model - 5.50.004

RECN_ADDL_DATA: varchar(255)
RECN_LOCK_TOKEN: smallint

RECN_MEMD_RA_PRTD_FCTR: char(1)
RECN_MSP_IND: char(1)
RECN_COPAY_CAT: char(1)
RECN_LATE_WAIVE_AMT: char(8)
RECN_LATE_WAIVE_AMT: char(8)
RECN_ADDI_DATA: varchar(255)
RECN_ADDI_DATA: varchar(255) RECN LOCK TOKEN: smallint

CDS_METV_TRAN_VBTM

SYIN_INST: int METV_HICN: char(12) METV_SEQ_NO: int

METV_LAST_NAME: char(12) METV_FIRST_NAME: char(7) METV_FIRST_NAME: char(1)
METV_MID_INIT: char(1)
METV_SEX: char(1)
METV_BIRTH_DT: datetime
METV_REC_TYPE: char(1)
BGBG_ID: char(8) METV_TEXT1: varchar(100) METV_TEXT2: varchar(100) METV_TEXT3: varchar(100)
METV_TEXT3: varchar(100)
METV_TEXT4: varchar(100)
METV_TEXT5: varchar(26)
METV_STATUS: char(01)
METV_SYSTEM_ID: varchar(11) METV_TRACK_ID: varchar(15)
METV_ADDL_DATA: varchar(25!
METV_LOCK_TOKEN: smallint

CMC_SBSD_SPLT_DTL

SBSB_CK: int (FK)
SBSP_EFF_DT: datetime (FK)
CSPD_CAT: char(1) (FK)
SBSD_SPLT_TO_IND: char(1) SBSD_SEQ_NO: smallint

BGBG_CK: int SBSD_SPLT_PCT: int SBSD_MCTR_STYP: char(4) SBSD_SPLT_RMNDR_CD: char(1)
SBSD_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CMC_MEAR_ADDR_RES

CMC_SBSP_SPLT_PREM

SBSB_CK: int SBSP_EFF_DT: datetime CSPD_CAT: char(1)

SBSP TERM DT: datetime GRGR_CK: int

SBSP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

MEME_CK: int MEMI_SEQ_NO: smallint

MEAR_EFF_DT: datetime MEAR_ACTION: char(1) MEAR_TERM_DT: datetime MEAR_ADDR1: varchar(65) MEAR_ADDR2: varchar(65) MEAR_CITY: varchar(57) MEAR_STATE: char(2) MEAR_ZIP: varchar(11)
MEAR_ADDL_DATA: varchar(255) MEAR_LOCK_TOKEN: smallint

CDS MET2 EXTN METR

SYIN_INST: int METR HICN: char(12) METR_TR_REPLY: char(3) METR TR TYPE: char(2) METR_SEQ_NO: int


MET2_APP_DT_IND: char(1)
MET2_TRC_SHORT: varchar(15)
MET2_SYSTEM_ID: varchar(11)
MET2_TRACK_ID: varchar(15)
MET2_LOCK_TOKEN: smallint
METR_DRC_NVL: char(2) METR_DRC_NVL: char(2)
METR_FADOOF_NVL: char(1)
MET2_CLEANUP_ID_NVL: char(10)
MET2_POSDE_FLAG_NVL: char(1)
MET2_POSDE_STS_NVL: char(1)
MET2_POSDE_CLS_NVL: char(3)
MET2_POSDE_CD_NVL: datetime
MET2_IMPLEM_DT_NVL: datetime
MET2_IMPLEM_DT_NVL: datetime
MET2_IMPLEM_DT_NVL: datetime MET2_IMPLEM_DT_NVL: datetime
MET2_POSTM_DT_NVL: datetime
MET2_ADDL_DATA_NVL: varchar(255)
MET2_NOTIFY_CD_NVL: char(3)
MET2_TRC_END_DT_NVL: datetime
MET2_UNCOV_MOS_INC_NVL: shar(13)
MEMD_IC_END_DT_NVL: datetime
MET2_IC_END_DT_NVL: datetime
MET2_IC_END_DT_NVL: datetime
MET2_IC_END_DT_NVL: datetime
MET2_IC_MODEL_TYPE_NVL: char(2)
MEMD_IC_TRSN_NVL: char(2)
MEMD_IC_TRSN_NVL: char(2) MET2_IC_TRSN_NVL: char(2) MEMD_IC_STS_NVL: char(2) MET2_IC_STS_NVL: char(2) MET2_MDCD_MOS_DT_NVL: datetime

MET2_CRAF_STS_NVL: char(1)

METR_COB_RX_ID: varchar(20) MEMD_COB_RX_GROUP: varchar(15) MEMD_COB_RX_GROUP: Varchar(15)
METR_COB_RX_GROUP: varchar(15)
MEMD_EGHP: char(1)
METR_EGHP: char(1)
MEMD_PARTD_SBSDY: char(3)
METR_PARTD_SBSDY: char(3) METR_PARTD_SBSDY: char(3)
MEMD_COPAY_CAT: char(1)
METR_COPAY_CAT: char(1)
MEMD_LICS_EFF_DT: datetime
METR_LICS_EFF_DT: datetime
MEMD_LICS_SBSDY: money METR_LICS_SBSDY: money
MEMD_LATE_PENALTY: money METR_LATE_PENALTY: money
MEMD_LATE_WAIV_AMT: money
METR_LATE_WAIV_AMT: money MEMD_LATE_SBSDY: money METR_LATE_SBSDY: money MEMD_RXBIN: char(6) METR_RXBIN: char(6) METR_RXBIN. CHar(9)
MEMD_RXPCN: char(10)
METR_RXPCN: char(10)
MEMD_RX_GROUP: varchar(15)
MEMD_RX_GROUP: varchar(15)
MEMD_RX_ID: varchar(20) MEMD_RX_ID: varchar(20)
METR_RX_ID: varchar(20)
MEMD_COB_RXBIN: char(6)
METR_COB_RXBIN: char(6)
MEMD_COB_RXPCN: char(10)
METR_COB_RXPCN: char(10)
METR_GOB_RXPCN: char(10)
METR_JI_CHG: char(12)
METR_UI_CHG: char(1)
METR_UI_CRG: char(2)
METR_PREV_CONPBP: char(8)
METR_TRANS_DTM: datetime METR_TRANS_DTM: datetime
METR_STS: char(2)
METR_DEMINIMIS_AMT: money METR_PRIC_MOD: money
MEMD_MSP_CD: char(1)
METR_MSP_CD: char(1)
METR_LICS_TERM_DT: datetime
METR_LICS_SOURCE: char(1) METR_PBP_LEVEL: char(1)
METR_ADDL_DATA: varchar(255) METR_LOCK_TOKEN: smallint


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 10 of 12



This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 11 of 12



CMC_MAME_MASTER

MAME_CK: int

MAME_ID: character(20) MAME_STS: char(2)
MAME_STS_DTM: datetime MAME_ID_NAME: char(6) MAME_LAST_NAME: varchar(60)
MAME_FIRST_NAME: varchar(35)
MAME_MIDDLE_NAME: varchar(25)
MAME_MID_INIT: char(1) MAME_MAIDEN_NAME: varchar(60)
MAME_PATERNAL_NAME: varchar(60)
MAME_MATERNAL_NAME: varchar(60) MAME_TITLE: varchar(10) MAME_TITLE2: varchar(10) MAME_SEX: char(1)
MAME_BIRTH_DT: datetime MAME_DEATH_DT: datetime
MAME_SSN: char(9)
MAME_RECORD_NO: varchar(11) MAME_HICN: varchar(12) MAME_MEDCD_NO: varchar(20) MAME_MEDGE_NO. Valcha(22)
MAME_FAM_LINK_ID: varchar(12)
MAME_HIST_LINK_ID: char(12)
MAME_HEALTH_ID: varchar(80)
MAME_LAST_NAME_XLOW: char(8)
MAME_MCTR_LANG: char(4) MAME_MARITAL_STATUS: char(1) MAME_CELL_PHONE: varchar(20) MAME_MCTR_RACE: char(4)
MAME_MCTR_ETHN: char(4)
MAME_CITIZEN_IND: char(1) MAME_MCTR_TYP1: char(4) MAME_MCTR_TYP2: char(4) MAME_MCTR_TYP3: char(4)
MAME_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC MLAL ACCUMS

MEME_CK: int PDPD_ACC_SFX: char(4) LALT_ID: char(3) MLAL_EFF_DT: datetime

MLAL_TERM_DT: datetime MLAL_TERM_DT: datetime
MLAL_AMOUNT: money
MLAL_AMOUNT_USED: money
MLAL_AMOUNT_USED: money
MLAL_CREATE_DTM: datetime
MLAL_LAST_USUS_ID: varchar(10)
MLAL_LAST_UPD_DTM: datetime
MLAL_MCTR_RSN: char(4)
MLAL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CMC_MLCL_ACCUMS


MEME_CK: int PDPD_ACC_SFX: char(4) LCAT_ID_EXCLUDED: char(3) LCAT_ID_CONSUMED: char(3)
MLCL_EFF_DT: datetime

MLCL_TERM_DT: datetime
MLCL_LAST_USUS_ID: varchar(10)
MLCL_LAST_UPD_DTM: datetime
MLCL_MCTR_RSN: char(4) MLCL_CREATE_DTM: datetime MLCL_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

Facets Member/Subscriber Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 12 of 12



CMC_MMEQ_WORK_QUE

MMEQ_ROW_ID: numeric(10,0)
SYIN_INST: int
MEME_HICN: char(12)
BGBG_ID: char(8)
BGBG_CK: int
SBSB_ID: char(9)
MEME_SFX: smallint
MEME_CK: int


Networx Pricer (Facets Client) Data Model

Networx Pricer (Facets Client) Data Model - 5.50.004 NWX_NAPC_AMB_PMT_This FileWix_NDRG_DRG_WGTOf Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] NAPC_PROCEDURE_CD: char(5) Page 1 of 5 NDRR_PRPR_ID: char(12) NDRR_EFF_DT: datetime NAPC_PROCEDURE_CD: char(5) NAPC_YEAR_APPLIED: int NCST_SOURCE_TYPE: varchar(2) NDRG_DRG: varchar(30) NDRG_YEAR_APPLIED: char(4) NWX NAPW APC WGT NCST_SOURCE_TYPE: char(2) NAPW_APC_NUMBER: int NAPW_YEAR_APPLIED: int NCST_SOURCE_TYPE: varchar(02) NAPC EFF DT: datetime NCST_SOURCE_TYPE: varchar(2) NDRG_EFF_DT: datetime NDRR HOSP NAME: varchar(50) NAPC_APC_NUMBER: int NAPC_TERM_DT: datetime NAPC_USER_DEFINED: char(1) NDRR_CASE_RATE: number(11,2) NDRR_TT_RATE: numeric(11,2) NDRG_MDC: varchar(2) NDRG_MED_SURG_IND: char(1) NAPW_EFF_DT: datetime NDRR_GME_RATE: numeric(11,2) NDRR_GME_TT_RATE: numeric(11,2) NDRR_LS_RATE: numeric(11,2) ATXR SOURCE ID: datetime NDRG_FLAG: char(1) NDRG_DESC: varchar(70) NAPW_DESC: varchar(80) NAPW_STATUS_IND: char(2) NAPC_LOCK_TOKEN: smallint NAPC_CREATE_DTM: datetime NDRR_LSGME_RATE: numeric(11,2) NDRR_CAP_RATE: numeric(11,2) NDRG_RELATIVE_WGT: numeric(14,5) NDRG_GEO_MEAN: numeric(13,4) NAPW_RELATIVE_WGT: numeric(13,4) NAPW_PAYMENT_RATE: numeric(13,4) NAPC_MODIFY_DTM: datetim NAPC_CREATE_BY: char(10) NDRR_CAP_LO_RATE: numeric(11,2) NDRR_TERM_DT: datetime NAPW_TERM_DT: datetime ATXR_SOURCE_ID: datetime NAPW_LOCK_TOKEN: smallint NAPW_USER_DEFINED: char(1) NAPW_CREATE_DTM: datetime NDRG ARITH MEAN: numeric(13.4) NAPC_MODIFY_BY: char(10) NAPC_STATUS_IND: char(2) NDRG_TERM_DT: datetime NDRG_USER_DEFINED: char(1) NDRR_YEAR_APPL: numeric(4) NDRR_OP_CERT_NO: numeric(7) NDRR_LOCK_TOCKEN: smallint ATXR_SOURCE_ID: datetime ATXR_SOURCE_ID: datetime NDRG_LOCK_TOKEN: smallint NWX_NASG_AMB_SURG NDRG_DAY_HI_TRIM: int NDRG_DAY_HI_TRIM: int NDRG_CHG_HI_TRIM: numeric(12,4) NDRG_DAY_LO_TRIM: int NDRG_CHG_LO_TRIM: numeric(12,4) NAPW_MODIFY_DTM: datetime NAPW_CREATE_BY: char(10) NDRR CREATE BY: char(10) NASG PROCEDURE CD: char(5) NDRR_CREATE_DTM: datetime NDRR_MODIFY_BY: char(10) NDRR_MODIFY_DTM: datetime NASG_EFF_DT: datetime NAPW_MODIFY_BY: char(10) NCST_SOURCE_TYPE: varchar(02) NWX_NRCZ_RC_ZIP NDRG CREATE DTM: datetime NDRG_MODIFY_DTM: datetime NDRG_CREATE_BY: char(10) NASG NUMBER: char(2) NRCZ_ZIP_HIGH: char(5) NRCZ_EFF_DT: datetime NRCZ_ZIP_LOW: char(5) NRCZ_RVS_ID: char(3) NASG_GRP_PAY_RT: numeric(13,4) NASG_IOC_ALLOWANCE: numeric(13,4) NDRG_MODIFY_BY: char(10) NDRG_POST_ACT: char(1) NASG_YEAR_APPLIED: char(4) NASG_TERM_DT: datetime ATXR_SOURCE_ID: datetime NDRG_SPL_PAY: char(1) NCST_SOURCE_TYPE: varchar(2) NASG_LOCK_TOKEN: smallint NAPC_USER_DEFINED: char(1) NRCZ_TERM_DT: datetime NRCZ_GEO_ZIP_AREA: char(3) NRCZ_ZIP_DESC: varchar(40) NRCZ_ZIP_COV_AREA: varchar(40) NRCZ_CREATE_BY: char(10) NASG_CREATE_DTM: datetime NASG_MODIFY_DTM: datetime NASG CREATE BY: char(10) NASG_MODIFY_BY: char(10) NRCZ_CREATE_DTM: datetime NRCZ_MODIFY_BY: char(10) NRCZ_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRCZ_LOCK_TOKEN: smallint NWX_NRCR_RC_RVU NWX NCST SRC TYPE NCST_SOURCE_TYPE: varchar(2) NWX NRBN RBRV NAT NCST DESC: varchar(60) NRBN_YEAR_APPLIED: char(4) ATXR_SOURCE_ID: datetime NCST_LOCK_TOKEN: smallint NCST_SOURCE_TYPE: varchar(2) NRBN_EFF_DT: datetime NCST CREATE DTM: datetime NRBN_UPDATE_IND: char(01) NCST_MODIFY_DTM: datetime NCST_CREATE_BY: char(10) NCST_MODIFY_BY: char(10) NRBN_NAT_CONV_FCT: numeric(13,4) NRBN_TERM_DT: datetime NRBN_CREATE_BY: char(10) NRBN_CREATE_DTM: datetime NRBN MODIFY BY: char(10) NRBN_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRBN_LOCK_TOKEN: smallint NWX NRVP RVU PROC NRVP PROCEDURE CD: char(5) NASB EFF DT: datetime NRVP_EFF_DT: datetime NCST_SOURCE_TYPE: varchar(2) NRVP_TERM_DT: datetime NRVP_MED_RVU: numeric(12,4) NRVP_ANES_RVU: numeric(12,4) NRVP_PC_RVU: numeric(12,4) NASB CREATE DTM: datetime NRVP_TC_RVU: numeric(12,4) NRVP_STAR_PROC: char(1) NRVP_FOLLOWUP_DAYS: int NRVP_SOURCE: varchar(30) NRVP_VALUE_FLAG: char(10) NRVP_CREATE_BY: char(10) NRVP_CREATE_DTM: datetime NRVP_MODIFY_BY: char(10) NRVP_MODIFY_DTM: datetime ATRX SOURCE ID: datetime NRVP_LOCK_TOKEN: smallint NWX_NRCG_RC_GEO NWX_NRBR_RBRV_RVU NRCG GEO ZIP AREA: char(3) NRBR_YEAR_APPLIED: char(4) NRCG_CONV_FACT_ID: char(2) NRCG_PROC_LOW: char(5) NWX_NRBG_RBRV_GPCI NRBR RVS ID: char(3) NRBR_PROCEDURE_CD: char(5) NRBR_MODIFIER: char(2) NRCG_EFF_DT: datetime NCST_SOURCE_TYPE: varchar(2)

NRCR_RVS_ID: char(3) NRCR_PROCEDURE_CD: char(5) NRCR EFF DT: datetime NCST_SOURCE_TYPE: varchar(2) NRCR_TERM_DT: datetime NRCR_RVU: numeric(12,4) NRCR_SUBCODE: char(2) NRCR_MODIFIER: char(2) NRCR CREATE BY: char(10) NRCR_CREATE_DTM: datetime NRCR_MODIFY_BY: char(10) NRCR_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRCR LOCK TOKEN: smallint NWX_NASB_BASE_RATE NCST_SOURCE_TYPE: varchar(2) NASB_CARRIER_NO: varchar(5) NASB_LOCALITY_NO: varchar(5) NASB_TERM_DT: datetime NASB_BASE_RATE: numeric(9,2) NASB_CREATE_BY: varchar(20) NASB_MODIFY_DTM: datetime NASB_MODIFY_BY: varchar(20) NASB_LOCK_TOKEN: smallint ATRX SOURCE ID: datetime NWX_NRBZ_RBRV_ZIP NRBZ_ZIP_LOW: char(5) NRBZ_ZIP_HIGH: char(5) NRBZ_RVS_ID: char(3) NRBZ_EFF_DT: datetime NRBZ_YEAR_APPLIED: char(4) NCST_SOURCE_TYPE: varchar(2) NRBZ_ZIP_PLUS4_IND: varchar(1) NRBZ_CARRIER_NO: char(5) NRBZ_LOCALITY_NO: char(2) NRBZ_LTERM_DT: datetime NRBZ_CREATE_DYN: datetime NRBZ_CREATE_DYN: datetime NRBZ_MODIFY_DY: datetime ATRX_SOURCE_ID: datetime NRBZ_LOCK_TOKEN: smallint NRBG_YEAR_APPLIED: char(4) NRBG_CARRIER_NO: char(5) NRBG_LOCALITY_NO: char(2) NCST_SOURCE_TYPE: varchar(2) NCST_SOURCE_TYPE: varchar(2) NRCG_PROC_HIGH: char(5) NRCG_TERM_DT: datetime NRBR_STATUS: char(1) NRBR_DESC: varchar(35) NRBR_WORK_RVU: numeric(13,4) NRBR_NON_FAC_RVU: numeric(13,4) NRBR_FAC_RVU: numeric(13,4) NRBR_HAPRACT_RVU: numeric(13,4) NRBR_MALPRACT_RVU: numeric(13,4) NRBR_FAC_TOT_RVU: numeric(13,4) NRBR_FAC_TOT_RVU: numeric(13,4) NRBR_FAC_TOT_RVU: numeric(13,4) NRBR_GLOBAL_FEE_PD: char(3) NRBR_EFF_DT: datetime NRBR_TERM_DT: datetime NRBR_TERM_DT: datetime NRBR_CREATE_BY: char(10) NRBR_CREATE_DTM: datetime NRBR_CREATE_DTM: datetime NRBR_MODIFY_BY: char(10) NRBR STATUS: char(1) NRBG EFF DT: datetime NRCG_PCT_25: numeric(12,4) NRCG_PCT_30: numeric(12,4) NRCG_PCT_40: numeric(12,4) NWX_NRB4_RBRV_ZIP4 NRBG_GPCI_ID: int NRBG_LOCALITY_NAME: varchar(45) NRBG_WORK_GPCI: numeric(13,4) NRBG_PRACTICE_GPCI: numeric(13,4) NRBG_MALPRACT_GPCI: numeric(13,4) NRCG_PCT_40: numeric(12,4) NRCG_PCT_50: numeric(12,4) NRCG_PCT_60: numeric(12,4) NRCG_PCT_70: numeric(12,4) NRCG_PCT_75: numeric(12,4) NCST_SOURCE_TYPE: varchar(2) NRB4_YEAR_APPLIED: varchar(4) NWX_NRSN_RS_NOTE NRB4_ZIP: varchar(5) NRB4_ZIP_PLUS4: varchar(4) NRB4_EFF_DT: datetime NRBG_TERM_DT: datetime NRBG_CREATE_BY: char(10) NSRS RATE SHT ID: int NRCG_PCT_85: numeric(12,4) NRCG_PCT_80: numeric(12,4) NRCG_PCT_85: numeric(12,4) NRCG_PCT_90: numeric(12,4) NRCG_PCT_95: numeric(12,4) NRSN NOTE PART NO: int NRBG CREATE DTM: datetime NRB4_CARRIER_NO: varchar(5) NRBG_CREATE_DTW. datetime NRBG_MODIFY_BY: char(10) NRBG_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRB4_LOCALITY_NO: varchar(2) NRB4_TERM_DT: datetime NRSN_NOTE_TEXT: text NRSN_CREATE_BY: varchar(20) NRSN_CREATE_DTM: datetime NRCG CREATE BY: char(10) NRBR_CREATE_DTM: datetime NRBR_MODIFY_BY: char(10) NRBR_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRBR_LOCK_TOKEN: smallint NRBR_SUPP_PCT_ALLOWED: numeric(9,6) NRBR_UPDATE_IND: char(01) NRB4_CREATE_BY: varchar(20) NRB4_CREATE_DTM: datetime NRCG_CREATE_DTM: datetime NRCG_MODIFY_BY: char(10) NRCG_MODIFY_DTM: datetime ATRX_SOURCE_ID: datetime NRBG_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime NRB4_MODIFY_BY: varchar(20) NRB4_MODIFY_DTM: datetime NRB4_LOCK_TOKEN: smallint NRSN_LOCK_TOKEN: smallint NRCG_LOCK_TOKEN: smallint ATRX_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 2 of 5



NSRS_RATE_SHT_CD: varchar(30)
NSRS_RATE_SHT_DESC: varchar(50)
NSRS_SUB_RS_IND: int
NSRS_EFF_DT: datetime NSRS_EFF_DT: datetime
NSRS_TERM_DT: datetime
NSRS_CREATE_BY: char(10)
NSRS_CREATE_DTM: datetime
NSRS_MODIFY_BY: char(10)
NSRS_MODIFY_BY: char(10)
NSRS_MODIFY_DTM: datetime
NSRS_MATRIX: varchar(20)
NSRS_SUR_TERM: int
NSRS_BASE_CHG_IND: char(1)
NSRS_HOLD_IND: char(2)
ATXR_SOURCE_ID: datetime
NSRS_BOCK_TOKEN: smallint NSRS_LOCK_TOKEN: smallint NSRS_SRC_MOD_DTM: datetime NSRS_SRC_RS_ID: int NSRS_SRC_SCHEMA: varchar(50) NSRS_SRC_SCHEMA: varchar(50)
NSRS_SRC_SYS: varchar(50)
NSRS_OWNER | ID: int
NSRS_BASE_RS: varchar(1)
NSRS_BASE_RS: varchar(1)
NSRS_ASSOC_BRS_CD: varchar(30)
NSRS_SRC_RS_CODE: varchar(30)
NSRS_IMPORTED_DATE: datetime
NSRS_DRG_VAL: char(1) NSRS_VERSION: varchar(20)
NSRS_LOCKED: varchar(1)
NSRS_ICD_PRICE_DTM: datetime NSRS_GLOBAL_AGREEMENT_IND: smallint

NWX_NCCT_CALC_CATG

NCCT_CATEGORY_ID: int

NCCT_CATEGORY_DESC: varchar(50) NCCT_CREATE_BY: char(10)
NCCT_CREATE_DTM: datetime NCCT_MODIFY_BY: char(10) NCCT_MODIFY_DTM: datetime ATXR_SOURCE_ID: datetime

NCCT_LOCK_TOKEN: smallint
NCCT_OWNER_ID: int
NCCT_CATEGORY_TYPE: char(1)

NOBN_DISPLAY_SEQ: int
NQBN_ALIAS: varchar(50)
NOBN_EXPLANATION: varchar(200)
NOBN_VERSION_NO: varchar(50)
NQBN_PANEL_TYPE: varchar(50)
NQBN_CREATE_BY: char(10)
NQBN_CREATE_DATE: datetime
NQBN_MODIFY_DTM: datetime
NQBN_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
NOBN_DATA1: varchar(100) NQBN_DATA1: varchar(100) NQBN_DATA2: varchar(100) NQBN_DATE1: datetime NQBN_NUM1: numeric(13,4) NQBN_NUM2: numeric(13,4) NQBN_TYPE_MED: char(1) NQBN_TYPE_DEN: char(1)

NQBN_TYPE_VIS: char(1)

NSLV_SVID_NMBR: int

NSLV_TYPE_IND: varchar(1) NSLV_TABLE_NAME: varchar(2) NSLV_YEAR_APPL: varchar(4) NSLV_YEAR_APPL: varchar(4)
NSLV_STATE: varchar(2)
NSLV_CARR_NMBR: varchar(5)
NSLV_LOCL_NMBR: varchar(2)
NSLV_EFF_DT: datetime
NSLV_TERM_DT: datetime
NSLV_PROC_CD: varchar(5)
NSLV_MOD_1: varchar(2) NSLV_MOD_2: varchar(2)
NSLV_REIMB_METH: varchar(2) NSLV_ALLOWED: numeric(10,2) NSLV_PERCENT: numeric(7,4) NSLV_PERCENT: numeric(7,4)
NSLV_CREATE_BY: varchar(20)
NSLV_CREATE_DTM: datetime
NSLV_MODIFY_BY: varchar(20)
NSLV_MODIFY_DTM: datetime
NSLV_OWNER | ID: int
ATXR_SOURCE_ID: datetime
NSLV_LOCK_TOKEN: smallint Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

NWX_NRTN_TERM_NOTE

NRST_RS_TERM_ID: int NRTN_NOTE_NO: int NRTN_NOTE_PART_NO: int

NSRS_RATE_SHT_ID: int NRTN_NOTE_TEXT: text NRTN_CREATE_BY: varchar(20) NRTN_CREATE_DTM: datetime ATXR_SOURCE_ID: datetime NRTN_LOCK_TOKEN: smalllint NRTN_SRC_RS_TERM_ID: int NRST_TERM_SEQ_NO: int

NWX_NMCL_MEDICARE_CLAB

NMCL_PROCEDURE_CD: varchar(5) NMCL_MODIFIER: varchar(2) NMCL_CARRIER: varchar(5) NMCL_LOCALITY: varchar(2) NMCL_EFF_DT: datetime

NMCL_MODIFY_DT: datetime

NMCL_TERM_DT: datetime NMCL_60PERCENT_AMT: numeric(7,2) NMCL_62PERCENT_AMT: numeric(7,2) NMCL_CREATE_DT: datetime NMCL_CREATE_BY: varchar(20)

NMCL_MODIFY_BY: varchar(20)

NWX NBCS SYSTEM

NBCS SYS ID: int

NBCS_SYS_NAME: varchar(10)
NBCS_IP_ADDRESS: varchar(50)
NBCS_PORT: int
NBCS_OUEUE_NAME: varchar(50)
NBCS_FACT_NAME: varchar(50)
NBCS_SYS_STATUS: varchar(1)
NBCS_PUB_IND: varchar(1)
NBCS_CREATE_DTM: datetime
NBCS_MODIFY_DTM: datetime
NBCS_LOCKED: varchar(1)
ATXR_SOURCE_ID: datetime
NBCS_LOCKED: D: datetime
NBCS_LOCK_TOKEN: smallint

NWX_NAPG_CODE_XREF

NAPG_RET_CODE: varchar(05)

NAPG_EXCD_ID: char(03) NAPG_WMDS_NMBR: smallint

NWX NBCH HISTORY

NBCH_BROADCAST_NMBR: int

NBCH_BROADCAST_DTM: datetime
NBCH_STATUS: varchar(20)
NBCH_MSG: text
NBCH_SCHEDULER_ID: int
NBCH_SCHEDULER_ID: not
NBCH_SCHED_IND: varchar(1)
NBCH_SCHED_IND: varchar(1)
NBCH_SCHED_IND: varchar(20)
NBCH_SCHED_IND: varchar(20)
NBCH_VERSION: varchar(20)
NBCH_VERSION: varchar(20)
NBCH_CG_ID: int
NBCH_CG_NAME: varchar(50)
NBCH_CG_NAME: varchar(50)
NBCH_CG_NAME: varchar(50)
NBCH_CG_ID: int
NBCH_LOCK_TOKEN: smallint
NBCH_OBJECT_ID: int
NBCH_OBJECT_ID: int
NBCH_OBJECT_ID: int
NBCH_OBJECT_TYPE: varchar(50)
NBCH_OBJECT_TYPE: varchar(30)
NBCH_OBJECT_TYPE: varchar(30)
NBCH_OBJECT_VAME: varchar(30)
NBCH_OBJECT_VAME: varchar(30)
NBCH_OBJECT_VAME: varchar(30)
NBCH_OBJECT_VAME: varchar(30)

NBCH_END_DTM: datetin

NWX_WPVA_PROV_ALIAS

PRPR_ID: char(12)
WPVA_SEQ_NO: int

CLPR_FAC_NAME: varchar(55)
CLPR_ADDR1: varchar(40)
CLPR_ADDR2: varchar(40)
CLPR_ADDR3: varchar(40)
CLPR_CHPR_ADDR3: varchar(40)
CLPR_CTIY: varchar(19)
CLPR_CTIY: varchar(2)
CLPR_ZIP: varchar(11)
CLPR_COUNTY: varchar(20)
WPVA_EFF_DT: datetime

WPVA_TERM_DT: datetime
WPVA_CREATE_BY: char(10)
WPVA_CREATE_DTM: datetime
WPVA_MODIFY_BY: char(10)
WPVA_MODIFY_DTM: datetime
WPVA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CLPR_SSN: varchar(9)
CLPR_LAST_NAME: varchar(35)
CLPR_FIRST_NAME: varchar(15)
CLPR_MID_INIT: varchar(1)

CLPR_FIRST_NAME: Varchar(1)
CLPR_MID_INIT: varchar(1)
CLPR_SS_EIN_IND: varchar(1)
CLPR_UPIN: varchar(6)
CLPR_NPI: varchar(10)

VISION CARE SCEDULE TABLES

NWX_NSHV_SCHEDULES

NSHV_SCHEDULE_ID: int

NSHV_SCHEDULE_CODE: varchar(15)
NSHV_DESC: varchar(50)
NSHV_RATE_TABLE: varchar(20)
NSCT_SCHEDULE_TYPE: varchar(20)
NSHV_EFF_DT: datetime
NSHV_TERM_DT: datetime
NSHV_CREATE_BY: char(10)
NSHV_PCT_SCHEDULE: numeric(9,6)
NSHV_CREATE_DTN: datetime
NSHV_MODIFY_BY: char(10)
NSHV_MODIFY_DT: datetime
NSHV_MODIFY_DT: datetime
NSHV_MODIFY_DT: datetime
NSHV_ACTIVE_IND: int

NWX_NSVV_SCH_VALUE

NSVV_TABLE_NAME: varchar(20) NSVV_PRICING_CODE: varchar(15) NSVV_PRICING_TYPE: char(2) NSVV_EFF_DT: datetime

NSVV_TERM_DT: datetime NSVV_RATE: numeric(7,2) NSVV_CREATE_BY: varchar(20) NSVV_CREATE_DTM: datetime NSVV_MODIFY_BY: varchar(20) NSVV_MODIFY_DTM: datetime NSVV_REIMB_MTH: char(2) NSVV_PCT: numeric(8,4)

NWX_LCSV_SCH_VALUE

LCSV_TABLE_NAME: varchar(20) LCSV_SCHEDULE_TYPE: varchar(20) LCSV_PRICING_CODE: varchar(15) LCSV_PRICING_TYPE: char(2) LCSV_EFF_DT: datetime

LCSV_TERM_DT: datetime LCSV_PCT: numeric(8,4) LCSV_CALCULATION_MTH: char(2) LCSV_RATE: numeric(7,2) LCSV_CREATE_BY: varchar(20) LCSV_CREATE_DTM: datetime LCSV_MODIFY_BY: varchar(20) LCSV_MODIFY_DTM: datetime

NWX LPXR LAB PFX XREF

LPXR_LAB_PFX: char(4) LPXR_EFF_DT: datetime

LPXR_TERM_DT: datetime
LPXR_SCHEDULE_CODE: varchar(15)
LPXR_CREATE_BY: char(10)
LPXR_CREATE_DTM: datetime
LPXR_MODIFY_BY: char(10)
LPXR_MODIFY_DTM: datetime

NWX_NSVP_PRICING_TYPE

NSVP PRICING TYPE: char(2)

NSVP_DESC: varchar(50)

NWX_LISX_LAB_ID_SCHED_CD_XREF

LISX_LAB_ID: char(12)
LISX_BUS_MODEL_TYPE: char(1)
LISX_EFF_DT: datetime

LISX_TERM_DT: datetime
LISX_LAB_FEE_SCHEDULE_CODE: varchar(15)
LISX_ADMIN_FEE_SCHEDULE_CODE: varchar(15)
LISX_CREATE_BY: char(10)
LISX_CREATE_DTM: datetime
LISX_MODIFY_BY: char(10)
LISX_MODIFY_DTM: datetime

These 3 tables are reserved for future use

NWX NJCD J CODES

NCST_SOURCE_TYPE: varchar(2) NJCD_J_CODE: varchar(5) NJCD_EFF_DT: datetime

NJCD_TERM_DT: datetime
NJCD_MEAN_ALL: numeric(7,2)
NJCD_MEAN_BRN: numeric(7,2)
NJCD_MEAN_BRN: numeric(7,2)
NJCD_MED_ALL: numeric(7,2)
NJCD_MED_BRN: numeric(7,2)
NJCD_MED_BRN: numeric(7,2)
NJCD_LOW_BRN: numeric(7,2)
NJCD_LOW_GEN: numeric(7,2)
NJCD_LOW_GEN: numeric(7,2)
NJCD_HIGH_BRN: numeric(7,2)
NJCD_HIGH_BRN: numeric(7,2)
NJCD_HIGH_GEN: numeric(7,2)
NJCD_LOK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
NJCD_CREATE_DTM: datetime
NJCD_MODIFY_DTM: datetime
NJCD_CREATE_BY: char(10)
NJCD_CREATE_BY: char(10)

NWX_NRSC_RS_SECT

NRSC_SECTION_ID: int

NRSC_SECTION_TYPE: int
NRSC_SERVICE_TYPE: int
NRSC_DESC: varchar(50)
NRSC_CREATE_BY: char(10)
NRSC_CREATE_DTM: datetime
NRSC_MODIFY_BY: char(10)
NRSC_MODIFY_DTM: datetime
ATXR_SOURCE_ID: datetime
NRSC_MOCK_TOKEN: smallint

NWX_NRSX_RS_EXCP

NRSX_RS_EXCP_DESC: varchar(50)

NRSX_CREATE_BY: char(10)
NRSX_CREATE_DTM: datetime
NRSX_MODIFY_BY: char(10)
NRSX_MODIFY_DTM: datetime
ATXR_SOURCE_ID: datetime
NRSX_LOCK_TOKEN: smallint

NWX NSVM SCH MOD ognizant TriZetto SchWXeNSCV. SCHAVALUE reserved. Confidential and Trade Secret Material.

NSVM_ID: int

NSVM_TABLE: varchar(20)
NSVM_PROCEDURE_CD: char(5)
NSVM_MODIFIER: char(2)
NSVM_EFF_DT: datetime
NSVM_TERM_DT: datetime
NSVM_TERM_DT: datetime
NSVM_FOLLOWUP_DAYS: int
NSVM_FOLLOWUP_DAYS: int
NSVM_CREATE_BY: char(10)
NSVM_CREATE_BY: char(10)
NSVM_MODIFY_BY: char(10)
NSVM_MODIFY_DTM: datetime
ATRX_SOURCE_ID: datetime
ATRX_SOURCE_ID: datetime
NSVM_LOCK_TOKEN: smallint
NSVM_LOCK_TOKEN: smallint
NSVM_PCT: numeric(8.4)
NSVM_REIMB_MTH: char(2)
NSVM_OWNER_ID: int

NWX_NASA_ASA_XREF

NASA_PROCEDURE_CD: char(5) NASA_ASA_CODE: char(5) NASA_YEAR_APPLIED: char(4) NASA_EFF_DT: datetime

NASA_ID: int
NASA_MEDICRE_BS_UT: numeric(3,0)
NASA_ASA_BS_UT: numeric(3,0)
NASA_PROC_DESC: varchar(100)
NASA_PROC_DESC: varchar(72)
NASA_TERM_DT: datetime
NASA_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
NASA_CREATE_DTM: datetime
NASA_CREATE_DTM: datetime
NASA_CREATE_BY: char(10)
NASA_MODIFY_BY: char(10)
NASA_MODIFY_BY: char(10)
NASA_USER_DEFINED: char(01)

NWX_NDCD_NDC_CODE NDCD_NDC_CODE: varchar(13)

NDCD_PRODUCT_NAME: varchar(60)
NDCD_PACKAGE_SIZE: numeric(8,3)
NDCD_PACKAGE_QUAN: int
NDCD_TOTAL_PKG_QUA: numeric(12,3)
NDCD_REIMB_IND: varchar(1)
NDCD_MULTI_SRC_CD: varchar(1)
NDCD_PROC_CATEGORY: varchar(2)
NDCD_BRAND_IND: varchar(1)
NDCD_CK_TOKEN: smallint
ATXR_SOURCE_ID: datettime
NDCD_CREATE_DTM: datetime

NWX_NNDC_NDC_RULE

NDCD_MODIFY_DTM: datetime NDCD_CREATE_BY: char(10)

NDCD MODIFY BY: char(10)

PDPD_ID: char(8) SESE_ID: char(4) NNDC_EFF_DT: datetime

NNDC_TERM_DT: datetime
NNDC_SESE_BS_RULE: char(3)
NNDC_SESE_GS_RULE: char(3)
NNDC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
NNDC_CREATE_DTM: datetime
NNDC_MODIFY_DTM: datetime
NNDC_CREATE_BY: varchar()
NNDC_MODIFY_BY: char(10)

NWX_NCHS_CODE_LOAD

NCHS_TYPE: varchar(20)
NCHS_TRANSFER_TYPE: varchar(20)
NCHS_EFF_DT: datetime
NCHS_YEAR_APPLIED: varchar(4)
NCHS_SOURCE_TYPE: varchar(2)
NCHS_ILE_NAME: varchar(20)
NCHS_USER_ID: varchar(20)
NCHS_USER_ID: varchar(10)
NCHS_STATUS: varchar(10)
NCHS_ADDED_CT: numeric(15,5)
NCHS_UPDATED_CT: numeric(15,5)
NCHS_TERMINATED_CT: numeric(15,5)
NCHS_TERMINATED_CT: numeric(15,5)

This File is for the NSCV TRACTOR WAS A PROCEDURE_CD: char(5) NSCV_EFF_DT: datetime

NSCV_TERM_DT: datetime
NSCV_MED_REIMB_MTH: char(2)
NSCV_MED_ALLOW: numeric(13,4)
NSCV_ANS_REIMB_MTH: char(2)
NSCV_DC_REIMB_MTH: char(2)
NSCV_DC_REIMB_MTH: char(2)
NSCV_DC_REIMB_MTH: char(2)
NSCV_ANS_ALLOW: numeric(13,4)
NSCV_DC_ANS_DCT: numeric(8,4)
NSCV_PC_PCT: numeric(8,4)
NSCV_DC_PCT: numeric(8,4)
NSCV_DC_PCT: numeric(8,4)
NSCV_DC_EATE_BY: varchar(20)
NSCV_TC_REIMB_MTH: char(2)
NSCV_TC_REIMB_MTH: char(2)
NSCV_TC_ALLOW: numeric(13,4)
NSCV_MODIFY_BY: varchar(20)
NSCV_TC_ALLOW: numeric(13,4)
NSCV_MODIFY_DTM: datetime
NSCV_TC_PCT: numeric(8,4)
ATRX_SOURCE_ID: datetime
NSCV_TC_TCTT. numeric(8,4)
ATRX_SOURCE_ID: datetime
NSCV_LOCK_TOKEN: smallint
NSCV_LOCK_TOKEN: smallint
NSCV_OWNER_ID: int

NWX_AUDT_APPL_MDDT

AUDT_APPL_NAME: varchar(50)

AUDT_MODIFY_DTM: datetime AUDT_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime AUDT_CREATE_DTM: datetime AUDT_CREATE_BY: char(10) AUDT_MODIFY_BY: char(10)

NWX_NDCP_NDC_PRICE

NDCD_NDC_CODE: varchar(13)
NCST_SOURCE_TYPE: varchar(2)
NDCP_PRICE_DATA_TYP: varchar(5)
NDCP_EFF_DT: datetime

NDCP_PKG_PRICE: numeric(15,2) NDCP_UNIT_PRICE: numeric(18,5) NDCP_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime NDCP_CREATE_DTM: datetime NDCP_MODIFY_DTM: datetime NDCP_CREATE_BY: char(10) NDCP_MODIFY_BY: char(10)

NWX NHSS CODE XREF

NHSS_RET_CODE: varchar(8)

NHSS_EXCD_ID: char(3)
NHSS_WMDS_NMBR: smallint

NWX NAPS STATUS IND

NAPS_STATUS_IND: varchar(2)

NAPS_DESC: varchar(70)
NAPS_CREATE_BY: char(10)
NAPS_CREATE_DTM: datetime
NAPS_MODIFY_BY: char(10)
NAPS_MODIFY_DTM: datetime
NAPS_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

NWX_CLIN_EDIT_PROC

CLIN_PROCEDURE_CD: varchar(5)
CLIN_MODIFIER: varchar(2)
CLIN_ORIGIN: varchar()
CLIN_EFF_DATE: datetime

CLIN_ADJUST_PCT: numeric(7,4) CLIN_TERM_DATE: datetime ATXR_SOURCE_ID: datetime CLIN_LOCK_TOKEN: smallint

NWX_NDRP_PERDIEM

NDRP_DRG_ID: numeric(10,0)

NDRP_OWNER_ID: int NDRP_DRG: varchar(10) NDRP_EFE_DT: datetime NDRP_TERM_DT: datetime NDRP_YEAR_APPL: varchar(4) NDRP_SOURCE_TYPE: varchar(2) NDRP_PD_RATE1: numeric(12.4) NDRP_PD_RATE2: numeric(12.4) NDRP_PD_RATE3: numeric(12.4) NDRP_CREATE_BY: varchar(10) NDRP_MODIFY_BY: varchar(10) NDRP_CREATE_DTM: datetime NDRP_CREATE_DTM: datetime NDRP_MODIFY_DTM: datetime

NWX NSTN SCH TABLE NAMES

Page 4 of 5

NSTN_TABLE: varchar(20) NSTN_TYPE: char(1)

NSTN_MODIFY_DTM: datetime

NWX_NSCD_SCH_VALUE_DENT

NSCD_DENT_TABLE: varchar()
NSCD_DENT_CDT_CD: char(5)
NSCD_DENT_EFF_DT: datetime

NSCD_DENT_TERM_DT: datetime
NSCD_DENT_TERM_DT: datetime
NSCD_DENT_ALLOW: REIMB_MTH: char(2)
NSCD_DENT_PCT: numeric(8,4)
NSCD_DENT_PCT: numeric(8,4)
NSCD_DENT_CREATE_BY: char(10)
NSCD_DENT_CREATE_DTM: datetime
NSCD_DENT_MODIFY_BY: char(10)
NSCD_DENT_MODIFY_DM: datetime
ATRX_SOURCE_ID: datetime
NSCD_DENT_LOCK_TOKEN: smallint

NWX_CBEX_CALC_EXCD

CBEX CALC BEAN: varchar(50)

CBEX_CALC_TYPE: varchar(50)
CBEX_EXCD_ID_1: char(3)
CBEX_EXCD_ID_2: char(3)
CBEX_EXCD_ID_2: char(3)
CBEX_VERSION_NO: varchar(50)
CBEX_CREATE_DY: char(10)
CBEX_CREATE_DY: char(10)
CBEX_MODIFY_BY: char(10)
CBEX_MODIFY_DTM: datetime
CBEX_MODIFY_DTM: datetime
CBEX_MODIFY_DTM: datetime
CBEX_MODIFY_DTM: datetime
CBEX_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
CBEX_DATA1: varchar(100)
CBEX_DATA2: varchar(100)
CBEX_DATA2: varchar(100)
CBEX_DATE1: datetime
CBEX_DATM: numeric(13,4)
CBEX_NUM2: numeric(13,4)

NWX_NRSH_RATE_SHT_HISTORY

NRSH ORIG RATE SHT ID: int

NRSH_NEW_RATE_SHT_ID: int
NRSH_RATE_SHT_CD: varchar(30)
NRSH_RATE_SHT_DESC: varchar(50)
NRSH_RSUB_RS_IND: int
NRSH_SUB_RS_IND: int
NRSH_EFF_DT: datetime
NRSH_TERM_DT: datetime
NRSH_CREATE_BY: char(10)
NRSH_CREATE_BT: char(10)
NRSH_MODIFY_BY: char(10)
NRSH_MODIFY_DTM: datetime
NRSH_VERSION: varchar(20)
NRSH_VERSION: varchar(20)
NRSH_LOCKED: varchar(1)
NRSH_GLOBAL_AGREEMENT_IND: smallint

NWX_NRTH_RS_TERMS_HISTORY

NRTH_ORIG_RS_TERM_ID: int

NRSH_ORIG_RATE_SHT_ID: int
NRTH_DISP_SECT_NO: int
NRTH_SEO_NO: int
NRTH_EFF_DT: datetime
NRTH_TERM_DT: datetime
NRTH_TERM_DT: datetime
NRTH_TERM_DESC: text
NRTH_QUAL_DESC: text
NRTH_QUAL_DESC: varchar(100)
NRTH_PRICING_MODE: int
NRTH_PRICING_MODE: int
NRTH_SECTION_TYPE: int
NRTH_SUB_RS_ID: int
NRTH_SUB_RS_ID: int
NRTH_TERM_TYPE: int
NRTH_TERM_TYPE: int
NRTH_EDSABLED: int
NRTH_UBABLED: int
NRTH_WMDS_SEO_NO: smallint
NRTH_CREATE_BY: char(10)
NRTH_CREATE_DTM: datetime
NRTH_MODIFY_BT: datetime
NRTH_MODIFY_DTM: datetime
NRTH_MODIFY_DTM: datetime
NRTH_MODIFY_DTM: datetime
NRTH_GEDBAL_AGREEMENT_IND: smallint
NRTH_GLOBAL_AGREEMENT_IND: smallint

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

NWX_WRLQ_ROLE_QUAL

WROL_ROLE_ID: int WRLQ_SEQ_NO: int

WRLQ_CODE_TP_BEAN: varchar(50)
WRLQ_CODE_TP_LOW: varchar(60)
WRLQ_CODE_TP_HIGH: varchar(50)
WRLQ_CODE_TP_HIGH: varchar(50)
WGQP_CODE_GROUP_ID: int
WRLQ_EFF_DT: datettime
WRLQ_TERM_DT: datettime
WRLQ_CREATE_BY: char(10)
WRLQ_MODIFY_BY: char(10)
WRLQ_MODIFY_BY: char(10)
WRLQ_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datettime
WRLQ_LOCK_TOKEN: varchar(50)
WRLQ_HIGH_DISPLAY: varchar(50)
WRLQ_OPERAND_TYPE: int

NWX_WRLR_RTG_RSN

WROL ROLE ID: int WRTR_REASON_ID: int WRLR_REASON_TYPE: int

NWX_WRTR_RTG_RSN

WRTR_REASON_ID: int

WRTR_REASON_DESC: varchar(80) WMGT_MSG_TYPE: int WRTR_ACTIVE_IND: int

NWX_WURC_ROLE_CNT

USUS_ID: varchar(10) WURC_TIMESHEET_DTM: datetime WROL_ROLE_ID: int WURC_SEQ_NO: int WURC ACT IND: int

WURC_COUNT: int WURC_TOTAL_MIN: numeric(13,4)

NWX_NASU_ASA_UNITS

NASU_ASA_CODE: varchar(05) NASU_CONV_IND: varchar(05) NASU_EFF_DT: datetime


NASU_TERM_DT: datetime NASU_BASE_UNIT: numeric(5,2) NASU_ID: numeric(10,0) NASU_CREATE_BY: varchar(20) NASU_CREATE_DTM: datetime
NASU_MODIFY_BY: varchar(20)
NASU_MODIFY_DTM: datetime
NASU_LOCK_TOKEN: smallint

NWX_NASM_ASA_MOD

NASM_ID: numeric(10,0)

NASM_ASA_MOD2: varchar(05) NASM_ASA_MOD3: varchar(05) NASM_ASA_ICD10: varchar(10) NASM_ASA_ADDUNITS: int NASM_LOCK_TOKEN: smallint

NWX NRTT RATE TYPE



NWX_NPRD_PROVIDER_DATE

NPRD_PROVIDER_DATE_ID: numeric(10,0)

NPRD_OWNER_ID: int
NPRD_PROVIDER_ID: varchar(15)
NPRD_PROVIDER_ID: varchar(15)
NPRD_EFFECTIVE_DATE: datetime
NPRD_TERMINATION_DATE: datetime
NPRD_YEAR_APPLIED: int
NPRD_MODIFY_DTM: datetime
NPRD_MODIFY_DTM: datetime
NPRD_MODIFY_DTM: datetime
NPRD_MODIFY_BY: varchar(50)
NPRD_MODIFY_BY: varchar(50)
NPRD_IMPORTED_DATE: datetime
NPRD_VERSION: varchar(20)
NPRD_VERSION: varchar(20)
NPRD_LOKED: varchar(21)
NPRD_LOKED: varchar(21)

NPRD_LOCKED: varchar(01)

NWX_NPRR_PROVIDER_RATE

NPRR_PROVIDER_RATE_ID: numeric(10,0)


NPRD_PROVIDER_DATE_ID: numeric(10,0)
NRTT_RATE_TYPE_ID: numeric(10,0)
NPRR_RATE_VALUE: numeric(10,4)
NPRR_CREATE_DTM: datetime NPRR_MODIFY_DTM: datetime NPRR_CREATE_BY: varchar(50) NPRR MODIFY BY: varchar(50)

NWX_NRSV_SCH_REV_VALUE

NRSV_TABLE: varchar(20) NRSV_REVENUE_CD: char(5) NRSV_EFF_DT: datetime


NRSV_TERM_DT: datetime NRSV_REIMB_MTH: char(2) NRSV_ALLOW: numeric(13,4) NRSV_PCT: numeric(8,4)
NRSV_PCT: numeric(8,4)
NRSV_CREATE_BY: varchar(20)
NRSV_CREATE_DTM: datetime
NRSV_MODIFY_BY: varchar(20)
NRSV_MODIFY_DTM: datetime NRSV_OWNER_ID: int
NRSV_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime


Chapter 22 Plan Data Model




ACCM_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Materia age 2 of 24 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and TraPage 4ref 24aterial. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Mages of 24 CMC_AIAI_ADM INFO This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] PDBC_PFX: char(4) (FK) AIAI_PRE_X_MNTHS: smallint AIAI_HCAP_MNTHS: smallint AIAI_STU_MNTHS: smallint AIAI_SUP_MEDCR_IND: char(1) CMC PDBC PROD COMP V PDBC PFX: char(4) From_Pg_1: char() CMC_BSDL_DETAILS AIAI_CL_ACPT_IND: char(1)
AIAI_CL_ACPT_MNTHS: smallint PDBC PFX; char(4) (FK) CMC_BSBS_SUM AIAI_CE_ACT _WINT Ins. Shiailini AIAI_EOB_IND: char(1) AIAI_PCP_REQ_IND: char(1) AIAI_DRAG_MEPR_IND: char(1) AIAI_DRAG_PER_IND: char(1) AIAI_DRAG_PER_IND: char(1) BSDL TYPE: char(4) PDBC_PFX: char(4) (FK) BSBS_TYPE: char(4) BSDL_NTWK_IND: char(1) BSDL_EFF_DT: datetime CMC_ARAR_CERT_RULE BSBS_DESC: varchar(255) BSBS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) BSDL_COPAY_AMT: money BSDL_DEDE_AMT: money BSDL_COIN_PCT: money PDBC_PFX: char(4) (FK) AIAI_DRAG_PERIOD: smallint ARAR VALID DAYS: smallint AIAI_DRAG_PERIOD2: smallint AIAI_DRAG_PERIOD3: smallint ARAR_VALID_DAYS: SMallint
ARAR_PC_VALID_DAYS: smallint
ARAR_EMERG_DAYS: smallint
ARAR_AUTH_MIN_DAYS: smallint BSDL_LTLT_AMT: money
BSDL_TERM_DT: datetime AIAI_PAY_PR_IND: char(1) AIAI_OPTS: char(8) AIAI_IDCD_TYPE: char(01) AIAI_SURG_TIER: char(01) SYS_DBUSER_ID: varchar(48) BSDL_LT_TYPE: char(1)
BSDL_LT_PERIOD: char(1) ARAR_DIAG_REQ_IND: char(1) ARAR_SSO_WAV: char(1) ARAR_BYPASS_PRICE: char(1) ARAR_REQ_PR_IND: char(1) BSDL_I_FERIOD: char(1)
BSDL_TLCOUNTER: char(1)
BSDL_TIER: smallint
BSDL_COV_IND: char(1)
BSDL_STOPLOSS_AMT: money
BSDL_STOPLOSS_TYPE: char(1)
BSDL_BEG_MMDD: smallint AIAI_SURG_SEC_PCT: smallint AIAI_SURG_TER_PCT: smallint ARAR_SVC_PR_IND: char(1)
ARAR_PR_COMPLY_IND: char(1)
ARAR_PURGE_MNTHS: smallint AIAI_SURG_IER_FCT. SMAIIIIIT
AIAI_SURG_OTH_PCT: Smallint
AIAI_SURG_EXCD: char(03)
AIAI_ASST_SURG_IND: char(01)
AIAI_OOP_CALC_BASE: char(01)
AIAI_HOSP_USE_ADMT: char(01)
AIAI_COB_BEG_MMDD: smallint
AIAI_COB_DET_T_ND: ther@01 ARAR_PRE_MIN_DAYS: smallint BSDL_USER_LABEL1: varchar(12)
BSDL_USER_DATA1: varchar(12) ARAR_LOS_PCT_INIT: char(1)
ARAR_LOS_PCT_DLFT: char(1)
ARAR_LOS_PCT_AVG: char(1)
ARAR_LOS_PCT_1: char(1) CMC_BSTX_SUM_TEXT BSDL_USER_LABEL2: varchar(12) PDBC PFX: char(4) (FK) AIAI_COB_DFLT_IND: char(01) AIAI_OL_BYPASS_IND: char(01) BSDL_USER_DATA2: varchar(12) BSBS_TYPE: char(4) (FK) BSTX_SEQ_NO: smallint BSDL_USER_LABEL3: varchar(12)
BSDL_USER_DATA3: varchar(12) ARAR_LOS_PCT_1: char(1)
ARAR_LOS_PCT_2: char(1)
ARAR_LOS_PCT_3: char(1)
ARAR_LOS_PCT_4: char(1)
ARAR_PSLS_USE_PSLS: char(1) AIAI_OL_THRESH_AMT: money AIAI_OL_THRESH_IND: char(01) BSTX_TEXT: varbinary(70)
BSTX_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime BSDL_USER_LABEL4: varchar(12)
BSDL_USER_DATA4: varchar(12) AIAI_GE_PDVC_TIER: smallint
AIAI_ER_UM_BYPASS: char(1)
AIAI_ER_AUTO_PAYEE: char(1)
AIAI_SERV_AREA_IND: char(1) BSDL_USER_LABEL5: varchar(12) BSDL_USER_DATA5: varchar(12) BSDL_USER_LABEL6: varchar(12) ARAR_PSLS_PCT_DLFT: char(1) ARAR_PSLS_PCT_INIT: char(1) ARAR_PSLS_PCT_AVG: char(1)
ARAR_PSLS_PCT_1: char(1) AIAI_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime BSDL_USER_DATA6: varchar(12)
BSDL_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime ARAR PSLS PCT 2: char(1)
ARAR PSLS PCT 3: char(1)
ARAR PSLS PCT 4: char(1)
ARAR PSLS REGION: char(1) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48) AIAI_ZERO_CHG_IND_NVL: char(01) CMC_DNAR_DEN_INFO SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) PDBC_PFX: char(4) (FK) DNAR_PRICE_IND: char(1) DNAR_REQST_PR_REQ: char(1) DNAR_SVC_PR_REQ: char(1) SYS DBUSER ID: varchar(48) ARAR_FSE_REGION: clial(1)
ARAR_REGION: char(1)
ARAR_CSR_CYCLE: char(1)
ARAR_CSR_DAYS: smallint
ARAR_DSCHG_DAYS: smallint
ARAR_DSCHG_DAYS: smallint DNAR_DISP_PR_WARN: char(1) DNAR_REP_OR_MNTHS: smallint DNAR_PRE_D_WRN_AMT: money
DNAR_PRIM_DX_IND: char(1)
DNAR_PD_EXP_TYPE: char(1)
DNAR_PD_EXP_PER: smallint ARAR USE DRG CSR: char(1) ARAR_READMIT_DAYS: smallint ARAR_CM_LOS_X_DAYS: smallint ARAR_LIMITS_IND: char(1)
ARAR_CE_EDITS_IND: char(1) CMC_CLUM_MATCH_CR DNAR_PD_EXP_IND: char(1)
DNAR_REF_VAL_DAYS: smallint PDBC_PFX: char(4) (FK) CLUM_TYPE: char(2) CLUM_SEQ_NO: smallint ARAR_CRIT_SETI: c. char(1)
ARAR_CRIT_SETI: char(1)
ARAR_CRIT_SET2: char(1)
ARAR_SVC_PND_DAYS: smallint
ARAR_LOS_IND: char(01)
ARAR_PRRF_SP_IND: char(01)
ARAR_PRRF_SPEC_IND: char(01) DNAR_PURG_PER: smallint DNAR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_BSDE_DESC CLUM_DT_IND: char(1)
CLUM_ID_REL_IND: char(1)
CLUM_SVC_PR_ID_IND: char(1)
CLUM_ADM_PR_IND: char(1)
CLUM_DT_TOL: smallint
CLUM_REF_PR_IND: char(1)
CLUM_POS_IND: char(1)
CLUM_POS_IND: char(1)
CLUM_PROC_IND: char(1)
CLUM_PROC_IND: char(1)
CLUM_PROC_IND: char(1) BSDE_REC_TYPE: char(4) BSDE_TYPE: char(4) BSDE_DESC: varchar(255)
BSDE_KEYWORD1: varchar(8) ARAR_PRRF_IPA_IND: char(01) ARAR_PRRF_PG_IND: char(01) CMC IPPX PREEX EXC BSDE_KEYWORD2: varchar(8) BSDE_KEYWORD3: varchar(8) ARAR_PRRF_MCTN_IND: char(01) ARAR_RREQ_PR_IND: char(01) PDBC_PFX: char(4) (FK) CMC_IDPX_PRE_EXIST IPCD_ID_LOW: char(07) BSDE_KEYWORD4: varchar(8) BSDE_KEYWORD5: varchar(8) ARAR_RSVC_PR_IND: char(01)
ARAR_LOCK_TOKEN: smallint PDBC_PFX: char(4) (FK) IPCD_ID_HIGH: char(07)
IPPX_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime IDCD_ID_REL_LOW: varchar(10) BSDE_KEYWORD6: varchar(8) ATXR_SOURCE_ID: datetime CLUM_RTYPE_IND: char(1) CLUM_OPTS: char(4) IDCD_TYPE: char(1) BSDE_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime IDCD_ID_REL_HIGH: varchar(10) IDPX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CLUM_WARN_IND: char(1)
CLUM_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_EBCL_EOB_DATA CMC DUMX DUP WARN PDBC_PFX: char(4) DUMD_SEQ_NO: smallint PDBC PFX: char(4) (FK) CMC_DUMD_DUP_EDIT EBCL_TYPE: char(1)
EBCL_YEAR_IND: char(1)
ACAC_ACC_NO: smallint PDBC_PFX: char(4) (FK) DUMD_SEQ_NO: smallint EXCD_ID: char(3) CMC_WMWM_WARN_MSG DUMX_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime EBCL PFX MAX: char(4) PDBC_PFX: char(4) (FK) DUMD_DESC: varchar(70) DUMD_EXACT_DAY_IND: char(1)
DUMD_OVRLP_IND: char(1) EBCL_ZERO_AMT_IND: char(01)
EBCL_LOCK_TOKEN: smallint WMWM_APP_LVL: char(1) WMWM_SEQ_NO: smallint DUMD_TOS_IND: char(1)
DUMD_POS_IND: char(1)
DUMD_IP_IND: char(1)
DUMD_SVC_PROV_IND: char(1) ATXR SOURCE ID: datetime WMWM_SUPP_IND: char(1) WMWM_SEC_LVL: char(1) WMWM_DESC: char(70) CMC_PDBC_PROD_COMP_V WMWM_MCTR_REAS: char(04) DUMD_CHG_IND: char(1)
DUMD_ACTION_IND: char(1) CMC_DUDX_DUP_WARN WMWM_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime PDBC_PFX: char(4) PDBC_PFX: char(4)
DUDN SEQ NO: smallint DUMD_DATA_LVL: char(1) EXCD_ID: char(3) EXCD ID: char(3) DUMD_RC_IND: char(01)
DUMD_BYPASS_IND: char(01) DUDX_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime DUMD_INC_PEND_IND: char(01)
DUMD_TYPE_CLAIM: char(1) CMC_DUUM_DUP_EDIT CMC_DUDN_DUP_EDIT DUMD_TYPE_CLAIM: char(1)
DUMD_TYPE_ENC: char(1)
DUMD_HIST_ENC: char(1)
DUMD_BLIST_ENC: char(1)
DUMD_DL_NIND: char(1)
DUMD_REND_PROV_IND: char(1)
DUMD_CL_SUB_TYPE: char(1)
DUMD_UNITS_IND: char(1)
DUMD_MODIFIER_IND: char(1) PDBC PFX: char(4) (FK) PDBC_PFX: char(4) (FK) DUDN_SEQ_NO: smallint DUUM_TYPE: char(2) DUUM_SEQ_NO: smallint DUDN_DESC: varchar(70) DUDN_DAY_IND: char(1) DUDN_DP_IND: char(1) DUDN_TOOTH_IND: char(1) DUUM_DESC: char(70)
DUUM_EXACT_DAY_IND: char(1)
DUUM_OVRLP_DAY_IND: char(1)
DUUM_SVC_PR_IND: char(1) DUDN_SURF_IND: char(1)
DUDN_SVC_PROV_IND: char(1)
DUDN_CHG_IND: char(1)
DUDN_ACTION_IND: char(1) DUMD_MODIFIER_IND: char(1)
DUMD_FACTYPE_IND: char(1)
DUMD_BILLCLASS_IND: char(1)
DUMD_FREQUENCY_IND: char(1)
DUMD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48) DUUM_REQ_PR_IND: char(1)
DUUM_TOS_IND: char(1)
DUUM_POS_IND: char(1)
DUUM_PROC_IND: char(1)
DUUM_FROC_IND: char(1)
DUUM_FAC_IND: char(1)
DUUM_LOCK_TOKEN: smallint DUDN_DATA_LVL: char(1)
DUDN_BYPASS_IND: char(01) EXCD_ID: char(3)
DUDN_INC_PEND_IND: char(01)
DUDN_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime ATXR SOURCE ID: datetime © 2000 - 2018 Cognizant TriZetto Software Group Inc. All rights reserved. Confidential and Trade Secret Materials.

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]


Page 6 of 24

EDI 270/271 Eligibility and Benefits Configuration




This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 7 of 24




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



SYS DBUSER ID: varchar(48)


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material Page 9 of 24
This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.


This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]Page 10 of 24


POBC TYPE of "CECE"



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 11 of 24





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

CMC_PDBC_PROD_COMP_V Page 13 of 24 PDBC_PFX: char(4) From_Pg_1: char() CMC_DPDF_DP_DEFN PDBC_PFX: char(4) (FK) DPDF_DP_ID_LOW: char(5) CMC_DMPD_PRED_MTCH PDBC_PFX: char(4) (FK) DMPD_SEQ_NO: smallint DPDF_DP_ID_HIGH: char(5)
DPPC_PRICE_ID: char(4) (FK)
DPDF_UM_IND: char(1)
DPDF_UM_MAT_IND: char(1) DMPD_DESC: varchar(70) DMPD_SVC_PROV_IND: char(1) DMPD_DPDP_ID_IND: char(1) DPDF_UM_MAI_IND: char(1)
DPDF_RWH_IND: char(1)
DPDF_CAP_IND: char(1)
DPDF_OPTS: char(4)
DPDF_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime DMPD_TOOTH_IND: char(1)
DMPD_MATCH_IND: char(1)
DMPD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime CMC_DPPC_PRIČE DPPC_PRICE_ID: char(4) DPPC_RINGE_ID. clian(4)

DPPC_DESC: char(70)

DPPC_RULE_TYPE: char(1)

DPPC_RULE_TYPE: char(1)

DPPC_PRICE_IND: char(1)

DPPC_PRICE_AMT: money

DPPC_PRICE_AMT: money


DPPC_CHG_ALLOW_IND: char(1)

DPPC_CVF_IND: char(1)

DPPC_ZIP_PFX: char(2) (FK)


DPPC_RCS_PFX: char(2) (FK)


DPPC_RCS_AREA: char(3) CMC_DPRS_PRICE SEIP_PFX: char(2) (FK)
DPDP_ID: char(5)
ZPCD_AREA: char(3)
DPRS_EFF_DT: datetime CMC_SEIP_PFX_V SEIP_PFX: char(2) DPRS_TERM_DT: datetime DPRS_RATE: money DPRS_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime DPPC_RCS_AREA: char(3)
DPPC_RVU_AREA: char(3)
WMDS_SEQ_NO: smallint
DPPC_OPTS: char(4)
DPPC_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime CMC_DPRV_UNIT_VAL CMC_DPCF_CONV_FACT SEIP_PFX: char(2) (FK) DPDP_ID: char(5) DPRV_AREA: char(3) DPRV_EFF_DT: datetime SEIP_PFX: char(2) (FK)
DPRV_CVF_CAT: char(3) (FK)
ZPCD_AREA: char(3)
DPCF_EFF_DT: datetime CMC_IPRV_UNIT_VAL_V IPRV CVF CAT: char(3) DPRV_TERM_DT: datetime
DPRV_UNIT_VAL: int
DPRV_CVF_CAT: char(3) (FK)
DPRV_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime DPCF_TERM_DT: datetime
DPCF_FCTR: int
DPCF_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 15 of 24







CMC_IPMC_DEFN

PDBC_PFX: char(04) IPCD_LOW: char(07) IPMC_EFF_DT: datetime

IPMC_TERM_DT: datetime
IPCD_HIGH: char(07)
IPMC_UM_IND: char(01)
IPMC_UM_AUTH_AMT: money
IPMC_UM_AUTH_AMT: smallint
IPMC_AUTH_WV_DAYS: smallint
IPMC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_MDPC_MOD_PRICE

PDBC_PFX: char(04) MDPC_MODIFIER: char(02)


MDPC_PCT: money
MDPC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CMC_MDHR_MOD_HIER

MDHR_MODIFIER: char(02) MDHR_PRIORITY: smallint


MDHR_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]Page 17 of 24



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 18 of 24



CMC_DOFR_DESC

DOFR_ID: char(12)


DOFR_DESC: varchar(70)
DOFR_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_DFSC_SCAT_DESC


DFSC_ID: char(8)

DFSC_DESC: varchar(70)
DFSC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]




Page 20 of 24



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 21 of 24



CMC_EHBD_BEN_DESC EHBD_ID: char(4)

EHBD_DESC: varchar(70)
EHBD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_EHBC_ESSN_BEN

PDBC_PFX: char(4) SESE_ID: char(4) EHBC_EFF_DT: datetime


EHBC_TERM_DT: datetime
EHBD_ID: char(4)
EHBC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime
SYS_LAST_UPD_DTM: datetime
SYS_USUS_ID: varchar(48)
SYS_DBUSER_ID: varchar(48)

CMC_LTEH_EH_IX


LTLT_PFX: char(4)
ACAC_ACC_NO: smallint
EHBD_ID: char(4)

LTEH_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

Guided Benefit Configuration Table Objects




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02Rage(23)of 24]




This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 24 of 24




Chapter 23 Provider Data Model



Facets Provider Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (ITAS): (17/49): (1



IPDF_DATA_8: varchar(235)

SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48)

SYS_DBUSER_ID: varchar(48)

ATXR SOURCE ID: datetime

PFCF_TERM_DT: datetime

PFCF_CVF: int
PFCF_LOCK_TOKEN: smallint


ATXR SOURCE ID: datetime

Facets Provider Data Model - 5.50.004


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret MateriaPage 5 of 7 This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAR) 102/01/2019] CDS_PDIN_INDIC SYIN_INST: integer CSPI_ID: char(08) PRAD_ID: char(12) PRAD_TYPE: char(3) CMC_CLTU_TRAN_UWARN CMC_PRPR_PROV_V NWST_PFX: char(04)
NWNW_ID: char(12)
NWPR_PFX: char(4)
NWPR_PCP_IND: char(1)
NWPR_EFF_DT: datetime CLTT_DTM: datetime CLTU_LINE_SEQ_NO: smallint WMUD_REC_TYPE: char(04) WMDS_SEQ_NO: smallint PRAD_EFF_DT: datetime PRPR_ID: char(12) FROM PAGE 01: char(18) FROM_PAGE_01: char(18) MEME_CK: int
WMUD_PFX: char(04)
CLTU_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime PRPR ID: char(12) PRCP_ID: char(12)
PRCP_TITLE: char(10)
PRCP_TIER_NO: smallint
PRCR_ID: char(12)
PRPR_ENTITY: char(1) CDS_PDSQ_SITE SYIN_INST: integer PRPR_ID: char(12) (FK) PRPR_NAME: char(55)
PRPR_MCTR_TYPE: char(4) PRAD_ID: char(12) (FK)
PRAD_TYPE: char(3) (FK) PRPR_TYPE_DESC: char(30)
PRCF_MCTR_SPEC: char(4)
PRCF_SPEC_DESC: char(30)
PRPR_MCTR_LANG: char(4) PRAD_EFF_DT: datetime (FK) PRSQ_MCTR_ITEM: char(4) PRSQ_ITEM_DESC: char(30)
PRSQ_LAST_VER_DT: datetime PRPR_LANG_DESC: char(30) PRPR_MCTR_REV: char(4)
PRPR_REV_DESC: char(30)
PRER_PRPR_ENTITY: char(1)
PRER_PRPR_ID: char(12) PRSQ_COMMENT: char(40) PRER_PRPR_NAME: char(55)
NWPR_TERM_DT: datetime CDS_PDSR_LOC_SVCS NWPR_MIN_AGE: smallint NWPR_MAX_AGE: smallint CDS_PDFA_FACILITY SYIN_INST: integer PRPR_ID: char(12) (FK) SYIN_INST: integer NWPR_SEX: char(1)
NWPR_ACC_PAT_IND: char(1)
NWPR_ACC_MEDCR_IND: char(1) PRAD_ID: char(12) (FK) PRAD_TYPE: char(3) (FK) PRCR ID: char(12) PRPR_ID: char(12) (FK) PRAD_EFF_DT: datetime (FK)
PRSR_MCTR_SVCS: char(4) NWPR_PROV_DIR_IND: char(1) NWST_PR_NW_STS: char(1) PRFA_NAME: char(50) PRAF_PRIM_IND: char(1) GRGR_ID: char(08) GRGR_NAME: varchar(50) PRSR_SVCS_DESC: char(30) CSCS_ID: char(04) CSCS_DESC: varchar(70) PLDS_DESC: varchar(70) CDS_PDAD_ADDR SYIN_INST: integer PRPR_ID: char(12) (FK) CSPD CAT: char(01) PRAD_ID: char(12) (FK) PRAD_TYPE: char(3) (FK) PRAD_EFF_DT: datetime (FK) CMC_PRFB_FAC_BED_V CMC_PRLA_LANG_V CMC_PRST_FAC_STAFF_V PRAD ADDR1: char(40) CMC_PRCF_CERT_V PRCR_ID: char(12) PRAD_ADDR2: char(40) PRAD_ADDR3: char(40) PRCR_ID: char(12) PRST_MCTR_TYPE: char(4) PRCR_ID: char(12) PRCF_MCTR_SPEC: char(4) PRFB_MCTR_TYPE: char(4) PRCR ID: char(12) PRLA_MCTR_LANG: char(4) PRAD_CITY: char(19) FROM_PAGE_02: char(18) PRAD_STATE: char(2)
PRAD_ZIP: char(11)
PRAD_COUNTY: char(20)
PRAD_CTRY_CD: char(4)
PRAD_PHONE: char(20)
PRAD_PHONE_EXT: char(4) FROM_PAGE_02: char(18) FROM_PAGE_02: char(18) FROM_PAGE_02: char(18) CDS_PDLA_LANG CDS_PDFB_BED PRAD_FAX: char(20)
PRAD_FAX EXT: char(4) CDS_PDCF_CERT CDS_PDST_STAFF SYIN_INST: integer SYIN_INST: integer PRCR_ID: char(12) (FK)
PRLA_MCTR_LANG: char(4) (FK) SYIN INST: integer SYIN_INST: integer PRCR_ID: char(12) (FK) PRAD_EMAIL: char(40) PRCR_ID: char(12) (FK)
PRFB_MCTR_TYPE: char(4) (FK) PRCR_ID: char(12) (FK) PRAD_HD_IND: char(1) PDAD_LONG: int PRCF_MCTR_SPEC: char(4) (FK) PRST_MCTR_TYPE: char(4) (FK) PRLA_LANG_DESC: char(30) PRFB BED DESC: char(30) PDAD_LAT: int PDAD_GEO_RTRN_CD: char(3) PRCF SPEC DESC: char(30) PRST_TYPE_DESC: char(30) PRFB_NO: smallint PRST NO: smallint PDAD_MEL_RTRN_CD_NVL: varchar(255) CMC_AGAG_AGREEMENT_V AGIL PFX: char(04) From_pg_03: char() CMC PRIA INTF ACT CDS_OPDF_CNTRL_DTL PRIA ROW ID: numeric (10, 0) SYIN_INST: int ITLC_LOCAL_PLAN_CD: char(3) ITNW_ITS_NW_ID: char(4) PRIA_ID: char(12)
PRIA_INTF_IND: char(1)
PRIA_TYPE: char(1) PRPR_ID: char(12) OPDF_ENTITY_TYPE: char(1)
OPDF_NW_EFF_DT: datetime
OPDF_NW_TERM_DT: datetime
OPDF_PCF_IND: char(1)
OPDF_PERF_PROV_TYP: char(2)
PRPR_NAME: char(55)
OPDF_PUBLIN_DT: datetime PRIA STS: char(2) CMC_AGIL_INLIER PRIA_CREATE_DT: datetime PRIA_LOCK_TOKEN: smallint AGIL_PFX: char(04) (FK) AGIL_POS_IND: char(01) ATXR_SOURCE_ID: datetime AGIL_TYPE: char(01) AGIL_RULE_PCT: money OPDF_RUN_DT: datetime OPDF_ADDL_DATA: varchar(255) EXCD_ID: char(03)
AGIL_LOCK_TOKEN: smallint CMC RTYP ROOM TYPE OPDF_CREATE_DTM: datetime OPDF_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime RTYP_ROOM_TYPE: char(02) RTYP_DESC: varchar(70) RTYP_RM_IND: char(01) CMC_AGDS_DEL_SVCS RTYP LOCK TOKEN: smallint AGDS PFX: char(04) ATXR_SOURCE_ID: datetime SESE_ID: char(04) EXCD ID: char(03) AGDS_LOCK_TOKEN: smallint

ATXR SOURCE ID: datetime


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



VISION CARE ADMINISTRATIVE TABLES




System Data Model

Facets System Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 1 of 12





Facets System Data Model - 5.50.004


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 2 of 12


User/Security







Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



AUDIT ARCHIVE

CER_AUTB_TABLE

AUTB_TABLE_NAME: varchar(30)

AUTB_ROWS: int
AUTB_ROWS_ARCHIVED: int
AUTB_LAST_ARCHIVE_DATE_NVL: datetime


CER_AUTT_TARGET_TABLES

AUTT_TABLE: varchar(30) AUTT_TYPE: char(02)

SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(30) AUTT_RETENTION_DAYS_NVL: int AUTT_ACTIVE_SW_NVL: char(1)


CER_AUKY_KEYS

AUKY_TABLE: varchar(30) AUKY_SEQ_NO: int HIST_ROW_ID: numeric(10,0 Cognizant TriZetto Softward Group Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



ATLS_LOCK_TOKEN: smallint

Facets System Data Model - 5.50.004



CER_KEYG_KEYGEN

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

KEYG ID: char(004) USUS_ID: char(10)

KEYG_DESC: char(070) KEYG_DESC: char(070)
KEYG_DATE_STYLE: char(001)
KEYG_GEN_LEN: smallint
KEYG_USUS_TOKEN: char(004)
KEYG_LAST_GEN_DT: datetime
KEYG_RESET_NUM: int
KEYG_LAST_GEN_UM: varchar(64)
KEYG_PARSED_KEY: char(025)

KEYG_PARSED_KEY: char(025)
KEYG_GEN_ORDER: char(4)
KEYG_ALPHA_SEQ: smallint
KEYG_PAD_TO_ZK_A: varchar(255)
KEYG_PAD_TO_ZK_B: varchar(255)
KEYG_PAD_TO_ZK_C: varchar(255)
KEYG_PAD_TO_ZK_C: varchar(255)
KEYG_PAD_TO_ZK_E: varchar(255)
KEYG_PAD_TO_ZK_E: varchar(255)
KEYG_PAD_TO_ZK_E: varchar(255)
KEYG_PAD_TO_ZK_G: varchar(255)
KEYG_PAD_TO_ZK_G: varchar(200)
KEYG_LOCK_TOKEN: smallint

KEYG_LOCK_TOKEN: smallint

CER_MCZT_ZIP_TRANS

MCZT_ZIP_CODE: char(005) MCZT_UPDATE_KEY_NO: char(010) MCZT_ACTION_CODE: char(001)
MCZT_REC_TYPE: char(002)
MCZT_FINANCE_NO: char(006)
MCZT_LAST_LINE_NO: char(006)
MCZT_STATE_ABBREV: char(002)
MCZT_CITY_NAME: char(013)
MCZT_CITY_NAME: char(013)
MCZT_LAST_LN_NAME: char(025)
MCZT_COUNTY_NO: char(003)
MCZT_COUNTY_NAME: char(025)
MCZT_FACILITY_CODE: char(001)
MCZT_FACILITY_CODE: char(001)
MCZT_FACILITY_CODE: char(001)
MCZT_FACILITY_CODE: char(001)
MCZT_LOCK_TOKEN: smallint

MCZT_LOCK_TOKEN: smallint

CER_MCCY_CTRY_TRAN

MCCY_CTRY_CD: char(4) MCCY_NAME: char(50)
MCCY_LOCK_TOKEN: smallint ATXR_SOURCE_ID: datetime

CER_LGLG_LOG_D

LGLG ID: timestamp TBTB_ID: char(004) TBTB_ID_FA_PARENT: char(004)
TBTB_ID_FA_PARENT: char(004)
TBTB_ID_CF_PARENT: char(004)
LGLG_FUNC: char(001)
LGLG_IMAGE: char(001) LGLG_CREATE_DT: datetime
LGLG_CREATE_USUS: char(010)
LGLG_COMPILED_KEY: char(100)
LGLG_DATA1: varchar(255) LGLG_DATA2: varchar(255) LGLG DATA3: varchar(255) LGLG_DATA4: varchar(255) LGLG_DATA5: varchar(255) LGLG_DATA6: varchar(255) LGLG_DATA7: varchar(170)

CER_CKEY_CONTRIVE

CKEY_ID: char(004)

CKEY_CK: int CKEY_INC_VALUE: smallint
CKEY_PAD_TO_2K_A: varchar(255)
CKEY_PAD_TO_2K_B: varchar(255)
CKEY_PAD_TO_2K_C: varchar(255) CKEY_PAD_TO_2K_D: varchar(255) CKEY_PAD_TO_2K_E: varchar(255) CKEY_PAD_TO_2K_F: varchar(255) CKEY_PAD_TO_2K_G: varchar(255) CKEY_LOCK_TOKEN: smallint

CER_TBTB_INDICATOR

TBTB_ID: varchar()

TBTB_NAME: varchar(30) TBTB_AUDIT_IND: smallint TBTB_LGLG_IND: smallint TBTB_CS_PARENT: char(4)
TBTB_CF_PARENT: char(4)
TBTB_LAST_SUMM_DTM: datetime
TBTB_LAST_COMP_DTM: datetime
TBTB_LAST_HIST_ROW_ID: numeric(10,0)
TBTB_LAST_COMP_ROW_ID: numeric(10,0)
TBTB_TBTB_LAST_COMP_ROW_ID: numeric(10,0) TBTB_TRIG_IND: char(11)

CER_TOKN_STORE

TOKN_TYPE: smallint TOKN_KEY_IDENT: varchar(44)

TOKN_EXPIRATION_DTM: datetime TOKN SUBJECT: varchar(128) TOKN_CLIENT: varchar(30) DOHD CKN: numeric(15,0) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

CER_DBOB_FA_OBJECTS

DBOB_OBJECT_OWNER: char(30) DBOB_OBJECT_NAME: char(30) DBOB_OBJECT_TYPE: char(2)

DBOB_OBJECT_TABLE: char(30)
DBOB_OBJECT_IND: char(1)
DBOB_SYSTEM: char(10) DBOB COMMENT: char(10) DBOB_LOCK_TOKEN: smallint

Facets Objects

This table would be filled from System supplied data Object Ind: R = Required
O = Optional System: Audit Core Tax

CER_DBUS_USER_OBJECTS

DBUS_OBJECT_OWNER: char(30)
DBUS_OBJECT_NAME: char(30)
DBUS_OBJECT_TYPE: char(2)

DBOB_OBJECT_TABLE: char(30)
DBUS_USER_TYPE: char(10)
DBUS_LOCK_TOKEN: smallint

Facets User Objects

This table would be filled by a customer for optional processing

CER_DBRP_REPORT

DBRP_OBJECT_OWNER: char(30) DBRP_OBJECT_NAME: char(30) DBRP_OBJECT_TYPE: char(2)


DBOB_OBJECT_TABLE: char(30) DBRP_REASON: char(20) DBRP_ACTION: char(20) DBRP_OBJECT_IND: char(1)
DBRP_SYSTEM: char(10)
DBRP_COMMENT: char(10) DBRP_LOCK_TOKEN: smallint

Facets database report file

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]


Multi EngineTables




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Components




Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Facets System Data Model - 5.50.004

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 12 of 12



CER_XTLT_TRANSLATE

XMSG_ID: varchar(50) XTLT_SEQ_NO: int

XTLT_TEXT: varchar(1800)

CER_XDEF_DEFAULT

XMSG_ID: varchar(50) XDEF_SEQ_NO: int

XDEF_TEXT: varchar(1800)

CER_XLAT_XSTRING

XLAT_SOURCE: varchar(50) XLAT_IDX: int

XMSG_ID: varchar(50) XLAT_TYPE: char(4) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

Table Conversions

CER_CONV_STATS

CONV_TABLE_NAME: varchar(40) CONV_ITERATION_NO: smallint

CONV STATUS: char(01) CONV_STATUS: char(U1)
CONV_NAME: varchar(30)
CONV_START_TIME: datetime
CONV_END_TIME: datetime
CONV_START_ROW_CNT: int
CONV_END_ROW_CNT: int CONV_USER: varchar(30)
CONV_DEPEND_BEFORE: varchar(30)
CONV_DEPEND_AFTER: varchar(30)
CONV_SCHEMA_NAME: varchar(50)

Track Table Changes

CER_TRAC_CHANGES

TRAC FILE NAME: varchar(50) TRAC_RELEASE: varchar(30) TRAC_SEQ_NO: smallint

TRAC_APPLIED_DTM: datetime TRAC_PACKAGE_NUM: varchar(30) TRAC_STATUS: char(1) TRAC USER: varchar(50) TRAC_REVISION_NUM: varchar(50) SYS_LAST_UPD_DTM: datetime SYS_USUS_ID: varchar(48) SYS_DBUSER_ID: varchar(48)

Chapter 25 Taxes Data Model

Facets Tax Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

CDS TAPS File is for the exclusive use of Matycos Lawrence Plan (HAP). [02/01/2019]

PYPY_ID: char(08)

PYPY_TAX_ID: char(09)
PYPY_PAYOR_NAME: char(50)
PYPY_PAYOR_NAME: char(50)
PYPY_ADDR1: char(40)
PYPY_ADDR3: char(40)
PYPY_ADDR3: char(40)
PYPY_SITY: char(19)
PYPY_STATE: char(02)
PYPY_ZIP: char(11)
PYPY_PHONE: char(20)
PYPY_EFF_DT: datetime
PYPY_TERM_DT: datetime
PYPY_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

GRGR_EIN: char(9) GRGR_CK: int

PAGR_CK: int
GRGR_NAME: varchar(50)
GRGR_ADDR1: varchar(40)
GRGR_ADDR2: varchar(40)
GRGR_ADDR3: varchar(40)
GRGR_ADDR3: varchar(40)
GRGR_CITY: varchar(19)
GRGR_STATE: char(2)
GRGR_ZIP: varchar(11)
GRGR_PHONE: varchar(20)
GRGR_PHONE_EXT: char(4)
GRGR_EMAIL: varchar(20)
TXER_RPT_ADDR_IND: char(1)
TXER_ADDL_DATA: varchar(256)
TXER_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Page 1 of 1

CDS_TXPD_PAY_DTL

TXPD_RPT_TX_ENTY: char(09)
TXRC_RECIP_TAX_ID: char(09)
TXRC_TAX_ID_TYPE: char(01)
TXRC_PAYEE_PR_ID: char(12)
TXRC_PAYEE_CK: int
CKPY_REF_ID: char(16)

CKPY TYPE: char(02)
CKPY PAYEE TYPE: char(01)
CKPY PAYEE TYPE: char(01)
CKPY PAY DT: datetime
CKCK CK, NO: int
TXPD_CKCK_TYPE: char(01)
DIMC_EMP_CONTR_PCT: money
DIDP_PAID_AMT: money
DIDP_DED_AMT: money
DIDP_MED_AMT: money
DIDP_SE_AMT: money
DIDP_FIT_AMT: money
DIDP_FIT_AMT: money
DIDP_PAID_DT: datetime
DIDP_PAY_FROM_DT: datetime
DIDP_PAY_FROM_DT: datetime
DIDP_PAY_TO_DT: datetime
GRGR_CK: int
TXPD_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CDS TXOP OVP DTL

TXOP_RPT_TX_ENTY: char(09)
TXRC_RECIP_TAX_ID: char(109)
TXRC_TAX_ID_TYPE: char(1)
TXRC_PAYEE_PR_ID: char(12)
TXRC_PAYEE_CK: int
TXOP_OVP_REF_ID: char(16)
TXOP_SUB_TYPE: char(01)
TXOP_SUB_TYPE: char(01)

TXOP_AMT: money
TXOP_OVP_DT: datetime
TXOP_MCTR_RSN: char(04)
ACPR_TYPE: char(2)
GRGR_CK: int
TXOP_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CDS_TXSU_SUMMARY

TXSU_RPT_TX_ENTY: char(09)
TXRC_RECIP_TAX_ID: char(09)
TXRC_TAX_ID_TYPE: char(01)

TXSU_PAID_AMT: money
TXSU_RECD_AMT: money
TXSU_TAXABLE_AMT: money
TXSU_TAXABLE_AMT: money
TXSU_PAINT_IND: char[01]
TXSU_TAX_YR: char[04]
TXSU_FIT_WAGES_W2: money
TXSU_SE_WAGES_W2: money
TXSU_SS_WH_W2: money
TXSU_MED_WAGES_W2: money
TXSU_MED_WH_W2: money
TXSU_MED_WH_W2: money
TXSU_MED_WH_W2: money
TXSU_MED_WH_W2: money
TXSU_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

CDS_TXRC_RECIPIENT

TXRC_RECIP_TAX_ID: char(9)
TXRC_TAX_ID_TYPE: char(1)


TXRC_PAYEE_PR_ID: char(12)
TXRC_PAYEE_PR_ID: char(12)
TXRC_PAYEE_CK: int
TXRC_RECIP_TYPE: char(01)
TXRC_RECIP_ENTITY: char(01)
PRPR_STS: char(02)
TXRC_RECIP_ITITLE: char(10)
TXRC_RECIP_ITITLE: char(10)
TXRC_RECIP_NAME: varchar(35)
TXRC_RECIP_TIRST_NAME: varchar(35)
TXRC_RECIP_BID_INIT: char(01)
TXRC_RECIP_ADDR1: varchar(40)
TXRC_RECIP_ADDR2: varchar(40)
TXRC_RECIP_ADDR3: varchar(40)
TXRC_RECIP_ADDR3: varchar(40)
TXRC_RECIP_TITY: varchar(19)
TXRC_RECIP_STATE: char(02)
TXRC_RECIP_STATE: char(02)
TXRC_RECIP_TIP: char(11)
TXRC_LOCK_TOKEN: smallint
ATXR_SOURCE_ID: datetime

Chapter 26 Utilization Management Data Model

UM Base Data Model


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.


This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 1 of 5



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Palia 2018 [81an (HAP). [02/01/2019]

UM Service Data Model







Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]

Page 4 of 5






Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Chapter 27 Vision Data Model


Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]



Facets Vision Data Model - 5.50

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.


This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019] Page 2 of 2



Chapter 28 Workflow Data Model

Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material. This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2019]


Workflow Itinerary Page 1 of 1





Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential Confidential Secret Material. This File is for the exclusive use of Maty Sylla - Health Allian Per Pran (HAP). [02/01/2019]


NWX_WPVA_PROV_ALIAS PRPR_ID: char(12) WPVA_SEQ_NO: int CLPR_FAC_NAME: varchar(55) CLPR_TAX_ID: varchar(25) CLPR_ADDR1: varchar(40) CLPR ADDR2: varchar(40) CLPR_ADDR3: varchar(40) CLPR_CITY: varchar(19) CLPR_STATE: varchar(2) CLPR_ZIP: varchar(11) CLPR_COUNTY: varchar(20) WPVA_EFF_DT: datetime WPVA_TERM_DT: datetime WPVA_CREATE_BY: char(10) WPVA_CREATE_DTM: datetime WPVA_MODIFY_BY: char(10) WPVA_MODIFY_DTM: datetime WPVA_LOCK_TOKEN: smallint ATXR SOURCE ID: datetime CLPR_SSN: varchar(9) CLPR_LAST_NAME: varchar(35)

CLPR_FIRST_NAME: varchar(15) CLPR_MID_INIT: varchar(1) CLPR_SS_EIN_IND: varchar(1) CLPR_UPIN: varchar(6)











Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2\textit{Workflow Roles}]



Cognizant TriZetto Software Group, Inc. All rights reserved. Confidential and Trade Secret Material.

This File is for the exclusive use of Maty Sylla - Health Alliance Plan (HAP). [02/01/2] Worldow Routing



WFBN BEAN TYPE: int

