

****Summary of Laboratory Report for Mrs. Gowri:****

****Lipid Profile Test (LPT):****

- ****Total Cholesterol:**** 185 mg/dl (Normal)
- ****Triglycerides:**** 312 mg/dl (Elevated, normal range 60-150 mg/dl)
- ****HDL Cholesterol:**** 74 mg/dl (Above normal range, indicating good cholesterol levels)
- ****LDL Cholesterol:**** 48.6 mg/dl (Normal)
- ****VLDL Cholesterol:**** 62.4 mg/dl (Slightly elevated, normal range 0-60 mg/dl)

****Thyroid Function Tests:****

- ****Total Triiodothyronine (T3):**** 1.17 nmol/L (Normal)
- ****Total Thyroxine (T4):**** 9.51 nmol/L (Normal)
- ****Thyroid Stimulating Hormone (TSH):**** 3.24 µIU/ml (Normal)

****Liver Function Test (LFT):****

- ****Total Protein:**** 5.65 g/dl (Low, normal range 6-8.5 g/dl)
- ****Serum Albumin:**** 3.63 g/dl (Normal)
- ****Serum Globulin:**** 2 g/dl (Low, normal range 2.3-3.5 g/dl)
- ****A/G Ratio:**** 1.8 (Normal)
- ****Total Bilirubin:**** 0.65 mg/dl (Normal)
- ****SGOT and SGPT:**** Within normal limits

****Renal Function Test (RFT):****

- ****Blood Urea:**** 20 mg/dL (Normal)
- ****Serum Creatinine:**** 1.1 mg/dL (Normal)
- ****Serum Uric Acid:**** 7.9 mg/dL (Elevated, normal range 2.6-6 mg/dL)

****Random Blood Sugar:**** 173 mg/dl (Elevated, normal range 60-140 mg/dl)

****Complete Blood Count (CBC):****

- ****Hemoglobin:**** 12.7 gm/dl (Normal)
- ****Total WBC:**** 7000 cells/cumm (Normal)
- ****Lymphocytes:**** 46% (Elevated, normal range 20-40%)
- ****Platelet Count:**** 1.69 Lakhs/cumm (Normal)
- ****RBC:**** 3.93 mill/cumm (Normal)
- ****PCV:**** 35.2% (Slightly low, normal range 36-48%)
- ****MCV, MCH, MCHC:**** Within normal limits

****Serum Calcium:**** 7.94 mg/dL (Low, normal range 8.6-10.3 mg/dL)

****25-OH Vitamin D (Total):**** 15.6 ng/ml (Deficiency, normal range for sufficiency 30-100 ng/ml)

****Key Abnormalities:****

1. Elevated triglycerides and VLDL cholesterol.
2. Low total protein and serum globulin levels.
3. Elevated serum uric acid and random blood sugar levels.
4. Low serum calcium and vitamin D deficiency.

****Recommendations:****

- Address hypertriglyceridemia and hyperglycemia through diet, exercise, or medication as appropriate.
- Consider supplementation or dietary adjustments for low serum calcium and vitamin D deficiency.
- Further evaluation may be needed for low total protein and serum globulin levels to rule out any

underlying conditions.