

Project Details:-

1.Create smartforms using table BUT000 Business partner pass to Kna1-Kunnr.

SmartForm code

```
REPORT ZYASH_BP.

DATA: it_kna1 TYPE TABLE OF ZYISTR_KNA1,
      wa_kna1 TYPE ZYISTR_KNA1,
      wa_bp   TYPE ZYISTR_BP.

DATA: lv_fm_name TYPE rs38l_fnam.

PARAMETERS: p_kunnr TYPE kna1-kunnr.

START-OF-SELECTION.

SELECT kunnr
       name1
       ort01
       land1
       REGIO
  INTO TABLE it_kna1
 FROM kna1
UP TO 6 ROWS.


SELECT SINGLE PARTNER
              TYPE
              BPKIND
              BU_GROUP
              BU_SORT1
  INTO WA_BP FROM BUT000
 WHERE PARTNER = P_KUNNR.

CALL FUNCTION 'SSF_FUNCTION_MODULE_NAME'
  EXPORTING
    formname = 'ZYASH_INVOICE'
  IMPORTING
    fm_name  = lv_fm_name
  EXCEPTIONS
    no_form          = 1
    no_function_module = 2
    OTHERS           = 3.


CALL FUNCTION lv_fm_name
  EXPORTING
    wa_bp = wa_bp
```

```
TABLES
  it_kna1 = it_kna1
EXCEPTIONS
  formatting_error = 1
  internal_error   = 2
  send_error       = 3
  user_canceled    = 4
OTHERS             = 5.
```


Smartform Design:



Smartform Tcode:



Smartforms main page:



Smartform Output:

	INVOICE	Pages: 1 of 1	Business Partner Invoice																																				
	Bp Number : 0000000033 Bp category : 1 Bp Type : 0004 BpGrouping : 0001 Search term 1 for Bp : YCRM01																																						
CUSTOMER NUMBER		2																																					
CUSTOMER NAME		chandu																																					
CUSTOMER CITY		Walldorf																																					
<table border="1"><thead><tr><th>CUSTOMER_</th><th>NAME</th><th>COUNT</th><th>CITY</th><th>REGION</th></tr><tr><th>NUM</th><th></th><th>RY</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>B2B Demo Customer 1</td><td>US</td><td>PHILADELPHIA</td><td>PA</td></tr><tr><td>2</td><td>chandu</td><td>DE</td><td>Walldorf</td><td>08</td></tr><tr><td>3</td><td>B2B Demo Customer 3</td><td>DE</td><td>Walldorf</td><td></td></tr><tr><td>4</td><td>B2B Demo Customer 4</td><td>IN</td><td>Vizag</td><td></td></tr><tr><td>5</td><td>sonali TEST</td><td></td><td>Pune</td><td>00</td></tr></tbody></table>					CUSTOMER_	NAME	COUNT	CITY	REGION	NUM		RY			1	B2B Demo Customer 1	US	PHILADELPHIA	PA	2	chandu	DE	Walldorf	08	3	B2B Demo Customer 3	DE	Walldorf		4	B2B Demo Customer 4	IN	Vizag		5	sonali TEST		Pune	00
CUSTOMER_	NAME	COUNT	CITY	REGION																																			
NUM		RY																																					
1	B2B Demo Customer 1	US	PHILADELPHIA	PA																																			
2	chandu	DE	Walldorf	08																																			
3	B2B Demo Customer 3	DE	Walldorf																																				
4	B2B Demo Customer 4	IN	Vizag																																				
5	sonali TEST		Pune	00																																			
<table border="1"><tr><td>SIGNATURE</td></tr></table>					SIGNATURE																																		
SIGNATURE																																							

This project involved developing a SmartForm that takes a Business Partner as input, retrieves data from the BUT000 table, maps it to the corresponding Customer Number (KNA1-KUNNR), and displays the information in a structured.

2.Create download button on alv report,data should be download in excel file using the file mseg or mkpf.

ALV report code:

Tcode –SE38

```
REPORT ZYASH_ALV.
```

```
TABLES: mkpf, mseg.
```

```
TYPES: BEGIN OF ty_data,  
        mblnr TYPE mkpf-mblnr,  
        mjahr TYPE mkpf-mjahr,  
        budat TYPE mkpf-budat,  
        matnr TYPE mseg-matnr,  
        werks TYPE mseg-werks,  
        menge TYPE mseg-menge,  
END OF ty_data.
```

```
DATA: gt_data TYPE TABLE OF ty_data,  
      gs_data TYPE ty_data.
```

```
DATA: gt_fieldcat TYPE lvc_t_fcat,  
      gs_fieldcat TYPE lvc_s_fcat.
```

```
DATA: gt_excel TYPE TABLE OF string,  
      gv_line  TYPE string.
```

```
DATA: lv_menge TYPE c LENGTH 20,  
      lv_budat TYPE c LENGTH 20.
```

```
SELECT-OPTIONS: s_budat FOR mkpf-budat.
```

```
DATA: gr_container TYPE REF TO cl_gui_custom_container,  
      gr_grid      TYPE REF TO cl_gui_alv_grid.
```

```
CLASS lcl_event_handler DEFINITION.
```

```
    PUBLIC SECTION.
```

```
        METHODS: handle_toolbar
```

```
                FOR EVENT toolbar OF cl_gui_alv_grid  
                IMPORTING e_object,
```

```
                handle_user_command
```

```
                FOR EVENT user_command OF cl_gui_alv_grid  
                IMPORTING e_ucomm.
```

```
ENDCLASS.
```

```

CLASS lcl_event_handler IMPLEMENTATION.

METHOD handle_toolbar.
    DATA ls_toolbar TYPE stb_button.

    CLEAR ls_toolbar.
    ls_toolbar-function = 'EXCEL'.
    ls_toolbar-text      = 'Download Excel'.
    ls_toolbar-icon      = icon_export.
    ls_toolbar-quickinfo = 'Download to Excel'.
    APPEND ls_toolbar TO e_object->mt_toolbar.
ENDMETHOD.

METHOD handle_user_command.
    CASE e_ucomm.
        WHEN 'EXCEL'.
            PERFORM prepare_excel.
            PERFORM download_excel.
        ENDCASE.
    ENDMETHOD.

ENDCLASS.

DATA: gr_handler TYPE REF TO lcl_event_handler.

START-OF-SELECTION.

SELECT mkpf~mblnr
      mkpf~mjahr
      mkpf~budat
      mseg~matnr
      mseg~werks
      mseg~menge
  INTO TABLE gt_data
  FROM mkpf
  INNER JOIN mseg
    ON mkpf~mblnr = mseg~mblnr
   AND mkpf~mjahr = mseg~mjahr
 WHERE mkpf~budat IN s_budat.

IF gt_data IS INITIAL.
    MESSAGE 'No Data Found' TYPE 'I'.
    EXIT.
ENDIF.

CALL SCREEN 100.

MODULE status_0100 OUTPUT.
    IF gr_container IS INITIAL.

        CREATE OBJECT gr_container
          EXPORTING container_name = 'ALV_CONTAINER'.
    
```

```

CREATE OBJECT gr_grid
  EXPORTING i_parent = gr_container.

PERFORM build_fieldcat.
CREATE OBJECT gr_handler.
SET HANDLER gr_handler->handle_toolbar FOR gr_grid.
SET HANDLER gr_handler->handle_user_command FOR gr_grid.

CALL METHOD gr_grid->set_table_for_first_display
  CHANGING
    it_outtab      = gt_data
    it_fieldcatalog = gt_fieldcat.

ENDIF.
ENDMODULE.

FORM build_fieldcat.

  CLEAR gt_fieldcat.

  DEFINE add_fcat.
    CLEAR gs_fieldcat.
    gs_fieldcat-fieldname = &1.
    gs_fieldcat-coltext   = &2.
    gs_fieldcat-outputlen = 15.
    APPEND gs_fieldcat TO gt_fieldcat.
  END-OF-DEFINITION.

  add_fcat 'MBLNR' 'Material Doc'.
  add_fcat 'MJAHR' 'Year'.
  add_fcat 'BUDAT' 'Posting Date'.
  add_fcat 'MATNR' 'Material'.
  add_fcat 'WERKS' 'Plant'.
  add_fcat 'MENGE' 'Quantity'.

ENDFORM.

FORM prepare_excel.

  CLEAR gt_excel.
  DATA lv_sep TYPE c VALUE ','.

  * Header
  CONCATENATE 'Material Doc' 'Year' 'Posting Date'
              'Material' 'Plant' 'Quantity'
    INTO gv_line SEPARATED BY lv_sep.
  APPEND gv_line TO gt_excel.

  * Data
  LOOP AT gt_data INTO gs_data.

    WRITE gs_data-menge TO lv_menge DECIMALS 2.
    WRITE gs_data-budat TO lv_budat.

```

```

        CONCATENATE gs_data-mblnr gs_data-mjahr lv_budat
                    gs_data-matnr gs_data-werks lv_menge
        INTO gv_line SEPARATED BY lv_sep.

        APPEND gv_line TO gt_excel.

    ENDLOOP.

ENDFORM.

FORM download_excel.

    DATA: lv_filename TYPE string,
           lv_path      TYPE string,
           lv_fullpath  TYPE string.

    CALL METHOD cl_gui_frontend_services=>file_save_dialog
        EXPORTING
            default_extension = 'csv'
            default_file_name = 'ALV_Report'
        CHANGING
            filename          = lv_filename
            path              = lv_path
            fullpath          = lv_fullpath.

    IF lv_fullpath IS INITIAL.
        MESSAGE 'Download Cancelled' TYPE 'I'.
        EXIT.
    ENDIF.

    CALL FUNCTION 'GUI_DOWNLOAD'
        EXPORTING
            filename          = lv_fullpath
            filetype          = 'ASC'
            write_field_separator = 'X'
        TABLES
            data_tab          = gt_excel.


    MESSAGE 'Excel downloaded successfully' TYPE 'S'.

ENDFORM.

```


SE41(Menu painter)- is an SAP tool used to create and maintain GUI statuses (PF-STATUS)—that is, the buttons, menus, and toolbar options you see on a screen.

We use SE41 to add or customize user interface actions, like creating a Download button in an ALV report and linking it to a function code (e.g., DOWNLOAD) so our ABAP program can respond to user clicks.




ALV input:

        Cancel

Material Doc	Year	Posting Date	Material	Plant
0049000028	1994	24.11.1994	P-101	1000
0049000032	1994	24.11.1994	H4-LAMP	3000
0049000032	1994	24.11.1994	H4-LAMP	3000

ALV report with Excel download output:



	A	B	C	D	E	F	G	H	I	J	K
1	Material	Year	Posting Date	Material	Plant	Quantity					
2	49000028	1994	24.11.1994	P-101	1000	1	0				
3	49000032	1994	24.11.1994	H4-LAMP	3000	700	0				
4	49000032	1994	24.11.1994	H4-LAMP	3000	700	0				
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											

Developed an interactive SAP ABAP ALV report to display material document data from the MSEG table with dynamic filtering.

Enhanced it by adding a custom Download button using PF-STATUS, enabling users to export the report data to Excel for offline analysis.

3.Submit report for transaction:

Submit report code:

Tcode-SE38

```
REPORT ZYASH_ME2M_REPORT.
```

```
SUBMIT rm06em00  
WITH ekorg = '1000'           " Purchasing Organization  
WITH matnr = 'MAT001'        " Material Number  
WITH werks = '1000'          " Plant  
AND RETURN.
```

```
DATA: lt_list TYPE TABLE OF abaplist.
```

```
SUBMIT rm06em00  
WITH ekorg = '1000'  
WITH matnr = 'MAT001'  
EXPORTING LIST TO MEMORY  
AND RETURN.
```

```
CALL FUNCTION 'LIST_FROM_MEMORY'  
TABLES  
listobject = lt_list.
```

Standard ME2M :

Material		to		
Plant		to		
Purchasing Organization		to		
Scope of List	BEST			
Selection Parameters		to		
Document Type		to		
Purchasing Group		to		
Item Category		to		
Account Assignment Category		to		
Delivery Date		to		
Deadline Subm. of Quotations		to		
Validity Key Date				
Range of Coverage to				
Document Number		to		
Vendor		to		
Supplying Plant		to		
Material Group		to		
Document Date		to		
Intern. Article No. (EAN/UPC)		to		

Please enter scope of list

ME2M tcode output:-

Contract	Type	Vendor	Name	PGp	Agmt Date
Item	Material		Short Text		Mat. Group
D I A Plnt SLoc			Targ. Qty Un	Net Price	Curr. per Un
5001000051	GCTR 1000		sri	001	08.12.2003
00001			test	001	
U			11 PC	0,00	EUR 1 PC
5001000053	GCTR 1000		sri	002	09.12.2003
00001			tttt	001	
U			11 PC	0,00	EUR 1 PC

RFQ	Type	Vendor	Name	PGp	RFQ Date
Item	Material		Short Text		Mat. Group
D I S Plnt Quot. Date			RFQ Quantity Un	Quot.Net Price	Curr. per Un
6000000004	AN 1101		ABC Dienstleistungs GmbH	007	09.03.1998
00010			Rohrverlegung	007	
D A 1000 30.06.1998			1 AU	11.600,00	DEM 1 AU
6000000005	AN 1102		Top Services GmbH	007	09.03.1998
00010			Rohrverlegung	007	
D A 1000 30.06.1998			1 AU	10.300,00	DEM 1 AU
6000000006	AN 1103		ISG Innovative Services GmbH	007	09.03.1998
00010			Rohrverlegung	007	
D A 1000 30.06.1998			1 AU	10.700,00	DEM 1 AU

Developed a custom SAP ABAP report similar to ME2M to display purchase order data by material. The report retrieves data from standard tables like EKKO and EKPO, and presents it using ALV for better analysis.