DO

Document Organizer

COPY-ONLY DOCUMENT RE-ORGANIZER

QUICK START

Quick Start

From a mapping file to organized, reconciled documents in eight steps

Document ID DO-QS-03 · **Version** 2.1 · **Date** 22-Oct-2026

Prepared by Yasin Jariwala

Audience Operators (new users)

Document control

Document	Quick Start
Document ID	DO-QS-03
Version	2.1
Date	22-Oct-2026
Prepared by	Yasin Jariwala
Product	Document Organizer v2.1
Audience	Operators (new users)
Classification	Public
Source	github.com/yasin679/Document_Organizer · docs/quick-start.md

Version history

Version	Date	Author	Changes
1.0	06-Oct-2026	Yasin Jariwala	First release
2.0	13-Oct-2026	Yasin Jariwala	General-purpose release: Amazon S3 and S3-compatible storage, copy between providers, container hosting; tenant ID field removed
2.1	22-Oct-2026	Yasin Jariwala	Several mapping files per job; File name cells listing several files split into one entry per file; NULL placeholders treated as blank; repeats of missing records reported as MISSING

Related documents

ID	Document
DO-UG-01	User Guide
DO-IG-02	Installation and Administration Guide
DO-FAQ-04	FAQ and Troubleshooting
DO-TD-05	Technical Design
DO-UAT-06	UAT Test Cases
DO-RN-07	Release Notes v2.1

Contents

1 Quick start 3
1.1 Before you start 3
1.2 The eight steps 3
1.3 Default rules (step 4)
1.4 What the statuses mean 4
1.5 Try it safely first 5

1 Quick start

This card takes you from a document mapping file to an organized, reconciled copy in eight steps. Full details for every screen are in the User Guide (DO-UG-01).

> **Three rules**
>
> **Copy only:** source documents are never moved, changed or deleted. **No guessing:** anything uncertain is flagged for a person. **Everything is accounted for:** every file and every mapping record ends with a status in the reconciliation report.

1.1 Before you start

You need	Example
The application running, and a user name with the Operator or Administrator role	http://localhost:5080
Where the documents are today	Azure container `employee-documents`, prefix `hr/`; or S3 bucket `client-docs`; or folder `D:\HRDocs\ClientA`
Where the organized copy should go	Azure container `organized-documents`, prefix `client-a/`; or an S3 bucket or folder
The mapping file(s): one row per document, as exported from the source system. Several files can be used in one job.	`client-a-hr-log.xlsx`, `client-a-payroll-log.csv`

1.2 The eight steps

Step	Screen	What you do	Takes
1	New job	Pick the storage type (Azure Blob, Amazon S3 or folder) for the source and the destination, click **Check access** on both, enter a label, click **Check access and create job**	2 min
2	Mapping files	Choose one or more mapping files and click **Upload**. Check the first rows look right.	1 min
3	Column mapping	Columns are matched automatically, per file. Fix any shown as **Missing**.	1 min
4	Rules	Keep the defaults unless the client asked for something else. Click **Save and start scan**.	1 min
5	Scan	Wait. 60,000 files scan in seconds from a folder; cloud listings take longer.	1 min+
6	Review	Read the counts. Open each exception tab. Resolve ambiguous files. Exclude exceptions that need no follow-up, in bulk, with a note. Download the validation report. Tick the confirmation and click **Approve and start copy** (with maker-checker on: **Submit for approval**, and a different person approves).	10 min+
7	Processing	Watch progress. You can **Pause** and **Resume** at any time.	varies

Step	Screen	What you do	Takes
8	Reconciliation	Download the reconciliation report (Excel) and attach it to the client's ticket. Retry failed files if any.	2 min




Figure 1: Step 6, the results summary tells you what will happen before anything is copied

1.3 Default rules (step 4)

Rule	Default	When to change
Year source	UploadedOn year	The client wants the year from a Year column or the file name
Folder template	`{EmployeeCode}/{DocumentType}/{Year}/{FileName}`	The client asked for a different structure
Matching	Exact, case-insensitive and normalized file names	Rarely
File matching several records	Flag as ambiguous	The same document belongs to several records and each needs its own copy: **Keep all**
Several file names in one cell	Split into one entry per file	The file names really contain commas or semicolons
File already at destination	Skip and report	A re-run after a partial copy: use Compare hash
Integrity check	SHA-256	Very large cloud jobs: Content-MD5 is faster
Batch size	5,000	Rarely
Keep object metadata	On (cloud destinations)	The destination must not carry extra metadata

1.4 What the statuses mean

Status	Meaning	Your action
READY	One matching record, all checks passed	None, it will be copied

Status	Meaning	Your action
PROCESSED	Copied and verified	None
UNMAPPED	File with no mapping record	Ask the client or data team
MISSING	Mapping record with no file (including repeats of a missing record)	Check the source prefix, bucket or folder
AMBIGUOUS	File matches more than one record	Resolve it in step 6, or use the rule **Keep all**
DUPLICATE	Repeated record, or file already at destination	Read the reason
INVALID	Blank employee code, type or file name (including `NULL`); no year; empty file; file in an archive tier	Fix the mapping file and scan again
FAILED	Copy did not succeed	Click **Retry failed**
EXCLUDED	Exception set aside by a person, with a note	None; restore it from the Excluded tab if needed

1.5 Try it safely first

1. On the dashboard click **Load demo data**.
2. On **New job**, click **Fill in local demo folders** (or a demo container or bucket button) and create the job.
3. In step 2 click **Use demo mapping file**, then continue through the steps.
4. You should see 458 ready, 7 unmapped, 3 missing, 2 ambiguous, 2 duplicate and 5 validation errors.

> **Where to get help**
>
> Installation or access problems: Installation and Administration Guide (DO-IG-02). Error messages and common questions: FAQ and Troubleshooting (DO-FAQ-04).