

Cucumber Report

Oct 22, 2024, 2:34:50 PM

Start : Oct 22, 2:34:42.699 PM

End : Oct 22, 2:34:49.865 PM

Duration : 7.166 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Selenium Grid Feature</u>	7.166 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Selenium Grid Feature</u>	<u>Selenium Grid Scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Grid	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Selenium Grid Feature</u>	1	0	1	0	7.166 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Selenium Grid Feature</u>	<u>Selenium Grid Scenario</u>	4	0	1	3	7.163 s

Selenium Grid Feature

FAILED	DURATION - 7.166 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:34:42.699 PM // 2:34:49.865 PM /					

Selenium Grid Scenario

FAILED	DURATION - 7.163 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:34:42.702 PM // 2:34:49.865 PM /				
Selenium Grid Feature				
@Grid				

#	Step / Hook Details	Status	Duration
1	<p>Given go to "https://yasinanil67.github.io/signIn" via remote driver</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.GridStepDefinitions at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p>	FAILED	0.499 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 46 more</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'ANIL', ip: '192.168.1.138' Build info: version: '4.24.0', revision: '748ffc9bc3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, platformName: Windows 11}]] Capabilities {browserName: chrome, platformName: Windows 11}</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:245) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:152) at utilities.Driver.getRemoteDriver(Driver.java:63) at pages.SignInPage.<init>(SignInPage.java:11) at stepdefinitions.GridStepDefinitions.<init>(GridStepDefinitions.java:9) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) ... 49 more Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:458) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:374) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:53) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) ... 56 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) </pre>		
2	When the user enters username "admin" password "123" via remote driver	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And the user clicks on submit button via remote driver	SKIPPED	0.001 s
4	Then close the driver	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	6.635 s
	Screenshot of the failed scenario		