



Product Catalogue 2017



TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



'The broadest range in the market'

Hoishi offers an extensive range of optical and copper transceivers and cable assemblies. All transceivers and assemblies are standards-based and comply with the MSA (Multi-Source Agreement). Transceivers range from 100BASE-FX to 100Gb products and cover optical and copper such as GBIC, SFP, Xenpak, X2, XFP, SFP+, QSFP and CFP.

We pride ourselves on quality, exceptional service and one of the broadest ranges of stock in the industry. All optical transceivers come direct from our factory, standard items are available for immediate dispatch whereas custom or proprietary parts are usually on a 2-3 day build cycle. We provide a limited lifetime warranty on all items and offer free shipping for volume orders.

We use cutting edge test equipment and our manufacturing sites are regularly audited. Hoishi offers cost effective solutions by programming in house.

Our in-house coding team programs all parts to OEM specifications as well as creating unique coding for customised solutions. Hoishi goes far beyond the standard to create the environment that our transceivers will be used in. We test each part in the target system to guarantee performance. All transceivers are standards based and comply with industry MSA standards.



Images are for illustration purposes only

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Compatible Product Directory

3Com pg.5	Accedian pg.5-6	Adtran pg.6-13	ADVA pg.13-14	Alcatel Lucent pg.14-20	Allied Telesis pg.20-21	Arista pg.21-24	Aruba pg.24-25	Avaya pg.25-26
Blade Networks pg.26	Brocade Foundry pg.26-31	BTI pg.31	Calix pg.31-34	Check Point pg.34	Chelsio pg.35	Ciena pg.35-36	Cisco pg.36-53	Citrix pg.53-55
Cyan pg.55-62	D-Link pg.62	Dell pg.62-63	Delta pg.63-65	Enterasys pg.65-67	Extreme pg.67-68	F5 pg.68	Finisar pg.68-71	Fluke Networks pg.71
Force10 pg.71-74	Fortinet pg.74	Fujitsu pg.75-76	Gigamon pg.76	H3C pg.76-77	HP pg.77-79	Huawei pg.79-80	IBM pg.80-82	Infinera pg.82
Intel pg.83	Interlogix pg.83	JDSU pg.83-86	Juniper pg.86-94	Linksys pg.95	Marconi pg.95-96	Meraki pg.96	MRV pg.96-115	Netgear pg.115-116
Nortel pg.116-118	Palo Alto pg.118	Pannaway pg.118	Redback pg.118-119	Riverbed pg.119	Riverstone pg.119-120	Sixnet pg.120	SMC pg.120-121	Solarflare pg.121
Sun pg.121-122	Sunrise Telecom pg.122	Telco pg.122	Tellabs pg.122	Transition Networks pg.122-123	Tradenet pg.124	Zhone pg.124	ZTE pg.124-125	Cable Assemblies pg.126-141

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



'Compatible Transceivers'

GBIC - First generation transceivers with SC fibre connectors, commonly used with Gb Ethernet and fibre channel, also available for CWDM with wavelength/channel options.



SFP - Small form factor pluggable transceivers, resulting in increased density, capable of data rates up to 6Gb/s, available in 850nm, 1310nm, and 1550nm, bi-directional option (1310nm/1490 or 1310nm/1550nm), and DWDM and CWDM wavelengths/channel options. Distances range up to 160km.



Xenpak - Larger form transceivers with capability of data rates up to 10Gb/s, with a range of a few metres up to 80km. DWDM and CWDM wavelengths/channel options.



X2 - Transceivers with the capability of data rates up to 10Gb/s, with a range of a few metres up to 80km. DWDM and CWDM wavelengths/ channel options.



XFP - Transceivers with the capability of data rates up to 10Gb/s with a range of a few metres to 80km. DWDM and CWDM wavelengths/channel options, including tuneable DWDM options.



SFP+ - Transceivers with capability of data rates from 8Gb/s to 10Gb/s, with range of a few metres up to 80km. DWDM and CWDM wavelengths/ channel options. Full range of DAC/Twinax cables available.



QSFP+ - Quad small form factor pluggable transceivers, capable of data rates up to 40Gb/s. Range of passive DAC cables and AOC cables available.



CFP/CFP2 - Transceivers with capability of data rates up to 100Gb/s, with range of up to 10km. Suitable for use in datacentres, metropolitan area networks, DWDM systems, IP switches and storage area networks.



QSFP28 - Quad small form factor pluggable transceivers, capable of data rates up to 100Gb/s. Also a range of passive DAC cables and AOC cables available.



TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



3Com Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
3Com	GBIC	3CGBIC91-HO	1000Base SX	1.25Gbps	850nm	550m
3Com	GBIC	3CGBIC92-HO	1000Base LX	1.25Gbps	1310nm	10km
3Com	GBIC	3CGBIC93A-HO	1000Base T	1.25Gbps	Copper	100m
3Com	GBIC	3CGBIC97-HO	1000Base ZX	1.25Gbps	1550nm	70km

3Com Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
3Com	SFP	3CSFP91-HO	1000Base SX	1.25Gbps	850nm	550m
3Com	SFP	3CSFP92-HO	1000Base LX	1.25Gbps	1310nm	10km
3Com	SFP	3CSFP93-HO	1000Base T	1.25Gbps	Copper	100m
3Com	SFP	3CSFP97-HO	1000Base ZX	1.25Gbps	1550nm	70km
3Com	SFP	3CSFP97-HO	1000Base ZX	1.25Gbps	1550nm	70km

3Com Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
3Com	XENPAK	3CXENPAK92-HO	10GBase-LRM	10.312Gbps	1310nm	220m
3Com	XENPAK	3CXENPAK94-HO	10GBase SR	10.312Gbps	850nm	300m
3Com	XENPAK	3CXENPAK96-HO	10GBase ER	10.312Gbps	1550nm	40km

3Com Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
3Com	XFP	3CXFP92-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
3Com	XFP	3CXFP92-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
3Com	XFP	3CXFP94-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Accedian Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Accedian	SFP	7SM-000-HO	1000Base SX	1.25Gbps	850nm	550m
Accedian	SFP	7SN-000-HO	1000Base LX	1.25Gbps	1310nm	10km
Accedian	SFP	7ST-000-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Accedian	SFP	7ST-010-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1550nm	20km
Accedian	SFP	7SU-000-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Accedian	SFP	7SU-010-HO	1000Base BX-D	1.25Gbps	TX: 1550nm RX: 1310nm	20km
Accedian	SFP	7SV-000-HO	10/100/1000Base T	1.25Gbps	Copper	100m
Accedian	SFP	7SX-013-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Accedian	SFP	7SX-014-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1610nm	80km
Accedian	SFP	7XV-000-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Accedian Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Accedian	SFP+	7SN-400-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Accedian	SFP+	7SN-500-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

Adtran Compatible CSFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	CSFP	1442010G1-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Adtran	CSFP	1442020G1-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Adtran	CSFP	1442040G1-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km

Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1184561P1-HO	1000Base LX	1.25Gbps	1310nm	10km
Adtran	SFP	1184561P3-HO	1000Base SX	1.25Gbps	850nm	550m
Adtran	SFP	1184561P4-HO	1000Base T	1.25Gbps	Copper	100m
Adtran	SFP	1184561PG1-HO	1000Base LX	1.25Gbps	1310nm	10km
Adtran	SFP	1184561PG3-HO	1000Base SX	1.25Gbps	850nm	550m
Adtran	SFP	1184562P5-HO	100Base ZX	1.25Gbps	1550nm	80km
Adtran	SFP	1184562P5-120KM-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Adtran	SFP	1184562PG5-HO	1000Base ZX	1.25Gbps	1550nm	80km
Adtran	SFP	1200480E1-HO	1000Base SX	1.25Gbps	850nm	550m
Adtran	SFP	1200480L1-HO	1000Base SX	1.25Gbps	850nm	550m
Adtran	SFP	1200481E1-HO	1000Base LX	1.25Gbps	1310nm	10km
Adtran	SFP	1200481L1-HO	1000Base LX	1.25Gbps	1310nm	10km
Adtran	SFP	1200482G1-HO	1000Base SX	1.25Gbps	850nm	550m

Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1200483G1-HO	2.125GBase LX	2.5Gbps	1310nm	30km
Adtran	SFP	1200487G10-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Adtran	SFP	1200487G20-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Adtran	SFP	1200487G40-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Adtran	SFP	1200487G80-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1550nm	80km
Adtran	SFP	1440882G1-HO	3.125GBase EX	3.125Gbps	1310nm	40km
Adtran	SFP	1442110G1-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Adtran	SFP	1442110G2-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Adtran	SFP	1442120G1-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Adtran	SFP	1442120G2-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1442140G1-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
Adtran	SFP	1442140G2-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Adtran	SFP	1442180G1-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1490nm	80km
Adtran	SFP	1442180G2-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1550nm	80km
Adtran	SFP	1442200G1-HO	1000Base T	1.25Gbps	Copper	100m
Adtran	SFP	1442300G1-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Adtran	SFP	1442320G1-HO	1000Base LX	1.25Gbps	1310nm	20km
Adtran	SFP	1442340G1-HO	1000Base EX	1.25Gbps	1310nm	40km
Adtran	SFP	1442351G1-HO	1000Base CWDM ZX	1.25Gbps	1510nm	50km
Adtran	SFP	1442351G2-HO	1000Base CWDM ZX	1.25Gbps	1530nm	80km
Adtran	SFP	1442351G3-HO	1000Base CWDM ZX	1.25Gbps	1550nm	80km
Adtran	SFP	1442351G4-HO	1000Base CWDM ZX	1.25Gbps	1570nm	80km
Adtran	SFP	1442351G5-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Adtran	SFP	1442351G6-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1470nm	80km
Adtran	SFP	1442351G7-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	80km
Adtran	SFP	1442351G8-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1610nm	80km
Adtran	SFP	1442390G1-HO	1000Base DWDM ZXL	1.25Gbps	1538.19nm	120km
Adtran	SFP	1442390G1-HO	1000Base DWDM ZXL	1.25Gbps	1538.19nm	120km
Adtran	SFP	1442401G42-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1563.05nm	80km
Adtran	SFP	1442610G1C-HO	multi LX	100Mbps-1.25Gbps	1310nm	10km
Adtran	SFP	1442655G1C-HO	multi LX	100Mbps-1.25Gbps	1310nm	2km
Adtran	SFP	1442701PG1-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1471nm	80km
Adtran	SFP	1442701PG2-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1491nm	80km
Adtran	SFP	1442701PG3-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1511nm	80km
Adtran	SFP	1442701PG4-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1531nm	80km
Adtran	SFP	1442701PG5-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1551nm	80km
Adtran	SFP	1442701PG6-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1571nm	80km
Adtran	SFP	1442701PG7-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1591nm	80km
Adtran	SFP	1442701PG8-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1611nm	80km
Adtran	SFP	1442701PG8-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1611nm	80km
Adtran	SFP	1442702PG2-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	20km
Adtran	SFP	1442703PG2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1491nm	80km
Adtran	SFP	1442703PG3-HO	622MBase OC-12/STM-4 LR2	622Mbps	1511nm	80km
Adtran	SFP	1442703PG4-HO	622MBase OC-12/STM-4 LR2	622Mbps	1531nm	80km
Adtran	SFP	1442703PG5-HO	622MBase OC-12/STM-4 LR2	622Mbps	1551nm	80km
Adtran	SFP	1442703PG6-HO	622MBase OC-12/STM-4 LR2	622Mbps	1571nm	80km
Adtran	SFP	1442703PG7-HO	622MBase OC-12/STM-4 LR2	622Mbps	1591nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1442703PG8-HO	622MBase OC-12/STM-4 LR2	622Mbps	1611nm	80km
Adtran	SFP	1442703PG9-HO	622MBase OC-12/STM-4 LR2	622Mbps	1471nm	80km
Adtran	SFP	1442704PG1-HO	622MBase OC-12c/STM-1 BX-D	622Mbps	TX: 1550nmRX: 1310nm	15km
Adtran	SFP	1442704PG2-HO	622MBase OC-12c/STM-1 BX-U	622Mbps	TX: 1310nmRX: 1550nm	15km
Adtran	SFP	1442705PG1-HO	2.5GBase OC-48/STM-16/2.5G SONET BX-D	2.5Gbps	TX: 1550nmRX: 1310nm	15km
Adtran	SFP	1442705PG2-HO	2.5Gbase OC-48/STM-16/2.5G SONET BX-U	2.5Gbps	TX: 1310nmRX: 1550nm	15km
Adtran	SFP	1442705PG3-HO	2.5GBase OC-48/STM-16/2.5G SONET BX-D	2.5Gbps	TX: 1550nmRX: 1310nm	40km
Adtran	SFP	1442705PG4-HO	2.5Gbase OC-48/STM-16/2.5G SONET BX-U	2.5Gbps	TX: 1310nmRX: 1550nm	40km
Adtran	SFP	1442706PG1-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1471nm	80km
Adtran	SFP	1442706PG2-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1491nm	80km
Adtran	SFP	1442706PG3-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1511nm	80km
Adtran	SFP	1442706PG4-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1531nm	80km
Adtran	SFP	1442706PG5-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1551nm	80km
Adtran	SFP	1442706PG6-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1571nm	80km
Adtran	SFP	1442706PG7-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1591nm	80km
Adtran	SFP	1442706PG8-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1611nm	80km
Adtran	SFP	1442707G1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1560.61nm	80km
Adtran	SFP	1442707G10-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1553.33nm	80km
Adtran	SFP	1442707G11-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1552.52nm	80km
Adtran	SFP	1442707G12-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1551.72nm	80km
Adtran	SFP	1442707G13-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1550.92nm	80km
Adtran	SFP	1442707G14-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1550.12nm	80km
Adtran	SFP	1442707G15-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1549.32nm	80km
Adtran	SFP	1442707G16-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1548.51nm	80km
Adtran	SFP	1442707G17-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1547.72nm	80km
Adtran	SFP	1442707G18-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1546.92nm	80km
Adtran	SFP	1442707G19-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1546.12nm	80km
Adtran	SFP	1442707G2-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1559.79nm	80km
Adtran	SFP	1442707G20-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1545.32nm	80km
Adtran	SFP	1442707G21-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1544.53nm	80km
Adtran	SFP	1442707G22-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1543.73nm	80km
Adtran	SFP	1442707G23-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1542.94nm	80km
Adtran	SFP	1442707G24-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1542.14nm	80km
Adtran	SFP	1442707G25-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1541.35nm	80km
Adtran	SFP	1442707G26-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1540.56nm	80km
Adtran	SFP	1442707G27-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1539.77nm	80km
Adtran	SFP	1442707G28-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1538.98nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1442707G29-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1538.19nm	80km
Adtran	SFP	1442707G3-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1558.98nm	80km
Adtran	SFP	1442707G30-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1537.40nm	80km
Adtran	SFP	1442707G31-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1536.61nm	80km
Adtran	SFP	1442707G32-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1535.82nm	80km
Adtran	SFP	1442707G33-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1535.04nm	80km
Adtran	SFP	1442707G34-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1534.25nm	80km
Adtran	SFP	1442707G35-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1533.47nm	80km
Adtran	SFP	1442707G36-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1532.68nm	80km
Adtran	SFP	1442707G37-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1531.90nm	80km
Adtran	SFP	1442707G38-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1531.12nm	80km
Adtran	SFP	1442707G39-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1530.33nm	80km
Adtran	SFP	1442707G4-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1558.17nm	80km
Adtran	SFP	1442707G40-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1529.55nm	80km
Adtran	SFP	1442707G41-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1563.86nm	80km
Adtran	SFP	1442707G42-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1563.05nm	80km
Adtran	SFP	1442707G43-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1562.23nm	80km
Adtran	SFP	1442707G44-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1561.42nm	80km
Adtran	SFP	1442707G5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1557.36nm	80km
Adtran	SFP	1442707G6-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1556.55nm	80km
Adtran	SFP	1442707G7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1555.75nm	80km
Adtran	SFP	1442707G8-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1554.94nm	80km
Adtran	SFP	1442707G9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	155Mbps-2.5Gbps	1554.13nm	80km
Adtran	SFP	1442804G1-HO	3.125GBase LX	3.125Gbps	1310nm	4km
Adtran	SFP	1442810G1-HO	3.125GBase LC	3.125Gbps	1310nm	10km
Adtran	SFP	1442820G1-HO	3.125GBase EX	3.125Gbps	1310nm	20km
Adtran	SFP	1442861G1-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	3.125Gbps	1510nm	60km
Adtran	SFP	1442861G1-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1510nm	80km
Adtran	SFP	1442861G2-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	3.125Gbps	1530nm	60km
Adtran	SFP	1442861G2-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.5Gbps	1530nm	80km
Adtran	SFP	1442861G3-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	3.125Gbps	1550nm	60km
Adtran	SFP	1442861G3-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.5Gbps	1550nm	80km
Adtran	SFP	1442861G4-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	3.125Gbps	1570nm	60km
Adtran	SFP	1442861G4-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.5Gbps	1570nm	80km
Adtran	SFP	1442861G5-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	3.125Gbps	1590nm	60km
Adtran	SFP	1442861G5-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.5Gbps	1590nm	80km
Adtran	SFP	1442861G5-OC48-80KM-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.5Gbps	1590nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP	1442890G1-HO	3.125GBase DWDM	3.125Gbps	1542.94nm	80km
Adtran	SFP	1442890G2-HO	3.125GBase DWDM	3.125Gbps	1552.52nm	80km
Adtran	SFP	1442890G3-HO	3.125GBase DWDM	3.125Gbps	1554.13nm	80km
Adtran	SFP	1442890G4-HO	3.125GBase DWDM	3.125Gbps	1554.94nm	80km

Adtran Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	SFP+	1442401G1-HO	multi SR	10Gbps	850nm	300m
Adtran	SFP+	1442410G1-HO	multi LR	10Gbps	1310nm	10km
Adtran	SFP+	1442412F1-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	10km
Adtran	SFP+	1442412F2-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	10km
Adtran	SFP+	1442420G1-HO	multi LR	10Gbps	1310nm	20km
Adtran	SFP+	1442422F1-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	20km
Adtran	SFP+	1442422F2-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	20km
Adtran	SFP+	1442440G1-HO	multi ER	10Gbps	1550nm	40km
Adtran	SFP+	1442442F1-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	40km
Adtran	SFP+	1442442F2-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	40km
Adtran	SFP+	1442471F1-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1471nm	70km
Adtran	SFP+	1442480F1-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km
Adtran	SFP+	1442480G1C-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km
Adtran	SFP+	1700485F1-HO	multi SR	10Gbps	850nm	300m
Adtran	SFP+	1700486F1-HO	multi LR	10Gbps	1310nm	10km
Adtran	SFP+	1700486F1-HO	multi LR	10Gbps	1310nm	10km

Adtran Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	XFP	1442901G1-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Adtran	XFP	1442910G1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Adtran	XFP	1442910G1C-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Adtran	XFP	1442910G2-HO	8GBase LR	8GBase Fiber Channel	1310nm	10km
Adtran	XFP	1442911F1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Adtran	XFP	1442912F1-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	10km
Adtran	XFP	1442912F2-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	10km
Adtran	XFP	1442920G1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1310nm	20km
Adtran	XFP	1442921F1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	20km
Adtran	XFP	1442922F1-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	20km
Adtran	XFP	1442922F2-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	20km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	XFP	1442922F2-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	20km
Adtran	XFP	1442940G1C-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Adtran	XFP	1442941F1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Adtran	XFP	1442942F1-HO	10Gbase BX-D	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	40km
Adtran	XFP	1442942F2-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	40km
Adtran	XFP	1442971G1-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1471nm	70km
Adtran	XFP	1442980G1C-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Adtran	XFP	1442981G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Adtran	XFP	1442981G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Adtran	XFP	1442981G2-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Adtran	XFP	1442981G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Adtran	XFP	1442981G3-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Adtran	XFP	1442981G3C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Adtran	XFP	1442981G4-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Adtran	XFP	1442981G4C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Adtran	XFP	1442981G5-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Adtran	XFP	1442981G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Adtran	XFP	1442981G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Adtran	XFP	1442981G6C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Adtran	XFP	1442981G7-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Adtran	XFP	1442981G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Adtran	XFP	1442981G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Adtran	XFP	1442981G8C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
Adtran	XFP	1442981G9-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Adtran	XFP	1442981G9C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Adtran	XFP	1442982G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Adtran	XFP	1442982G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Adtran	XFP	1442982G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Adtran	XFP	1442982G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Adtran	XFP	1442982G3-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Adtran	XFP	1442982G3C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Adtran	XFP	1442982G4-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Adtran	XFP	1442982G4C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Adtran	XFP	1442982G5-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Adtran	XFP	1442982G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Adtran	XFP	1442982G6-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Adtran	XFP	1442982G6C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	XFP	1442982G7-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Adtran	XFP	1442982G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Adtran	XFP	1442982G8-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.86nm	80km
Adtran	XFP	1442982G8C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.86nm	80km
Adtran	XFP	1442982G9-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.05nm	80km
Adtran	XFP	1442982G9C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.05nm	80km
Adtran	XFP	1442983G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1562.23nm	80km
Adtran	XFP	1442983G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1562.23nm	80km
Adtran	XFP	1442983G2-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
Adtran	XFP	1442983G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
Adtran	XFP	1442983G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
Adtran	XFP	1442983G3C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Adtran	XFP	1442983G4-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Adtran	XFP	1442983G4C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Adtran	XFP	1442983G5-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Adtran	XFP	1442983G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Adtran	XFP	1442983G6-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
Adtran	XFP	1442983G6C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
Adtran	XFP	1442983G7-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Adtran	XFP	1442983G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Adtran	XFP	1442983G8-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Adtran	XFP	1442983G8C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Adtran	XFP	1442983G9-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Adtran	XFP	1442983G9C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Adtran	XFP	1442985G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band Channels 17-60	80km
Adtran	XFP	1442986G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Adtran	XFP	1442986G1C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Adtran	XFP	1442986G2-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1541.35nm	80km
Adtran	XFP	1442986G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1541.35nm	80km
Adtran	XFP	1442986G3-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Adtran	XFP	1442986G3C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Adtran	XFP	1442986G4-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Adtran	XFP	1442986G4C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Adtran	XFP	1442986G5-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Adtran	XFP	1442986G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Adtran	XFP	1442986G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Adtran	XFP	1442986G6C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Adtran	XFP	1442986G7-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1537.4nm	80km
Adtran	XFP	1442986G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1537.4nm	80km
Adtran	XFP	1442986G8-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Adtran	XFP	1442986G8C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Adtran	XFP	1442986G9-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Adtran	XFP	1442986G9C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Adtran	XFP	1442987G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Adtran	XFP	1442987G1-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Adtran	XFP	1442987G2-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Adtran	XFP	1442987G2C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Adtran	XFP	1442987G3-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
Adtran	XFP	1442987G3C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
Adtran	XFP	1442987G4-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Adtran	XFP	1442987G4C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Adtran	XFP	1442987G5-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Adtran	XFP	1442987G5C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Adtran	XFP	1442987G6-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Adtran	XFP	1442987G6C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Adtran	XFP	1442987G7-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Adtran	XFP	1442987G7C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Adtran	XFP	1442987G8-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
Adtran	XFP	1442987G8C-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km

ADVA Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ADVA	SFP	0061003011-HO	1000Base ZXL	1.25Gbps	1550nm	100km
ADVA	SFP	0061003018-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
ADVA	SFP	0061003019-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
ADVA	SFP	0061004008-HO	1000Base SX	1.25Gbps	850nm	550m
ADVA	SFP	0061004009-HO	1000Base LX	1.25Gbps	1310nm	10km
ADVA	SFP	0061004012-HO	1000Base EX	1.25Gbps	1310nm	40km
ADVA	SFP	0061004014-HO	1000Base ZX	1.25Gbps	1550nm	80km
ADVA	SFP	1061705850-01-HO	1000Base LX	1.25Gbps	1310nm	10km

ADVA Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ADVA	SFP+	1061701855-01-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



ADVA Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ADVA	SFP+	1061702000-01-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band	80km

ADVA Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ADVA	XFP	0061701811-03-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
ADVA	XFP	0061701812-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km
ADVA	XFP	1061701400-01-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km
ADVA	XFP	1061701426-05-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
ADVA	XFP	1061701429-05-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
ADVA	XFP	1061701430-05-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km

Alcatel-Lucent Compatible CSFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	CSFP	3FE65106DA-HO	1000Base 2 chn BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Alcatel-Lucent	CSFP	3FE65106DA-HO	1000Base 2 chn BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km

Alcatel-Lucent Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	QSFP+	3HE06485AA-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
Alcatel-Lucent	QSFP+	QSFP-40G-IR-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	1km
Alcatel-Lucent	QSFP+	QSFP-40G-LR-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
Alcatel-Lucent	QSFP+	QSFP-40G-LRM4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Alcatel-Lucent	QSFP+	QSFP-40G-SR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Alcatel-Lucent Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	SFP	109565549-HO	100/1000Base T	100Mbps/1000Mbps	Copper	100m
Alcatel-Lucent	SFP	109568782-HO	1000Base Fiber/ENET LX	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1310nm	10km
Alcatel-Lucent	SFP	109570606-HO	1000Base Fiber/ENET SX	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	850nm	550m
Alcatel-Lucent	SFP	1AB187280040-HO	1000Base Fiber/ENET LX	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1310nm	10km
Alcatel-Lucent	SFP	1AB359780001-HO	10/100/1000Base T	1.25Gbps	Copper	100m
Alcatel-Lucent	SFP	3FE21430AA-HO	Multirate CWDM ZX	1.25Gbps-2.5Gbps	1430nm	120km
Alcatel-Lucent	SFP	3FE21450AA-HO	Multirate CWDM ZX	1.25Gbps-2.5Gbps	1450nm	120km
Alcatel-Lucent	SFP	3FE25771AA-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1471nm	60km
Alcatel-Lucent	SFP	3FE25771AB-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1491nm	60km
Alcatel-Lucent	SFP	3FE25771AC-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1511nm	60km
Alcatel-Lucent	SFP	3FE25771AC-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1511nm	60km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alcatel-Lucent Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	SFP	3FE25771AE-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1551nm	60km
Alcatel-Lucent	SFP	3FE25771AE-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1551nm	60km
Alcatel-Lucent	SFP	3FE25771AG-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1591nm	60km
Alcatel-Lucent	SFP	3FE25771AG-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1591nm	60km
Alcatel-Lucent	SFP	3FE25771CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1471nm	120km
Alcatel-Lucent	SFP	3FE25772AA-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Alcatel-Lucent	SFP	3FE25772AA-20-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Alcatel-Lucent	SFP	3FE25772AA-20-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Alcatel-Lucent	SFP	3FE25772AB-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Alcatel-Lucent	SFP	3FE25774AA-HO	1000Base LX	1.25Gbps	1310nm	10km
Alcatel-Lucent	SFP	3FE25774AA-HO	1000Base LX	1.25Gbps	1310nm	10km
Alcatel-Lucent	SFP	3FE25776AA-HO	1000Base ZX	1.25Gbps	1550nm	80km
Alcatel-Lucent	SFP	3FE25776AA-120-HO	1000Base ZX	1.25Gbps	1550nm	120km
Alcatel-Lucent	SFP	3FE25785AB-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	40km
Alcatel-Lucent	SFP	3FE28785AA-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	40km
Alcatel-Lucent	SFP	3FE28785AA-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	40km
Alcatel-Lucent	SFP	3FE29550CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1551nm	120km
Alcatel-Lucent	SFP	3FE29551CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1531nm	120km
Alcatel-Lucent	SFP	3FE29551CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1531nm	120km
Alcatel-Lucent	SFP	3FE29553CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1571nm	120km
Alcatel-Lucent	SFP	3FE29554CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1591nm	120km
Alcatel-Lucent	SFP	3FE29555CA-HO	multi CWDM ZXL	1.25Gbps-2.5Gbps	1611nm	120km
Alcatel-Lucent	SFP	3HE00024AA-HO	100Base FX	100Mbps	1310nm	2km
Alcatel-Lucent	SFP	3HE00024AA-HO	100Base FX	100Mbps	1310nm	2km
Alcatel-Lucent	SFP	3HE00027AA-HO	1000Base SX	1.25Gbps	850nm	550m
Alcatel-Lucent	SFP	3HE00027CA-HO	1000Base SX	1.25Gbps	850nm	550m
Alcatel-Lucent	SFP	3HE00027CA-HO	1000Base SX	1.25Gbps	850nm	550m
Alcatel-Lucent	SFP	3HE00028AA-HO	1000Base LX	1.25Gbps	1310nm	10km
Alcatel-Lucent	SFP	3HE00029AA-HO	1000Base ZX	1.25Gbps	1550nm	70km
Alcatel-Lucent	SFP	3HE00029AA-HO	1000Base ZX	1.25Gbps	1550nm	70km
Alcatel-Lucent	SFP	3HE00062AA-HO	1000Base T	1.25Gbps	Copper	100m
Alcatel-Lucent	SFP	3HE00062CB-HO	1000Base T	1.25Gbps	Copper	100m
Alcatel-Lucent	SFP	3HE00062CB-01-HO	10/100/1000Base T	1.25Gbps	Copper	100m
Alcatel-Lucent	SFP	3HE00070BA-HO	1000Base CWDM ZXL	1.25Gbps	1470nm	120km
Alcatel-Lucent	SFP	3HE00070BB-HO	1000Base CWDM ZXL	1.25Gbps	1490nm	120km
Alcatel-Lucent	SFP	3HE00070BC-HO	1000Base CWDM ZXL	1.25Gbps	1510nm	120km
Alcatel-Lucent	SFP	3HE00070BD-HO	1000Base CWDM ZXL	1.25Gbps	1530nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alcatel-Lucent Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	SFP	3HE00070BD-HO	1000Base CWDM ZXL	1.25Gbps	1530nm	120km
Alcatel-Lucent	SFP	3HE00070BF-HO	1000Base CWDM ZXL	1.25Gbps	1570nm	120km
Alcatel-Lucent	SFP	3HE00070BG-HO	1000Base CWDM ZXL	1.25Gbps	1590nm	120km
Alcatel-Lucent	SFP	3HE00070BG-HO	1000Base CWDM ZXL	1.25Gbps	1590nm	120km
Alcatel-Lucent	SFP	3HE00070CA-HO	1000Base CWDM ZXL	1.25Gbps	1471nm	120km
Alcatel-Lucent	SFP	3HE00070CB-HO	1000Base CWDM ZXL	1.25Gbps	1491nm	120km
Alcatel-Lucent	SFP	3HE00070CC-HO	1000Base CWDM ZXL	1.25Gbps	1511nm	120km
Alcatel-Lucent	SFP	3HE00070CD-HO	1000Base CWDM ZXL	1.25Gbps	1531nm	120km
Alcatel-Lucent	SFP	3HE00070CE-HO	1000Base CWDM ZXL	1.25Gbps	1551nm	120km
Alcatel-Lucent	SFP	3HE00070CF-HO	1000Base CWDM ZXL	1.25Gbps	1571nm	120km
Alcatel-Lucent	SFP	3HE00070CG-HO	1000Base CWDM ZXL	1.25Gbps	1591nm	120km
Alcatel-Lucent	SFP	3HE00070CH-HO	1000Base CWDM ZXL	1.25Gbps	1611nm	120km
Alcatel-Lucent	SFP	3HE00867AA-HO	1000Base EX	1.25Gbps	1310nm	40km
Alcatel-Lucent	SFP	3HE00867AA-C43-HO	1000Base CWDM EX	1.25Gbps	1431nm	40km
Alcatel-Lucent	SFP	3HE00867AA-C45-HO	1000Base CWDM EX	1.25Gbps	1451nm	40km
Alcatel-Lucent	SFP	3HE00867CA-HO	1000Base EX	1.25Gbps	1310nm	40km
Alcatel-Lucent	SFP	3HE00868AA-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Alcatel-Lucent	SFP	3HE00868AB-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Alcatel-Lucent	SFP	3HE00868CA-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Alcatel-Lucent	SFP	3HE00868CB-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Alcatel-Lucent	SFP	3HE00869AA-HO	100Base BX-D	100Mbps	TX: 1310nm RX: 1550nm	10km
Alcatel-Lucent	SFP	3HE00869AB-HO	100Base BX-D	100Mbps	TX: 1550nm RX: 1310nm	10km
Alcatel-Lucent	SFP	3HE00869CA-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Alcatel-Lucent	SFP	3HE00869CB-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Alcatel-Lucent	SFP	3HE01389AA-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Alcatel-Lucent	SFP	3HE01389CA-HO	1000Base EZX	1.25Gbps	1550nm	120km
Alcatel-Lucent	SFP	3HE01454AA-HO	100Base FX	100Mbps	1310nm	40km
Alcatel-Lucent	SFP	3HE01454AA-HO	100Base FX	100Mbps	1310nm	40km
Alcatel-Lucent	SFP	3HE01454CA-HO	100Base FX	100Mbps	1310nm	40km
Alcatel-Lucent	SFP	3HE04116AA-HO	100/1000Base LX	100Mbps-1.25Gbps	1310nm	2km
Alcatel-Lucent	SFP	3HE04117AA-HO	100/1000Base LX	100Mbps-1.25Gbps	1310nm	10km
Alcatel-Lucent	SFP	3HE04323AA-HO	100Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
Alcatel-Lucent	SFP	3HE04323AB-HO	100Base BX-D	100Mbps	TX: 1490nm RX: 1310nm	40km
Alcatel-Lucent	SFP	3HE04324AA-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
Alcatel-Lucent	SFP	3HE04324AB-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Alcatel-Lucent	SFP	3HE04524AA-HO	100Base LX	100Mbps	1310nm	10km
Alcatel-Lucent	SFP	3HE04939CA-HO	1000Base CWDM EX	1.25Gbps	1471nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alcatel-Lucent Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	SFP	3HE04939CB-HO	1000Base CWDM EX	1.25Gbps	1491nm	40km
Alcatel-Lucent	SFP	3HE04939CC-HO	1000Base CWDM EX	1.25Gbps	1511nm	40km
Alcatel-Lucent	SFP	3HE04939CD-HO	1000Base CWDM EX	1.25Gbps	1531nm	40km
Alcatel-Lucent	SFP	3HE04939CE-HO	1000Base CWDM EX	1.25Gbps	1551nm	40km
Alcatel-Lucent	SFP	3HE04939CF-HO	1000Base CWDM EX	1.25Gbps	1571nm	40km
Alcatel-Lucent	SFP	3HE04939CG-HO	1000Base CWDM EX	1.25Gbps	1591nm	40km
Alcatel-Lucent	SFP	3HE04939CH-HO	1000Base CWDM EX	1.25Gbps	1611nm	40km
Alcatel-Lucent	SFP	3HE05936CA-HO	1000Base CWDM ZX	1.25Gbps	1471nm	80km
Alcatel-Lucent	SFP	3HE05936CB-HO	1000Base CWDM ZX	1.25Gbps	1491nm	80km
Alcatel-Lucent	SFP	3HE05936CC-HO	1000Base CWDM ZX	1.25Gbps	1511nm	80km
Alcatel-Lucent	SFP	3HE05936CD-HO	1000Base CWDM ZX	1.25Gbps	1531nm	80km
Alcatel-Lucent	SFP	3HE05936CE-HO	1000Base CWDM ZX	1.25Gbps	1551nm	80km
Alcatel-Lucent	SFP	3HE05936CF-HO	1000Base CWDM ZX	1.25Gbps	1571nm	80km
Alcatel-Lucent	SFP	3HE05936CG-HO	1000Base CWDM ZX	1.25Gbps	1591nm	80km
Alcatel-Lucent	SFP	3HE05936CH-HO	1000Base CWDM ZX	1.25Gbps	1611nm	80km
Alcatel-Lucent	SFP	SFP-100-LC-MM-HO	100Base FX	155 Mbp/s	1310nm	2km
Alcatel-Lucent	SFP	SFP-100-LC-SM40-HO	100Base FX	100Mbps	1310nm	40km
Alcatel-Lucent	SFP	SFP-100-LC-SM40-HO	100Base FX	100Mbps	1310nm	40km
Alcatel-Lucent	SFP	SFP-GIG-BX-D-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Alcatel-Lucent	SFP	SFP-GIG-BX-D-120-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	120km
Alcatel-Lucent	SFP	SFP-GIG-BX-D-20-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Alcatel-Lucent	SFP	SFP-GIG-BX-D-40-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
Alcatel-Lucent	SFP	SFP-GIG-BX-D-80-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1490nm	80km
Alcatel-Lucent	SFP	SFP-GIG-BX-U-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Alcatel-Lucent	SFP	SFP-GIG-BX-U-120-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1550nm	120km
Alcatel-Lucent	SFP	SFP-GIG-BX-U-20-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Alcatel-Lucent	SFP	SFP-GIG-BX-U-40-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Alcatel-Lucent	SFP	SFP-GIG-BX-U-80-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1550nm	80km
Alcatel-Lucent	SFP	SFP-GIG-LH120-HO	1000Base ZX	1.25Gbps	1550nm	120km
Alcatel-Lucent	SFP	SFP-GIG-LH40-HO	1000Base EX	1.25Gbps	1310nm	40km
Alcatel-Lucent	SFP	SFP-GIG-LH70-HO	1000Base ZX	1.25Gbps	1550nm	70km
Alcatel-Lucent	SFP	SFP-GIG-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Alcatel-Lucent	SFP	SFP-GIG-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Alcatel-Lucent	SFP	SFP-GIG-T-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alcatel-Lucent Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	SFP+	1AB429380001-HO	6GBase LR	6Gbps	1310nm	15km
Alcatel-Lucent	SFP+	3FE62600DA-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Alcatel-Lucent	SFP+	3FE62600EA-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Alcatel-Lucent	SFP+	3FE63264AA-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Alcatel-Lucent	SFP+	3FE65831AA-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Alcatel-Lucent	SFP+	3HE04823AA-HO	10GBase LR	10Gbps	1310nm	10km
Alcatel-Lucent	SFP+	3HE04824AA-HO	10GBase SR	10Gbps	850nm	300m
Alcatel-Lucent	SFP+	3HE05036AA-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Alcatel-Lucent	SFP+	3HE05037AA-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km
Alcatel-Lucent	SFP+	3HE05037AB-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Alcatel-Lucent	SFP+	3HE05894AA-HO	10GBase ZR	10Gbps	1550nm	80km
Alcatel-Lucent	SFP+	3HE07161CA-HO	10GBase CWDM ER	10.3125Gbps	1470nm	40km
Alcatel-Lucent	SFP+	ISFP-10G-ER-HO	10GBase ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	SFP+	ISFP-10G-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Alcatel-Lucent	SFP+	SFP-10G-ER-ALCATEL-HO	10GBase ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	SFP+	SFP-10G-GIG-LR-HO	10GBase LC / 1000Base-LX	1Gbps-10Gbps	1310nm	10km
Alcatel-Lucent	SFP+	SFP-10G-GIG-SR-HO	10Base SR / 1000Base SX	1Gbps-10Gbps	850nm	300m
Alcatel-Lucent	SFP+	SFP-10GIG-T-HO	10GBase T	10.312Gbps	Copper	30m
Alcatel-Lucent	SFP+	SFP-10G-LRM-ALCATEL-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Alcatel-Lucent	SFP+	SFP-10G-SR-ALCATEL-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Alcatel-Lucent	SFP+	SFP-10G-T-ALCATEL-HO	10GBase T	10.312Gbps	Copper	30m
Alcatel-Lucent	SFP+	SFP-10G-ZR-ALCATEL-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km

Alcatel-Lucent Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	XFP	109537555-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Alcatel-Lucent	XFP	109537563-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	XFP	109537902-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Alcatel-Lucent	XFP	10G-XFP-ER-ALCATEL-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	XFP	10G-XFP-ZR-ALCATEL-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Alcatel-Lucent	XFP	1AB217280001-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	XFP	1AB217280002-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Alcatel-Lucent	XFP	3HE00564AA-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Alcatel-Lucent	XFP	3HE00564CA-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Alcatel-Lucent	XFP	3HE00564CA-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Alcatel-Lucent	XFP	3HE00876AA-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	XFP	3HE00876CA-HO	100GBase ER	9.953Gbps-11.318Gbps	1550nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alcatel-Lucent Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	XFP	3HE01545AA-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Alcatel-Lucent	XFP	3HE02717AA-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Alcatel-Lucent	XFP	3HE02717AB-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Alcatel-Lucent	XFP	3HE02717AC-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Alcatel-Lucent	XFP	3HE02717AD-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Alcatel-Lucent	XFP	3HE02717AE-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Alcatel-Lucent	XFP	3HE02717AF-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
Alcatel-Lucent	XFP	3HE02717AG-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Alcatel-Lucent	XFP	3HE02717AH-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Alcatel-Lucent	XFP	3HE02717AJ-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Alcatel-Lucent	XFP	3HE02717AK-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Alcatel-Lucent	XFP	3HE02717AL-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Alcatel-Lucent	XFP	3HE02717AM-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Alcatel-Lucent	XFP	3HE02718AA-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
Alcatel-Lucent	XFP	3HE02718AB-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Alcatel-Lucent	XFP	3HE02718AC-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Alcatel-Lucent	XFP	3HE02718AD-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Alcatel-Lucent	XFP	3HE02718AE-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Alcatel-Lucent	XFP	3HE02718AF-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Alcatel-Lucent	XFP	3HE02718AG-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Alcatel-Lucent	XFP	3HE02718AH-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1541.35nm	80km
Alcatel-Lucent	XFP	3HE02718AJ-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Alcatel-Lucent	XFP	3HE02718AK-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Alcatel-Lucent	XFP	3HE02718AL-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Alcatel-Lucent	XFP	3HE02718AM-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1537.40nm	80km
Alcatel-Lucent	XFP	3HE02718AN-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Alcatel-Lucent	XFP	3HE02718AP-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Alcatel-Lucent	XFP	3HE02718AR-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Alcatel-Lucent	XFP	3HE02718AT-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
Alcatel-Lucent	XFP	3HE02718AU-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Alcatel-Lucent	XFP	3HE02718AV-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Alcatel-Lucent	XFP	3HE02718AW-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Alcatel-Lucent	XFP	3HE02718AX-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
Alcatel-Lucent	XFP	3HE04999CA-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable	80km
Alcatel-Lucent	XFP	3HE05761CA-HO	10GBase ZRL	9.953Gbps-11.318Gbps	1550nm	120km
Alcatel-Lucent	XFP	3HE05830CA-HO	10GBase SR	9.953Gbps-11.318Gbps	850nm	300m
Alcatel-Lucent	XFP	3HE05831CA-HO	10GBase LR	9.953Gbps-11.318Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Alltel-Lucent Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Alcatel-Lucent	XFP	3HE05832CA-HO	100GBase ER	9.953Gbps-11.318Gbps	1550nm	40km
Alcatel-Lucent	XFP	3HE08411CB-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1491nm	70km
Alcatel-Lucent	XFP	3HE08411CB-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1491nm	70km
Alcatel-Lucent	XFP	3HE08411CC-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1511nm	70km
Alcatel-Lucent	XFP	XFP-10G-LR-Alcatel-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Alcatel-Lucent	XFP	XFP-10G-SR-ALCATEL-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Allied Telesis Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	GBIC	AT-G8BD-13-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
Allied Telesis	GBIC	AT-G8BD-14-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Allied Telesis	GBIC	AT-G8LX10-HO	1000Base LX	1.25Gbps	1310nm	10km
Allied Telesis	GBIC	AT-G8SX-01-HO	1000Base SX	1.25Gbps	850nm	550m
Allied Telesis	GBIC	AT-G8T-HO	1000Base T	1.25Gbps	Copper	100m

Allied Telesis Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	QSFP+	AT-QSFP1R-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	1km
Allied Telesis	QSFP+	AT-QSFPLRM-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Allied Telesis	QSFP+	AT-QSFPSR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Allied Telesis Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	SFP	AT-SPBD10-13-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Allied Telesis	SFP	AT-SPBD10-14-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Allied Telesis	SFP	AT-SPEX-HO	1000Base LX	1.25Gbps	1310nm	2km
Allied Telesis	SFP	AT-SPEX-HO	1000Base LX	1.25Gbps	1310nm	2km
Allied Telesis	SFP	AT-SPFX-2-HO	100Base FX	100Mbps	1310nm	2km
Allied Telesis	SFP	AT-SPFX-40-HO	100Base FX	100Mbps	1310nm	40km
Allied Telesis	SFP	AT-SPFXBD-LC-13-HO	100Base BX-U	100Mbps Fast Ethernet	TX: 1310nm RX: 1550nm	15km
Allied Telesis	SFP	AT-SPFXBD-LC-13-HO	100Base BX-U	100Mbps Fast Ethernet	TX: 1310nm RX: 1550nm	15km
Allied Telesis	SFP	AT-SPLX10-HO	1000Base LX	1.25Gbps	1310nm	10km
Allied Telesis	SFP	AT-SPLX10-I-HO	1000Base LX	1.25Gbps	1310nm	10km
Allied Telesis	SFP	AT-SPLX40-HO	1000Base EX	1.25Gbps	1310nm	40km
Allied Telesis	SFP	AT-SPLX40-1550-HO	1000Base LX	1.25Gbps	1550nm	40km
Allied Telesis	SFP	AT-SPSX-HO	1000Base SX	1.25Gbps	850nm	550m
Allied Telesis	SFP	AT-SPTX-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Allied Telesis Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	SFP	AT-SPZX80-HO	1000Base ZX	1.25Gbps	1550nm	80km

Allied Telesis Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	SFP+	AT-SP10LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Allied Telesis	SFP+	AT-SP10SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Allied Telesis Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Allied Telesis	XFP	AT-XPER40-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Allied Telesis	XFP	AT-XPER80-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Allied Telesis	XFP	AT-XPLR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Allied Telesis	XFP	AT-XPSR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Arista Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	QSFP+	QSFP-40G-ER4-AN-HO	40GBase QSFP ER4	40Gbps	1310nm	40km
Arista	QSFP+	QSFP-40G-LR4-AN-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Arista	QSFP+	QSFP-40G-LRL4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	1km
Arista	QSFP+	QSFP-40G-PLR4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps: 1310nm	10km
Arista	QSFP+	QSFP-40G-PLRL4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps: 1310nm	2km
Arista	QSFP+	QSFP-40G-SR4-AN-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Arista	QSFP+	QSFP-40G-XSR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	300m
Arista	QSFP+	QSFP-LR4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Arista	QSFP+	QSFP-SR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Arista Compatible QSFP100

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	QSFP100	QSFP-100G-LR4-HO	100GBase-LR4	103.125Gbps	4x25.8Gbps: 1310nm	10km
Arista	QSFP100	QSFP-100G-PLRL4-HO	100GBase-PLRL4	103.125Gbps	1310nm	2km
Arista	QSFP100	QSFP-100G-SR4-HO	100GBase-SR4	103.125Gbps	850nm	100m
Arista	QSFP100	QSFP-100G-SR4-HO	100GBase-SR4	103.125Gbps	850nm	100m

Arista Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	SFP	SFP-1G-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Arista	SFP	SFP-1G-LX-HO	1000Base LX	1.25Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Arista Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	SFP	SFP-1G-T-HO	1000Base T	1.25Gbps	Copper	100m

Arista Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	SFP+	SFP-10G-DW-30.33-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1530.33nm	40km
Arista	SFP+	SFP-10G-DW-30.33-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1530.33nm	40km
Arista	SFP+	SFP-10G-DW-31.90-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.90nm	40km
Arista	SFP+	SFP-10G-DW-31.90-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.90nm	40km
Arista	SFP+	SFP-10G-DW-32.68-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1532.68nm	40km
Arista	SFP+	SFP-10G-DW-34.25-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1534.25nm	40km
Arista	SFP+	SFP-10G-DW-35.04-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.04nm	40km
Arista	SFP+	SFP-10G-DW-35.82-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.82nm	40km
Arista	SFP+	SFP-10G-DW-36.61-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1536.61nm	40km
Arista	SFP+	SFP-10G-DW-37.40-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1537.40nm	40km
Arista	SFP+	SFP-10G-DW-38.19-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.19nm	40km
Arista	SFP+	SFP-10G-DW-38.98-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.98nm	40km
Arista	SFP+	SFP-10G-DW-39.77-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.77nm	40km
Arista	SFP+	SFP-10G-DW-39.77-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.77nm	40km
Arista	SFP+	SFP-10G-DW-41.35-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1541.35nm	40km
Arista	SFP+	SFP-10G-DW-42.14-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.14nm	40km
Arista	SFP+	SFP-10G-DW-42.94-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.94nm	40km
Arista	SFP+	SFP-10G-DW-43.73-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1543.73nm	40km
Arista	SFP+	SFP-10G-DW-44.53-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1544.53nm	40km
Arista	SFP+	SFP-10G-DW-45.32-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1545.32nm	40km
Arista	SFP+	SFP-10G-DW-46.12-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.12nm	40km
Arista	SFP+	SFP-10G-DW-46.92-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.92nm	40km
Arista	SFP+	SFP-10G-DW-47.72-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
Arista	SFP+	SFP-10G-DW-48.51-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1548.51nm	40km
Arista	SFP+	SFP-10G-DW-49.32-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
Arista	SFP+	SFP-10G-DW-49.32-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
Arista	SFP+	SFP-10G-DW-50.92-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.92nm	40km
Arista	SFP+	SFP-10G-DW-51.72-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1551.72nm	40km
Arista	SFP+	SFP-10G-DW-52.52-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1552.52nm	40km
Arista	SFP+	SFP-10G-DW-52.52-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1552.52nm	40km
Arista	SFP+	SFP-10G-DW-53.33-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1553.33nm	40km
Arista	SFP+	SFP-10G-DW-54.94-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.94nm	40km
Arista	SFP+	SFP-10G-DW-55.75-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1555.75nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Arista Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	SFP+	SFP-10G-DW-56.55-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1556.55nm	40km
Arista	SFP+	SFP-10G-DW-57.36-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1557.36nm	40km
Arista	SFP+	SFP-10G-DW-58.17-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.17nm	40km
Arista	SFP+	SFP-10G-DW-58.17-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.17nm	40km
Arista	SFP+	SFP-10G-DW-59.79-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1559.79nm	40km
Arista	SFP+	SFP-10G-DW-60.61-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1560.61nm	40km
Arista	SFP+	SFP-10G-DW-61.42-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1561.42nm	40km
Arista	SFP+	SFP-10G-DW-62.23-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1562.23nm	40km
Arista	SFP+	SFP-10G-DW-63.05-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1563.05nm	40km
Arista	SFP+	SFP-10G-DW-63.86-ARISTA-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1563.86nm	40km
Arista	SFP+	SFP-10G-DZ-29.55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
Arista	SFP+	SFP-10G-DZ-29.55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
Arista	SFP+	SFP-10G-DZ-30.33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.33nm	80km
Arista	SFP+	SFP-10G-DZ-31.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.12nm	80km
Arista	SFP+	SFP-10G-DZ-31.90-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.90nm	80km
Arista	SFP+	SFP-10G-DZ-33.47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
Arista	SFP+	SFP-10G-DZ-33.47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
Arista	SFP+	SFP-10G-DZ-34.25-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.25nm	80km
Arista	SFP+	SFP-10G-DZ-35.82-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.82nm	80km
Arista	SFP+	SFP-10G-DZ-36.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
Arista	SFP+	SFP-10G-DZ-37.40-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
Arista	SFP+	SFP-10G-DZ-38.19-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
Arista	SFP+	SFP-10G-DZ-38.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.98nm	80km
Arista	SFP+	SFP-10G-DZ-39.77-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.77nm	80km
Arista	SFP+	SFP-10G-DZ-40.56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km
Arista	SFP+	SFP-10G-DZ-41.35-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
Arista	SFP+	SFP-10G-DZ-42.14-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
Arista	SFP+	SFP-10G-DZ-42.94-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.94nm	80km
Arista	SFP+	SFP-10G-DZ-43.73-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1543.73nm	80km
Arista	SFP+	SFP-10G-DZ-44.53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
Arista	SFP+	SFP-10G-DZ-45.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1545.32nm	80km
Arista	SFP+	SFP-10G-DZ-46.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.12nm	80km
Arista	SFP+	SFP-10G-DZ-46.92-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.92nm	80km
Arista	SFP+	SFP-10G-DZ-47.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
Arista	SFP+	SFP-10G-DZ-48.51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1548.51nm	80km
Arista	SFP+	SFP-10G-DZ-49.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1549.32nm	80km
Arista	SFP+	SFP-10G-DZ-50.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Arista Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Arista	SFP+	SFP-10G-DZ-50.92-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.92nm	80km
Arista	SFP+	SFP-10G-DZ-51.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km
Arista	SFP+	SFP-10G-DZ-52.52-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1552.52nm	80km
Arista	SFP+	SFP-10G-DZ-53.33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
Arista	SFP+	SFP-10G-DZ-54.13-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
Arista	SFP+	SFP-10G-DZ-54.94-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.94nm	80km
Arista	SFP+	SFP-10G-DZ-55.75-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
Arista	SFP+	SFP-10G-DZ-56.55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km
Arista	SFP+	SFP-10G-DZ-57.36-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1557.36nm	80km
Arista	SFP+	SFP-10G-DZ-58.17-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.17nm	80km
Arista	SFP+	SFP-10G-DZ-58.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.98nm	80km
Arista	SFP+	SFP-10G-DZ-59.79-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1559.79nm	80km
Arista	SFP+	SFP-10G-DZ-60.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
Arista	SFP+	SFP-10G-DZ-T-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable	80km
Arista	SFP+	SFP-10G-ER-ARISTA-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Arista	SFP+	SFP-10G-LR-ARISTA-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Arista	SFP+	SFP-10G-LR-ARISTA-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Arista	SFP+	SFP-10G-LRL-AN-HO	10GBase LR Lite	8Gbps-11.3Gbps	1310nm	1km
Arista	SFP+	SFP-10G-LRM-ARISTA-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
Arista	SFP+	SFP-10G-SR-ARISTA-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Arista	SFP+	SFP-10G-SRL-ARISTA-HO	10GBase SRL	8Gbps-11.3Gbps	850nm	100m
Arista	SFP+	SFP-10G-T-HO	10GBase T	10.312Gbps	Copper	30m
Arista	SFP+	SFP-10G-ZR-ARISTA-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	70km

Aruba Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Aruba	GBIC	LC-GBIC-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Aruba	GBIC	LC-GBIC-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Aruba	GBIC	LC-GBIC-T-HO	1000Base T	1.25Gbps	Copper	100m
Aruba	GBIC	LC-GBIC-T-HO	1000Base T	1.25Gbps	Copper	100m
Aruba	GBIC	LC-GBIC-ZX-HO	1000Base ZX	1.25Gbps	1550nm	70km

Aruba Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Aruba	SFP	SFP-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Aruba	SFP	SFP-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Aruba	SFP	SFP-TX-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Aruba Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Aruba	SFP	SFP-ZX-HO	1000Base ZX	1.25Gbps	1550nm	70km

Aruba Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Aruba	SFP+	SFP-10GE-LR-ARUBA-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Aruba	SFP+	SFP-10GE-LRM-ARUBA-HO	10Gbase LRM	8Gbps-11.3Gbps	1310nm	220m

Aruba Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Aruba	XFP	XFP-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Aruba	XFP	XFP-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Avaya Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Avaya	GBIC	108659210-HO	1000Base LX	1.25Gbps	1300nm	10km
Avaya	GBIC	108659228-HO	1000Base SX	1.25Gbps	850nm	550m
Avaya	GBIC	700013121-HO	1000Base SX	1.25Gbps	850nm	550m
Avaya	GBIC	700013139-HO	1000Base LX	1.25Gbps	1310nm	10km
Avaya	GBIC	700013147-HO	1000Base ZX	1.25Gbps	1550nm	80km
Avaya	GBIC	M8001-10000ELX-HO	1000Base ZX	1.25Gbps	1550nm	70km
Avaya	GBIC	M8001-1000LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Avaya	GBIC	M8001-1000SX-HO	1000Base SX	1.25Gbps	850nm	550m

Avaya Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Avaya	QSFP+	AA1404001-E6-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Avaya	QSFP+	AA1404005-E6-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Avaya	QSFP+	AA1404005-E6-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Avaya Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Avaya	SFP	108873241-HO	1000Base SX	1.25Gbps	850nm	550m
Avaya	SFP	108873258-HO	1000Base LX	1.25Gbps	1310nm	10km
Avaya	SFP	700283872-HO	1000Base T	1.25Gbps	Copper	100m
Avaya	SFP	AA1419048-E6-HO	1000Base SX	1.25Gbps	850nm	550m
Avaya	SFP	AA1419069-E6-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Avaya	SFP	AA1419070-E6-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Avaya Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Avaya	SFP+	AA1403013-E6-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Avaya	SFP+	AA1403015-E6-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Avaya	SFP+	AA1403017-E6-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
Avaya	SFP+	CWDM-10G-AVAYA-HO	10GBase CWDM ZR	10.312Gbps	1570nm	80km

Blade Networks Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Blade Networks	QSFP+	BN-CKM-QS-LR-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
Blade Networks	QSFP+	BN-CKM-QS-SR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Blade Networks Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Blade Networks	SFP	BN-CKM-S-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Blade Networks	SFP	BN-CKM-S-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Blade Networks	SFP	BN-CKM-S-T-HO	1000Base T	1.25Gbps	Copper	100m

Blade Networks Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Blade Networks	SFP+	BN-CKM-SP-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Blade Networks	SFP+	BN-CKM-SP-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Brocade-Foundry Compatible CFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	CFP	100GBASE-LR4-HO	100GBase LR	100Gbps	4x25.8Gbps: 1310nm	10km
Brocade-Foundry	CFP	100G-CFP-10X10-10KM-HO	100GBase LR	100Gbps	10x10.3Gbps: 1523nm-1595nm	10km
Brocade-Foundry	CFP	100G-CFP-10X10-2KM-HO	100GBase LR	100Gbps	10x10.3Gbps: 1523nm-1595nm	2km
Brocade-Foundry	CFP	100G-CFP-LR4-10KM-HO	100GBase LR	100Gbps	4x25.8Gbps: 1310nm	10km
Brocade-Foundry	CFP	100GBASE-ER4-HO	100GBase ER	100Gbps	4x25.8Gbps: 1310nm	40km
Brocade-Foundry	CFP	100G-CFP-ER4-40KM-HO	100GBase ER	100Gbps	4x25.8Gbps: 1310nm	40km
Brocade-Foundry	CFP	100GBASE-SR10-HO	100GBase SR-10	100Gbps	10x10.3Gbps: 840nm-860nm	125m
Brocade-Foundry	CFP	100G-CFP-SR10-HO	100GBase SR-10	100Gbps	10x10.3Gbps: 840nm-860nm	125m
Brocade-Foundry	CFP	10X10-MSA-HO	100GBase SR-10	100Gbps	850nm	125m

Brocade-Foundry Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	GBIC	E1G-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	GBIC	E1G-SX-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	GBIC	XBR-000011-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	GBIC	XBR-000025-HO	1000Base SX	1.25Gbps	850nm	550m

Brocade-Foundry Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	QSFP+	40G-QSFP-IR4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	2km
Brocade-Foundry	QSFP+	40G-QSFP-LR4-HO	40GBase QSFP LR4	10Gbps	4x10Gbps CWDM: 1310nm	10km
Brocade-Foundry	QSFP+	40G-QSFP-LR4-HO	40GBase QSFP LR4	10Gbps	4x10Gbps CWDM: 1310nm	10km
Brocade-Foundry	QSFP+	40G-QSFP-LRM4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Brocade-Foundry	QSFP+	40G-QSFP-SR4-INT-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Brocade-Foundry Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	SFP	E1MG-100BXD-HO	100Base BX-D	100Mbps	TX: 1550nm RX: 1310nm	10km
Brocade-Foundry	SFP	E1MG-100BXD-HO	100Base BX-D	100Mbps	TX: 1550nm RX: 1310nm	10km
Brocade-Foundry	SFP	E1MG-100FX-HO	100Base FX	100Mbps	1310nm	2km
Brocade-Foundry	SFP	E1MG-100FX-HO	100Base FX	100Mbps	1310nm	2km
Brocade-Foundry	SFP	E1MG-100FX-IR-OM-HO	100Base FX	100Mbps	1310nm	15km
Brocade-Foundry	SFP	E1MG-100FX-IR-OM-HO	100Base FX	100Mbps	1310nm	15km
Brocade-Foundry	SFP	E1MG-100FX-LR-OM-HO	100Base FX	100Mbps	1310nm	40km
Brocade-Foundry	SFP	E1MG-100FX-OM-HO	100Base FX	100Mbps	1310nm	2km
Brocade-Foundry	SFP	E1MG-BXD-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Brocade-Foundry	SFP	E1MG-BXU-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Brocade-Foundry	SFP	E1MG-CWDM80-1470-HO	1000Base CWDM ZX	1.25Gbps	1470nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1470-HO	1000Base CWDM ZX	1.25Gbps	1470nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1510-HO	1000Base CWDM ZX	1.25Gbps	1510nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1530-HO	1000Base CWDM ZX	1.25Gbps	1530nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1550-HO	1000Base CWDM ZX	1.25Gbps	1550nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1570-HO	1000Base CWDM ZX	1.25Gbps	1570nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1590-HO	1000Base CWDM ZX	1.25Gbps	1590nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-1610-HO	1000Base CWDM ZX	1.25Gbps	1610nm	80km
Brocade-Foundry	SFP	E1MG-CWDM80-XXXX-HO	1000Base ZX	1.06Gbps-1.25Gbps	Multi fixed 1470nm-1610nm	80km
Brocade-Foundry	SFP	E1MG-LHA-HO	1000Base ZX	1.25Gbps	1550nm	70km
Brocade-Foundry	SFP	E1MG-LHA-OM-HO	1000Base ZX	1.25Gbps	1550nm	70km
Brocade-Foundry	SFP	E1MG-LHA-OM-T-HO	1000Base ZX	1.25Gbps	1550nm	70km
Brocade-Foundry	SFP	E1MG-LHB-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Brocade-Foundry	SFP	E1MG-LHB-HO	1000Base ZXL	1.25Gbps	1550nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	SFP	E1MG-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	SFP	E1MG-LX-OM-T-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	SFP	E1MG-LX-OM-T-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	SFP	E1MG-SX-OM-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	E1MG-SX-OM-T-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	E1MG-SX-OM-T-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	E1MTG-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	OC12-SFP-IR1-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Brocade-Foundry	SFP	OC12-SFP-LR1-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	40km
Brocade-Foundry	SFP	OC12-SFP-LR2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Brocade-Foundry	SFP	OC12-SFP-MM-HO	622MBase OC-12/STM-4 SR	622Mbps	1310nm	2km
Brocade-Foundry	SFP	OC48-SFP-IR1-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Brocade-Foundry	SFP	OC48-SFP-LR1-HO	2.5GBase OC-48/STM-16/2.5G SONET LR	2.488Gbps	1310nm	40km
Brocade-Foundry	SFP	OC48-SFP-SR1-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Brocade-Foundry	SFP	XBR-000075-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	XBR-000076-HO	1000Base SX	1.25Gbps	850nm	550m
Brocade-Foundry	SFP	XBR-000077-HO	1000Base LX	1.25Gbps	1310nm	10km
Brocade-Foundry	SFP	XBR-000139-HO	4GBase Fiber chn SW	4.25Gbps	850nm	150m
Brocade-Foundry	SFP	XBR-000141-HO	4GBase Fiber chn SW	4.25Gbps	850nm	150m
Brocade-Foundry	SFP	XBR-000142-HO	4GBase Fiber chn LWL	4.25Gbps	1310nm	4km
Brocade-Foundry	SFP	XBR-000143-HO	4GBase Fiber chn LWL	4.25Gbps	1310nm	4km
Brocade-Foundry	SFP	XBR-000144-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	10km
Brocade-Foundry	SFP	XBR-000146-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	30km
Brocade-Foundry	SFP	XBR-000157-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	10km
Brocade-Foundry	SFP	XBR-000158-HO	4GBase Fiber chn SW	4.25Gbps	850nm	150m
Brocade-Foundry	SFP	XBR-000190-HO	1000Base T	1.25Gbps	Copper	100m

Brocade-Foundry Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	SFP+	XBR-000159-HO	8GBase Fiber chn SR	8Gbps-11.3Gbps	850nm	150m
Brocade-Foundry	SFP+	10G-SFPP-BXD-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Brocade-Foundry	SFP+	10G-SFPP-BXU-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km
Brocade-Foundry	SFP+	10G-SFPP-C59-ER-HO	10GBase CWDM ER	10.3125Gbps	1590nm	40km
Brocade-Foundry	SFP+	10G-SFPP-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Brocade-Foundry	SFP+	10G-SFPP-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Brocade-Foundry	SFP+	10G-SFPP-LR-8-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Brocade-Foundry	SFP+	10G-SFPP-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	SFP+	10G-SFPP-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Brocade-Foundry	SFP+	10G-SFPP-SR-8-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m
Brocade-Foundry	SFP+	10G-SFPP-USR-HO	10GBase SRL	8Gbps-11.3Gbps	850nm	100m
Brocade-Foundry	SFP+	10G-SFPP-ZR-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	70km
Brocade-Foundry	SFP+	10G-SFPP-ZRD-T-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band	80km
Brocade-Foundry	SFP+	XBR-000147-HO	8GBase SW	8Gbps-11.3Gbps	850nm	150m
Brocade-Foundry	SFP+	XBR-000148-HO	8GBase Fiber chn SR	8Gbps-11.3Gbps	850nm	150m
Brocade-Foundry	SFP+	XBR-000153-HO	8GBase Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
Brocade-Foundry	SFP+	XBR-000163-HO	8Gbase Fiber chn SW	8GBase Fiber Channel	850nm	300m
Brocade-Foundry	SFP+	XBR-000164-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m
Brocade-Foundry	SFP+	XBR-000172-HO	8GBase Fiber chn LW	8GBase Fiber Channel	1310nm	10km
Brocade-Foundry	SFP+	XBR-000172-HO	8GBase Fiber chn LW	8GBase Fiber Channel	1310nm	10km
Brocade-Foundry	SFP+	XBR-000199-HO	8GBase Fiber chn LW	16GBase Fiber Channel	1310nm	10km

Brocade-Foundry Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	XENPAK	10G-XNPK-ER-HO	10GBase ER	10.312Gbps	1550nm	40km
Brocade-Foundry	XENPAK	10G-XNPK-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Brocade-Foundry	XENPAK	10G-XNPK-LW-HO	10GBase LR	10.312Gbps	1310nm	10km
Brocade-Foundry	XENPAK	10G-XNPK-LX4-HO	10GBase LX4	10.312Gbps	1310nm	300m
Brocade-Foundry	XENPAK	10G-XNPK-LX4-HO	10GBase LX4	10.312Gbps	1310nm	300m
Brocade-Foundry	XENPAK	10G-XNPK-SR-HO	10GBase SR	10.312Gbps	850nm	300m
Brocade-Foundry	XENPAK	10G-XNPK-ZRD-HO	10GBase ZR	10.3Gbps	Multi fixed 1528.77nm-1561.42nm	80km

Brocade-Foundry Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	XFP	10G-XFP-1310-LRM-HO	10GBase-LRM	9.953Gbps-11.318Gbps	1310nm	220m
Brocade-Foundry	XFP	10G-XFP-ER-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Brocade-Foundry	XFP	10G-XFP-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Brocade-Foundry	XFP	10G-XFP-LR-4-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Brocade-Foundry	XFP	10G-XFP-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Brocade-Foundry	XFP	10G-XFP-ZR-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1531-12-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.12nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1531-90-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.90nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1532-68-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1532.68nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	XFP	10G-XFP-ZRD-1533-47-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1533.47nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1534-25-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1534.25nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1535-04-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1535.04nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1535-82-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1535.82nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1536-61-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1536.61nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1537-40-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1537.40nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1538-19-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1538.19nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1538-98-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1538.98nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1539-77-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1539.77nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1540-56-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1540.56nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1541-35-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1541.35nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1542-14-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1542.14nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1542-94-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1542.14nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1543-73-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1543.73nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1544-53-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1544.53nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1545-32-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.72nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1546-12-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.12nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1546-92-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.92nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1547-72-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1547.72nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1548-51-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1548.51nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1549-32-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1549.32nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1550-12-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.12nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1550-92-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.92nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1551-72-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1551.72nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1552-52-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1552.52nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1553-33-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1553.33nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1553-33-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1553.33nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1554-13-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.13nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1554-94-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.94nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1555-75-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1555.75nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1556-55-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1556.55nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1557-36-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1557.36nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1558-98-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.98nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1558-98-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.98nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1560-61-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1560.61nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1561-42-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1561.42nm	80km
Brocade-Foundry	XFP	10G-XFP-ZRD-1561-42-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1561.42nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Brocade-Foundry	XFP	OC192-XFP-IR2-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Brocade-Foundry	XFP	OC192-XFP-LR2-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Brocade-Foundry	XFP	OC192-XFP-SR1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1330nm	2km

BTI Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
BTI	SFP	BP3AD3ES-HO	10/100/1000Base T	1.25Gbps	Copper	100m

BTI Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
BTI	XFP	BP3AM4CL-01-HO	10GBase CWDM ZR	10.312Gbps	1610nm	80km
BTI	XFP	BP3AM4TF-HO	10Gbase ZR	9.953Gbps-11.318Gbps	Tunable	80km

Calix Compatible CSFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	CSFP	100-01791-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Calix	CSFP	100-01792-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Calix	CSFP	100-02581-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Calix	CSFP	100-04063-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km

Calix Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	SFP	100-01603-HO	1000Base BX-D	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Calix	SFP	100-01660-HO	1000Base SX	1.25Gbps	850nm	550m
Calix	SFP	100-01661-HO	1000Base T	100Mbps/1000Mbps	Copper	100m
Calix	SFP	100-01662-HO	1000Base LX	1.25Gbps	1310nm	10km
Calix	SFP	100-01662-CTEMP-HO	1000Base LX	1.25Gbps	1310nm	10km
Calix	SFP	100-01663-HO	1000Base EX	1.25Gbps	1310nm	40km
Calix	SFP	100-01664-HO	1000Base ZX	1.25Gbps	1550nm	80km
Calix	SFP	100-01664-C61-CTEMP-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1610nm	80km
Calix	SFP	100-01664-W45-CTEMP-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1550nm	80km
Calix	SFP	100-01664-W54-CTEMP-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1490nm	80km
Calix	SFP	100-01665-HO	1000Base Fiber/ENET ZXL	1.25Gbps	1550nm	120km
Calix	SFP	100-01665-CTEMP-HO	1000Base Fiber/ENET ZXL	1.25Gbps	1550nm	120km
Calix	SFP	100-01666-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	10km
Calix	SFP	100-01666-CTEMP-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	10km
Calix	SFP	100-01667-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Calix Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	SFP	100-01667-CTEMP-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	10km
Calix	SFP	100-01668-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Calix	SFP	100-01668-CTEMP-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Calix	SFP	100-01669-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Calix	SFP	100-01669-CTEMP-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Calix	SFP	100-01669-CTEMP-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	20km
Calix	SFP	100-01670-CTEMP-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Calix	SFP	100-01670-CTEMP-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Calix	SFP	100-01671-CTEMP-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
Calix	SFP	100-01672-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	60km
Calix	SFP	100-01673-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	60km
Calix	SFP	100-01956-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Calix	SFP	100-01957-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	20km
Calix	SFP	100-01972-HO	2.5GBase OC-48/STM-16/2.5G SONET BX-D	2.5Gbps	TX: 1490nmRX: 1310nm	20km
Calix	SFP	100-01973-HO	2.5Gbase OC-48/STM-16/2.5G SONET BX-U	2.5Gbps	TX: 1310nmRX: 1490nm	20km
Calix	SFP	100-02135-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1510nm	80km
Calix	SFP	100-02136-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1530nm	80km
Calix	SFP	100-02137-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1570nm	80km
Calix	SFP	100-02138-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Calix	SFP	100-02603-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Calix	SFP	100-02608-HO	1000Base BX-D	1.25Gbps	TX: 1590nmRX: 1490nm	80km
Calix	SFP	100-02611-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1590nm	80km
Calix	SFP	100-03789-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1470nm	80km
Calix	SFP	100-03790-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	80km
Calix	SFP	100-03790-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	80km
Calix	SFP	100-03792-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1610nm	80km

Calix Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	SFP+	100-01510-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Calix	SFP+	100-01510-BXD-40-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	40km
Calix	SFP+	100-01510-BXD-60-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	60km
Calix	SFP+	100-01510-BXU-40-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	40km
Calix	SFP+	100-01510-BXU-60-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	60km
Calix	SFP+	100-01510-C-BXD-40-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	40km
Calix	SFP+	100-01510-C-BXU-40-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	40km
Calix	SFP+	100-01511-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Calix Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	SFP+	100-01511-W32-HO	10Gbase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	40km
Calix	SFP+	100-01512-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Calix	SFP+	100-01512-BXD-10-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	10km
Calix	SFP+	100-01512-BXU-10-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	10km
Calix	SFP+	100-01512-C-BXD-10-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	10km
Calix	SFP+	100-01512-C-BXU-10-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	10km
Calix	SFP+	100-01514-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
Calix	SFP+	100-01515-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m
Calix	SFP+	100-01903-HO	10Gbase LR20	8Gbps-11.3Gbps	1310nm	20km
Calix	SFP+	100-01903-BXD-20-HO	10Gbase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	20km
Calix	SFP+	100-01903-BXU-20-HO	10Gbase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	20km
Calix	SFP+	100-01903-C-BXD-20-HO	10Gbase BX-D	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	20km
Calix	SFP+	100-01903-C-BXU-20-HO	10Gbase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	20km
Calix	SFP+	100-01971-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
Calix	SFP+	100-02156-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1561.42nm	40km
Calix	SFP+	100-02158-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1555.75nm	40km
Calix	SFP+	100-02160-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.94nm	40km
Calix	SFP+	100-02162-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1529.55nm	40km
Calix	SFP+	100-02168-HO	10Gbase BX-D	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	20km
Calix	SFP+	100-02169-HO	10Gbase BX-U	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	20km
Calix	SFP+	100-03498-HO	10Gbase BX-D	8Gbps-11.3Gbps	TX: 1270nmRX: 1330nm	10km
Calix	SFP+	100-03499-HO	10Gbase BX-U	8Gbps-11.3Gbps	TX: 1330nmRX: 1270nm	10km
Calix	SFP+	100-03927-HO	10GBase CWDM ER	10.3125Gbps	1471nm	40km

Calix Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	XFP	100-01425-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Calix	XFP	100-01426-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Calix	XFP	100-01506-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Calix	XFP	100-01507-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Calix	XFP	100-01508-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Calix	XFP	100-01509-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Calix	XFP	100-01629-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Calix	XFP	100-02139-HO	10Gbase BX-D	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	20km
Calix	XFP	100-02139-40-HO	10Gbase BX-D	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	40km
Calix	XFP	100-02142-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
Calix	XFP	100-02143-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1511nm	70km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Calix Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Calix	XFP	100-02144-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Calix	XFP	100-02145-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1531nm	70km
Calix	XFP	100-02146-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Calix	XFP	100-02147-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1571nm	70km
Calix	XFP	100-02148-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
Calix	XFP	100-02149-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1591nm	70km
Calix	XFP	100-02157-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Calix	XFP	100-02159-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Calix	XFP	100-02161-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Calix	XFP	100-02163-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1548.51nm	80km
Calix	XFP	100-02167-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Calix	XFP	100-02595-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Calix	XFP	100-02596-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Calix	XFP	100-03496-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1270nm RX: 1330nm	10km
Calix	XFP	100-03497-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1330nm RX: 1270nm	10km
Calix	XFP	100-03500-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1471nm	70km
Calix	XFP	100-03501-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1491nm	70km
Calix	XFP	100-03898-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nm RX: 1330nm	20km
Calix	XFP	100-03898-40-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nm RX: 1330nm	40km
Calix	XFP	100-04209-HO	10GBase CWDM ZR	10.312Gbps	1471nm	70km
Calix	XFP	105166-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Calix	XFP	105167-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

Check Point Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Check Point	QSFP+	CPAC-TR-40LR-SSM160-QSFP-HO	40GB Multi-rate	43.01Gbps	4x10Gbps CWDM: 1310nm	10km

Check Point Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Check Point	SFP	CPAC-TR-1LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Check Point	SFP	CPAC-TR-1SX-HO	1000Base SX	1.25Gbps	850nm	550m

Check Point Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Check Point	SFP+	CPAC-TR-10LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Check Point	SFP+	CPAC-TR-10SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Check Point	SFP+	CPAC-TR-10SR-B-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Chelsio Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Chelsio	SFP+	SM10G-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Chelsio	SFP+	SM10G-SR-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m

Chelsio Compatible CFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Ciena	CFP	NTTA03BJ-HO	100GBase LR	103.1-111.8Gbps	4x25Gbps 1310nm	10km
Ciena	CFP	NTTA03BJ-HO	100GBase LR	103.1-111.8Gbps	4x25Gbps 1310nm	10km

Ciena Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Ciena	SFP	NTK586AA-HO	multi DWDM ZXL	Multi-Rate: 1.0625-2.5Gbps	1528.77nm	80km
Ciena	SFP	NTK590LH-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM	2.5Gbps	1471nm	80km
Ciena	SFP	NTK591LB-HO	1000Base CWDM ZX	1.25Gbps	1471nm	80km
Ciena	SFP	NTK596LH-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1471nm	80km
Ciena	SFP	NTTP01AF-HO	1000Base Fiber/ENET SX	1.25Gbps	850nm	550m
Ciena	SFP	NTTP11CF-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	30km
Ciena	SFP	NTTP11CF-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	30km
Ciena	SFP	NTTP58BD-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Ciena	SFP	NTTP61AA-HO	1000Base T	1.25Gbps	Copper	100m
Ciena	SFP	NTTP61AA-HO	1000Base T	1.25Gbps	Copper	100m
Ciena	SFP	XCV-A00D43-HO	multi CWDM ZXL	1.25Gbps	1431nm	120km
Ciena	SFP	XCVR-010M31-HO	1000Base LX	1.25Gbps	1310nm	10km
Ciena	SFP	XCVR-080Y55-HO	1000Base ZX	1.25Gbps	1550nm	70km
Ciena	SFP	XCVR-A00CRJ-T-HO	10/100/1000Base T	1.25Gbps	Copper	100m
Ciena	SFP	XCVR-A00D43-HO	1000Base CWDM ZXL	1.25Gbps	1431nm	120km
Ciena	SFP	XCVR-A00D43-HO	1000Base CWDM ZXL	1.25Gbps	1431nm	120km
Ciena	SFP	XCVR-A00D47-HO	1000Base CWDM ZXL	1.25Gbps	1471nm	120km
Ciena	SFP	XCVR-A00D49-HO	1000Base CWDM ZXL	1.25Gbps	1490nm	120km
Ciena	SFP	XCVR-A00D51-HO	1000Base CWDM ZXL	1.25Gbps	1510nm	120km
Ciena	SFP	XCVR-A00D53-HO	1000Base CWDM ZXL	1.25Gbps	1530nm	120km
Ciena	SFP	XCVR-A00D55-HO	1000Base CWDM ZXL	1.25Gbps	1550nm	120km
Ciena	SFP	XCVR-A00D57-HO	1000Base CWDM ZXL	1.25Gbps	1570nm	120km
Ciena	SFP	XCVR-A00D59-HO	1000Base CWDM ZXL	1.25Gbps	1590nm	120km
Ciena	SFP	XCVR-A00D61-HO	1000Base CWDM ZXL	1.25Gbps	1610nm	120km
Ciena	SFP	XCVR-A00G85-HO	1000Base SX	1.25Gbps	850nm	550m
Ciena	SFP	XCVR-A00G85-HO	1000Base SX	1.25Gbps	850nm	550m
Ciena	SFP	XCVR-A40U31-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Ciena Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Ciena	SFP	XCVR-A40U49-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Ciena	SFP	XCVR-A40U49-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Ciena	SFP	XCVR-A40Y31-HO	1000Base EX	1.25Gbps	1310nm	40km
Ciena	SFP	XCVR-A80D45-HO	1000Base CWDM ZX	1.25 Gbps	1450nm	80km
Ciena	SFP	XCVR-A80D45-HO	1000Base CWDM ZX	1.25 Gbps	1450nm	80km
Ciena	SFP	XCVR-A80D49-HO	1000Base CWDM ZX	1.25 Gbps	1490nm	80km
Ciena	SFP	XCVR-A80D51-HO	1000Base CWDM ZX	1.25 Gbps	1510nm	80km
Ciena	SFP	XCVR-A80D53-HO	1000Base CWDM ZX	1.25 Gbps	1530nm	80km
Ciena	SFP	XCVR-A80D55-HO	1000Base CWDM ZX	1.25 Gbps	1550nm	80km
Ciena	SFP	XCVR-A80D57-HO	1000Base CWDM ZX	1.25 Gbps	1570nm	80km
Ciena	SFP	XCVR-A80D59-HO	1000Base CWDM ZX	1.25 Gbps	1590nm	80km
Ciena	SFP	XCVR-A80D61-HO	1000Base CWDM ZX	1.25 Gbps	1610nm	80km

Ciena Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Ciena	SFP+	XCVR-S00Z85-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Ciena	SFP+	XCVR-S10V31-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Ciena	SFP+	XCVR-S40V55-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Ciena	SFP+	XCVR-S80V55-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	70km

Ciena Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Ciena	XFP	130-4900-900-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Ciena	XFP	B-730-0005-0XX-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps-11.318Gbps	Multi fixed 1529.55nm-1565.50nm	80km
Ciena	XFP	NTK583AAE6-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km
Ciena	XFP	NTK587DCE5-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Ciena	XFP	NTK587DGE5-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Ciena	XFP	NTTP80DA-HO	10GBase ENET/Fiber chn & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1310nm	40km
Ciena	XFP	NTTP80DA-HO	10GBase ENET/Fiber chn & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1310nm	40km
Ciena	XFP	NTTP84AA-E6-HO	10GBase ER	9.953Gbps-11.318Gbps	1550nm	40km
Ciena	XFP	NTTP84AA-E6-HO	10GBase ER	9.953Gbps-11.318Gbps	1550nm	40km
Ciena	XFP	NTTP84HA-HO	multi CWDM ZR	9.953Gbps-11.318Gbps	1471nm	80km

Cisco Compatible CFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	CFP	CFP-100G-LR4-HO	100GBase LR	100Gbps	4x25.8Gbps: 1310nm	10km
Cisco	CFP	CFP-100G-SR10-HO	100GBase SR-10	100Gbps	10x10.3Gbps: 840nm-860nm	125m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	GBIC	15454-GBIC-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	GBIC	15454-GBIC-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	GBIC	15454-GBIC-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cisco	GBIC	C6400-GBIC-LHGX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	GBIC	C6400-GBIC-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	GBIC	C6400-GBIC-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cisco	GBIC	CWDM-GBIC-1270-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1270nm	80km
Cisco	GBIC	CWDM-GBIC-1290-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1290nm	80km
Cisco	GBIC	CWDM-GBIC-1310-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1310nm	80km
Cisco	GBIC	CWDM-GBIC-1330-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1330nm	80km
Cisco	GBIC	CWDM-GBIC-1350-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1350nm	80km
Cisco	GBIC	CWDM-GBIC-1370-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1370nm	80km
Cisco	GBIC	CWDM-GBIC-1390-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1390nm	80km
Cisco	GBIC	CWDM-GBIC-1410-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1410nm	80km
Cisco	GBIC	CWDM-GBIC-1430-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1430nm	80km
Cisco	GBIC	CWDM-GBIC-1450-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1450nm	80km
Cisco	GBIC	CWDM-GBIC-1470-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1470nm	80km
Cisco	GBIC	CWDM-GBIC-1490-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1490nm	80km
Cisco	GBIC	CWDM-GBIC-1510-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1510nm	80km
Cisco	GBIC	CWDM-GBIC-1530-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1530nm	80km
Cisco	GBIC	CWDM-GBIC-1550-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1550nm	80km
Cisco	GBIC	CWDM-GBIC-1570-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1570nm	80km
Cisco	GBIC	CWDM-GBIC-1590-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1590nm	80km
Cisco	GBIC	CWDM-GBIC-1610-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1610nm	80km
Cisco	GBIC	CWDM-GBIC-XXXX-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	Multi fixed	80km
Cisco	GBIC	DWDM-GBIC-1530.33-HO	1000Base DWDM ZX	1.25Gbps	1530.33nm	80km
Cisco	GBIC	DWDM-GBIC-1531.12-HO	1000Base DWDM ZX	1.25Gbps	1531.12nm	80km
Cisco	GBIC	DWDM-GBIC-1531.90-HO	1000Base DWDM ZX	1.25Gbps	1531.9nm	80km
Cisco	GBIC	DWDM-GBIC-1532.68-HO	1000Base DWDM ZX	1.25Gbps	1532.68nm	80km
Cisco	GBIC	DWDM-GBIC-1534.25-HO	1000Base DWDM ZX	1.25Gbps	1534.25nm	80km
Cisco	GBIC	DWDM-GBIC-1534.25-HO	1000Base DWDM ZX	1.25Gbps	1534.25nm	80km
Cisco	GBIC	DWDM-GBIC-1535.82-HO	1000Base DWDM ZX	1.25Gbps	1535.82nm	80km
Cisco	GBIC	DWDM-GBIC-1536.61-HO	1000Base DWDM ZX	1.25Gbps	1536.61nm	80km
Cisco	GBIC	DWDM-GBIC-1538.19-HO	1000Base DWDM ZX	1.25Gbps	1538.19nm	80km
Cisco	GBIC	DWDM-GBIC-1538.98-HO	1000Base DWDM ZX	1.25Gbps	1538.98nm	80km
Cisco	GBIC	DWDM-GBIC-1539.77-HO	1000Base DWDM ZX	1.25Gbps	1539.77nm	80km
Cisco	GBIC	DWDM-GBIC-1540.56-HO	1000Base DWDM ZX	1.25Gbps	1540.56nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	GBIC	DWDM-GBIC-1542.14-HO	1000Base DWDM ZX	1.25Gbps	1542.14nm	80km
Cisco	GBIC	DWDM-GBIC-1542.94-HO	1000Base DWDM ZX	1.25Gbps	1542.94nm	80km
Cisco	GBIC	DWDM-GBIC-1543.73-HO	1000Base DWDM ZX	1.25Gbps	1543.73nm	80km
Cisco	GBIC	DWDM-GBIC-1544.53-HO	1000Base DWDM ZX	1.25Gbps	1544.53nm	80km
Cisco	GBIC	DWDM-GBIC-1546.12-HO	1000Base DWDM ZX	1.25Gbps	1546.12nm	80km
Cisco	GBIC	DWDM-GBIC-1546.92-HO	1000Base DWDM ZX	1.25Gbps	1546.92nm	80km
Cisco	GBIC	DWDM-GBIC-1547.72-HO	1000Base DWDM ZX	1.25Gbps	1547.72nm	80km
Cisco	GBIC	DWDM-GBIC-1548.51-HO	1000Base DWDM ZXL	1.25Gbps	1548.51nm	80km
Cisco	GBIC	DWDM-GBIC-1550.12-HO	1000Base DWDM ZX	1.25Gbps	1550.12nm	80km
Cisco	GBIC	DWDM-GBIC-1550.92-HO	1000Base DWDM ZX	1.25Gbps	1550.92nm	80km
Cisco	GBIC	DWDM-GBIC-1551.72-HO	1000Base DWDM ZX	1.25Gbps	1551.72nm	80km
Cisco	GBIC	DWDM-GBIC-1552.52-HO	1000Base DWDM ZX	1.25Gbps	1552.52nm	80km
Cisco	GBIC	DWDM-GBIC-1554.13-HO	1000Base DWDM ZX	1.25Gbps	1554.13nm	80km
Cisco	GBIC	DWDM-GBIC-1554.94-HO	1000Base DWDM ZX	1.25Gbps	1554.94nm	80km
Cisco	GBIC	DWDM-GBIC-1555.75-HO	1000Base DWDM ZX	1.25Gbps	1555.75nm	80km
Cisco	GBIC	DWDM-GBIC-1556.55-HO	1000Base DWDM ZX	1.25Gbps	1556.55nm	80km
Cisco	GBIC	DWDM-GBIC-1558.17-HO	1000Base DWDM ZX	1.25Gbps	1558.17nm	80km
Cisco	GBIC	DWDM-GBIC-1558.17-HO	1000Base DWDM ZX	1.25Gbps	1558.17nm	80km
Cisco	GBIC	DWDM-GBIC-1559.79-HO	1000Base DWDM ZX	1.25Gbps	1559.79nm	80km
Cisco	GBIC	DWDM-GBIC-1559.79-HO	1000Base DWDM ZX	1.25Gbps	1559.79nm	80km
Cisco	GBIC	DWDM-GBIC-1560.61-HO	1000Base DWDM ZX	1.25Gbps	1560.61nm	80km
Cisco	GBIC	DWDM-GBIC-XXXX-HO	1000Base DWDM ZX	1.25Gbps	Multi fixed	80km
Cisco	GBIC	WS-G5483-HO	1000Base T	1.25Gbps	Copper	100m
Cisco	GBIC	WS-G5484-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	GBIC	WS-G5486-HO	1000Base LX	1.25Gbps	1300nm	10km
Cisco	GBIC	WS-G5487-HO	1000Base ZX	1.25Gbps	1550nm	70km

Cisco Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	QSFP+	FET-40G-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Cisco	QSFP+	QSFP-40G-CSR4-HO	40GBase QSFP SR4	40Gbps	850nm	300m
Cisco	QSFP+	QSFP-40GE-LR4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Cisco	QSFP+	QSFP-40GE-LR4M-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Cisco	QSFP+	QSFP-40G-ER4-HO	40GBase QSFP ER4	40Gbps	1310nm	40km
Cisco	QSFP+	QSFP-40G-IR4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	2km
Cisco	QSFP+	QSFP-40G-LR4-HO	40GB Multi-rate	43.01Gbps	4x10Gbps CWDM: 1310nm	10km
Cisco	QSFP+	QSFP-40G-LR4-S-HO	40GBase QSFP LR4	40Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	QSFP+	QSFP-40G-SR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Cisco	QSFP+	QSFP-40G-SR4-S-HO	40GBase QSFP SR4	40Gbps	850nm	150m
Cisco	QSFP+	QSFP-40G-SR-BD-HO	40GBASE SR BiDi Duplex MMF	40Gbps Gigabit Ethernet	Range: 832nm-918nm	100m
Cisco	QSFP+	QSFP-4X10G-LR-S-HO	40GBase QSFP LR4	40Gbps	Range: 1260-1355nm	10km
Cisco	QSFP+	WSP-Q40GLR4L-HO	40GBase QSFP IR4	43.01Gbps	4x10Gbps CWDM: 1310nm	2km

Cisco Compatible QSFP100

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	QSFP100	QSFP100G-CWDM4-PLRL-S-HO	100GBase-PLRL4	103.125Gbps	1310nm	2km
Cisco	QSFP100	QSFP-100G-LR4-S-HO	100GBase-LR4	103.125Gbps	4x25.8Gbps: 1310nm	10km

Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	15327-SFP-LC-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	15327-SFP-LC-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	15454-SFP-200-HO	100Base FX	100Mbps	1310nm	2km
Cisco	SFP	15454-SFP-GE+-LX-HO	multi LX	1.25Gbps	1310nm	10km
Cisco	SFP	15454-SFP-GEFC-SX-HO	multi SX	1.06Gbps-2.125Gbps	850nm	550m
Cisco	SFP	15454-SFP-LC-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	15454-SFP-LC-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	CWDM-SFP-1270-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1270nm	80km
Cisco	SFP	CWDM-SFP-1290-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1290nm	80km
Cisco	SFP	CWDM-SFP-1310-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1310nm	80km
Cisco	SFP	CWDM-SFP-1330-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1330nm	80km
Cisco	SFP	CWDM-SFP-1350-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1350nm	80km
Cisco	SFP	CWDM-SFP-1370-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1370nm	80km
Cisco	SFP	CWDM-SFP-1390-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1390nm	80km
Cisco	SFP	CWDM-SFP-1410-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1410nm	80km
Cisco	SFP	CWDM-SFP-1430-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1430nm	80km
Cisco	SFP	CWDM-SFP-1430-I-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1430nm	80km
Cisco	SFP	CWDM-SFP-1430-I-120-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1430nm	120km
Cisco	SFP	CWDM-SFP-1450-HO	1000Base CWDM ZX	1.25Gbps-2.5Gbps	1450nm	80km
Cisco	SFP	CWDM-SFP-1450-I-HO	1000Base CWDM ZX	1.25Gbps-2.5Gbps	1450nm	80km
Cisco	SFP	CWDM-SFP-1450-I-120-HO	1000Base CWDM ZX	1.25Gbps-2.5Gbps	1450nm	120km
Cisco	SFP	CWDM-SFP-1470-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1470nm	80km
Cisco	SFP	CWDM-SFP-1490-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	80km
Cisco	SFP	CWDM-SFP-1490-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	CWDM-SFP-1530-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1530nm	80km
Cisco	SFP	CWDM-SFP-1550-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1550nm	80km
Cisco	SFP	CWDM-SFP-1570-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1570nm	80km
Cisco	SFP	CWDM-SFP-1590-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Cisco	SFP	CWDM-SFP-1590-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Cisco	SFP	CWDM-SFP-XXXX-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	Multi fixed	80km
Cisco	SFP	DS-SFP-FC4G-LW-HO	multi Fiber chn LW	1.0625Gbps2.125Gbps4.25Gbps	1310nm	10km
Cisco	SFP	DS-SFP-FC4G-SW-HO	multi Fiber chn SW	1.0625Gbps2.125Gbps4.25Gbps	850nm	150m
Cisco	SFP	DS-SFP-FC4G-SW-HO	multi Fiber chn SW	1.0625Gbps2.125Gbps4.25Gbps	850nm	150m
Cisco	SFP	DWDM-SFP-1530.33-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1530.33nm	80km
Cisco	SFP	DWDM-SFP-1531.12-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1531.12nm	80km
Cisco	SFP	DWDM-SFP-1531.90-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1531.9nm	80km
Cisco	SFP	DWDM-SFP-1532.68-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1532.68nm	80km
Cisco	SFP	DWDM-SFP-1533.47-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1533.47nm	80km
Cisco	SFP	DWDM-SFP-1534.25-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1534.25nm	80km
Cisco	SFP	DWDM-SFP-1536.61-HO	multi DWDM ZX	1.25Gbps Gigabit Ethernet	1536.61nm	80km
Cisco	SFP	DWDM-SFP-1537.40-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1537.40nm	80km
Cisco	SFP	DWDM-SFP-1538.98-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1538.98nm	80km
Cisco	SFP	DWDM-SFP-1540.56-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1540.56nm	80km
Cisco	SFP	DWDM-SFP-1541.35-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1541.35nm	80km
Cisco	SFP	DWDM-SFP-1542.14-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1542.14nm	80km
Cisco	SFP	DWDM-SFP-1542.14-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1542.14nm	80km
Cisco	SFP	DWDM-SFP-1542.94-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1542.94nm	80km
Cisco	SFP	DWDM-SFP-1543.73-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1543.73nm	80km
Cisco	SFP	DWDM-SFP-1544.53-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1544.53nm	80km
Cisco	SFP	DWDM-SFP-1545.32-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1545.32nm	80km
Cisco	SFP	DWDM-SFP-1546.12-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1546.12nm	80km
Cisco	SFP	DWDM-SFP-1546.92-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1546.92nm	80km
Cisco	SFP	DWDM-SFP-1547.72-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1547.72nm	80km
Cisco	SFP	DWDM-SFP-1548.51-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1548.51nm	80km
Cisco	SFP	DWDM-SFP-1549.32-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1549.32nm	80km
Cisco	SFP	DWDM-SFP-1550.12-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1550.12nm	80km
Cisco	SFP	DWDM-SFP-1550.92-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1550.92nm	80km
Cisco	SFP	DWDM-SFP-1551.72-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1551.72nm	80km
Cisco	SFP	DWDM-SFP-1552.52-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1552.52nm	80km
Cisco	SFP	DWDM-SFP-1553.33-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1553.33nm	80km
Cisco	SFP	DWDM-SFP-1554.13-HO	multi DWDM ZXL	1.063Gbps1.25Gbps2.125Gbps	1554.13nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach		
Cisco	SFP	DWDM-SFP-1555.75-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1555.75nm	80km
Cisco	SFP	DWDM-SFP-1556.55-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1556.55nm	80km
Cisco	SFP	DWDM-SFP-1557.36-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1557.36nm	80km
Cisco	SFP	DWDM-SFP-1557.36-40K-HO	multi DWDM EX	1.25Gbps			1557.36nm	40km
Cisco	SFP	DWDM-SFP-1558.17-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1558.17nm	80km
Cisco	SFP	DWDM-SFP-1558.17-40K-HO	multi DWDM EX	1.25Gbps			1558.17nm	40km
Cisco	SFP	DWDM-SFP-1558.98-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1558.98nm	80km
Cisco	SFP	DWDM-SFP-1558.98-40K-HO	multi DWDM EX	1.25Gbps			1558.98nm	40km
Cisco	SFP	DWDM-SFP-1559.79-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1559.79nm	80km
Cisco	SFP	DWDM-SFP-1559.79-40K-HO	multi DWDM EX	1.25Gbps			1559.79nm	40km
Cisco	SFP	DWDM-SFP-1560.61-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1560.61nm	80km
Cisco	SFP	DWDM-SFP-1560.61-40K-HO	multi DWDM EX	1.25 Gbps			1560.61nm	40km
Cisco	SFP	DWDM-SFP-1561.42-HO	multi DWDM ZXL	1.063Gbps	1.25Gbps	2.125Gbps	1561.42nm	80km
Cisco	SFP	DWDM-SFP-XXXX-HO	multi DWDM ZX	100Mbps	2.7Gbps		Multi fixed	80km
Cisco	SFP	GLC-2BX-D-HO	1000Base 2 chn BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	10km
Cisco	SFP	GLC-BX-D-HO	1000Base BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	10km
Cisco	SFP	GLC-BX-D-20-HO	1000Base BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	20km
Cisco	SFP	GLC-BX-D-40-HO	1000Base BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	40km
Cisco	SFP	GLC-BX-D-40-1550-HO	1000Base BX-D	1.25Gbps			TX: 1550nm RX: 1310nm	40km
Cisco	SFP	GLC-BX-D-60-HO	1000Base BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	60km
Cisco	SFP	GLC-BX-D-80-HO	1000Base BX-D	1.25Gbps			TX: 1490nm RX: 1310nm	80km
Cisco	SFP	GLC-BX-U-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1490nm	10km
Cisco	SFP	GLC-BX-U-20-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1490nm	20km
Cisco	SFP	GLC-BX-U-40-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1490nm	40km
Cisco	SFP	GLC-BX-U-40-1550-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1550nm	40km
Cisco	SFP	GLC-BX-U-40-1550-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1550nm	40km
Cisco	SFP	GLC-BX-U-80-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1490nm	80km
Cisco	SFP	GLC-BX-U-80-HO	1000Base BX-U	1.25Gbps			TX: 1310nm RX: 1490nm	80km
Cisco	SFP	GLC-EX-SMD-HO	1000Base EX	1.25Gbps			1310nm	40km
Cisco	SFP	GLC-FE-100BX-U-HO	100Base BX-U	100Mbps			TX: 1310nm RX: 1550nm	10km
Cisco	SFP	GLC-FE-100BX-U-HO	100Base BX-U	100Mbps			TX: 1310nm RX: 1550nm	10km
Cisco	SFP	GLC-FE-100FX-HO	100Base FX	100Mbps			1310nm	2km
Cisco	SFP	GLC-FE-100FX-RGD-HO	100Base FX	100Mbps			1310nm	2km
Cisco	SFP	GLC-FE-100LX-HO	100Base LX	100Mbps			1310nm	10km
Cisco	SFP	GLC-FE-100LX-RGD-HO	100Base LX	100Mbps			1310nm	10km
Cisco	SFP	GLC-FE-100ZX-HO	100Base ZX	100Mbps			1550nm	80km
Cisco	SFP	GLC-GE-100FX-HO	100Base FX	100Mbps			1310nm	2km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	GLC-LH-SM-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	GLC-LH-SMD-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	GLC-LX-SM-RGD-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	GLC-SX-MM-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	GLC-SX-MMD-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	GLC-SX-MM-RGD-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	GLC-T-HO	1000Base T	1.25Gbps	Copper	100m
Cisco	SFP	GLC-TE-HO	1000Base T	1.25Gbps	Copper	100m
Cisco	SFP	GLC-ZX-SM-120-HO	1000Base ZX	1.25Gbps	1550nm	120km
Cisco	SFP	GLC-ZX-SMD-HO	1000Base ZX	1.25Gbps	1550nm	70km
Cisco	SFP	GLC-ZX-SM-RGD-HO	1000Base ZX	1.25Gbps	1550nm	70km
Cisco	SFP	MFEBX1-HO	100Base BX-U	100Mbps	TX: 1310nm RX: 1550nm	20km
Cisco	SFP	MGBBX1-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
Cisco	SFP	ONS-GC-GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	ONS-GC-GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	ONS-GC-GE-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cisco	SFP	ONS-GX-2FC-MMI-HO	multi Fiber/ENET SX	1.25Gbps	850nm	550m
Cisco	SFP	ONS-SC-155-EL-HO	1000Base T	1.25Gbps	Copper	100m
Cisco	SFP	ONS-SC-2G-28.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1528.77nm	80km
Cisco	SFP	ONS-SC-2G-30.3-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1530.33nm	80km
Cisco	SFP	ONS-SC-2G-31.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1531.12nm	80km
Cisco	SFP	ONS-SC-2G-31.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1531.90nm	80km
Cisco	SFP	ONS-SC-2G-32.6-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1532.68nm	80km
Cisco	SFP	ONS-SC-2G-33.4-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1533.47nm	80km
Cisco	SFP	ONS-SC-2G-34.2-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1534.25nm	80km
Cisco	SFP	ONS-SC-2G-35.0-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1535.04nm	80km
Cisco	SFP	ONS-SC-2G-35.8-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1535.82nm	80km
Cisco	SFP	ONS-SC-2G-36.6-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1536.61nm	80km
Cisco	SFP	ONS-SC-2G-38.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1538.19nm	80km
Cisco	SFP	ONS-SC-2G-38.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1538.98nm	80km
Cisco	SFP	ONS-SC-2G-39.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1539.77nm	80km
Cisco	SFP	ONS-SC-2G-40.5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1540.56nm	80km
Cisco	SFP	ONS-SC-2G-41.3-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1541.35nm	80km
Cisco	SFP	ONS-SC-2G-42.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1542.14nm	80km
Cisco	SFP	ONS-SC-2G-42.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1542.94nm	80km
Cisco	SFP	ONS-SC-2G-43.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1543.73nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	ONS-SC-2G-44.5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1544.53nm	80km
Cisco	SFP	ONS-SC-2G-46.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1546.12nm	80km
Cisco	SFP	ONS-SC-2G-46.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1546.92nm	80km
Cisco	SFP	ONS-SC-2G-47.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1547.72nm	80km
Cisco	SFP	ONS-SC-2G-48.5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1548.51nm	80km
Cisco	SFP	ONS-SC-2G-49.3-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1549.32nm	80km
Cisco	SFP	ONS-SC-2G-50.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1550.12nm	80km
Cisco	SFP	ONS-SC-2G-50.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1550.92nm	80km
Cisco	SFP	ONS-SC-2G-51.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1551.72nm	80km
Cisco	SFP	ONS-SC-2G-52.5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1552.52nm	80km
Cisco	SFP	ONS-SC-2G-54.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1554.13nm	80km
Cisco	SFP	ONS-SC-2G-54.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1554.13nm	80km
Cisco	SFP	ONS-SC-2G-54.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1554.94nm	80km
Cisco	SFP	ONS-SC-2G-56.5-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1556.55nm	80km
Cisco	SFP	ONS-SC-2G-57.3-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1557.36nm	80km
Cisco	SFP	ONS-SC-2G-58.1-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1558.17nm	80km
Cisco	SFP	ONS-SC-2G-58.9-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1558.98nm	80km
Cisco	SFP	ONS-SC-2G-59.7-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1559.79nm	80km
Cisco	SFP	ONS-SC-2G-60.6-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM LR2	2.488Gbps	1560.61nm	80km
Cisco	SFP	ONS-SC-4G-30.3-HO	4GBase DWDM	4.25Gbps	1530.33nm	80km
Cisco	SFP	ONS-SC-4G-31.1-HO	4GBase DWDM	4.25Gbps	1531.12nm	80km
Cisco	SFP	ONS-SC-4G-31.9-HO	4GBase DWDM	4.25Gbps	1531.90nm	80km
Cisco	SFP	ONS-SC-4G-32.6-HO	4GBase DWDM	4.25Gbps	1532.68nm	80km
Cisco	SFP	ONS-SC-4G-33.4-HO	4GBase DWDM	4.25Gbps	1533.47nm	80km
Cisco	SFP	ONS-SC-4G-34.2-HO	4GBase DWDM	4.25Gbps	1534.25nm	80km
Cisco	SFP	ONS-SC-4G-35.0-HO	4GBase DWDM	4.25Gbps	1535.04nm	80km
Cisco	SFP	ONS-SC-4G-35.8-HO	4GBase DWDM	4.25Gbps	1535.82nm	80km
Cisco	SFP	ONS-SC-4G-36.6-HO	4GBase DWDM	4.25Gbps	1536.61nm	80km
Cisco	SFP	ONS-SC-4G-37.4-HO	4GBase DWDM	4.25Gbps	1537.40nm	80km
Cisco	SFP	ONS-SC-4G-38.1-HO	4GBase DWDM	4.25Gbps	1538.19nm	80km
Cisco	SFP	ONS-SC-4G-38.9-HO	4GBase DWDM	4.25Gbps	1538.98nm	80km
Cisco	SFP	ONS-SC-4G-39.7-HO	4GBase DWDM	4.25Gbps	1539.77nm	80km
Cisco	SFP	ONS-SC-4G-40.5-HO	4GBase DWDM	4.25Gbps	1540.56nm	80km
Cisco	SFP	ONS-SC-4G-41.3-HO	4GBase DWDM	4.25Gbps	1541.35nm	80km
Cisco	SFP	ONS-SC-4G-42.1-HO	4GBase DWDM	4.25Gbps	1542.14nm	80km
Cisco	SFP	ONS-SC-4G-42.9-HO	4GBase DWDM	4.25Gbps	1542.94nm	80km
Cisco	SFP	ONS-SC-4G-43.7-HO	4GBase DWDM	4.25Gbps	1543.73nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	ONS-SC-4G-44.5-HO	4GBase DWDM	4.25Gbps	1544.53nm	80km
Cisco	SFP	ONS-SC-4G-45.3-HO	4GBase DWDM	4.25Gbps	1545.32nm	80km
Cisco	SFP	ONS-SC-4G-46.1-HO	4GBase DWDM	4.25Gbps	1546.12nm	80km
Cisco	SFP	ONS-SC-4G-46.9-HO	4GBase DWDM	4.25Gbps	1546.92nm	80km
Cisco	SFP	ONS-SC-4G-47.7-HO	4GBase DWDM	4.25Gbps	1547.72nm	80km
Cisco	SFP	ONS-SC-4G-48.5-HO	4GBase DWDM	4.25Gbps	1548.51nm	80km
Cisco	SFP	ONS-SC-4G-49.3-HO	4GBase DWDM	4.25Gbps	1549.32nm	80km
Cisco	SFP	ONS-SC-4G-50.1-HO	4GBase DWDM	4.25Gbps	1550.12nm	80km
Cisco	SFP	ONS-SC-4G-50.9-HO	4GBase DWDM	4.25Gbps	1550.92nm	80km
Cisco	SFP	ONS-SC-4G-51.7-HO	4GBase DWDM	4.25Gbps	1551.72nm	80km
Cisco	SFP	ONS-SC-4G-52.5-HO	4GBase DWDM	4.25Gbps	1552.52nm	80km
Cisco	SFP	ONS-SC-4G-53.3-HO	4GBase DWDM	4.25Gbps	1553.33nm	80km
Cisco	SFP	ONS-SC-4G-54.1-HO	4GBase DWDM	4.25Gbps	1554.13nm	80km
Cisco	SFP	ONS-SC-4G-54.9-HO	4GBase DWDM	4.25Gbps	1554.94nm	80km
Cisco	SFP	ONS-SC-4G-55.7-HO	4GBase DWDM	4.25Gbps	1555.75nm	80km
Cisco	SFP	ONS-SC-4G-56.5-HO	4GBase DWDM	4.25Gbps	1556.55nm	80km
Cisco	SFP	ONS-SC-4G-57.3-HO	4GBase DWDM	4.25Gbps	1557.36nm	80km
Cisco	SFP	ONS-SC-4G-58.1-HO	4GBase DWDM	4.25Gbps	1558.17nm	80km
Cisco	SFP	ONS-SC-4G-58.9-HO	4GBase DWDM	4.25Gbps	1558.98nm	80km
Cisco	SFP	ONS-SC-4G-59.7-HO	4GBase DWDM	4.25Gbps	1559.79nm	80km
Cisco	SFP	ONS-SC-4G-60.6-HO	4GBase DWDM	4.25Gbps	1560.61nm	80km
Cisco	SFP	ONS-SC-4G-61.4-HO	4GBase DWDM	4.25Gbps	1561.43nm	80km
Cisco	SFP	ONS-SC-GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	ONS-SC-Z3-1470-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1470nm	80km
Cisco	SFP	ONS-SC-Z3-1490-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1490nm	80km
Cisco	SFP	ONS-SC-Z3-1510-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1510nm	80km
Cisco	SFP	ONS-SC-Z3-1530-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1530nm	80km
Cisco	SFP	ONS-SC-Z3-1550-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1550nm	80km
Cisco	SFP	ONS-SC-Z3-1570-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1570nm	80km
Cisco	SFP	ONS-SC-Z3-1590-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1590nm	80km
Cisco	SFP	ONS-SC-Z3-1610-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1610nm	80km
Cisco	SFP	ONS-SE-100-BX10D-HO	10/100 BX-D	10Mbps-100Mbps	TX: 1550nmRX: 1310nm	10km
Cisco	SFP	ONS-SE-100-BX10U-HO	10/100 BX-U	10Mbps-100Mbps	TX: 1310nmRX: 1550nm	10km
Cisco	SFP	ONS-SE-100-FX-HO	100Base FX	100Mbps	1310nm	2km
Cisco	SFP	ONS-SE-100-LX10-HO	1000Base IR1	100Mbps	1310nm	15km
Cisco	SFP	ONS-SE-155-1470-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1470nm	120km
Cisco	SFP	ONS-SE-155-1490-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1490nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	ONS-SE-155-1510-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1510nm	120km
Cisco	SFP	ONS-SE-155-1530-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1530nm	120km
Cisco	SFP	ONS-SE-155-1550-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1550nm	120km
Cisco	SFP	ONS-SE-155-1570-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1570nm	120km
Cisco	SFP	ONS-SE-155-1590-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1590nm	120km
Cisco	SFP	ONS-SE-155-1610-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1610nm	120km
Cisco	SFP	ONS-SE-200-MM-HO	100Base FX	100Mbps	1310nm	2km
Cisco	SFP	ONS-SE-2G-1470-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1470nm	80km
Cisco	SFP	ONS-SE-2G-1490-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1490nm	80km
Cisco	SFP	ONS-SE-2G-1510-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1510nm	80km
Cisco	SFP	ONS-SE-2G-1530-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1530nm	80km
Cisco	SFP	ONS-SE-2G-1550-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1550nm	80km
Cisco	SFP	ONS-SE-2G-1570-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1570nm	80km
Cisco	SFP	ONS-SE-2G-1590-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1590nm	80km
Cisco	SFP	ONS-SE-2G-1610-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.063Gbps1.25Gbps2.125Gbps2.488Gbps	1610nm	80km
Cisco	SFP	ONS-SE-2G-L2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Cisco	SFP	ONS-SE-2G-S1-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Cisco	SFP	ONS-SE-4G-MM-HO	4GBase multi Fiber chn SX	1.0625Gbps2.125Gbps4.25Gbps	850nm	550m
Cisco	SFP	ONS-SE-4G-SM-HO	4GBase Fiber chn LW	4.25Gbps	1310nm	10km
Cisco	SFP	ONS-SE-622-1470-HO	622MBase OC-12/STM-4 CWDM	155Mbps	1470nm	120km
Cisco	SFP	ONS-SE-622-1490-HO	622MBase OC-12/STM-4 CWDM	622Mbps	1490nm	120km
Cisco	SFP	ONS-SE-622-1510-HO	622MBase OC-12/STM-4 CWDM	622Mbps	1510nm	120km
Cisco	SFP	ONS-SE-622-1530-HO	622MBase OC-12/STM-4 CWDM	622Mbps	1530nm	120km
Cisco	SFP	ONS-SE-622-1550-HO	622MBase OC-12/STM-4 CWDM	622Mbps	1550nm	120km
Cisco	SFP	ONS-SE-622-1570-HO	622MBase OC-12/STM-4 CWDM	622Mbps	1570nm	120km
Cisco	SFP	ONS-SE-622-1590-HO	622MBase OC-12/STM-4 CWDM	155Mbps	1590nm	120km
Cisco	SFP	ONS-SE-622-1610-HO	622MBase OC-12/STM-4 CWDM	155Mbps	1610nm	120km
Cisco	SFP	ONS-SE-G2F-LX-HO	multi Fiber/ENET LX	1.062Gbps2.125Gbps2.488Gbps	1310nm	10km
Cisco	SFP	ONS-SE-G2F-SX-HO	multi SX	1.06Gbps-2.125Gbps	850nm	550m
Cisco	SFP	ONS-SE-GE-BXD-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Cisco	SFP	ONS-SE-GE-BXU-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Cisco	SFP	ONS-SE-GE-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cisco	SFP	ONS-SE-Z1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	15km
Cisco	SFP	ONS-SE-ZE-EL-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Cisco	SFP	ONS-SI-100-FX-HO	100Base FX	100Mbps	1310nm	2km
Cisco	SFP	ONS-SI-100-LX10-HO	100Base FX	100Mbps	1310nm	10km
Cisco	SFP	ONS-SI-155-I1-HO	155MBase OC-3c/STM-1 CWDM IR	155Mbps	1310nm	15km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP	ONS-SI-155-L1-HO	155MBase OC-3c/STM-1 CWDM LR	155Mbps	1310nm	40km
Cisco	SFP	ONS-SI-155-L2-HO	155MBase OC-3c/STM-1 CWDM LR2	155Mbps	1550nm	80km
Cisco	SFP	ONS-SI-155-MM-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Cisco	SFP	ONS-SI-2G-11-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Cisco	SFP	ONS-SI-2G-L1-HO	2.5GBase OC-48/STM-16/2.5G SONET LR	2.488Gbps	1310nm	40km
Cisco	SFP	ONS-SI-2G-L2-HO	2.5GBase OC-48/STM-16/2.5G SONET LR2	2.488Gbps	1550nm	80km
Cisco	SFP	ONS-SI-2G-S1-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Cisco	SFP	ONS-SI-622-I1-HO	multi OC-3c/STM-1OC-12/STM-4	622Mbps	1310nm	15km
Cisco	SFP	ONS-SI-622-L1-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	40km
Cisco	SFP	ONS-SI-622-L2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Cisco	SFP	ONS-SI-622-SR-MM-HO	622MBase OC-12/STM-4 SR	622Mbps	1310nm	2km
Cisco	SFP	ONS-SI-GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	ONS-SI-GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	ONS-SI-GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	SFP-GE-L-HO	1000Base LX	1.25Gbps	1310nm	10km
Cisco	SFP	SFP-GE-S-HO	1000Base SX	1.25Gbps	850nm	550m
Cisco	SFP	SFP-GE-T-ASR-HO	10/100/1000Base T	1.25Gbps	Copper	100m
Cisco	SFP	SFP-GE-T-N-HO	1000Base T	1.25Gbps	Copper	100m
Cisco	SFP	SFP-GE-Z-HO	1000Base ZX	1.25Gbps	1550nm	70km
Cisco	SFP	SFP-OC12-LR2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Cisco	SFP	SFP-OC12-MM-HO	622MBase OC-12/STM-4 SR	622Mbps	1310nm	2km
Cisco	SFP	SFP-OC3-LR1-HO	155MBase OC-3c/STM-1 LR	155Mbps	1310nm	40km
Cisco	SFP	SFP-OC3-LR2-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
Cisco	SFP	SFP-OC3-MM-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Cisco	SFP	SFP-OC48-IR1-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Cisco	SFP	SFP-OC48-LR2-HO	2.5GBase OC-48/STM-16/2.5G SONET LR2	2.488Gbps	1550nm	80km
Cisco	SFP	SFP-OC48-SR-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km

Cisco Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP+	CWDM-SFP10G-1470-HO	10GBase CWDM ER	10.3125Gbps	1470nm	40km
Cisco	SFP+	CWDM-SFP10G-1490-HO	10GBase CWDM ER	10.3125Gbps	1490nm	40km
Cisco	SFP+	CWDM-SFP10G-1490-HO	10GBase CWDM ER	10.3125Gbps	1490nm	40km
Cisco	SFP+	CWDM-SFP10G-1530-HO	10GBase CWDM ER	10.3125Gbps	1530nm	40km
Cisco	SFP+	CWDM-SFP10G-1530-80-HO	10GBase CWDM ZR	10.3125Gbps	1530nm	80km
Cisco	SFP+	CWDM-SFP10G-1550-HO	10GBase CWDM ER	10.3125Gbps	1550nm	40km
Cisco	SFP+	CWDM-SFP10G-1570-HO	10GBase CWDM ER	10.3125Gbps	1570nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP+	CWDM-SFP10G-1590-HO	10GBase CWDM ER	10.3125Gbps	1590nm	40km
Cisco	SFP+	CWDM-SFP10G-1610-HO	10GBase CWDM ER	10.3125Gbps	1610nm	40km
Cisco	SFP+	DS-SFP-FC8G-LW-HO	8GBase Fiber chn LW	8Gbps-11.3Gbps	1310nm	10km
Cisco	SFP+	DS-SFP-FC8G-SW-HO	8GBase Fiber chn SW	8Gbps-11.3Gbps	850nm	150m
Cisco	SFP+	DWDM-SFP10G-30.33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.33nm	80km
Cisco	SFP+	DWDM-SFP10G-31.90-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.90nm	80km
Cisco	SFP+	DWDM-SFP10G-32.68-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
Cisco	SFP+	DWDM-SFP10G-32.68-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
Cisco	SFP+	DWDM-SFP10G-34.25-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.25nm	80km
Cisco	SFP+	DWDM-SFP10G-35.04-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
Cisco	SFP+	DWDM-SFP10G-35.82-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.82nm	80km
Cisco	SFP+	DWDM-SFP10G-36.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
Cisco	SFP+	DWDM-SFP10G-37.40-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
Cisco	SFP+	DWDM-SFP10G-38.19-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
Cisco	SFP+	DWDM-SFP10G-38.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.98nm	80km
Cisco	SFP+	DWDM-SFP10G-39.77-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.77nm	80km
Cisco	SFP+	DWDM-SFP10G-40.56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km
Cisco	SFP+	DWDM-SFP10G-41.35-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
Cisco	SFP+	DWDM-SFP10G-42.14-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
Cisco	SFP+	DWDM-SFP10G-42.94-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.94nm	80km
Cisco	SFP+	DWDM-SFP10G-43.73-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1543.73nm	80km
Cisco	SFP+	DWDM-SFP10G-44.53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
Cisco	SFP+	DWDM-SFP10G-44.53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
Cisco	SFP+	DWDM-SFP10G-46.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.12nm	80km
Cisco	SFP+	DWDM-SFP10G-46.92-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.92nm	80km
Cisco	SFP+	DWDM-SFP10G-47.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
Cisco	SFP+	DWDM-SFP10G-48.51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1548.51nm	80km
Cisco	SFP+	DWDM-SFP10G-49.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1549.32nm	80km
Cisco	SFP+	DWDM-SFP10G-50.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km
Cisco	SFP+	DWDM-SFP10G-50.92-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.92nm	80km
Cisco	SFP+	DWDM-SFP10G-51.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km
Cisco	SFP+	DWDM-SFP10G-52.52-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1552.52nm	80km
Cisco	SFP+	DWDM-SFP10G-53.33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
Cisco	SFP+	DWDM-SFP10G-54.13-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
Cisco	SFP+	DWDM-SFP10G-54.94-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.94nm	80km
Cisco	SFP+	DWDM-SFP10G-55.75-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
Cisco	SFP+	DWDM-SFP10G-56.55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP+	DWDM-SFP10G-57.36-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1557.36nm	80km
Cisco	SFP+	DWDM-SFP10G-58.17-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.17nm	80km
Cisco	SFP+	DWDM-SFP10G-58.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.98nm	80km
Cisco	SFP+	DWDM-SFP10G-59.79-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1559.79nm	80km
Cisco	SFP+	DWDM-SFP10G-60.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
Cisco	SFP+	DWDM-SFP10G-61.41-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.41nm	80km
Cisco	SFP+	DWDM-SFP10G-61.42-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.42nm	80km
Cisco	SFP+	FET-10G-HO	10GBase SRL	8Gbps-11.3Gbps	850nm	100m
Cisco	SFP+	GLC-10G-T-HO	10GBase T	10.312Gbps	Copper	30m
Cisco	SFP+	ONS-SC+-10G-C-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band	80km
Cisco	SFP+	ONS-SC-10G+-SR-HO	10GBase SR	8Gbps-11.3Gbps	Range 840-860nm	300m
Cisco	SFP+	ONS-SC-10G-LR-HO	10GBase LR	8Gbps-11.3Gbps	Range: 1260-1355nm	10km
Cisco	SFP+	SFP-10G-BX20D-C-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	20km
Cisco	SFP+	SFP-10G-BX20U-C-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	20km
Cisco	SFP+	SFP-10G-BX40D-C-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	40km
Cisco	SFP+	SFP-10G-BX40D-I-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	40km
Cisco	SFP+	SFP-10G-BX40U-C-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	40km
Cisco	SFP+	SFP-10G-BX40U-I-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	40km
Cisco	SFP+	SFP-10G-BX60D-C-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	60km
Cisco	SFP+	SFP-10G-BX60D-I-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	60km
Cisco	SFP+	SFP-10G-BX60U-C-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	60km
Cisco	SFP+	SFP-10G-BX60U-I-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	60km
Cisco	SFP+	SFP-10G-BXD-C-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Cisco	SFP+	SFP-10G-BXD-I-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Cisco	SFP+	SFP-10G-BXU-C-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km
Cisco	SFP+	SFP-10G-BXU-I-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km
Cisco	SFP+	SFP-10G-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Cisco	SFP+	SFP-10G-ER-S-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Cisco	SFP+	SFP-10G-ER-S-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Cisco	SFP+	SFP-10G-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Cisco	SFP+	SFP-10G-LR20-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	20km
Cisco	SFP+	SFP-10G-LR40-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	40km
Cisco	SFP+	SFP-10G-LR70-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	70km
Cisco	SFP+	SFP-10G-LR70-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	70km
Cisco	SFP+	SFP-10G-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Cisco	SFP+	SFP-10G-LR-S-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Cisco	SFP+	SFP-10G-LR-X-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	SFP+	SFP-10G-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Cisco	SFP+	SFP-10G-SR-S-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Cisco	SFP+	SFP-10G-SR-X-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Cisco	SFP+	SFP-10G-ZR-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km
Cisco	SFP+	SFP-10G-ZR-S-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	70km

Cisco Compatible X2

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	X2	DWDM-X2-30.33-HO	10GBase DWDM ZR	10.3Gbps	1530.33nm	80km
Cisco	X2	DWDM-X2-31.12-HO	10GBase DWDM ZR	10.3Gbps	1531.12nm	80km
Cisco	X2	DWDM-X2-31.90-HO	10GBase DWDM ZR	10.3Gbps	1531.90nm	80km
Cisco	X2	DWDM-X2-32.68-HO	10GBase DWDM ZR	10.3Gbps	1532.68nm	80km
Cisco	X2	DWDM-X2-34.25-HO	10GBase DWDM ZR	10.3Gbps	1534.25nm	80km
Cisco	X2	DWDM-X2-35.04-HO	10GBase DWDM ZR	10.3Gbps	1535.04nm	80km
Cisco	X2	DWDM-X2-35.82-HO	10GBase DWDM ZR	10.3Gbps	1535.82nm	80km
Cisco	X2	DWDM-X2-36.61-HO	10GBase DWDM ZR	10.3Gbps	1536.61nm	80km
Cisco	X2	DWDM-X2-38.19-HO	10GBase DWDM ZR	10.3Gbps	1538.19nm	80km
Cisco	X2	DWDM-X2-38.98-HO	10GBase DWDM ZR	10.3Gbps	1538.98nm	80km
Cisco	X2	DWDM-X2-39.77-HO	10GBase DWDM ZR	10.3Gbps	1539.77nm	80km
Cisco	X2	DWDM-X2-40.56-HO	10GBase DWDM ZR	10.3Gbps	1540.56nm	80km
Cisco	X2	DWDM-X2-42.14-HO	10GBase DWDM ZR	10.3Gbps	1542.14nm	80km
Cisco	X2	DWDM-X2-42.94-HO	10GBase DWDM ZR	10.3Gbps	1542.94nm	80km
Cisco	X2	DWDM-X2-43.73-HO	10GBase DWDM ZR	10.3Gbps	1543.73nm	80km
Cisco	X2	DWDM-X2-43.73-HO	10GBase DWDM ZR	10.3Gbps	1543.73nm	80km
Cisco	X2	DWDM-X2-46.12-HO	10GBase DWDM ZR	10.3Gbps	1546.12nm	80km
Cisco	X2	DWDM-X2-46.12-HO	10GBase DWDM ZR	10.3Gbps	1546.12nm	80km
Cisco	X2	DWDM-X2-47.72-HO	10GBase DWDM ZR	10.3Gbps	1547.72nm	80km
Cisco	X2	DWDM-X2-48.51-HO	10GBase DWDM ZR	10.3Gbps	1548.51nm	80km
Cisco	X2	DWDM-X2-50.12-HO	10GBase DWDM ZR	10.3Gbps	1550.12nm	80km
Cisco	X2	DWDM-X2-50.92-HO	10GBase DWDM ZR	10.3Gbps	1550.92nm	80km
Cisco	X2	DWDM-X2-51.72-HO	10GBase DWDM ZR	10.3Gbps	1551.72nm	80km
Cisco	X2	DWDM-X2-52.52-HO	10GBase DWDM ZR	10.3Gbps	1552.52nm	80km
Cisco	X2	DWDM-X2-52.52-HO	10GBase DWDM ZR	10.3Gbps	1552.52nm	80km
Cisco	X2	DWDM-X2-54.94-HO	10GBase DWDM ZR	10.3Gbps	1554.94nm	80km
Cisco	X2	DWDM-X2-55.75-HO	10GBase DWDM ZR	10.3Gbps	1555.75nm	80km
Cisco	X2	DWDM-X2-55.75-HO	10GBase DWDM ZR	10.3Gbps	1555.75nm	80km
Cisco	X2	DWDM-X2-58.17-HO	10GBase DWDM ZR	10.3Gbps	1558.17nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible X2

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	X2	DWDM-X2-58.98-HO	10GBase DWDM ZR	10.3Gbps	1558.98nm	80km
Cisco	X2	DWDM-X2-59.79-HO	10GBase DWDM ZR	10.3Gbps	1559.79nm	80km
Cisco	X2	DWDM-X2-60.61-HO	10GBase DWDM ZR	10.3Gbps	1560.61nm	80km
Cisco	X2	X2-10GB-CX4-HO	10GBase CX4	10Gbps	Copper	15m
Cisco	X2	X2-10GB-ER-HO	10GBase ER	10.312Gbps	1550nm	40km
Cisco	X2	X2-10GB-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Cisco	X2	X2-10GB-LRM-HO	10GBase LRM	10.312Gbps	1310nm	220m
Cisco	X2	X2-10GB-LX4-HO	10GBase LX4	10Gbps	1310nm	300m
Cisco	X2	X2-10GB-SR-HO	10GBase SR	10.312Gbps	850nm	300m
Cisco	X2	X2-10GB-T-HO	10GBase T	10Gbps	Copper	100m
Cisco	X2	X2-10GB-ZR-HO	10GBase ZR	10.312Gbps	1550nm	80km

Cisco Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	XENPAK	C3-XENPAK10GB-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Cisco	XENPAK	DWDM-XENPAK-30.33-HO	10GBase DWDM ZR	10.3Gbps	1530.33nm	80km
Cisco	XENPAK	DWDM-XENPAK-31.12-HO	10GBase DWDM ZR	10.3Gbps	1531.12nm	80km
Cisco	XENPAK	DWDM-XENPAK-31.90-HO	10GBase DWDM ZR	10.3Gbps	1531.90nm	80km
Cisco	XENPAK	DWDM-XENPAK-32.68-HO	10GBase DWDM ZR	10.3Gbps	1532.68nm	80km
Cisco	XENPAK	DWDM-XENPAK-34.25-HO	10GBase DWDM ZR	10.3Gbps	1534.25nm	80km
Cisco	XENPAK	DWDM-XENPAK-35.04-HO	10GBase DWDM ZR	10.3Gbps	1535.04nm	80km
Cisco	XENPAK	DWDM-XENPAK-35.82-HO	10GBase DWDM ZR	10.3Gbps	1535.82nm	80km
Cisco	XENPAK	DWDM-XENPAK-36.61-HO	10GBase DWDM ZR	10.3Gbps	1536.61nm	80km
Cisco	XENPAK	DWDM-XENPAK-38.19-HO	10GBase DWDM ZR	10.3Gbps	1538.19nm	80km
Cisco	XENPAK	DWDM-XENPAK-38.98-HO	10GBase DWDM ZR	10.3Gbps	1538.98nm	80km
Cisco	XENPAK	DWDM-XENPAK-39.77-HO	10GBase DWDM ZR	10.3Gbps	1539.77nm	80km
Cisco	XENPAK	DWDM-XENPAK-39.77-HO	10GBase DWDM ZR	10.3Gbps	1539.77nm	80km
Cisco	XENPAK	DWDM-XENPAK-42.14-HO	10GBase DWDM ZR	10.3Gbps	1542.14nm	80km
Cisco	XENPAK	DWDM-XENPAK-42.94-HO	10GBase DWDM ZR	10.3Gbps	1542.94nm	80km
Cisco	XENPAK	DWDM-XENPAK-42.94-HO	10GBase DWDM ZR	10.3Gbps	1542.94nm	80km
Cisco	XENPAK	DWDM-XENPAK-44.53-HO	10GBase DWDM ZR	10.3Gbps	1544.53nm	80km
Cisco	XENPAK	DWDM-XENPAK-46.12-HO	10GBase DWDM ZR	10.3Gbps	1546.12nm	80km
Cisco	XENPAK	DWDM-XENPAK-46.92-HO	10GBase DWDM ZR	10.3Gbps	1546.92nm	80km
Cisco	XENPAK	DWDM-XENPAK-46.92-HO	10GBase DWDM ZR	10.3Gbps	1546.92nm	80km
Cisco	XENPAK	DWDM-XENPAK-47.72-HO	10GBase DWDM ZR	10.3Gbps	1547.72nm	80km
Cisco	XENPAK	DWDM-XENPAK-48.51-HO	10GBase DWDM ZR	10.3Gbps	1548.51nm	80km
Cisco	XENPAK	DWDM-XENPAK-50.92-HO	10GBase DWDM ZR	10.3Gbps	1550.92nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	XENPAK	DWDM-XENPAK-51.72-HO	10GBase DWDM ZR	10.3Gbps	1551.72nm	80km
Cisco	XENPAK	DWDM-XENPAK-52.52-HO	10GBase DWDM ZR	10.3Gbps	1552.52nm	80km
Cisco	XENPAK	DWDM-XENPAK-54.13-HO	10GBase DWDM ZR	10.3Gbps	1554.13nm	80km
Cisco	XENPAK	DWDM-XENPAK-54.94-HO	10GBase DWDM ZR	10.3Gbps	1554.94nm	80km
Cisco	XENPAK	DWDM-XENPAK-54.94-HO	10GBase DWDM ZR	10.3Gbps	1554.94nm	80km
Cisco	XENPAK	DWDM-XENPAK-56.55-HO	10GBase DWDM ZR	10.3Gbps	1556.17nm	80km
Cisco	XENPAK	DWDM-XENPAK-58.17-HO	10GBase DWDM ZR	10.3Gbps	1558.17nm	80km
Cisco	XENPAK	DWDM-XENPAK-58.98-HO	10GBase DWDM ZR	10.3Gbps	1558.98nm	80km
Cisco	XENPAK	DWDM-XENPAK-58.98-HO	10GBase DWDM ZR	10.3Gbps	1558.98nm	80km
Cisco	XENPAK	DWDM-XENPAK-60.61-HO	10GBase DWDM ZR	10.3Gbps	1560.61nm	80km
Cisco	XENPAK	XENPAK-10GB-ER-HO	10GBase ER	10.312Gbps	1550nm	40km
Cisco	XENPAK	XENPAK-10GB-ER+-HO	10GBase ER	10.312Gbps	1550nm	40km
Cisco	XENPAK	XENPAK-10GB-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Cisco	XENPAK	XENPAK-10GB-LR+-HO	10GBase LR	10.312Gbps	1310nm	10km
Cisco	XENPAK	XENPAK-10GB-LRM-HO	10GBase LRM	10.312Gbps	1310nm	220m
Cisco	XENPAK	XENPAK-10GB-LW-HO	10GBase LR	10.312Gbps	1310nm	10km
Cisco	XENPAK	XENPAK-10GB-LX4-HO	10GBase LX4	10.312Gbps	1310nm	300m
Cisco	XENPAK	XENPAK-10GB-SR-HO	10GBase SR	10.312Gbps	850nm	300m
Cisco	XENPAK	XENPAK-10GB-ZR-HO	10GBase ZR	10.312Gbps	1550nm	80km

Cisco Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	XFP	DWDM-XFP-1530.33-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.33nm	40km
Cisco	XFP	DWDM-XFP-1530.33-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.33nm	40km
Cisco	XFP	DWDM-XFP-1531.12-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.12nm	40km
Cisco	XFP	DWDM-XFP-1532.68-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1532.68nm	40km
Cisco	XFP	DWDM-XFP-1535.82-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1535.82nm	40km
Cisco	XFP	DWDM-XFP-1538.98-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1538.98nm	40km
Cisco	XFP	DWDM-XFP-1539.77-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1539.77nm	40km
Cisco	XFP	DWDM-XFP-1540.56-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1540.56nm	40km
Cisco	XFP	DWDM-XFP-1542.94-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1542.94nm	40km
Cisco	XFP	DWDM-XFP-1543.73-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1543.73nm	40km
Cisco	XFP	DWDM-XFP-1543.73-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1543.73nm	40km
Cisco	XFP	DWDM-XFP-1544.53-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1544.53nm	40km
Cisco	XFP	DWDM-XFP-1546.92-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.92nm	40km
Cisco	XFP	DWDM-XFP-1547.72-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1547.72nm	40km
Cisco	XFP	DWDM-XFP-1548.51-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1548.51nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	XFP	DWDM-XFP-1550.12-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.12nm	40km
Cisco	XFP	DWDM-XFP-1551.72-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1551.72nm	40km
Cisco	XFP	DWDM-XFP-1552.52-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1552.52nm	40km
Cisco	XFP	DWDM-XFP-1554.13-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.13nm	40km
Cisco	XFP	DWDM-XFP-1555.75-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1555.75nm	40km
Cisco	XFP	DWDM-XFP-1556.55-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1556.55nm	40km
Cisco	XFP	DWDM-XFP-1558.17-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.17nm	40km
Cisco	XFP	DWDM-XFP-1558.98-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.98nm	40km
Cisco	XFP	DWDM-XFP-1559.79-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1559.79nm	40km
Cisco	XFP	DWDM-XFP-1560.61-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1560.61nm	40km
Cisco	XFP	DWDM-XFP-30.33-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.33nm	80km
Cisco	XFP	DWDM-XFP-31.12-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Cisco	XFP	DWDM-XFP-31.90-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Cisco	XFP	DWDM-XFP-32.68-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Cisco	XFP	DWDM-XFP-34.25-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Cisco	XFP	DWDM-XFP-35.04-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Cisco	XFP	DWDM-XFP-35.82-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Cisco	XFP	DWDM-XFP-36.61-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Cisco	XFP	DWDM-XFP-38.19-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Cisco	XFP	DWDM-XFP-38.98-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Cisco	XFP	DWDM-XFP-38.98-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Cisco	XFP	DWDM-XFP-40.56-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Cisco	XFP	DWDM-XFP-42.14-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Cisco	XFP	DWDM-XFP-42.14-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Cisco	XFP	DWDM-XFP-42.94-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Cisco	XFP	DWDM-XFP-44.53-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Cisco	XFP	DWDM-XFP-46.12-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Cisco	XFP	DWDM-XFP-46.92-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Cisco	XFP	DWDM-XFP-47.72-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Cisco	XFP	DWDM-XFP-48.51-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Cisco	XFP	DWDM-XFP-50.12-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Cisco	XFP	DWDM-XFP-50.92-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Cisco	XFP	DWDM-XFP-51.72-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Cisco	XFP	DWDM-XFP-52.52-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Cisco	XFP	DWDM-XFP-52.52-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Cisco	XFP	DWDM-XFP-54.94-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
Cisco	XFP	DWDM-XFP-55.75-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cisco	XFP	DWDM-XFP-56.55-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Cisco	XFP	DWDM-XFP-56.55-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Cisco	XFP	DWDM-XFP-58.98-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Cisco	XFP	DWDM-XFP-59.79-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Cisco	XFP	DWDM-XFP-60.61-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cisco	XFP	DWDM-XFP-60.61-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cisco	XFP	DWDM-XFP-XXXX-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed	80km
Cisco	XFP	ONS-XC-10G-31.1-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.12nm	80km
Cisco	XFP	ONS-XC-10G-31.1-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.12nm	80km
Cisco	XFP	ONS-XC-10G-C-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km
Cisco	XFP	ONS-XC-10G-L2-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	80km
Cisco	XFP	ONS-XC-10G-S1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Cisco	XFP	ONS-XC-10G-SR-MM-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Cisco	XFP	XFP-10G-BXD-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1330nm RX: 1270nm	10km
Cisco	XFP	XFP-10G-BXU-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nm RX: 1330nm	10km
Cisco	XFP	XFP10GER-192IR-L-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Cisco	XFP	XFP10GER192IR-RGD-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Cisco	XFP	XFP-10GER-OC192IR-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Cisco	XFP	XFP-10GER-OC192IR-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Cisco	XFP	XFP-10G-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Cisco	XFP	XFP10GLR-192SR-L-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Cisco	XFP	XFP10GLR192SR-RGD-HO	10GBase ENET & OC-192/STM-64/10G SONET SR-1	9.953Gbps-11.318Gbps	1310nm	10km
Cisco	XFP	XFP-10GLR-OC192SR-HO	10GBase ENET & OC-192/STM-64/10G SONET SR-1	9.953Gbps-11.318Gbps	1310nm	10km
Cisco	XFP	XFP-10G-MM-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Cisco	XFP	XFP10GZR192LR-RGD-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km
Cisco	XFP	XFP-10GZR-OC192LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km

Citrix Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Citrix	SFP	EW3A0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3A0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3A0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3B0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3B0000235-HO	1000Base T 4-PACK	1.25Gbps	Copper	100m
Citrix	SFP	EW3B0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3C0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3C0000712-HO	1000Base LX	1.25Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Citrix Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Citrix	SFP	EW3D0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3D0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3D0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3D0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3E0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3E0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3E0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3F0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3F0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3F0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3P0000142-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3P0000143-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3P0000559-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3X0000234-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3X0000235-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3X0000712-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3Z0000086-HO	1000Base SX	1.25Gbps	850nm	550m
Citrix	SFP	EW3Z0000087-HO	1000Base T	1.25Gbps	Copper	100m
Citrix	SFP	EW3Z0000587-HO	1000Base LX	1.25Gbps	1310nm	10km
Citrix	SFP	EW3Z0000587-HO	1000Base LX	1.25Gbps	1310nm	10km

Citrix Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Citrix	SFP+	EW3A0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3A0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3B0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3B0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3C0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3C0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3D0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3E0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3E0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3E0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3F0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3F0000711-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Citrix	SFP+	EW3P0000557-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3P0000558-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Citrix Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Citrix	SFP+	EW3X0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3X0000710-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3Z0000585-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Citrix	SFP+	EW3Z0000586-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

Citrix Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Citrix	XFP	EW3A0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3A0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3B0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3B0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3B0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3C0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3C0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3D0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3D0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3E0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3F0000713-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3F0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3P0000560-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Citrix	XFP	EW3P0000561-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3X0000714-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Citrix	XFP	EW3Z0000588-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Cyan Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP	280-0009-00-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Cyan	SFP	280-0010-00-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Cyan	SFP	280-0011-00-HO	2.5GBase OC-48/STM-16/2.5G SONET LR	2.488Gbps	1550nm	40km
Cyan	SFP	280-0012-00-HO	2.125GBase ZX	155Mbps-2.5Gbps	1550nm	80km
Cyan	SFP	280-0017-00-HO	1000Base T	1.25Gbps	Copper	100m
Cyan	SFP	280-0030-00-HO	1000Base EX	1.25Gbps	1310nm	10km
Cyan	SFP	280-0030-00-40-HO	1000Base EX	1.25Gbps	1310nm	40km
Cyan	SFP	280-0030-00-40-BXD-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
Cyan	SFP	280-0030-00-40-BXU-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Cyan	SFP	280-0045-00-HO	1000Base SX	1.25Gbps	850nm	550m
Cyan	SFP	280-0060-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1552.52nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP	280-0061-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1551.72nm	120km
Cyan	SFP	280-0062-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1550.92nm	120km
Cyan	SFP	280-0063-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1549.32nm	120km
Cyan	SFP	280-0064-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1548.51nm	120km
Cyan	SFP	280-0065-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1547.72nm	120km
Cyan	SFP	280-0066-00-HO	1000Base DWDM ZX	1.0625Gbps-1.25Gbps	1546.92nm	120km
Cyan	SFP	280-0067-00-HO	1000Base CWDM ZX	1.25 Gpbs	1470nm	80km
Cyan	SFP	280-0068-00-HO	1000Base CWDM ZX	1.25 Gpbs	1490nm	80km
Cyan	SFP	280-0069-00-HO	1000Base CWDM ZX	1.25 Gpbs	1510nm	80km
Cyan	SFP	280-0070-00-HO	1000Base CWDM ZX	1.25 Gpbs	1530nm	80km
Cyan	SFP	280-0071-00-HO	1000Base CWDM ZX	1.25 Gpbs	1550nm	80km
Cyan	SFP	280-0072-00-HO	1000Base CWDM ZX	1.25 Gpbs	1570nm	80km
Cyan	SFP	280-0073-00-HO	1000Base CWDM ZX	1.25 Gpbs	1590nm	80km
Cyan	SFP	280-0074-00-HO	1000Base CWDM ZX	1.25 Gpbs	1610nm	80km
Cyan	SFP	280-0081-00-HO	1000Base T	1.25Gbps	Copper	100m
Cyan	SFP	280-0105-00-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Cyan	SFP	280-0106-00-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Cyan	SFP	280-0132-00-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
Cyan	SFP	280-0133-00-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
Cyan	SFP	280-0182-00-HO	1000Base SX	1.25Gbps	850nm	550m
Cyan	SFP	280-0183-00-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cyan	SFP	280-0194-00-HO	multi EX	1.25Gbps-2.5Gbps	1550nm	40km
Cyan	SFP	280-0196-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1560.61nm	120km
Cyan	SFP	280-0197-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1559.79nm	120km
Cyan	SFP	280-0198-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1558.98nm	120km
Cyan	SFP	280-0199-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1558.17nm	120km
Cyan	SFP	280-0200-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1557.36nm	120km
Cyan	SFP	280-0200-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1557.36nm	120km
Cyan	SFP	280-0202-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1555.75nm	120km
Cyan	SFP	280-0202-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1555.75nm	120km
Cyan	SFP	280-0204-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1554.13nm	120km
Cyan	SFP	280-0206-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1546.12nm	120km
Cyan	SFP	280-0207-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1545.32nm	120km
Cyan	SFP	280-0208-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1544.53nm	120km
Cyan	SFP	280-0209-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1543.73nm	120km
Cyan	SFP	280-0210-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1542.94nm	120km
Cyan	SFP	280-0211-00-HO	1000Base DWDM ZX	1.0625-1.25Gbps	1542.14nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP	280-0212-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1541.35nm	120km
Cyan	SFP	280-0213-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1540.56nm	120km
Cyan	SFP	280-0214-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1539.77nm	120km
Cyan	SFP	280-0215-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1538.98nm	120km
Cyan	SFP	280-0216-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1538.19nm	120km
Cyan	SFP	280-0217-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1537.40nm	120km
Cyan	SFP	280-0218-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1536.61nm	120km
Cyan	SFP	280-0218-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1536.61nm	120km
Cyan	SFP	280-0220-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1535.04nm	120km
Cyan	SFP	280-0221-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1534.25nm	120km
Cyan	SFP	280-0221-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1534.25nm	120km
Cyan	SFP	280-0223-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1532.68nm	120km
Cyan	SFP	280-0224-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1531.90nm	120km
Cyan	SFP	280-0224-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1531.90nm	120km
Cyan	SFP	280-0226-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1530.33nm	120km
Cyan	SFP	280-0227-00-HO	1000Base DWDM ZXL	1.0625-1.25Gbps	1529.55nm	120km
Cyan	SFP	280-0228-00-HO	100Base FX	100Mbps	1310nm	2km
Cyan	SFP	280-0281-00-HO	1000Base DWDM ZXL	1.25 Gbps	1563.86nm	120km
Cyan	SFP	280-0282-00-HO	1000Base DWDM ZXL	1.25 Gbps	1563.05nm	120km
Cyan	SFP	280-0283-00-HO	1000Base DWDM ZXL	1.25 Gbps	1562.23nm	120km
Cyan	SFP	280-0284-00-HO	1000Base DWDM ZXL	1.25 Gbps	1561.42nm	120km
Cyan	SFP	280-0285-00-HO	1000Base DWDM ZXL	1.25 Gbps	1528.77nm	120km
Cyan	SFP	280-0286-00-HO	4GBase Fiber chn SW	1.06Gbps-4.25Gbps	850nm	300m
Cyan	SFP	280-0286-00-HO	4GBase Fiber chn SW	1.06Gbps-4.25Gbps	850nm	300m
Cyan	SFP	280-0288-00-HO	multi Fiber chn LW	1.06Gbps-4.25Gbps	1310nm	10km
Cyan	SFP	280-0289-00-HO	4GBase DWDM	4.25Gbps	1560.61nm	80km
Cyan	SFP	280-0290-00-HO	4GBase DWDM	4.25Gbps	1559.79nm	80km
Cyan	SFP	280-0292-00-HO	4GBase DWDM	4.25Gbps	1558.17nm	80km
Cyan	SFP	280-0293-00-HO	4GBase DWDM	4.25Gbps	1557.36nm	80km
Cyan	SFP	280-0294-00-HO	4GBase DWDM	4.25Gbps	1556.55nm	80km
Cyan	SFP	280-0295-00-HO	4GBase DWDM	4.25Gbps	1555.75nm	80km
Cyan	SFP	280-0296-00-HO	4GBase DWDM	4.25Gbps	1554.94nm	80km
Cyan	SFP	280-0297-00-HO	4GBase DWDM	4.25Gbps	1554.13nm	80km
Cyan	SFP	280-0298-00-HO	4GBase DWDM	4.25Gbps	1553.33nm	80km
Cyan	SFP	280-0298-00-HO	4GBase DWDM	4.25Gbps	1553.33nm	80km
Cyan	SFP	280-0300-00-HO	4GBase DWDM	4.25Gbps	1551.72nm	80km
Cyan	SFP	280-0301-00-HO	4GBase DWDM	4.25Gbps	1550.92nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP	280-0302-00-HO	4GBase DWDM	4.25Gbps	1550.12nm	80km
Cyan	SFP	280-0303-00-HO	4GBase DWDM	4.25Gbps	1549.32nm	80km
Cyan	SFP	280-0304-00-HO	4GBase DWDM	4.25Gbps	1548.51nm	80km
Cyan	SFP	280-0305-00-HO	4GBase DWDM	4.25Gbps	1547.72nm	80km
Cyan	SFP	280-0306-00-HO	4GBase DWDM	4.25Gbps	1546.92nm	80km
Cyan	SFP	280-0307-00-HO	4GBase DWDM	4.25Gbps	1546.12nm	80km
Cyan	SFP	280-0308-00-HO	4GBase DWDM	4.25Gbps	1545.32nm	80km
Cyan	SFP	280-0309-00-HO	4GBase DWDM	4.25Gbps	1544.53nm	80km
Cyan	SFP	280-0310-00-HO	4GBase DWDM	4.25Gbps	1543.73nm	80km
Cyan	SFP	280-0311-00-HO	4GBase DWDM	4.25Gbps	1542.94nm	80km
Cyan	SFP	280-0312-00-HO	4GBase DWDM	4.25Gbps	1542.14nm	80km
Cyan	SFP	280-0313-00-HO	4GBase DWDM	4.25Gbps	1541.35nm	80km
Cyan	SFP	280-0314-00-HO	4GBase DWDM	4.25Gbps	1540.56nm	80km
Cyan	SFP	280-0315-00-HO	4GBase DWDM	4.25Gbps	1539.77nm	80km
Cyan	SFP	280-0316-00-HO	4GBase DWDM	4.25Gbps	1538.98nm	80km
Cyan	SFP	280-0317-00-HO	4GBase DWDM	4.25Gbps	1538.19nm	80km
Cyan	SFP	280-0318-00-HO	4GBase DWDM	4.25Gbps	1537.40nm	80km
Cyan	SFP	280-0318-00-HO	4GBase DWDM	4.25Gbps	1537.40nm	80km
Cyan	SFP	280-0320-00-HO	4GBase DWDM	4.25Gbps	1535.82nm	80km
Cyan	SFP	280-0321-00-HO	4GBase DWDM	4.25Gbps	1535.04nm	80km
Cyan	SFP	280-0322-00-HO	4GBase DWDM	4.25Gbps	1534.25nm	80km
Cyan	SFP	280-0322-00-HO	4GBase DWDM	4.25Gbps	1534.25nm	80km
Cyan	SFP	280-0324-00-HO	4GBase DWDM	4.25Gbps	1532.68nm	80km
Cyan	SFP	280-0324-00-HO	4GBase DWDM	4.25Gbps	1532.68nm	80km
Cyan	SFP	280-0326-00-HO	4GBase DWDM	4.25Gbps	1531.12nm	80km
Cyan	SFP	280-0327-00-HO	4GBase DWDM	4.25Gbps	1530.33nm	80km
Cyan	SFP	280-0328-00-HO	4GBase DWDM	4.25Gbps	1529.55nm	80km
Cyan	SFP	280-0328-00-HO	4GBase DWDM	4.25Gbps	1529.55nm	80km
Cyan	SFP	280-0331-00-HO	multi EX	1.06Gbps-4.25Gbps	1550nm	40km
Cyan	SFP	280-0332-00-HO	multi Fiber/ENET ZX	1.06Gbps-4.25Gbps	1550nm	80km
Cyan	SFP	280-0332-00-HO	multi Fiber/ENET ZX	1.06Gbps-4.25Gbps	1550nm	80km
Cyan	SFP	280-0335-00-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Cyan	SFP	280-0340-00-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	40km
Cyan	SFP	280-0341-00-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	40km
Cyan	SFP	OC-125G-L1S-80-HO	1000Base ZX	1.25Gbps	1550nm	80km
Cyan	SFP	OC-125G-L1S-W45-80km-HO	1000Base BX-U	1.25Gbps	TX: 1490nm RX: 1550nm	80km
Cyan	SFP	OC-125G-L1S-W45-80KM-HO	1000Base BX-U	1.25Gbps	TX: 1490nm RX: 1550nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP	OC-125G-L1S-W54-80KM-HO	1000Base BX-D	1.25Gbps	TX: 1550nm RX: 1490nm	80km
Cyan	SFP	OC-267G-OC48LR2-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	2.5Gbps	1550nm	80km

Cyan Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP+	002-0238-00-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
Cyan	SFP+	280-0092-00-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Cyan	SFP+	280-0229-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cyan	SFP+	280-0229-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cyan	SFP+	280-0231-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Cyan	SFP+	280-0232-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Cyan	SFP+	280-0233-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Cyan	SFP+	280-0234-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Cyan	SFP+	280-0235-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Cyan	SFP+	280-0236-00-HO	multi DWDM ZX	9.953Gbps-11.318Gbps	1554.94nm	80km
Cyan	SFP+	280-0237-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Cyan	SFP+	280-0238-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Cyan	SFP+	280-0239-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Cyan	SFP+	280-0240-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Cyan	SFP+	280-0241-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Cyan	SFP+	280-0242-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Cyan	SFP+	280-0243-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Cyan	SFP+	280-0244-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Cyan	SFP+	280-0245-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Cyan	SFP+	280-0246-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Cyan	SFP+	280-0247-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Cyan	SFP+	280-0248-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
Cyan	SFP+	280-0249-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Cyan	SFP+	280-0250-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Cyan	SFP+	280-0251-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Cyan	SFP+	280-0252-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Cyan	SFP+	280-0253-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1541.35nm	80km
Cyan	SFP+	280-0254-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Cyan	SFP+	280-0255-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Cyan	SFP+	280-0256-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Cyan	SFP+	280-0257-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Cyan	SFP+	280-0258-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1537.40nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	SFP+	280-0259-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Cyan	SFP+	280-0260-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Cyan	SFP+	280-0261-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Cyan	SFP+	280-0262-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Cyan	SFP+	280-0263-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
Cyan	SFP+	280-0264-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Cyan	SFP+	280-0265-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Cyan	SFP+	280-0266-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Cyan	SFP+	280-0267-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Cyan	SFP+	280-0268-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
Cyan	SFP+	280-0276-00-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Cyan	SFP+	280-0277-00-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km
Cyan	SFP+	280-0277-00-C49-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1490nm	80km
Cyan	SFP+	280-0336-00-HO	10GBase BX-U	9.95Gbps-10.52Gbps	TX: 1270nm RX: 1330nm	10km
Cyan	SFP+	280-0337-00-HO	10GBase BX-U	9.95Gbps-10.52Gbps	TX: 1270nm RX: 1330nm	40km
Cyan	SFP+	280-0350-00-HO	10GBase BX-D	9.95Gbps-10.52Gbps	TX: 1330nm RX: 1270nm	10km
Cyan	SFP+	280-0351-00-HO	10GBase BX-D	9.95Gbps-10.52Gbps	TX: 1330nm RX: 1270nm	40km
Cyan	SFP+	280-0451-00-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band	80km

Cyan Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	XFP	280-0014-00-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Cyan	XFP	280-0015-00-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Cyan	XFP	280-0015-00-40-BXD-HO	10Gbase BX-D	9.953Gbps-11.318Gbps	TX: 1330nm RX: 1270nm	40km
Cyan	XFP	280-0015-00-40-BXU-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1270nm RX: 1330nm	40km
Cyan	XFP	280-0016-00-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km
Cyan	XFP	280-0046-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1553.33nm	80km
Cyan	XFP	280-0047-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Cyan	XFP	280-0048-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Cyan	XFP	280-0049-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Cyan	XFP	280-0050-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Cyan	XFP	280-0051-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.52nm	80km
Cyan	XFP	280-0052-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Cyan	XFP	280-0053-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Cyan	XFP	280-0056-00-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Cyan	XFP	280-0056-00-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Cyan	XFP	280-0088-00-HO	10GBase Tunable DWDM ZR	9.953Gbps-11.318Gbps	Tunable	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	XFP	280-0095-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Cyan	XFP	280-0096-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
Cyan	XFP	280-0097-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Cyan	XFP	280-0098-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Cyan	XFP	280-0099-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Cyan	XFP	280-0120-00-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Cyan	XFP	280-0121-00-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Cyan	XFP	280-0122-00-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km
Cyan	XFP	280-0134-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cyan	XFP	280-0135-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Cyan	XFP	280-0136-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Cyan	XFP	280-0137-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Cyan	XFP	280-0138-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Cyan	XFP	280-0138-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
Cyan	XFP	280-0140-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Cyan	XFP	280-0141-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
Cyan	XFP	280-0142-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Cyan	XFP	280-0143-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Cyan	XFP	280-0144-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Cyan	XFP	280-0145-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Cyan	XFP	280-0146-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1537.4nm	80km
Cyan	XFP	280-0147-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Cyan	XFP	280-0148-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Cyan	XFP	280-0149-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Cyan	XFP	280-0150-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Cyan	XFP	280-0151-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Cyan	XFP	280-0152-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Cyan	XFP	280-0153-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Cyan	XFP	280-0154-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
Cyan	XFP	280-0163-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
Cyan	XFP	280-0164-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Cyan	XFP	280-0165-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Cyan	XFP	280-0166-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Cyan	XFP	280-0167-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Cyan	XFP	280-0168-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Cyan	XFP	280-0169-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Cyan	XFP	280-0170-00-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.72nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cyan Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Cyan	XFP	280-0184-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1471nm	70km
Cyan	XFP	280-0185-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1491nm	70km
Cyan	XFP	280-0186-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1511nm	70km
Cyan	XFP	280-0187-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1531nm	70km
Cyan	XFP	280-0188-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1551nm	70km
Cyan	XFP	280-0189-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1571nm	70km
Cyan	XFP	280-0190-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1591nm	70km
Cyan	XFP	280-0191-00-HO	10GBase CWDM ZR	9.953Gbps-11.318Gbps	1611nm	70km
Cyan	XFP	280-0272-00-HO	10GBase ENET & OC-192/STM-64/10G SONET SR-1	9.953Gbps-11.318Gbps	1529.55nm	80km
Cyan	XFP	280-0272-00-HO	10GBase ENET & OC-192/STM-64/10G SONET SR-1	9.953Gbps-11.318Gbps	1529.55nm	80km
Cyan	XFP	280-0275-00-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	20km

D-Link Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
D-Link	SFP	DEM-211-HO	100Base FX	100Mbps	1310nm	2km
D-Link	SFP	DEM-310GT-HO	1000Base LX	1.25Gbps	1310nm	10km
D-Link	SFP	DEM-311GT-HO	1000Base SX	1.25Gbps	850nm	550m
D-Link	SFP	DGS-712-HO	1000Base T	1.25Gbps	Copper	100m

D-Link Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
D-Link	SFP+	DEM-431XT-DD-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

D-Link Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
D-Link	XFP	DEM-421XT-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
D-Link	XFP	DEM-422XT-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

Dell Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
DELL	QSFP+	430-4593-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Dell Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
DELL	SFP	310-7225-HO	1000Base T	1.25Gbps	Copper	100m
DELL	SFP	320-2879-HO	1000Base LX	1.25Gbps	1310nm	10km
DELL	SFP	320-2881-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Dell Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
DELL	SFP	331-5309-HO	1000Base LX	1.25Gbps	1310nm	10km
DELL	SFP	407-10588-HO	1000Base LX	1.25Gbps	1310nm	10km
DELL	SFP	407-10588-HO	1000Base LX	1.25Gbps	1310nm	10km
DELL	SFP	407-BB0R-HO	1000Base SX	1.25Gbps	850nm	550m

Dell Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
DELL	SFP+	0RN84N-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	310-7225-10G-HO	10GBase T	10.312Gbps	Copper	30m
DELL	SFP+	330-2403-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	330-2404-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	330-2404-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	330-2410-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
DELL	SFP+	330-2410-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
DELL	SFP+	330-4328-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	331-5310-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	331-5311-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
DELL	SFP+	407-BBOP-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	407-BBOP-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
DELL	SFP+	407-BBOU-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
DELL	SFP+	GP-SFP-10GBX-D-10-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
DELL	SFP+	GP-SFP-10GBX-U-10-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km

Dell Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
DELL	XFP	320-5164-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
DELL	XFP	409-10007-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

Delta Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Delta	SFP	LCP-1250A4FDRT-HO	1000Base SX	1.25Gbps	850nm	550m
Delta	SFP	LCP-1250A4FSRT-HO	1000Base SX	1.25Gbps	850nm	550m
Delta	SFP	LCP-1250B4JSR-HO	1000Base LX	1.25Gbps	1310nm	15km
Delta	SFP	LCP-1250B4QDRT-HO	1000Base LX	1.25Gbps	1310nm	10km
Delta	SFP	LCP-1250B4QSRT-HO	1000Base LX	1.25Gbps	1310nm	10km
Delta	SFP	LCP-1250D4R47R-HO	multi CWDM ZX	1.25Gbps	1470nm	80km
Delta	SFP	LCP-1250D4R47RT-HO	multi CWDM ZX	1.25Gbps	1470nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Delta Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Delta	SFP	LCP-1250D4R47RT-HO	multi CWDM ZX	1.25Gbps	1470nm	80km
Delta	SFP	LCP-1250D4R49R-HO	multi CWDM ZX	1.25Gbps	1490nm	80km
Delta	SFP	LCP-1250D4R51R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1510nm	80km
Delta	SFP	LCP-1250D4R51R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1510nm	80km
Delta	SFP	LCP-1250D4R53R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1530nm	80km
Delta	SFP	LCP-1250D4R53R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1530nm	80km
Delta	SFP	LCP-1250D4R55R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1550nm	80km
Delta	SFP	LCP-1250D4R55RT-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1550nm	80km
Delta	SFP	LCP-1250D4R57R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1570nm	80km
Delta	SFP	LCP-1250D4R57RT-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1570nm	80km
Delta	SFP	LCP-1250D4R59R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1590nm	80km
Delta	SFP	LCP-1250D4R59RT-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1590nm	80km
Delta	SFP	LCP-1250D4R61R-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1610nm	80km
Delta	SFP	LCP-1250D4R61RT-HO	multi CWDM ZX	1.0625Gbps-1.25Gbps	1610nm	80km
Delta	SFP	LCP-1250D4RDRT-HO	1000Base ZX	1.25Gbps	1550nm	80km
Delta	SFP	LCP-1250RJ3SR-HO	1000Base T	1.25Gbps	Copper	100m
Delta	SFP	LCP-1250RJ3SR-L-HO	1000Base T	1.25Gbps	Copper	100m
Delta	SFP	LCP-1250RJ3SR-S-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Delta	SFP	LCP-155A4HDRT-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Delta	SFP	LCP-155A4HSRT-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Delta	SFP	LCP-155B4JDRT-HO	155MBase FX	155Mbps	1310nm	15km
Delta	SFP	LCP-155B4JSRT-HO	155MBase FX	155Mbps	1310nm	15km
Delta	SFP	LCP-155B4MDRT-HO	155Base OC-3c/STM-1 LR	155Mbps	1310nm	40km
Delta	SFP	LCP-155B4MSRT-HO	155Base OC-3c/STM-1 LR	155Mbps	1310nm	40km
Delta	SFP	LCP-155D4RDRT-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
Delta	SFP	LCP-155D4V47RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1470nm	80km
Delta	SFP	LCP-155D4V49RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1490nm	80km
Delta	SFP	LCP-155D4V51RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1510nm	80km
Delta	SFP	LCP-155D4V53RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1530nm	80km
Delta	SFP	LCP-155D4V55RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1550nm	80km
Delta	SFP	LCP-155D4V57RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1570nm	80km
Delta	SFP	LCP-155D4V59RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1590nm	80km
Delta	SFP	LCP-155D4V61RT-HO	155MBase OC-3c/STM-1 CWDM	155Mbps	1610nm	80km
Delta	SFP	LCP-2125A4EDRH-HO	2.125GBase SX	2.125Gbps	850nm	550m
Delta	SFP	LCP-2488A4EDRT-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Delta	SFP	LCP-2488B4HDRT-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Delta	SFP	LCP-2488B4JDRT-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Delta Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Delta	SFP	LCP-2488D4RDR-HO	2.5GBase OC-48/STM-16/2.5G SONET LR2	2.488Gbps	1550nm	80km
Delta	SFP	LCP-3072A4CDRT-HO	3GBase SX	3.072Gbps	1310nm	150m
Delta	SFP	LCP-3072B4QDRT-HO	3GBase LX	3.072Gbps	1310nm	10km
Delta	SFP	LCP-4250A4CDRT-HO	multi SX	4.25Gbps	850nm	150m
Delta	SFP	LCP-4250B4QDRT-HO	multi LX	4.25Gbps	1310nm	10km
Delta	SFP	SPBD-1250A4Q1R-HO	1000Base BX-U	1.25Gbps	TX: 1550nm RX: 1310nm	10km
Delta	SFP	SPBD-1250A4Q1RD-HO	1000Base BX-U	1.25Gbps	TX: 1550nm RX: 1310nm	10km
Delta	SFP	SPBD-1250A4Q1RDT-HO	1000Base BX-U	1.25Gbps	TX: 1550nm RX: 1310nm	10km
Delta	SFP	SPBD-1250A4Q1RDT-HO	1000Base BX-U	1.25Gbps	TX: 1550nm RX: 1310nm	10km
Delta	SFP	SPBD-1250B4Q1R-HO	1000Base BX-D	1.25Gbps	TX: 1310nm RX: 1550nm	10km
Delta	SFP	SPBD-1250B4Q1RD-HO	1000Base BX-D	1.25Gbps	TX: 1310nm RX: 1550nm	10km
Delta	SFP	SPBD-1250B4Q1RDT-HO	1000Base BX-D	1.25Gbps	TX: 1310nm RX: 1550nm	10km
Delta	SFP	SPBD-1250B4Q1RT-HO	1000Base BX-D	1.25Gbps	TX: 1310nm RX: 1550nm	10km
Delta	SFP	SPBD-155E4J1R-HO	155MBase BX-U	155Mbps	TX: 1310nm RX: 1550nm	15km
Delta	SFP	SPBD-155E4J1RD-HO	155MBase BX-U	155Mbps	TX: 1310nm RX: 1550nm	15km
Delta	SFP	SPBD-155E4J1RT-HO	155MBase BX-U	155Mbps	TX: 1310nm RX: 1550nm	15km
Delta	SFP	SPBD-155F4J1R-HO	155MBase BX-D	155Mbps	TX: 1550nm RX: 1310nm	15km
Delta	SFP	SPBD-155F4J1RD-HO	155MBase BX-D	155Mbps	TX: 1550nm RX: 1310nm	15km
Delta	SFP	SPBD-155F4J1RT-HO	155MBase BX-D	155Mbps	TX: 1550nm RX: 1310nm	15km

Delta Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Delta	SFP+	LCP-10G3A4EDR-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
Delta	SFP+	LCP-8500A4EDR-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
Delta	SFP+	LCP-8500B4QDR-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
Delta	SFP+	LCP-8500B4QDR-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km

Delta Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Delta	XFP	TSP-10G3A1EER-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Delta	XFP	TSP-10G3A1EER-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Eterasys Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Eterasys	GBIC	GPIM-01-HO	1000Base SX	1.25Gbps	850nm	550m
Eterasys	GBIC	GPIM-02-HO	1000Base T	1.25Gbps	Copper	100m
Eterasys	GBIC	GPIM-08-HO	1000Base ZX	1.25Gbps	1550nm	70km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Enterasys Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	GBIC	GPIM-09-HO	1000Base LX	1.25Gbps	1310nm	10km

Enterasys Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	QSFP+	40GB-LR4-QSFP-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
Enterasys	QSFP+	40GB-SR4-QSFP-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Enterasys	QSFP+	40G-SR4-QSFP-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Enterasys	QSFP+	40G-SR4-QSFP-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Enterasys Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	SFP	MGBIC-02-HO	1000Base T	1.25Gbps	Copper	100m
Enterasys	SFP	MGBIC-BX10-D-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Enterasys	SFP	MGBIC-BX10-U-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Enterasys	SFP	MGBIC-LC01-HO	1000Base SX	1.25Gbps	850nm	550m
Enterasys	SFP	MGBIC-LC03-HO	1000Base LX	1.25Gbps	1310nm	2km
Enterasys	SFP	MGBIC-LC04-HO	100Base FX	100Mbps	850nm	2km
Enterasys	SFP	MGBIC-LC05-HO	100Base LX	100Mbps	1310nm	10km
Enterasys	SFP	MGBIC-LC05-HO	100Base LX	100Mbps	1310nm	10km
Enterasys	SFP	MGBIC-LC09-HO	1000Base LX	1.25Gbps	1310nm	10km
Enterasys	SFP	MGBIC-LC09-HO	1000Base LX	1.25Gbps	1310nm	10km

Enterasys Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	SFP+	10GBASE-ER-SFPP-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Enterasys	SFP+	10GBASE-LR-SFPP-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Enterasys	SFP+	10GB-BX10-D-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Enterasys	SFP+	10GB-BX10-U-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	10km

Enterasys Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	XENPAK	10GBASE-ER-HO	10GBase ER	10.312Gbps	1550nm	40km
Enterasys	XENPAK	10GBASE-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Enterasys	XENPAK	10GBASE-SR-HO	10GBase SR	10.312Gbps	850nm	300m
Enterasys	XENPAK	10GBASE-SR-HO	10GBase SR	10.312Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Enterasys Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Enterasys	XFP	10GBASE-ER-XFP-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Enterasys	XFP	10GBASE-LR-XFP-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Enterasys	XFP	10GBASE-SR-XFP-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Extreme Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	GBIC	10011-HO	1000Base SX	1.25Gbps	850nm	550m
Extreme	GBIC	10013-HO	1000Base LX	1.25Gbps	1310nm	10km
Extreme	GBIC	10017-HO	1000Base ZX	1.25Gbps	1550nm	70km
Extreme	GBIC	10018-HO	1000Base T	1.25Gbps	Copper	100m
Extreme	GBIC	10019-HO	1000Base ZXL	1.25Gbps	1550nm	100km

Extreme Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	QSFP+	10319-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Extreme	QSFP+	10320-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km

Extreme Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	SFP	10051-HO	1000Base SX	1.25Gbps	850nm	550m
Extreme	SFP	10052-HO	1000Base LX	1.25Gbps	1310nm	10km
Extreme	SFP	10053-HO	1000Base ZX	1.25Gbps	1550nm	70km

Extreme Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	SFP+	10301-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
Extreme	SFP+	10302-HO	10GBase LR	10Gbps	1310nm	10km

Extreme Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	XENPAK	10110-HO	10GBase SR	10.312Gbps	850nm	300m
Extreme	XENPAK	10111-HO	10GBase LR	10.312Gbps	1310nm	10km
Extreme	XENPAK	10112-HO	10GBase ER	10.312Gbps	1550nm	40km

Extreme Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	XFP	10121-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Extreme Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Extreme	XFP	10122-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Extreme	XFP	10200-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km

F5 Networks Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
F5 Networks	QSFP+	F5-UPG-QSFP-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

F5 Networks Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
F5 Networks	SFP	F5UPGSFPC-R-HO	1000Base T	1.25Gbps	Copper	100m
F5 Networks	SFP	F5UPGSFPC-R-HO	1000Base T	1.25Gbps	Copper	100m
F5 Networks	SFP	F5UPGSFPR-HO	1000Base SX	1.25Gbps	850nm	550m

F5 Networks Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
F5 Networks	SFP+	F5UPGSFP+R-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

F5 Networks Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
F5 Networks	XFP	F5UPGXFFEROPR-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
F5 Networks	XFP	F5UPGXFFEROPR-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
F5 Networks	XFP	F5UPGXFPR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
F5 Networks	XFP	F5UPGXFPR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Finisar Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	GBIC	FTR-1319-3D-HO	1000Base LX	1.25Gbps	1310nm	10km
Finisar	GBIC	FTR-1419-HO	1000Base EX	1.25Gbps	1310nm	40km
Finisar	GBIC	FTR-8519-3D-HO	1000Base SX	1.25Gbps	850nm	550m

Finisar Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	SFP	FCMJ-8521-3-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Finisar	SFP	FTLF1322P1BTR-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Finisar	SFP	FTLF1421P1XTL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	15km
Finisar	SFP	FTLF1421S1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	10km
Finisar	SFP	FTLF1422P1XTL-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Finisar Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	SFP	FTLF1424P2XCR-HO	4GBase LW	4.25Gbps Gbs	1310nm	10km
Finisar	SFP	FTLF1424P2XCV-HO	4GBase ELW	4.25Gbps	1310nm	30km
Finisar	SFP	FTLF1424P2XTR-HO	4GBase LW	4.25Gbps Gbs	1310nm	10km
Finisar	SFP	FTLF1518P1BTL-HO	1000Base ZX	1.06Gbps-1.25Gbps	1550nm	80km
Finisar	SFP	FTLF1519P1BCL-HO	1000Base ZX	1.25Gbps	1550nm	80km
Finisar	SFP	FTLF1519P1XCL-HO	2.125GBase ZX	2.125Gbps	1550nm	80km
Finisar	SFP	FTLF1519P1XNL-HO	2.125GBase ZX	2.125Gbps	1550nm	80km
Finisar	SFP	FTLF1521P1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	15km
Finisar	SFP	FTLF1522P1XTL-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Finisar	SFP	FTLF1523P1XTL-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
Finisar	SFP	FTLF1621P2XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	80km
Finisar	SFP	FTLF1621P2XTL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	80km
Finisar	SFP	FTLF1621S1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	80km
Finisar	SFP	FTLF1721P2XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
Finisar	SFP	FTLF1721P2XTL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
Finisar	SFP	FTLF1721S1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
Finisar	SFP	FTLF8519P2XCL-HO	2.125GBase SX	2.125Gbps	850nm	550m
Finisar	SFP	FTLF8519P2XNL-HO	2.125GBase SX	2.125Gbps	850nm	550m
Finisar	SFP	FTLF8519P2XTL-HO	2.125GBase SX	2.125Gbps	850nm	550m
Finisar	SFP	FTLF8524P2BNL-HO	4GBase SW	1.0625Gbps2.125Gbps4.25Gbps	850nm	300m
Finisar	SFP	FTRJ-1319-P1BTL-HO	1000Base LX	1.25Gbps	1310nm	10km
Finisar	SFP	FTRJ1319P1XTL-HO	2.125GBase LX	1.25Gbps	1310nm	10km
Finisar	SFP	FTRJ1322P1XTR-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Finisar	SFP	FTRJ1323P1XTL-HO	155MBase OC-3c/STM-1 LR	155Mbps	1310nm	40km
Finisar	SFP	FTRJ1323P1XTR-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	15km
Finisar	SFP	FTRJ1419P1XCL-HO	2.125GBase EX	2.125Gbps	1310nm	40km
Finisar	SFP	FTRJ1421P1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	15km
Finisar	SFP	FTRJ1421P1XNL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	15km
Finisar	SFP	FTRJ1421S1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	10km
Finisar	SFP	FTRJ1422P1XTL-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	40km
Finisar	SFP	FTRJ-1519-P1BCL-HO	multi Fiber/ENET/Sonet ZX	1.0625Gbps1.25Gbps2.125Gbps	1550nm	80km
Finisar	SFP	FTRJ1519P1XCL-HO	2.125GBase ZX	2.125Gbps	1550nm	80km
Finisar	SFP	FTRJ1519P1XNL-HO	Multirate ZX	1.0625Gbps1.25Gbps2.125Gbps	1550nm	80km
Finisar	SFP	FTLF1521P1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	15km
Finisar	SFP	FTRJ1522P1XTL-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
Finisar	SFP	FTRJ1523P1XTL-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
Finisar	SFP	FTRJ1619P1XCL-HO	2.125GBase ZX	2.125Gbps	1550nm	110km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Finisar Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	SFP	FTRJ1721P1XCL-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
Finisar	SFP	FTRJ-8519-7D-2.5-HO	2GBase SW	2.5Gbps	850nm	550m
Finisar	SFP	FTRJ-8519-P1BNL-HO	1000Base SX	1.25Gbps	850nm	550m
Finisar	SFP	FTRJ8519P1BNLMC-HO	2.125GBase SX	2.125Gbps	850nm	550m
Finisar	SFP	FTRJ8519P1BNLMD-HO	2.125GBase SX	2.125Gbps	850nm	550m
Finisar	SFP	FTRJ8519P1XNL-HO	multi Fiber/ENET SX	1.06Gbps-2.125Gbps	850nm	550m
Finisar	SFP	FTRJ8524P2BNL-HO	4GBase SW	4.25Gbps	850nm	550m
Finisar	SFP	FTRJ8524P2BNV-HO	4GBase multi SX	1.0625Gbps2.125Gbps4.25Gbps	850nm	550m
Finisar	SFP	FTRJ8524P2BNV-HO	4GBase SW	4.25Gbps	850nm	550m
Finisar	SFP	FWLF-1521-7D-51-HO	multi CWDM EX	2.7Gbps	1510nm	50km

Finisar Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	SFP+	FTLF1428P2BNV-HO	8GBase Fiber chn LW	2/4/8Gbps Fiber Channel	1310nm	10km
Finisar	SFP+	FTLF8528P2BNV-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
Finisar	SFP+	FTLX1471D3BCL-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Finisar	SFP+	FTLX1671D3BCL-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Finisar	SFP+	FTLX2471DC027-HO	10GBase CWDM ENET/Fiber chn LR	10Gbps	1271nm	10km
Finisar	SFP+	FTLX2471DC029-HO	10GBase CWDM ENET/Fiber chn LR	10Gbps	1291nm	10km
Finisar	SFP+	FTLX2471DC031-HO	10GBase CWDM ENET/Fiber chn LR	10Gbps	1311nm	10km
Finisar	SFP+	FTLX2471DC033-HO	10GBase CWDM ENET/Fiber chn LR	10Gbps	1331nm	10km
Finisar	SFP+	FTLX3871DCC33-HO	10GBase DWDM ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550.92nm	80km
Finisar	SFP+	FTLX3871DCC40-HO	10GBase DWDM ENET/Fiber chn ZR	8Gbps-11.3Gbps	1545.32nm	80km
Finisar	SFP+	FTLX8571D3BCL-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Finisar Compatible X2

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	X2	FTLX1441E2-HO	10GBase LR	10.312Gbps	1310nm	10km

Finisar Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	XFP	FTLX1411D3-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Finisar	XFP	FTLX1411M3-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Finisar	XFP	FTLX1611M3-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Finisar	XFP	FTLX1811M3-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Finisar	XFP	FTLX8511D3-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Finisar	XFP	FTRX1411M3-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Finisar Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Finisar	XFP	FTRX-1611-3-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Finisar	XFP	FTRX-1811-3-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

Fluke Networks Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fluke Networks	SFP	MS-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Fluke Networks	SFP	MS-SX-HO	1000Base SX	1.25Gbps	850nm	550m

Force10 Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	QSFP+	GP-QSFP-40GE-1IR-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	1km
Force10	QSFP+	GP-QSFP-40GE-1LR-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
Force10	QSFP+	GP-QSFP-40GE-1SR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Force10	QSFP+	GP-QSFP-40GE-ESR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	300m

Force10 Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	SFP	GP-SFP2-1F-HO	100Base FX	100Mbps	1310nm	2km
Force10	SFP	GP-SFP2-1S-HO	1000Base SX	1.25Gbps	850nm	550m
Force10	SFP	GP-SFP2-1T-HO	1000Base T	1.25Gbps	Copper	100m
Force10	SFP	GP-SFP2-1Y-HO	1000Base LX	1.25Gbps	1310nm	10km
Force10	SFP	GP-SFP2-1Z-HO	1000Base ZX	1.25Gbps	1550nm	80km
Force10	SFP	GP-SFP2-MTRJ-1S-HO	1000Base SX	1.25Gbps	850nm	550m
Force10	SFP	GP-SFP2-OC48-1IR1-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Force10	SFP	GP-SFP2-OC48-1IR1-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Force10	SFP	GP-SFP-OC12-3-1IR1-HO	multi OC-3c/STM-1OC-12/STM-4 IR	155Mbps-622Mbps	1310nm	15km

Force10 Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	SFP+	GP-10GSFP-1L-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Force10	SFP+	GP-10GSFP-1S-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Force10	SFP+	GP-10GSFP-40KM-W17-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1563.86nm	40km
Force10	SFP+	GP-10GSFP-40KM-W18-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1563.05nm	40km
Force10	SFP+	GP-10GSFP-40KM-W19-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1562.23nm	40km
Force10	SFP+	GP-10GSFP-40KM-W20-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1561.42nm	40km
Force10	SFP+	GP-10GSFP-40KM-W21-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1560.61nm	40km
Force10	SFP+	GP-10GSFP-40KM-W22-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1559.79nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Force10 Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	SFP+	GP-10GSFP-40KM-W23-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.98nm	40km
Force10	SFP+	GP-10GSFP-40KM-W24-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.17nm	40km
Force10	SFP+	GP-10GSFP-40KM-W25-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1557.36nm	40km
Force10	SFP+	GP-10GSFP-40KM-W26-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1556.55nm	40km
Force10	SFP+	GP-10GSFP-40KM-W27-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1555.75nm	40km
Force10	SFP+	GP-10GSFP-40KM-W28-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.94nm	40km
Force10	SFP+	GP-10GSFP-40KM-W29-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.13nm	40km
Force10	SFP+	GP-10GSFP-40KM-W30-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1553.33nm	40km
Force10	SFP+	GP-10GSFP-40KM-W31-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1552.52nm	40km
Force10	SFP+	GP-10GSFP-40KM-W32-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1551.72nm	40km
Force10	SFP+	GP-10GSFP-40KM-W33-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.92nm	40km
Force10	SFP+	GP-10GSFP-40KM-W34-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.12nm	40km
Force10	SFP+	GP-10GSFP-40KM-W35-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
Force10	SFP+	GP-10GSFP-40KM-W36-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1548.51nm	40km
Force10	SFP+	GP-10GSFP-40KM-W36-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1548.51nm	40km
Force10	SFP+	GP-10GSFP-40KM-W37-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
Force10	SFP+	GP-10GSFP-40KM-W39-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.12nm	40km
Force10	SFP+	GP-10GSFP-40KM-W39-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.12nm	40km
Force10	SFP+	GP-10GSFP-40KM-W41-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1544.53nm	40km
Force10	SFP+	GP-10GSFP-40KM-W42-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1543.73nm	40km
Force10	SFP+	GP-10GSFP-40KM-W43-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.94nm	40km
Force10	SFP+	GP-10GSFP-40KM-W44-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.14nm	40km
Force10	SFP+	GP-10GSFP-40KM-W45-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1541.35nm	40km
Force10	SFP+	GP-10GSFP-40KM-W46-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1540.56nm	40km
Force10	SFP+	GP-10GSFP-40KM-W47-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.77nm	40km
Force10	SFP+	GP-10GSFP-40KM-W48-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.98nm	40km
Force10	SFP+	GP-10GSFP-40KM-W49-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.19nm	40km
Force10	SFP+	GP-10GSFP-40KM-W50-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1537.40nm	40km
Force10	SFP+	GP-10GSFP-40KM-W51-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1536.61nm	40km
Force10	SFP+	GP-10GSFP-40KM-W52-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.82nm	40km
Force10	SFP+	GP-10GSFP-40KM-W53-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.04nm	40km
Force10	SFP+	GP-10GSFP-40KM-W54-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1534.25nm	40km
Force10	SFP+	GP-10GSFP-40KM-W55-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1533.47nm	40km
Force10	SFP+	GP-10GSFP-40KM-W56-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1532.68nm	40km
Force10	SFP+	GP-10GSFP-40KM-W57-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.9nm	40km
Force10	SFP+	GP-10GSFP-40KM-W58-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.12nm	40km
Force10	SFP+	GP-10GSFP-40KM-W59-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1530.33nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Force10 Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	SFP+	GP-10GSFP-40KM-W60-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1529.55nm	40km
Force10	SFP+	GP-10GSFP-40KM-W61-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1528.77nm	40km

Force10 Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	XFP	GP-XFP-1CX4-HO	10GBase CX4	10Gbps	Copper	15m
Force10	XFP	GP-XFP-1E-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Force10	XFP	GP-XFP-1L-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Force10	XFP	GP-XFP-1S-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Force10	XFP	GP-XFP-1S-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Force10	XFP	GP-XFP-W21-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Force10	XFP	GP-XFP-W22-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Force10	XFP	GP-XFP-W23-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Force10	XFP	GP-XFP-W24-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Force10	XFP	GP-XFP-W24-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Force10	XFP	GP-XFP-W27-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Force10	XFP	GP-XFP-W27-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Force10	XFP	GP-XFP-W29-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Force10	XFP	GP-XFP-W29-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Force10	XFP	GP-XFP-W32-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Force10	XFP	GP-XFP-W32-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Force10	XFP	GP-XFP-W34-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Force10	XFP	GP-XFP-W35-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Force10	XFP	GP-XFP-W35-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
Force10	XFP	GP-XFP-W36-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Force10	XFP	GP-XFP-W38-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
Force10	XFP	GP-XFP-W39-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Force10	XFP	GP-XFP-W39-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Force10	XFP	GP-XFP-W41-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Force10	XFP	GP-XFP-W42-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1543.73nm	80km
Force10	XFP	GP-XFP-W43-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Force10	XFP	GP-XFP-W46-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Force10	XFP	GP-XFP-W47-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Force10	XFP	GP-XFP-W48-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.98nm	80km
Force10	XFP	GP-XFP-W49-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Force10	XFP	GP-XFP-W51-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Force10	XFP	GP-XFP-W52-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Force10 Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Force10	XFP	GP-XFP-W53-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Force10	XFP	GP-XFP-W54-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Force10	XFP	GP-XFP-W56-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Force10	XFP	GP-XFP-W57-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Force10	XFP	GP-XFP-W58-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Force10	XFP	GP-XFP-W59-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
Force10	XFP	GP-XFP-WXX-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed 1530.33nm-1560.61nm	80km

Fortinet Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fortinet	QSFP+	FG-TRAN-QSFP+LR-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Fortinet	QSFP+	FG-TRAN-QSFP+LR-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km

Fortinet Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fortinet	SFP	FG-TRAN-GC-HO	1000Base T	1.25Gbps	Copper	100m
Fortinet	SFP	FG-TRAN-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Fortinet	SFP	FG-TRAN-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Fortinet	SFP	FR-TRAN-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Fortinet	SFP	FR-TRAN-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Fortinet	SFP	FR-TRAN-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
Fortinet	SFP	FS-TRAN-GC-HO	1000Base T	1.25Gbps	Copper	100m

Fortinet Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fortinet	SFP+	FG-TRAN-SFP+LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Fortinet	SFP+	FG-TRAN-SFP+SR-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
Fortinet	SFP+	FS-TRAN-SFP+ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Fortinet	SFP+	FS-TRAN-SFP+LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Fortinet	SFP+	FS-TRAN-SFP+SR-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m

Fortinet Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fortinet	XFP	FG-TRAN-XFPLR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Fortinet	XFP	FG-TRAN-XFPSR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Fujitsu Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	SFP	FC95700130-HO	622Mbps OC-12/STM-4 IR	622Mbps	1310nm	15km
Fujitsu	SFP	FC9685GP03-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM ZX	2.5Gbps	1531.12nm	80km
Fujitsu	SFP	FC9685GP04-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM ZX	2.5Gbps	1531.90nm	80km
Fujitsu	SFP	FC9685GP04-HO	2.5GBase OC-48/STM-16/2.5G SONET DWDM ZX	2.5Gbps	1531.90nm	80km
Fujitsu	SFP	FIM32152W47-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-2.5Gbps	1471nm	80km
Fujitsu	SFP	FIM32152W49-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-2.5Gbps	1491nm	80km
Fujitsu	SFP	FIM32152W51-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	155Mbps-5Gbps	1511nm	80km
Fujitsu	SFP	FIM32152W53-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	155Mbps-5Gbps	1531nm	80km
Fujitsu	SFP	FIM32152W55-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-5Gbps	1551nm	80km
Fujitsu	SFP	FIM32152W57-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-5Gbps	1571nm	80km
Fujitsu	SFP	FIM32152W59-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-2.488Gbps	1591nm	80km
Fujitsu	SFP	FIM32152W61-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	622Mbps-2.488Gbps	1611nm	80km

Fujitsu Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	SFP+	SFPP-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Fujitsu	SFP+	SFPP-SR-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m

Fujitsu Compatible X2

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	X2	FIM81550-HO	10GBase ZR	10.312Gbps	1550nm	80km

Fujitsu Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	XENPAK	FIM82020-HO	10GBase ZR	10.312Gbps	1550nm	80km

Fujitsu Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	XFP	FC9685TC13-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Fujitsu	XFP	FIM31052-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Fujitsu	XFP	FIM31052-100-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Fujitsu	XFP	FIM31052-110-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Fujitsu	XFP	FIM31052-120-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Fujitsu	XFP	FIM31112-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Fujitsu	XFP	FIM31112-100-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Fujitsu	XFP	FIM31112-110-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Fujitsu	XFP	FIM31112-120-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Fujitsu Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Fujitsu	XFP	FIM31121-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

Gigamon Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Gigamon	QSFP+	QSF-502-HO	40GBase QSFP SR4	40Gbps	850nm	150m
Gigamon	QSFP+	QSF-503-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km

Gigamon Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Gigamon	SFP	SFP-502-HO	1000Base SX	1.25Gbps	850nm	550m
Gigamon	SFP	SFP-503-HO	1000Base LX	1.25Gbps	1310nm	10km
Gigamon	SFP	SFP-504-HO	1000Base EX	1.25Gbps	1550nm	40km

Gigamon Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Gigamon	SFP+	SFP-532-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Gigamon	SFP+	SFP-533-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Gigamon	SFP+	SFP-534-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Gigamon	SFP+	SFP-535-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m

H3C Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
H3C	GBIC	02311203-HO	1000Base LX	1.25Gbps	1310nm	10km
H3C	GBIC	02311204-HO	1000Base SX	1.25Gbps	850nm	550m
H3C	GBIC	02311415-HO	1000Base T	1.25Gbps	Copper	100m
H3C	GBIC	02312189-HO	1000Base EX	1.25Gbps	1310nm	30km
H3C	GBIC	02312191-HO	1000Base ZX	1.25Gbps	1550nm	70km
H3C	GBIC	0231A565-HO	1000Base SX	1.25Gbps	850nm	550m
H3C	GBIC	0231A566-HO	1000Base LX	1.25Gbps	1310nm	10km

H3C Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
H3C	SFP	02312170-HO	1000Base DWDM EX	1.25Gbps	1310nm	40km
H3C	SFP	02312172-HO	1000Base EX	1.25Gbps	1550nm	40km
H3C	SFP	02312173-HO	1000Base ZX	1.25Gbps	1550nm	70km
H3C	SFP	0231A085-HO	1000Base T	1.25Gbps	Copper	100m
H3C	SFP	0231A089-HO	100Base EX	100Mbps	1310nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



H3C Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
H3C	SFP	0231A090-HO	100Base ZX	100Mbps	1550nm	80km
H3C	SFP	0231A11U-HO	1000Base BX-U	1.25Gbps	TX: 1550nm RX: 1310nm	10km
H3C	SFP	0231A449-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1550nm	70km
H3C	SFP	0231A450-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1570nm	70km
H3C	SFP	0231A451-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1590nm	70km
H3C	SFP	0231A452-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1610nm	70km
H3C	SFP	0231A453-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1470nm	70km
H3C	SFP	0231A454-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1490nm	70km
H3C	SFP	0231A455-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1510nm	70km
H3C	SFP	0231A456-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1530nm	70km
H3C	SFP	0231A562-HO	1000Base SX	1.25Gbps	850nm	550m
H3C	SFP	0231A563-HO	1000Base LX	1.25Gbps	1310nm	10km
H3C	SFP	0231A564-HO	100Base LX	100Mbps	1310nm	15km

H3C Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
H3C	SFP+	0231A0A6-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
H3C	SFP+	0231A0A7-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
H3C	SFP+	0231A0A8-HO	10GBase LR	8Gbps-11.3Gbps	1550nm	10km

H3C Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
H3C	XFP	0231A41G-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
H3C	XFP	0231A494-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
H3C	XFP	0231A72X-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
H3C	XFP	3HE05833CA-HO	10GBase ZR	9.953Gbps-11.318Gbps	1550nm	80km

HP Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	QSFP+	720187-B21-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
HP	QSFP+	JC858A-HO	40GBase QSFP SR4	40Gbps	850nm	150m
HP	QSFP+	JG325A-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
HP	QSFP+	JG325A-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
HP	QSFP+	JG325B-HO	40GBase QSFP SR4	40Gbps	850nm	150m
HP	QSFP+	JG709A-HO	40GBase QSFP SR4	40Gbps	850nm	300m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



HP Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	SFP	378928-B21-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
HP	SFP	453151-B21-HO	1000Base SX	1.25Gbps	850nm	550m
HP	SFP	453154-B21-HO	1000Base T	1.25Gbps	Copper	100m
HP	SFP	A6515A-HO	2GBase SW	1.25Gbps	850nm	550m
HP	SFP	A6516A-HO	2GBase LW	2.125Gbps	1310nm	10km
HP	SFP	AE379A-HO	4GBase SW	4.25Gbps	850nm	550m
HP	SFP	AJ715A-HO	4GBase SW	4.25Gbps	850nm	300m
HP	SFP	J4858B-HO	1000Base SX	1.25Gbps	850nm	550m
HP	SFP	J4858C-HO	1000Base SX	1.25Gbps	850nm	550m
HP	SFP	J4859A-HO	1000Base LX	1.25Gbps	1310nm	10km
HP	SFP	J4859B-HO	1000Base LX	1.25Gbps	1310nm	10km
HP	SFP	J4859C-HO	1000Base LX	1.25Gbps	1310nm	10km
HP	SFP	J4860B-HO	1000Base ZX	1.25Gbps	1550nm	70km
HP	SFP	J4860C-HO	1000Base ZX	1.25Gbps	1550nm	70km
HP	SFP	J8177B-HO	1000Base T	1.25Gbps	Copper	100m
HP	SFP	J8177C-HO	1000Base T	1.25Gbps	Copper	100m
HP	SFP	J9054B-HO	100Base FX	100Mbps	1310nm	2km
HP	SFP	J9054C-HO	100Base FX	100Mbps	1310nm	2km
HP	SFP	J9098B-HO	100Base BX-D	100Mbps	TX: 1550nm RX: 1310nm	10km
HP	SFP	J9100B-HO	100Base BX-U	100Mbps	TX: 1310nm RX: 1550nm	10km
HP	SFP	J9142B-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
HP	SFP	J9143B-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
HP	SFP	JD063B-HO	1000Base ZX	1.25Gbps	1550nm	70km
HP	SFP	JD089B-HO	1000Base T	1.25Gbps	Copper	100m
HP	SFP	JD114A-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1490nm	70km
HP	SFP	JD118B-HO	1000Base SX	1.25Gbps	850nm	550m
HP	SFP	JD119B-HO	1000Base LX	1.25Gbps	1310nm	10km
HP	SFP	JD493A-HO	1000Base SX	1.25Gbps	850nm	550m
HP	SFP	JD494A-HO	1000Base LX	1.25Gbps	1310nm	10km

HP Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	SFP+	455883-B21-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
HP	SFP+	455886-B21-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
HP	SFP+	455889-B21-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
HP	SFP+	455889-B21-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
HP	SFP+	AJ718A-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



HP Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	SFP+	AJ906A-HO	8Gbase Fiber chn SW	8Gbps-11.3Gbps	850nm	150m
HP	SFP+	J9150A-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
HP	SFP+	J9151A-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
HP	SFP+	J9152A-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
HP	SFP+	J9153A-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
HP	SFP+	JD092B-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
HP	SFP+	JD093B-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
HP	SFP+	JD094B-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
HP	SFP+	JG234A-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km

HP Compatible X2

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	X2	J8436A-HO	10GBase SR	9.953Gbps-11.318Gbps	850nm	300m
HP	X2	J8437A-HO	10GBase LR	10.312Gbps	1310nm	10km
HP	X2	J8438A-HO	10GBase ER	10.312Gbps	1550nm	40km
HP	X2	J9144A-HO	10GBase LRM	10.312Gbps	1310nm	220m

HP Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	XENPAK	J8173A-HO	10GBase LR	10.312Gbps	1310nm	10km

HP Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
HP	XFP	JD108B-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
HP	XFP	JD117B-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Huawei Compatible CSFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Huawei	CSFP	CSFP-GE-FE-BXD1-HO	1000Base 2 chn BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km

Huawei Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Huawei	SFP	LS-SFP-LH-1550-HO	1000Base ZX	1.25Gbps	1550nm	80km
Huawei	SFP	LS-SFP-LH-1550-HO	1000Base ZX	1.25Gbps	1550nm	80km
Huawei	SFP	LS-SFP-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Huawei	SFP	LS-SFP-ZX-HO	1000Base ZX	1.25Gbps	1550nm	70km
Huawei	SFP	SFP-T-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Huawei Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Huawei	XENPAK	0231A323-HO	10GBase LR	10.312Gbps	1310nm	10km
Huawei	XENPAK	0231A324-HO	10GBase ER	10.312Gbps	1550nm	40km
Huawei	XENPAK	0231A363-HO	10GBase SR	10.312Gbps	850nm	300m

Huawei Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Huawei	XFP	XFP-STM64-T-80KM-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km

IBM Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	QSFP+	00D6222-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	10km
IBM	QSFP+	49Y7884-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

IBM Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	SFP	19K1271-HO	4GBase Fiber chn SW	2.125Gbps	850nm	150m
IBM	SFP	22R4897-HO	4GBase SW	4.25Gbps	850nm	550m
IBM	SFP	22R4902-HO	4GBase SW	4.25Gbps	850nm	550m
IBM	SFP	22R6223-HO	2GBase LW	2.125Gbps	1310nm	10km
IBM	SFP	23R1701-HO	4GBase LW	4.25Gbps	1310nm	10km
IBM	SFP	23R1702-HO	4GBase LW	4.25Gbps	1310nm	10km
IBM	SFP	23R1703-HO	4GBase LW	4.25Gbps	1310nm	4km
IBM	SFP	23R1704-HO	4GBase LW	4.25Gbps	1310nm	4km
IBM	SFP	26K7941-HO	4GBase SW	4.25Gbps	850nm	150m
IBM	SFP	39R6475-HO	4GBase SW	4.25Gbps	850nm	550m
IBM	SFP	39R6475-HO	4GBase SW	4.25Gbps	850nm	550m
IBM	SFP	40K5603-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	40K5603-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	41Y8596-HO	4GBase SW	4.25Gbps	850nm	550m
IBM	SFP	45W0494-HO	4GBase SW	4.25Gbps	850nm	150m
IBM	SFP	45W0495-HO	4GBase LW	4.25Gbps	1310nm	10km
IBM	SFP	45W0496-HO	4GBase SW	4.25Gbps	850nm	300m
IBM	SFP	45W0496-HO	4GBase SW	4.25Gbps	850nm	300m
IBM	SFP	45W0498-HO	4GBase LW	4.25Gbps	1310nm	10km
IBM	SFP	45W0499-HO	4GBase ELW	4.25Gbps	1310nm	30km
IBM	SFP	45W2815-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	45W2816-HO	1000Base LX	1.25Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



IBM Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	SFP	45W2816-HO	1000Base LX	1.25Gbps	1310nm	10km
IBM	SFP	45W2818-HO	100Base FX	100Mbps	1310nm	2km
IBM	SFP	45W4475-HO	1000Base T	1.25Gbps	Copper	100m
IBM	SFP	45W4737-HO	100Base FX	100Mbps	1310nm	2km
IBM	SFP	45W4739-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	45W4740-HO	1000Base LX	1.25Gbps	1310nm	10km
IBM	SFP	45W4741-HO	1000Base EX	1.25Gbps	1310nm	40km
IBM	SFP	45W4742-HO	1000Base ZX	1.25Gbps	1550nm	70km
IBM	SFP	45W7552-HO	100Base FX	100Mbps	1310nm	40km
IBM	SFP	81Y1618-HO	1000Base T	1.25Gbps	Copper	100m
IBM	SFP	81Y1620-HO	1000Base T	1.25Gbps	Copper	100m
IBM	SFP	81Y1622-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	81Y1622-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	88Y6058-HO	1000Base T	1.25Gbps	Copper	100m
IBM	SFP	88Y6062-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	88Y6830-HO	100Base FX	100Mbps	1310nm	2km
IBM	SFP	88Y6833-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
IBM	SFP	88Y6836-HO	1000Base SX	1.25Gbps	850nm	550m
IBM	SFP	88Y6839-HO	1000Base LX	1.25Gbps	1310nm	10km
IBM	SFP	88Y6842-HO	1000Base ZX	1.25Gbps	1550nm	70km
IBM	SFP	88Y6845-HO	100Base BX-U	100Mbps	TX: 1310nm RX: 1550nm	20km
IBM	SFP	88Y6848-HO	100Base BX-D	100Mbps	TX: 1550nm RX: 1310nm	20km
IBM	SFP	90Y9418-HO	1000Base ZX	1.25Gbps	1550nm	70km
IBM	SFP	90Y9424-HO	1000Base LX	1.25Gbps	1310nm	10km

IBM Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	SFP+	44W4408-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	44X1962-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
IBM	SFP+	44X1964-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
IBM	SFP+	45W0500-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
IBM	SFP+	45W0501-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
IBM	SFP+	45W1216-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	45W1216-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	45W2411-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	45W2812-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
IBM	SFP+	45W2812-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



IBM Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	SFP+	45W4262-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	45W4264-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	45W4743-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	45W4744-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	45W4973-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
IBM	SFP+	46C3447-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	46C3449-HO	10GBase SR	8Gbps-11.3Gbps	850nm	550m
IBM	SFP+	49Y4216-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	49Y4218-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	49Y4218-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	68Y6923-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	88Y6054-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	88Y6057-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
IBM	SFP+	88Y6877-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	90Y9412-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
IBM	SFP+	90Y9412-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

IBM Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
IBM	XFP	40K8890-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
IBM	XFP	45W2810-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
IBM	XFP	45W2811-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
IBM	XFP	45W8178-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
IBM	XFP	45W8178-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
IBM	XFP	69Y0377-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
IBM	XFP	69Y0389-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Infinera Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Infinera	SFP	TOM-2.5GMR-SR1-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Infinera	SFP	TOM-2.5GMR-SR1-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km

Infinera Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Infinera	SFP+	TOM-10G-SFPP-DT-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable Full C-Band	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Intel Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Intel	QSFP+	E40GQSFPLR-HO	40GBase QSFP LR4	40Gbps	Range: 1264.5-1337.5nm	10km
Intel	QSFP+	E40GQSFPSR-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Intel Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Intel	SFP	E1GSFPT-HO	1000Base T	1.25Gbps	Copper	100m
Intel	SFP	TXN31115D000000-HO	multi SX	1.06Gbps-4.25Gbps	850nm	550m
Intel	SFP	TXN31115D100000-HO	4GBase SW	4.25Gbps	850nm	150m

Intel Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Intel	SFP+	E10GSFPLR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Intel	SFP+	E10GSFPLR-BX-D-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Intel	SFP+	E10GSFPLR-BX-D-HO	10GBase BX-D	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	10km
Intel	SFP+	E10GSFPSR-HO	multi Fiber/ENET SR	8Gbps-11.3Gbps	850nm	300m
Intel	SFP+	E10GSFPSR-HO	multi Fiber/ENET SR	8Gbps-11.3Gbps	850nm	300m
Intel	SFP+	TXN181070850X1B-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m

Intel Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Intel	XFP	TXN181070850X2D-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Intel	XFP	TXN181072013X5C-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

Interlogix Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Interlogix	SFP	S30-2MLC-HO	1000Base SX	1.25Gbps	850nm	550m

JDSU Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
JDSU	SFP	AC-SFP-1000LX-HO	1000Base LX	1.25Gbps	1310nm	10km
JDSU	SFP	AC-SFP-1000SX-HO	1000Base SX	1.25Gbps	850nm	550m
JDSU	SFP	AC-SFP-100LX-HO	1000Base LX	100Mbps	1310nm	2km
JDSU	SFP	JSH-12L1DD1-HO	multi Fiber/ENET LX	1.06252.125Gbps	1310nm	10km
JDSU	SFP	JSH-42L3AD3-20-HO	multi Fiber/ENET LX	1.06Gbps-4.25Gbps	1310nm	20km
JDSU	SFP	JSH-42L3AD3-20S-HO	multi Fiber/ENET LX	4.25Gbps	1310nm	20km
JDSU	SFP	JSH-42L3AD3-20S-HO	multi Fiber/ENET LX	4.25Gbps	1310nm	20km
JDSU	SFP	JSH-42L4DD1-HO	multi Fiber/ENET LX	1.0625Gbps-4.25Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



JDSU Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
JDSU	SFP	PLRXPL-VE-SG4-38-HO	multi Fiber/ENET SX	1.06Gbps-4.25Gbps	850nm	550m
JDSU	SFP	PLRXPL-VE-SG4-62-HO	multi Fiber/ENET SX	1.06Gbps-4.25Gbps	850nm	550m
JDSU	SFP	PLRXPL-VE-SG4-62-N-HO	multi Fiber/ENET SX	1.06Gbps-4.25Gbps	850nm	550m

JDSU Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
JDSU	SFP+	JSH-01DWAA1-017-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1563.86nm	80km
JDSU	SFP+	JSH-01DWAA1-018-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1563.05nm	80km
JDSU	SFP+	JSH-01DWAA1-019-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1562.23nm	80km
JDSU	SFP+	JSH-01DWAA1-020-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.42nm	80km
JDSU	SFP+	JSH-01DWAA1-021-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
JDSU	SFP+	JSH-01DWAA1-021-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
JDSU	SFP+	JSH-01DWAA1-022-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1559.79nm	80km
JDSU	SFP+	JSH-01DWAA1-024-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.17nm	80km
JDSU	SFP+	JSH-01DWAA1-025-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1557.36nm	80km
JDSU	SFP+	JSH-01DWAA1-026-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km
JDSU	SFP+	JSH-01DWAA1-026-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km
JDSU	SFP+	JSH-01DWAA1-027-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
JDSU	SFP+	JSH-01DWAA1-029-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
JDSU	SFP+	JSH-01DWAA1-030-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
JDSU	SFP+	JSH-01DWAA1-031-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1552.52nm	80km
JDSU	SFP+	JSH-01DWAA1-032-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km
JDSU	SFP+	JSH-01DWAA1-033-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.92nm	80km
JDSU	SFP+	JSH-01DWAA1-034-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km
JDSU	SFP+	JSH-01DWAA1-035-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1549.32nm	80km
JDSU	SFP+	JSH-01DWAA1-036-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1548.51nm	80km
JDSU	SFP+	JSH-01DWAA1-037-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
JDSU	SFP+	JSH-01DWAA1-037-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
JDSU	SFP+	JSH-01DWAA1-038-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.92nm	80km
JDSU	SFP+	JSH-01DWAA1-040-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1545.32nm	80km
JDSU	SFP+	JSH-01DWAA1-041-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
JDSU	SFP+	JSH-01DWAA1-042-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.73nm	80km
JDSU	SFP+	JSH-01DWAA1-042-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.73nm	80km
JDSU	SFP+	JSH-01DWAA1-044-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
JDSU	SFP+	JSH-01DWAA1-044-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
JDSU	SFP+	JSH-01DWAA1-046-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km
JDSU	SFP+	JSH-01DWAA1-046-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



JDSU Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
JDSU	SFP+	JSH-01DWAA1-048-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.98nm	80km
JDSU	SFP+	JSH-01DWAA1-049-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
JDSU	SFP+	JSH-01DWAA1-050-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
JDSU	SFP+	JSH-01DWAA1-050-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
JDSU	SFP+	JSH-01DWAA1-052-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.82nm	80km
JDSU	SFP+	JSH-01DWAA1-053-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
JDSU	SFP+	JSH-01DWAA1-054-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.25nm	80km
JDSU	SFP+	JSH-01DWAA1-054-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.25nm	80km
JDSU	SFP+	JSH-01DWAA1-056-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
JDSU	SFP+	JSH-01DWAA1-056-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
JDSU	SFP+	JSH-01DWAA1-058-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.12nm	80km
JDSU	SFP+	JSH-01DWAA1-059-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.33nm	80km
JDSU	SFP+	JSH-01DWAA1-060-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
JDSU	SFP+	JSH-01DWAA1-061-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1528.77nm	80km
JDSU	SFP+	JSH-01LWAA1-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-01LWAB1-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-01LWDA1-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-01LWDC1-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-01LWDD1-HO	10GBase ENET/Fiber chn LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-01ZWAA1-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
JDSU	SFP+	JSH-62L1DD1-15-HO	6GBase ELR	8Gbps-11.3Gbps	1310nm	15km
JDSU	SFP+	JSH-62L1DD1-15-HO	6GBase ELR	8Gbps-11.3Gbps	1310nm	15km
JDSU	SFP+	JSH-62L1DD1-40-HO	6GBase ER	8Gbps-11.3Gbps	1310nm	40km
JDSU	SFP+	JSH-62L1DD1-40-HO	6GBase ER	8Gbps-11.3Gbps	1310nm	40km
JDSU	SFP+	JSH-85L3AB1-10-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-85L3AB1-10-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-85L3DA1-10-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	JSH-85L3DC1-10-HO	8GBase LR	8Gbps-11.3Gbps	1310nm	10km
JDSU	SFP+	PLRXPL-SC-S43-22-N-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
JDSU	SFP+	PLRXPL-SE-S43-22-N-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
JDSU	SFP+	PLRXPL-VC-S43-23-N-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
JDSU	SFP+	PLRXPL-VC-S43-23-N-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
JDSU	SFP+	PLRXPL-VE-SH4-23-N-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m
JDSU	SFP+	PLRXPL-VE-SH4-23-N-HO	8GBase SR	8Gbps-11.3Gbps	850nm	150m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



JDSU Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
JDSU	XFP	JXP-01EEAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
JDSU	XFP	JXP-01EGAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
JDSU	XFP	JXP-01EMAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
JDSU	XFP	JXP-01EMAC1-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
JDSU	XFP	JXP-01LEAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
JDSU	XFP	JXP-01LEAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
JDSU	XFP	JXP-01LMAB1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
JDSU	XFP	JXP-01LMAC1-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
JDSU	XFP	JXP-01SWAC1-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
JDSU	XFP	PLRXXL-SC-S43-C1-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
JDSU	XFP	PLRXXL-SC-S43-C1-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Juniper Compatible CFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	CFP	CFP-100GBASE-LR4-HO	100GBase LR	100Gbps	4x25.8Gbps: 1310nm	10km
Juniper	CFP	CFP-GEN2-100GBASE-LR4-HO	100GBase LR	100Gbps	4x25.8Gbps: 1310nm	10km
Juniper	CFP	CFP-100GBASE-SR10-HO	100GBase SR-10	100Gbps	10x10.3Gbps: 840nm-860nm	125m

Juniper Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	QSFP+	JNP-QSFP-40GE-IR4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	2km
Juniper	QSFP+	JNP-QSFP-40G-LR4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Juniper	QSFP+	JNP-QSFP-40G-LX4-HO	40GBase QSFP Universal	40Gbps	4x10Gbps: 1270nm1290nm1310nm1330nm	MM150m/MF2km
Juniper	QSFP+	JNP-QSFP-4x10GE-IR-HO	40GBase QSFP IR4	40Gbps	1310nm	2km
Juniper	QSFP+	JNP-QSFP-4X10GE-LR-HO	40GBase QSFP LR4	40Gbps	Range: 1260-1355nm	10km
Juniper	QSFP+	QFX-QSFP-40G-ESR-HO	40GBase QSFP SR4	40Gbps	850nm	300m
Juniper	QSFP+	QFX-QSFP-40G-ESR-HO	40GBase QSFP SR4	40Gbps	850nm	300m
Juniper	QSFP+	QFX-QSFP-40G-LR4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Juniper	QSFP+	QFX-QSFP-40G-LRM4-HO	40GBase QSFP LR4	40Gbps	4x10Gbps CWDM: 1310nm	10km
Juniper	QSFP+	QFX-QSFP-40G-SR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Juniper	QSFP+	QFX-QSFP-40G-SR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m
Juniper	QSFP+	QSFP-40GBASE-ER4-HO	40GBase QSFP ER4	40Gbps	4x10Gbps CWDM: 1310nm	40km
Juniper	QSFP+	QSFP-40GBASE-IR4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	2km
Juniper	QSFP+	QSFP-40GBASE-IR4-HO	40GBase QSFP IR4	40Gbps	4x10Gbps CWDM: 1260-1360nm	2km
Juniper	QSFP+	QSFP-40GBASE-SR4-HO	40GBase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible QSFP28

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	QSFP28	JNP-QSFP-100G-LR4-HO	100GBase-LR4	103.125Gbps	4x25.8Gbps: 1310nm	10km
Juniper	QSFP28	JNP-QSFP-100G-LR4-HO	100GBase-LR4	103.125Gbps	4x25.8Gbps: 1310nm	10km
Juniper	QSFP28	JNP-QSFP-100G-PLRL4-HO	100GBase-PLRL4	103.125Gbps	1310nm	2km

Juniper Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP	DWDM-SFP-1530.33-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1530.33nm	80km
Juniper	SFP	DWDM-SFP-1531.12-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1531.12nm	80km
Juniper	SFP	DWDM-SFP-1531.90-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1531.90nm	80km
Juniper	SFP	DWDM-SFP-1532.68-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1532.68nm	80km
Juniper	SFP	DWDM-SFP-1533.47-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1533.47nm	80km
Juniper	SFP	DWDM-SFP-1533.86-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1533.86nm	80km
Juniper	SFP	DWDM-SFP-1534.25-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1534.25nm	80km
Juniper	SFP	DWDM-SFP-1534.25-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1534.25nm	80km
Juniper	SFP	DWDM-SFP-1535.04-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1535.04nm	80km
Juniper	SFP	DWDM-SFP-1535.04-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1535.04nm	80km
Juniper	SFP	DWDM-SFP-1535.82-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1535.82nm	80km
Juniper	SFP	DWDM-SFP-1536.61-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1536.61nm	80km
Juniper	SFP	DWDM-SFP-1537.40-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1537.40nm	80km
Juniper	SFP	DWDM-SFP-1537.40-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1537.40nm	80km
Juniper	SFP	DWDM-SFP-1538.19-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1538.19nm	80km
Juniper	SFP	DWDM-SFP-1538.98-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1538.98nm	80km
Juniper	SFP	DWDM-SFP-1538.98-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1538.98nm	80km
Juniper	SFP	DWDM-SFP-1539.77-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1539.77nm	80km
Juniper	SFP	DWDM-SFP-1540.56-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1540.56nm	80km
Juniper	SFP	DWDM-SFP-1541.35-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1541.35nm	80km
Juniper	SFP	DWDM-SFP-1542.94-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1542.94nm	80km
Juniper	SFP	DWDM-SFP-1543.73-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1543.73nm	80km
Juniper	SFP	DWDM-SFP-1544.53-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1544.53nm	80km
Juniper	SFP	DWDM-SFP-1545.32-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1545.32nm	80km
Juniper	SFP	DWDM-SFP-1546.12-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1546.12nm	80km
Juniper	SFP	DWDM-SFP-1546.92-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1546.92nm	80km
Juniper	SFP	DWDM-SFP-1547.72-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1547.72nm	80km
Juniper	SFP	DWDM-SFP-1548.52-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1548.52nm	80km
Juniper	SFP	DWDM-SFP-1549.32-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1549.32nm	80km
Juniper	SFP	DWDM-SFP-1550.12-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1550.12nm	80km
Juniper	SFP	DWDM-SFP-1550.92-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1550.92nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP	DWDM-SFP-1551.72-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1551.72nm	80km
Juniper	SFP	DWDM-SFP-1552.52-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1552.52nm	80km
Juniper	SFP	DWDM-SFP-1553.33-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1553.33nm	80km
Juniper	SFP	DWDM-SFP-1554.13-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1554.13nm	80km
Juniper	SFP	DWDM-SFP-1554.13-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1554.13nm	80km
Juniper	SFP	DWDM-SFP-1554.94-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1554.94nm	80km
Juniper	SFP	DWDM-SFP-1555.75-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1555.75nm	80km
Juniper	SFP	DWDM-SFP-1556.56-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1556.56nm	80km
Juniper	SFP	DWDM-SFP-1557.36-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1557.36nm	80km
Juniper	SFP	DWDM-SFP-1558.17-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1558.17nm	80km
Juniper	SFP	DWDM-SFP-1558.98-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1558.98nm	80km
Juniper	SFP	DWDM-SFP-1559.79-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1559.79nm	80km
Juniper	SFP	DWDM-SFP-1560.61-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1560.61nm	80km
Juniper	SFP	DWDM-SFP-1561.42-J-HO	multi DWDM ZX	1.063Gbps1.25Gbps2.125Gbps	1561.42nm	80km
Juniper	SFP	EX-SFP-1FE-LX-HO	100Base FX	100Mbps	1310nm	10km
Juniper	SFP	EX-SFP-1GE-FE-E-T-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Juniper	SFP	EX-SFP-1GE-LH-HO	1000Base ZX	1.25Gbps	1550nm	70km
Juniper	SFP	EX-SFP-1GE-LH-120-HO	1000Base ZX	1.25Gbps	1550nm	120km
Juniper	SFP	EX-SFP-1GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	EX-SFP-1GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Juniper	SFP	EX-SFP-1GE-T-HO	1000Base T	1.25Gbps	Copper	100m
Juniper	SFP	EX-SFP-GE10kt13R14-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Juniper	SFP	EX-SFP-GE10Kt14R13-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Juniper	SFP	EX-SFP-GE40KT13R15-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	40km
Juniper	SFP	EX-SFP-GE40KT15R13-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	40km
Juniper	SFP	EX-SFP-GE80KCW1470-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1470nm	80km
Juniper	SFP	EX-SFP-GE80KCW1470-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1470nm	80km
Juniper	SFP	EX-SFP-GE80KCW1510-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1510nm	80km
Juniper	SFP	EX-SFP-GE80KCW1530-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1530nm	80km
Juniper	SFP	EX-SFP-GE80KCW1550-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1550nm	80km
Juniper	SFP	EX-SFP-GE80KCW1570-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1570nm	80km
Juniper	SFP	EX-SFP-GE80KCW1590-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Juniper	SFP	EX-SFP-GE80KCW1590-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1590nm	80km
Juniper	SFP	EX-SFP-GE80KCW1610-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1610nm	80km
Juniper	SFP	JX-SFP-1GE-LH-HO	1000Base ZX	1.25Gbps	1550nm	80km
Juniper	SFP	JX-SFP-1GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	JX-SFP-1GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP	JX-SFP-1GE-T-HO	1000Base T	1.25Gbps	Copper	100m
Juniper	SFP	QFX-SFP-1GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	QFX-SFP-1GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Juniper	SFP	QFX-SFP-1GE-T-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Juniper	SFP	SFP-1FE-FX-HO	100Base FX	100Mbps	1310nm	2km
Juniper	SFP	SFP-1GE-FE-E-T-HO	10/100/1000Base T	10Mbps/100Mbps/1000Mbps	Copper	100m
Juniper	SFP	SFP-1GE-LH-HO	1000Base ZX	1.25Gbps	1550nm	70km
Juniper	SFP	SFP-1GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	SFP-1GE-LX-IT-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	SFP-1GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Juniper	SFP	SFP-1GE-SX-IT-HO	1000Base SX	1.25Gbps	850nm	550m
Juniper	SFP	SFP-1GE-T-HO	1000Base T	1.25Gbps	Copper	100m
Juniper	SFP	SFP-1OC48-IR-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Juniper	SFP	SFP-1OC48-LR-HO	2.5GBase OC-48/STM-16/2.5G SONET LR	2.488Gbps	1550nm	40km
Juniper	SFP	SFP-GE10KT13R14-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Juniper	SFP	SFP-GE10KT14R13-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Juniper	SFP	SFP-GE40KM-HO	1000Base EX	1.25Gbps	1310nm	40km
Juniper	SFP	SFP-GE40KM-HO	1000Base EX	1.25Gbps	1310nm	40km
Juniper	SFP	SFP-GE40KT15R13-HO	1000Base BX-D	1.25Gbps	TX: 1550nm RX: 1310nm	40km
Juniper	SFP	SFP-GE80KCW1470-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1471nm	80km
Juniper	SFP	SFP-GE80KCW1490-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1491nm	80km
Juniper	SFP	SFP-GE80KCW1510-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1511nm	80km
Juniper	SFP	SFP-GE80KCW1530-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1531nm	80km
Juniper	SFP	SFP-GE80KCW1550-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1551nm	80km
Juniper	SFP	SFP-GE80KCW1570-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1571nm	80km
Juniper	SFP	SFP-GE80KCW1590-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1591nm	80km
Juniper	SFP	SFP-GE80KCW1590-ET-HO	multi CWDM ZX	1.25Gbps-2.5Gbps	1591nm	80km
Juniper	SFP	SFP-OC12-IR-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Juniper	SFP	SFP-OC12-IR-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Juniper	SFP	SFP-OC12-LR-HO	622MBase OC-12/STM-4 LR	622Mbps	1550nm	40km
Juniper	SFP	SFP-OC12-LR-HO	622MBase OC-12/STM-4 LR	622Mbps	1550nm	40km
Juniper	SFP	SFP-OC12-SR-HO	622MBase OC-12/STM-4 SR	622Mbps	1310nm	2km
Juniper	SFP	SFP-OC12-SR-HO	622MBase OC-12/STM-4 SR	622Mbps	1310nm	2km
Juniper	SFP	SFP-OC3-SR-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Juniper	SFP	SRX-SFP-1GE-LH-HO	1000Base ZX	1.25Gbps	1550nm	70km
Juniper	SFP	SRX-SFP-1GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Juniper	SFP	SRX-SFP-1GE-SX-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP	SRX-SFP-1GE-T-HO	1000Base T	1.25Gbps	Copper	100m
Juniper	SFP	SRX-SFP-FE-FX-HO	100Base FX	100Mbps	1310nm	2km

Juniper Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP+	DWDM-SFP-10GE-40-30.33-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1530.33nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-31.12-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.12nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-31.90-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.90nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-32.68-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1532.68nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-33.47-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1533.47nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-34.25-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1534.25nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-35.04-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.04nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-35.82-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.82nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-36.61-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1536.61nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-37.40-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1537.40nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-38.19-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.19nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-38.98-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.98nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-39.77-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.77nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-40.56-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1540.56nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-41.35-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1541.35nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-42.14-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.14nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-42.94-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.94nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-43.73-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1543.73nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-44.53-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1544.53nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-45.32-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1545.32nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-45.32-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1545.32nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-46.92-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.92nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-47.72-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-47.72-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-49.32-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-50.12-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.12nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-50.92-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.92nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-51.72-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1551.72nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-52.52-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1552.52nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-53.33-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1553.33nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-54.13-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.13nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-54.13-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.13nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP+	DWDM-SFP-10GE-40-55.75-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1555.75nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-56.55-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1556.55nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-56.55-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1556.55nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-58.17-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.17nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-58.98-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.98nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-59.79-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1559.79nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-60.61-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1560.61nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-61.42-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1561.42nm	40km
Juniper	SFP+	DWDM-SFP-10GE-40-61.42-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1561.42nm	40km
Juniper	SFP+	DWDM-SFP-10GE-80-31.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.12nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-31.90-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.90nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-32.68-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-33.47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-33.47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-35.04-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-35.82-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.82nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-36.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-37.40-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-38.19-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-38.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.98nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-39.77-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.77nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-39.77-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.77nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-41.35-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-42.14-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-42.94-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.94nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-43.73-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1543.73nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-44.53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-45.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1545.32nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-45.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1545.32nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-46.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.12nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-47.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-47.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-49.32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1549.32nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-50.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-50.12-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-50.92-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.92nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-51.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP+	DWDM-SFP-10GE-80-51.72-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-53.33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-54.13-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-54.13-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-55.75-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-56.55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-57.36-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1557.36nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-58.17-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.17nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-58.98-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.98nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-59.79-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1559.79nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-60.61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
Juniper	SFP+	DWDM-SFP-10GE-80-61.41-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.41nm	80km
Juniper	SFP+	EX-SFP-10GE-BXD-40-HO	10GBase ER	8Gbps-11.3Gbps	TX: 1330nm RX: 1270nm	40km
Juniper	SFP+	EX-SFP-10GE-BXU-40-HO	10GBase ER	8Gbps-11.3Gbps	TX: 1270nm RX: 1330nm	40km
Juniper	SFP+	EX-SFP-10GE-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	EX-SFP-10GE-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Juniper	SFP+	EX-SFP-10GE-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Juniper	SFP+	EX-SFP-10GE-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Juniper	SFP+	EX-SFP-10GE-USR-HO	10GBase USR	8Gbps-11.3Gbps	850nm	100m
Juniper	SFP+	EX-SFP-10GE-ZR-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
Juniper	SFP+	QFX-SFP-10GE-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	QFX-SFP-10GE-SR-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m
Juniper	SFP+	QFX-SFP-10GE-USR-HO	10GBase SRL	8Gbps-11.3Gbps	850nm	100m
Juniper	SFP+	QFX-SFP-8GFC-SW-HO	multi Fiber chn SW	2/4/8Gbps Fiber Channel	850nm	300m
Juniper	SFP+	SFP-10GE-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	SFP-10GE-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Juniper	SFP+	SFP-10GE-LR-20-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	20km
Juniper	SFP+	SFP-10GE-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Juniper	SFP+	SFP-10GE-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Juniper	SFP+	SFP-10GE-T-HO	10GBase T	10.312Gbps	Copper	30m
Juniper	SFP+	SFP-10GE-ZR-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
Juniper	SFP+	SFPP-10G-CT50-ZR-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable 1528.38-1568.77nm	80km
Juniper	SFP+	SFPP-10G-DT-ZRC2-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	Tunable 1528.38-1568.77nm	80km
Juniper	SFP+	SFPP-10GE-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	SFPP-10GE-ER-XT-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	SFPP-10GE-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Juniper	SFP+	SFPP-10GE-LR-IT-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	SFP+	SFPP-10GE-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Juniper	SFP+	SFPP-10GE-ZR-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
Juniper	SFP+	SRX-SFP-10GE-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
Juniper	SFP+	SRX-SFP-10GE-LR-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Juniper	SFP+	SRX-SFP-10GE-LRM-HO	10GBase-LRM	8Gbps-11.3Gbps	1310nm	220m
Juniper	SFP+	SRX-SFP-10GE-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Juniper Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	XENPAK	XENPAK-1XGE-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
Juniper	XENPAK	XENPAK-1XGE-SR-HO	10GBase SR	10.312Gbps	850nm	300m
Juniper	XENPAK	XENPAK-1XGE-ZR-HO	10GBase ZR	10.312Gbps	1550nm	80km

Juniper Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	XFP	DWDM-XFP-1531.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Juniper	XFP	DWDM-XFP-1531.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
Juniper	XFP	DWDM-XFP-1531.90-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
Juniper	XFP	DWDM-XFP-1532.68-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
Juniper	XFP	DWDM-XFP-1533.86-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.86nm 50Ghz Offset	80km
Juniper	XFP	DWDM-XFP-1533.86-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.86nm 50Ghz Offset	80km
Juniper	XFP	DWDM-XFP-1534.25-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Juniper	XFP	DWDM-XFP-1534.25-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
Juniper	XFP	DWDM-XFP-1535.04-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.04nm	80km
Juniper	XFP	DWDM-XFP-1535.82-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Juniper	XFP	DWDM-XFP-1535.82-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
Juniper	XFP	DWDM-XFP-1536.61-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Juniper	XFP	DWDM-XFP-1536.61-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
Juniper	XFP	DWDM-XFP-1538.19-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
Juniper	XFP	DWDM-XFP-1538.98-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
Juniper	XFP	DWDM-XFP-1539.77-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
Juniper	XFP	DWDM-XFP-1540.56-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Juniper	XFP	DWDM-XFP-1540.56-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
Juniper	XFP	DWDM-XFP-1542.14-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
Juniper	XFP	DWDM-XFP-1542.94-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
Juniper	XFP	DWDM-XFP-1544.53-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km
Juniper	XFP	DWDM-XFP-1544.53-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1544.53nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Juniper	XFP	DWDM-XFP-1546.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Juniper	XFP	DWDM-XFP-1546.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
Juniper	XFP	DWDM-XFP-1547.72-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1547.72nm	80km
Juniper	XFP	DWDM-XFP-1548.51-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
Juniper	XFP	DWDM-XFP-1550.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Juniper	XFP	DWDM-XFP-1550.12-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
Juniper	XFP	DWDM-XFP-1550.92-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
Juniper	XFP	DWDM-XFP-1551.72-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
Juniper	XFP	DWDM-XFP-1552.52-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km
Juniper	XFP	DWDM-XFP-1554.13-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Juniper	XFP	DWDM-XFP-1554.13-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
Juniper	XFP	DWDM-XFP-1554.94-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
Juniper	XFP	DWDM-XFP-1555.75-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
Juniper	XFP	DWDM-XFP-1556.55-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
Juniper	XFP	DWDM-XFP-1558.17-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Juniper	XFP	DWDM-XFP-1558.98-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
Juniper	XFP	DWDM-XFP-1559.79-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
Juniper	XFP	DWDM-XFP-1560.61-J-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
Juniper	XFP	DWDM-XFP-58.17-80D-HO	10GBase DWDM OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
Juniper	XFP	SRX-XFP-10GE-ER-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Juniper	XFP	SRX-XFP-10GE-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Juniper	XFP	SRX-XFP-10GE-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Juniper	XFP	XFP-10G-CBAND-T50-ZR-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km
Juniper	XFP	XFP-10G-CBAND-T50-ZR-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Tunable	80km
Juniper	XFP	XFP-10GE-BXD10-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	10km
Juniper	XFP	XFP-10GE-BXD40-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	40km
Juniper	XFP	XFP-10GE-BXD60-HO	10GBase BX-D	9.953Gbps-11.318Gbps	TX: 1270nmRX: 1330nm	60km
Juniper	XFP	XFP-10GE-BXU10-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	10km
Juniper	XFP	XFP-10GE-BXU40-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	40km
Juniper	XFP	XFP-10GE-BXU60-HO	10GBase BX-U	9.953Gbps-11.318Gbps	TX: 1330nmRX: 1270nm	60km
Juniper	XFP	XFP-10GE-LR-20-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	20km
Juniper	XFP	XFP-10G-E-OC192-IR2-HO	10GBase ENET & OC-192/STM-64/10G SONET IR	9.953Gbps-11.318Gbps	1550nm	40km
Juniper	XFP	XFP-10GE-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Juniper	XFP	XFP-10G-L-OC192-SR1-HO	10GBase ENET & OC-192/STM-64/10G SONET SR1	9.953Gbps-11.318Gbps	1310nm	10km
Juniper	XFP	XFP-10G-S-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Juniper	XFP	XFP-10G-Z-OC192-LR2-HO	10GBase ENET & OC-192/STM-64/10G SONET LR2	9.953Gbps-11.318Gbps	1550nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Linksys Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Linksys	SFP	MFEFX1-HO	100Base FX	100Mbps	1310nm	2km
Linksys	SFP	MFELX1-HO	100Base FX	100Mbps	1310nm	10km
Linksys	SFP	MFELX1-HO	100Base FX	100Mbps	1310nm	10km
Linksys	SFP	MGBLX1-HO	1000Base LX	1.25Gbps	1310nm	10km
Linksys	SFP	MGBSX1-HO	1000Base SX	1.25Gbps	850nm	550m
Linksys	SFP	MGBT1-HO	1000Base T	1.25Gbps	Copper	100m

Marconi Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Marconi	SFP	SU56AA-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
Marconi	SFP	SU56AD-HO	1000Base T	1.25Gbps	Copper	100m
Marconi	SFP	SU56AG-HO	100Base T	100Mbps	Copper	100m
Marconi	SFP	SU57AD-HO	1000Base SX	1.25Gbps	850nm	550m
Marconi	SFP	SU57AE-HO	1000Base LX	1.25Gbps	1310nm	10km
Marconi	SFP	SU57AF-HO	1000Base ZX	1.25Gbps	1550nm	80km
Marconi	SFP	SU57AG-HO	1000Base T	1.25Gbps	Copper	100m
Marconi	SFP	SU66AA-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	15km
Marconi	SFP	SU66AB-HO	155MBase OC-3c/STM-1 LR	155Mbps	1550nm	40km
Marconi	SFP	SU67AA-HO	622MBase OC-12/STM-4 IR	622Mbps	1310nm	15km
Marconi	SFP	SU67AB-HO	622MBase OC-12/STM-4 LR	622Mbps	1550nm	40km
Marconi	SFP	SU68AA-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Marconi	SFP	SU68AB-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Marconi	SFP	SU68CA-HO	1000Base CWDM EX	1.25Gbps	1471nm	40km
Marconi	SFP	SU68CB-HO	1000Base CWDM EX	1.25Gbps	1491nm	40km
Marconi	SFP	SU68CC-HO	1000Base CWDM EX	1.25Gbps	1511nm	40km
Marconi	SFP	SU68CC-HO	1000Base CWDM EX	1.25Gbps	1511nm	40km
Marconi	SFP	SU68CE-HO	1000Base CWDM EX	1.25Gbps	1551nm	40km
Marconi	SFP	SU68CE-HO	1000Base CWDM EX	1.25Gbps	1551nm	40km
Marconi	SFP	SU68CG-HO	1000Base CWDM EX	1.25Gbps	1591nm	40km
Marconi	SFP	SU68CH-HO	1000Base CWDM EX	1.25Gbps	1611nm	40km
Marconi	SFP	SU68CN-HO	1000Base CWDM ZX	1.25Gbps	1471nm	80km
Marconi	SFP	SU68CO-HO	1000Base CWDM ZX	1.25Gbps	1491nm	80km
Marconi	SFP	SU68CP-HO	1000Base CWDM ZX	1.25Gbps	1511nm	80km
Marconi	SFP	SU68CQ-HO	1000Base CWDM ZX	1.25Gbps	1531nm	80km
Marconi	SFP	SU68CR-HO	1000Base CWDM ZX	1.25Gbps	1551nm	80km
Marconi	SFP	SU68CS-HO	1000Base CWDM ZX	1.25Gbps	1571nm	80km
Marconi	SFP	SU68CT-HO	1000Base CWDM ZX	1.25Gbps	1591nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Marconi Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Marconi	SFP	SU68CU-HO	1000Base CWDM ZX	1.25 Gbps	1611nm	80km

Marconi Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Marconi	XFP	SU69CA-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Marconi	XFP	SU69CC-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Marconi	XFP	SU69CD-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

Marconi Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Mellanox	SFP+	MFM1T02A-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Meraki Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Meraki	SFP	MA-SFP-1GB-LX10-HO	1000Base LX	1.25Gbps	1310nm	10km
Meraki	SFP	MA-SFP-1GB-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Meraki	SFP	SFP-1GB-SX-HO	1000Base SX	1.25Gbps	850nm	550m

Meraki Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Meraki	SFP+	MA-SFP-10GB-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Meraki	SFP+	MA-SFP-10GB-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Meraki	SFP+	SFP-10GB-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DCWEIR-27-HO	multi CWDM ZXZL	100Mbps-2.7Gbps	1271nm	120km
MRV	SFP	SFP27DCWEIR-27-HO	multi CWDM ZXZL	100Mbps-2.7Gbps	1271nm	120km
MRV	SFP	SFP27DCWEIR-31-HO	multi CWDM ZXZL	100Mbps-2.7Gbps	1311nm	120km
MRV	SFP	SFP27DCWEIR-33-HO	multi CWDM ZX	100Mbps-2.7Gbps	1331nm	80km
MRV	SFP	SFP27DCWEIR-35-HO	multi CWDM ZX	100Mbps-2.7Gbps	1351nm	80km
MRV	SFP	SFP27DCWEIR-37-HO	multi CWDM ZX	100Mbps-2.7Gbps	1371nm	80km
MRV	SFP	SFP27DCWEIR-39-HO	multi CWDM ZX	100Mbps-2.7Gbps	1391nm	80km
MRV	SFP	SFP27DCWEIR-41-HO	multi CWDM ZX	100Mbps-2.7Gbps	1411nm	80km
MRV	SFP	SFP27DCWEIR-43-HO	multi CWDM ZX	100Mbps-2.7Gbps	1431nm	80km
MRV	SFP	SFP27DCWEIR-45-HO	multi CWDM ZX	100Mbps-2.7Gbps	1451nm	80km
MRV	SFP	SFP27DCWEIR-47-HO	multi CWDM ZX	100Mbps-2.7Gbps	1471nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DCWEIR-49-HO	multi CWDM ZX	100Mbps-2.7Gbps	1491nm	80km
MRV	SFP	SFP27DCWEIR-51-HO	multi CWDM ZX	100Mbps-2.7Gbps	1511nm	80km
MRV	SFP	SFP27DCWEIR-53-HO	multi CWDM ZX	100Mbps-2.7Gbps	1531nm	80km
MRV	SFP	SFP27DCWEIR-55-HO	multi CWDM ZX	100Mbps-2.7Gbps	1551nm	80km
MRV	SFP	SFP27DCWEIR-57-HO	multi CWDM ZX	100Mbps-2.7Gbps	1571nm	80km
MRV	SFP	SFP27DCWEIR-59-HO	multi CWDM ZX	100Mbps-2.7Gbps	1591nm	80km
MRV	SFP	SFP27DCWEIR-59-HO	multi CWDM ZX	100Mbps-2.7Gbps	1591nm	80km
MRV	SFP	SFP-27DCWEIR-XX-HO	multi CWDM ZX	100Mbps-2.7Gbps	Multi fixed	60km
MRV	SFP	SFP-27DCWL08-XX-HO	1000Base CWDM ZXL	100Mbps-2.7Gbps	Multi fixed	100km
MRV	SFP	SFP-27DCWL-27-HO	multi CWDM ZX	100Mbps-2.7Gbps	1271nm	80km
MRV	SFP	SFP-27DCWL-29-HO	multi CWDM ZX	100Mbps-2.7Gbps	1291nm	80km
MRV	SFP	SFP-27DCWL-31-HO	multi CWDM ZX	100Mbps-2.7Gbps	1311nm	80km
MRV	SFP	SFP-27DCWL-33-HO	multi CWDM ZX	100Mbps-2.7Gbps	1331nm	80km
MRV	SFP	SFP-27DCWL-35-HO	multi CWDM ZX	100Mbps-2.7Gbps	1351nm	80km
MRV	SFP	SFP-27DCWL-37-HO	multi CWDM ZX	100Mbps-2.7Gbps	1371nm	80km
MRV	SFP	SFP-27DCWL-39-HO	multi CWDM ZX	100Mbps-2.7Gbps	1391nm	80km
MRV	SFP	SFP-27DCWL-41-HO	multi CWDM ZX	100Mbps-2.7Gbps	1411nm	80km
MRV	SFP	SFP-27DCWL-43-HO	multi CWDM ZX	100Mbps-2.7Gbps	1431nm	80km
MRV	SFP	SFP-27DCWL-45-HO	multi CWDM ZX	1.25Gbps	1451nm	80km
MRV	SFP	SFP-27DCWL-47-HO	multi CWDM ZX	100Mbps-2.7Gbps	1471nm	80km
MRV	SFP	SFP-27DCWL-49-HO	multi CWDM ZX	100Mbps-2.7Gbps	1491nm	80km
MRV	SFP	SFP-27DCWL-51-HO	multi CWDM ZX	100Mbps-2.7Gbps	1511nm	80km
MRV	SFP	SFP-27DCWL-53-HO	multi CWDM ZX	100Mbps-2.7Gbps	1531nm	80km
MRV	SFP	SFP-27DCWL-55-HO	multi CWDM ZX	100Mbps-2.7Gbps	1551nm	80km
MRV	SFP	SFP-27DCWL-57-HO	multi CWDM ZX	100Mbps-2.7Gbps	1571nm	80km
MRV	SFP	SFP-27DCWL-59-HO	multi CWDM ZX	100Mbps-2.7Gbps	1591nm	80km
MRV	SFP	SFP-27DCWL-61-HO	multi CWDM ZX	100Mbps-2.7Gbps	1611nm	80km
MRV	SFP	SFP27DWLR08-17-HO	multi DWDM ZX	100Mbps-2.7Gbps	1563.86nm	80km
MRV	SFP	SFP27DWLR08-18-HO	multi DWDM ZX	100Mbps-2.7Gbps	1563.05nm	80km
MRV	SFP	SFP27DWLR08-19-HO	multi DWDM ZX	100Mbps-2.7Gbps	1562.23nm	80km
MRV	SFP	SFP27DWLR08-20-HO	multi DWDM ZX	100Mbps-2.7Gbps	1561.42nm	80km
MRV	SFP	SFP27DWLR08-21-HO	multi DWDM ZX	100Mbps-2.7Gbps	1560.61nm	80km
MRV	SFP	SFP27DWLR08-22-HO	multi DWDM ZX	100Mbps-2.7Gbps	1559.79nm	80km
MRV	SFP	SFP27DWLR08-23-HO	multi DWDM ZX	100Mbps-2.7Gbps	1558.98nm	80km
MRV	SFP	SFP27DWLR08-24-HO	multi DWDM ZX	100Mbps-2.7Gbps	1558.17nm	80km
MRV	SFP	SFP27DWLR08-25-HO	multi DWDM ZX	100Mbps-2.7Gbps	1557.36nm	80km
MRV	SFP	SFP27DWLR08-26-HO	multi DWDM ZX	100Mbps-2.7Gbps	1556.55nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DWLR08-27-HO	multi DWDM ZX	100Mbps-2.7Gbps	1555.75nm	80km
MRV	SFP	SFP27DWLR08-28-HO	multi DWDM ZX	100Mbps-2.7Gbps	1554.94nm	80km
MRV	SFP	SFP27DWLR08-29-HO	multi DWDM ZX	100Mbps-2.7Gbps	1554.13nm	80km
MRV	SFP	SFP27DWLR08-30-HO	multi DWDM ZX	100Mbps-2.7Gbps	1553.33nm	80km
MRV	SFP	SFP27DWLR08-31-HO	multi DWDM ZX	100Mbps-2.7Gbps	1552.52nm	80km
MRV	SFP	SFP27DWLR08-32-HO	multi DWDM ZX	100Mbps-2.7Gbps	1551.72nm	80km
MRV	SFP	SFP27DWLR08-33-HO	multi DWDM ZX	100Mbps-2.7Gbps	1550.92nm	80km
MRV	SFP	SFP27DWLR08-34-HO	multi DWDM ZX	100Mbps-2.7Gbps	1550.12nm	80km
MRV	SFP	SFP27DWLR08-35-HO	multi DWDM ZX	100Mbps-2.7Gbps	1549.32nm	80km
MRV	SFP	SFP27DWLR08-36-HO	multi DWDM ZX	100Mbps-2.7Gbps	1548.51nm	80km
MRV	SFP	SFP27DWLR08-37-HO	multi DWDM ZX	100Mbps-2.7Gbps	1547.72nm	80km
MRV	SFP	SFP27DWLR08-38-HO	multi DWDM ZX	100Mbps-2.7Gbps	1546.92nm	80km
MRV	SFP	SFP27DWLR08-39-HO	multi DWDM ZX	100Mbps-2.7Gbps	1546.12nm	80km
MRV	SFP	SFP27DWLR08-40-HO	multi DWDM ZX	100Mbps-2.7Gbps	1545.32nm	80km
MRV	SFP	SFP27DWLR08-41-HO	multi DWDM ZX	100Mbps-2.7Gbps	1544.53nm	80km
MRV	SFP	SFP27DWLR08-42-HO	multi DWDM ZX	100Mbps-2.7Gbps	1554.73nm	80km
MRV	SFP	SFP27DWLR08-43-HO	multi DWDM ZX	100Mbps-2.7Gbps	1542.94nm	80km
MRV	SFP	SFP27DWLR08-44-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1542.14nm	80km
MRV	SFP	SFP27DWLR08-45-HO	multi DWDM ZX	100Mbps-2.7Gbps	1541.35nm	80km
MRV	SFP	SFP27DWLR08-46-HO	multi DWDM ZX	100Mbps-2.7Gbps	1540.56nm	80km
MRV	SFP	SFP27DWLR08-47-HO	multi DWDM ZX	100Mbps-2.7Gbps	1539.77nm	80km
MRV	SFP	SFP27DWLR08-48-HO	multi DWDM ZX	100Mbps-2.7Gbps	1538.98nm	80km
MRV	SFP	SFP27DWLR08-50-HO	multi DWDM ZX	100Mbps-2.7Gbps	1537.40nm	80km
MRV	SFP	SFP27DWLR08-50-HO	multi DWDM ZX	100Mbps-2.7Gbps	1537.40nm	80km
MRV	SFP	SFP27DWLR08-51-HO	multi DWDM ZX	100Mbps-2.7Gbps	1536.61nm	80km
MRV	SFP	SFP27DWLR08-53-HO	multi DWDM ZX	100Mbps-2.7Gbps	1535.04nm	80km
MRV	SFP	SFP27DWLR08-54-HO	multi DWDM ZX	100Mbps-2.7Gbps	1534.25nm	80km
MRV	SFP	SFP27DWLR08-55-HO	multi DWDM ZX	100Mbps-2.7Gbps	1533.47nm	80km
MRV	SFP	SFP27DWLR08-56-HO	multi DWDM ZX	100Mbps-2.7Gbps	1532.68nm	80km
MRV	SFP	SFP27DWLR08-57-HO	multi DWDM ZX	100Mbps-2.7Gbps	1531.90nm	80km
MRV	SFP	SFP27DWLR08-58-HO	multi DWDM ZX	100Mbps-2.7Gbps	1531.12nm	80km
MRV	SFP	SFP27DWLR08-59-HO	multi DWDM ZX	100Mbps-2.7Gbps	1530.33nm	80km
MRV	SFP	SFP27DWLR08-59-HO	multi DWDM ZX	100Mbps-2.7Gbps	1530.33nm	80km
MRV	SFP	SFP27DWLR08-60-HO	multi DWDM ZX	100Mbps-2.7Gbps	1529.55nm	80km
MRV	SFP	SFP27DWLR12-17-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1563.86nm	120km
MRV	SFP	SFP27DWLR12-18-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1563.05nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DWLR12-19-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1562.23nm	120km
MRV	SFP	SFP27DWLR12-20-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1561.42nm	120km
MRV	SFP	SFP27DWLR12-21-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1560.61nm	120km
MRV	SFP	SFP27DWLR12-22-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1559.79nm	120km
MRV	SFP	SFP27DWLR12-23-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1558.98nm	120km
MRV	SFP	SFP27DWLR12-24-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1558.17nm	120km
MRV	SFP	SFP27DWLR12-25-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1557.36nm	120km
MRV	SFP	SFP27DWLR12-26-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1556.55nm	120km
MRV	SFP	SFP27DWLR12-27-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1555.75nm	120km
MRV	SFP	SFP27DWLR12-28-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1554.94nm	120km
MRV	SFP	SFP27DWLR12-29-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1554.13nm	120km
MRV	SFP	SFP27DWLR12-30-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1553.33nm	120km
MRV	SFP	SFP27DWLR12-31-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1552.52nm	120km
MRV	SFP	SFP27DWLR12-32-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1551.72nm	120km
MRV	SFP	SFP27DWLR12-33-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.92nm	120km
MRV	SFP	SFP27DWLR12-34-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.12nm	120km
MRV	SFP	SFP27DWLR12-34-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.12nm	120km
MRV	SFP	SFP27DWLR12-35-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1549.32nm	120km
MRV	SFP	SFP27DWLR12-37-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1547.72nm	120km
MRV	SFP	SFP27DWLR12-38-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1546.92nm	120km
MRV	SFP	SFP27DWLR12-39-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1546.12nm	120km
MRV	SFP	SFP27DWLR12-40-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1545.32nm	120km
MRV	SFP	SFP27DWLR12-41-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1544.53nm	120km
MRV	SFP	SFP27DWLR12-42-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1544.73nm	120km
MRV	SFP	SFP27DWLR12-43-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1542.94nm	120km
MRV	SFP	SFP27DWLR12-44-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1542.14nm	120km
MRV	SFP	SFP27DWLR12-45-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1541.35nm	120km
MRV	SFP	SFP27DWLR12-46-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1540.56nm	120km
MRV	SFP	SFP27DWLR12-47-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1539.77nm	120km
MRV	SFP	SFP27DWLR12-48-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1538.98nm	120km
MRV	SFP	SFP27DWLR12-49-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1538.19nm	120km
MRV	SFP	SFP27DWLR12-49-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1538.19nm	120km
MRV	SFP	SFP27DWLR12-51-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1536.61nm	120km
MRV	SFP	SFP27DWLR12-52-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1535.82nm	120km
MRV	SFP	SFP27DWLR12-53-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1535.04nm	120km
MRV	SFP	SFP27DWLR12-53-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1535.04nm	120km
MRV	SFP	SFP27DWLR12-55-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1533.47nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DWLR12-56-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1532.68nm	120km
MRV	SFP	SFP27DWLR12-57-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.90nm	120km
MRV	SFP	SFP27DWLR12-57-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.90nm	120km
MRV	SFP	SFP27DWLR12-58-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.12nm	120km
MRV	SFP	SFP27DWLR12-58-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.12nm	120km
MRV	SFP	SFP27DWLR12-61-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1528.77nm	120km
MRV	SFP	SFP27DWLR12-61-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1528.77nm	120km
MRV	SFP	SFP27DWLR20-18-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1563.05nm	120km
MRV	SFP	SFP27DWLR20-19-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1562.23nm	120km
MRV	SFP	SFP27DWLR20-20-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1561.42nm	120km
MRV	SFP	SFP27DWLR20-20-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1561.42nm	120km
MRV	SFP	SFP27DWLR20-21-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1560.61nm	120km
MRV	SFP	SFP27DWLR20-22-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1559.79nm	120km
MRV	SFP	SFP27DWLR20-23-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1558.98nm	120km
MRV	SFP	SFP27DWLR20-26-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1556.55nm	120km
MRV	SFP	SFP27DWLR20-27-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1555.75nm	120km
MRV	SFP	SFP27DWLR20-28-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1554.94nm	120km
MRV	SFP	SFP27DWLR20-28-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1554.94nm	120km
MRV	SFP	SFP27DWLR20-28-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1554.94nm	120km
MRV	SFP	SFP27DWLR20-31-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1552.52nm	120km
MRV	SFP	SFP27DWLR20-31-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1552.52nm	120km
MRV	SFP	SFP27DWLR20-33-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.92nm	120km
MRV	SFP	SFP27DWLR20-33-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.92nm	120km
MRV	SFP	SFP27DWLR20-34-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550.12nm	120km
MRV	SFP	SFP27DWLR20-35-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1549.32nm	50km
MRV	SFP	SFP27DWLR20-36-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1548.51nm	50km
MRV	SFP	SFP27DWLR20-38-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1546.92nm	50km
MRV	SFP	SFP27DWLR20-38-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1546.92nm	50km
MRV	SFP	SFP27DWLR20-39-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1546.12nm	50km
MRV	SFP	SFP27DWLR20-41-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1544.53nm	50km
MRV	SFP	SFP27DWLR20-41-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1544.53nm	50km
MRV	SFP	SFP27DWLR20-43-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1542.94nm	50km
MRV	SFP	SFP27DWLR20-44-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1542.14nm	50km
MRV	SFP	SFP27DWLR20-44-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1542.14nm	50km
MRV	SFP	SFP27DWLR20-46-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1540.56nm	50km
MRV	SFP	SFP27DWLR20-46-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1540.56nm	50km
MRV	SFP	SFP27DWLR20-48-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1538.98nm	50km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP27DWLRLR20-49-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1538.19nm	50km
MRV	SFP	SFP27DWLRLR20-50-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1537.40nm	50km
MRV	SFP	SFP27DWLRLR20-51-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1536.61nm	80km
MRV	SFP	SFP27DWLRLR20-52-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1535.82nm	80km
MRV	SFP	SFP27DWLRLR20-53-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1535.04nm	80km
MRV	SFP	SFP27DWLRLR20-54-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1534.25nm	80km
MRV	SFP	SFP27DWLRLR20-55-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1533.47nm	80km
MRV	SFP	SFP27DWLRLR20-56-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1532.68nm	80km
MRV	SFP	SFP27DWLRLR20-57-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.90nm	80km
MRV	SFP	SFP27DWLRLR20-58-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1531.12nm	80km
MRV	SFP	SFP27DWLRLR20-59-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1530.33nm	80km
MRV	SFP	SFP27DWLRLR20-60-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1529.55nm	80km
MRV	SFP	SFP27DWLRLR20-61-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1528.77nm	80km
MRV	SFP	SFP27DWLRLR20-61-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1528.77nm	80km
MRV	SFP	SFP-DGD-LX-HO	1000Base Fiber/ENET LX	Multi-Rate: 1.0625-2.125Gbps	1310nm	10km
MRV	SFP	SFP-DGD-SX-HO	1000Base Fiber/ENET SX	1.06Gbps-2.125Gbps	850nm	550m
MRV	SFP	SFP-DR-35IR1-HO	multi OC-3c/STM-1OC-12/STM-4 BX-U	155Mbps-622Mbps	TX: 1310nmRX: 1550nm	24km
MRV	SFP	SFP-DR-35IR2-HO	multi OC-3c/STM-1OC-12/STM-4 BX-U	155Mbps-622Mbps	TX: 1310nmRX: 1550nm	40km
MRV	SFP	SFP-DR-45LR2-HO	multi BX-U	155Mbps-622Mbps	TX: 1490nmRX: 1570nm	80km
MRV	SFP	SFP-DR-53IR1-HO	multi OC-3c/STM-1OC-12/STM-4 BX-D	155Mbps-622Mbps	TX: 1550nmRX: 1310nm	24km
MRV	SFP	SFP-DR-53IR2-HO	multi OC-3c/STM-1OC-12/STM-4 BX-D	155Mbps-622Mbps	TX: 1550nmRX: 1310nm	40km
MRV	SFP	SFP-DR-54LR2-HO	multi BX-D	155Mbps-622Mbps	TX: 1570nmRX: 1490nm	80km
MRV	SFP	SFP-DRO12D-IR1-HO	multi OC-3c/STM-1OC-12/STM-4 IR	155Mbps-622Mbps	1310nm	25km
MRV	SFP	SFPFC401-HO	multi LX	1.0625Gbps2.125Gbps4.25Gbps	1310nm	10km
MRV	SFP	SFPFC401-HO	multi LX	1.0625Gbps2.125Gbps4.25Gbps	1310nm	10km
MRV	SFP	SFPFC408-HO	multi EX	1.0625Gbps2.125Gbps4.25Gbps	1550nm	40km
MRV	SFP	SFPFC408-HO	multi EX	1.0625Gbps2.125Gbps4.25Gbps	1550nm	40km
MRV	SFP	SFPFC4CW04-27-HO	multi CWDM EX	155Mbps-5Gbps	1271nm	40km
MRV	SFP	SFPFC4CW04-31-HO	multi CWDM EX	155Mbps-5Gbps	1311nm	40km
MRV	SFP	SFPFC4CW04-33-HO	multi CWDM EX	155Mbps-5Gbps	1331nm	40km
MRV	SFP	SFPFC4CW04-35-HO	multi CWDM EX	155Mbps-5Gbps	1351nm	40km
MRV	SFP	SFPFC4CW04-37-HO	multi CWDM EX	155Mbps-5Gbps	1371nm	40km
MRV	SFP	SFPFC4CW04-39-HO	multi CWDM EX	155Mbps-5Gbps	1391nm	40km
MRV	SFP	SFPFC4CW04-41-HO	multi CWDM EX	155Mbps-5Gbps	1411nm	40km
MRV	SFP	SFPFC4CW04-43-HO	multi CWDM EX	155Mbps-5Gbps	1431nm	40km
MRV	SFP	SFPFC4CW04-45-HO	multi CWDM EX	155Mbps-5Gbps	1451nm	40km
MRV	SFP	SFPFC4CW04-47-HO	multi CWDM EX	155Mbps-5Gbps	1471nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFPFC4CW04-49-HO	multi CWDM EX	155Mbps-5Gbps	1491nm	40km
MRV	SFP	SFPFC4CW04-51-HO	multi CWDM EX	155Mbps-5Gbps	1511nm	40km
MRV	SFP	SFPFC4CW04-53-HO	multi CWDM EX	155Mbps-5Gbps	1531nm	40km
MRV	SFP	SFPFC4CW04-55-HO	multi CWDM EX	155Mbps-5Gbps	1551nm	40km
MRV	SFP	SFPFC4CW04-55-HO	multi CWDM EX	155Mbps-5Gbps	1551nm	40km
MRV	SFP	SFPFC4CW04-57-HO	multi CWDM EX	155Mbps-5Gbps	1571nm	40km
MRV	SFP	SFPFC4CW04-61-HO	multi CWDM EX	155Mbps-5Gbps	1611nm	40km
MRV	SFP	SFPFC4CW04-61-HO	multi CWDM EX	155Mbps-5Gbps	1611nm	40km
MRV	SFP	SFPFC4CW08-27-HO	multi CWDM ZX	155Mbps-5Gbps	1271nm	80km
MRV	SFP	SFPFC4CW08-31-HO	multi CWDM ZX	155Mbps-5Gbps	1311nm	80km
MRV	SFP	SFPFC4CW08-33-HO	multi CWDM ZX	155Mbps-5Gbps	1331nm	80km
MRV	SFP	SFPFC4CW08-35-HO	multi CWDM ZX	155Mbps-5Gbps	1351nm	80km
MRV	SFP	SFPFC4CW08-37-HO	multi CWDM ZX	155Mbps-5Gbps	1371nm	80km
MRV	SFP	SFPFC4CW08-39-HO	multi CWDM ZX	155Mbps-5Gbps	1391nm	80km
MRV	SFP	SFPFC4CW08-41-HO	multi CWDM ZX	155Mbps-5Gbps	1411nm	80km
MRV	SFP	SFPFC4CW08-43-HO	multi CWDM ZX	155Mbps-5Gbps	1431nm	80km
MRV	SFP	SFPFC4CW08-45-HO	multi CWDM ZX	100Mbps-2.7Gbps	1451nm	80km
MRV	SFP	SFPFC4CW08-47-HO	multi CWDM ZX	100Mbps-2.7Gbps	1471nm	80km
MRV	SFP	SFPFC4CW08-49-HO	multi CWDM ZX	155Mbps-5Gbps	1491nm	80km
MRV	SFP	SFPFC4CW08-51-HO	multi CWDM ZX	155Mbps-5Gbps	1511nm	80km
MRV	SFP	SFPFC4CW08-53-HO	multi CWDM ZX	155Mbps-5Gbps	1531nm	80km
MRV	SFP	SFPFC4CW08-55-HO	multi CWDM ZX	155Mbps-5Gbps	1551nm	80km
MRV	SFP	SFPFC4CW08-57-HO	multi CWDM ZX	155Mbps-5Gbps	1571nm	80km
MRV	SFP	SFPFC4CW08-59-HO	multi CWDM ZX	155Mbps-5Gbps	1591nm	80km
MRV	SFP	SFPFC4CW08-61-HO	multi CWDM ZX	155Mbps-5Gbps	1611nm	80km
MRV	SFP	SFPFC4DW04-17-HO	multi DWDM EX	1.0625Gbps-5Gbps	1563.86nm	40km
MRV	SFP	SFPFC4DW04-17-HO	multi DWDM EX	1.0625Gbps-5Gbps	1563.86nm	40km
MRV	SFP	SFPFC4DW04-18-HO	multi DWDM EX	1.0625Gbps-5Gbps	1563.05nm	40km
MRV	SFP	SFPFC4DW04-20-HO	multi DWDM EX	1.0625Gbps-5Gbps	1561.42nm	40km
MRV	SFP	SFPFC4DW04-21-HO	multi DWDM EX	1.0625Gbps-5Gbps	1560.61nm	40km
MRV	SFP	SFPFC4DW04-22-HO	multi DWDM EX	1.0625Gbps-5Gbps	1559.79nm	40km
MRV	SFP	SFPFC4DW04-23-HO	multi DWDM EX	1.0625Gbps-5Gbps	1558.98nm	40km
MRV	SFP	SFPFC4DW04-24-HO	multi DWDM EX	1.0625Gbps-5Gbps	1558.17nm	40km
MRV	SFP	SFPFC4DW04-24-HO	multi DWDM EX	1.0625Gbps-5Gbps	1558.17nm	40km
MRV	SFP	SFPFC4DW04-26-HO	multi DWDM EX	1.0625Gbps-5Gbps	1556.55nm	40km
MRV	SFP	SFPFC4DW04-27-HO	multi DWDM EX	1.0625Gbps-5Gbps	1555.75nm	40km
MRV	SFP	SFPFC4DW04-28-HO	multi DWDM EX	1.0625Gbps-5Gbps	1554.94nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFPFC4DW04-28-HO	multi DWDM EX	1.0625Gbps-5Gbps	1554.94nm	40km
MRV	SFP	SFPFC4DW04-30-HO	multi DWDM EX	1.0625Gbps-5Gbps	1553.33nm	40km
MRV	SFP	SFPFC4DW04-31-HO	multi DWDM EX	1.0625Gbps-5Gbps	1552.52nm	40km
MRV	SFP	SFPFC4DW04-32-HO	multi DWDM EX	1.0625Gbps-5Gbps	1551.72nm	40km
MRV	SFP	SFPFC4DW04-32-HO	multi DWDM EX	1.0625Gbps-5Gbps	1551.72nm	40km
MRV	SFP	SFPFC4DW04-34-HO	multi DWDM EX	1.0625Gbps-5Gbps	1550.12nm	40km
MRV	SFP	SFPFC4DW04-35-HO	multi DWDM EX	1.0625Gbps-5Gbps	1549.32nm	40km
MRV	SFP	SFPFC4DW04-36-HO	multi DWDM EX	1.0625Gbps-5Gbps	1548.51nm	40km
MRV	SFP	SFPFC4DW04-37-HO	multi DWDM EX	1.0625Gbps-5Gbps	1547.72nm	40km
MRV	SFP	SFPFC4DW04-38-HO	multi DWDM EX	1.0625Gbps-5Gbps	1546.92nm	40km
MRV	SFP	SFPFC4DW04-38-HO	multi DWDM EX	1.0625Gbps-5Gbps	1546.92nm	40km
MRV	SFP	SFPFC4DW04-40-HO	multi DWDM EX	1.0625Gbps-5Gbps	1545.32nm	40km
MRV	SFP	SFPFC4DW04-41-HO	multi DWDM EX	1.0625Gbps-5Gbps	1544.53nm	40km
MRV	SFP	SFPFC4DW04-42-HO	multi DWDM EX	1.0625Gbps-5Gbps	1554.73nm	40km
MRV	SFP	SFPFC4DW04-43-HO	multi DWDM EX	1.0625Gbps-5Gbps	1542.94nm	40km
MRV	SFP	SFPFC4DW04-44-HO	multi DWDM EX	1.0625Gbps-5Gbps	1542.14nm	40km
MRV	SFP	SFPFC4DW04-45-HO	multi DWDM EX	1.0625Gbps-5Gbps	1541.35nm	40km
MRV	SFP	SFPFC4DW04-46-HO	multi DWDM EX	1.0625Gbps-5Gbps	1540.56nm	40km
MRV	SFP	SFPFC4DW04-47-HO	multi DWDM EX	1.0625Gbps-5Gbps	1539.77nm	40km
MRV	SFP	SFPFC4DW04-48-HO	multi DWDM EX	1.0625Gbps-5Gbps	1538.98nm	40km
MRV	SFP	SFPFC4DW04-49-HO	multi DWDM EX	1.0625Gbps-5Gbps	1538.19nm	40km
MRV	SFP	SFPFC4DW04-50-HO	multi DWDM EX	1.0625Gbps-5Gbps	1537.40nm	40km
MRV	SFP	SFPFC4DW04-51-HO	multi DWDM EX	1.0625Gbps-5Gbps	1536.61nm	40km
MRV	SFP	SFPFC4DW04-52-HO	multi DWDM EX	1.0625Gbps-5Gbps	1535.82nm	40km
MRV	SFP	SFPFC4DW04-53-HO	multi DWDM EX	1.0625Gbps-5Gbps	1535.04nm	40km
MRV	SFP	SFPFC4DW04-54-HO	multi DWDM EX	1.0625Gbps-5Gbps	1534.25nm	40km
MRV	SFP	SFPFC4DW04-55-HO	multi DWDM EX	1.0625Gbps-5Gbps	1533.47nm	40km
MRV	SFP	SFPFC4DW04-56-HO	multi DWDM EX	1.0625Gbps-5Gbps	1532.68nm	40km
MRV	SFP	SFPFC4DW04-57-HO	multi DWDM EX	1.0625Gbps-5Gbps	1531.90nm	40km
MRV	SFP	SFPFC4DW04-58-HO	multi DWDM EX	1.0625Gbps-5Gbps	1531.12nm	40km
MRV	SFP	SFPFC4DW04-59-HO	multi DWDM EX	1.0625Gbps-5Gbps	1530.33nm	40km
MRV	SFP	SFPFC4DW04-59-HO	multi DWDM EX	1.0625Gbps-5Gbps	1530.33nm	40km
MRV	SFP	SFPFC4DW04-61-HO	multi DWDM EX	1.0625Gbps-5Gbps	1528.77nm	40km
MRV	SFP	SFPFC4DW04-61-HO	multi DWDM EX	1.0625Gbps-5Gbps	1528.77nm	40km
MRV	SFP	SFPFC4DW08-18-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1563.05nm	80km
MRV	SFP	SFPFC4DW08-19-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1562.23nm	80km
MRV	SFP	SFPFC4DW08-20-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1561.42nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFPFC4DW08-21-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1560.61nm	80km
MRV	SFP	SFPFC4DW08-22-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1559.79nm	80km
MRV	SFP	SFPFC4DW08-23-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1558.98nm	80km
MRV	SFP	SFPFC4DW08-24-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1558.17nm	80km
MRV	SFP	SFPFC4DW08-25-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1557.36nm	80km
MRV	SFP	SFPFC4DW08-26-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1556.55nm	80km
MRV	SFP	SFPFC4DW08-27-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1555.75nm	80km
MRV	SFP	SFPFC4DW08-28-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1554.94nm	80km
MRV	SFP	SFPFC4DW08-29-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1554.13nm	80km
MRV	SFP	SFPFC4DW08-30-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1553.33nm	80km
MRV	SFP	SFPFC4DW08-31-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1552.52nm	80km
MRV	SFP	SFPFC4DW08-32-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1551.72nm	80km
MRV	SFP	SFPFC4DW08-33-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1550.92nm	80km
MRV	SFP	SFPFC4DW08-34-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1550.12nm	80km
MRV	SFP	SFPFC4DW08-35-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1549.32nm	80km
MRV	SFP	SFPFC4DW08-36-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1548.51nm	80km
MRV	SFP	SFPFC4DW08-37-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1547.72nm	80km
MRV	SFP	SFPFC4DW08-38-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1546.92nm	80km
MRV	SFP	SFPFC4DW08-39-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1546.12nm	80km
MRV	SFP	SFPFC4DW08-40-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1545.32nm	80km
MRV	SFP	SFPFC4DW08-41-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1544.53nm	80km
MRV	SFP	SFPFC4DW08-42-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1544.73nm	80km
MRV	SFP	SFPFC4DW08-43-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1542.94nm	80km
MRV	SFP	SFPFC4DW08-43-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1542.94nm	80km
MRV	SFP	SFPFC4DW08-45-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1541.35nm	80km
MRV	SFP	SFPFC4DW08-46-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1540.56nm	80km
MRV	SFP	SFPFC4DW08-47-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1539.77nm	80km
MRV	SFP	SFPFC4DW08-47-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1539.77nm	80km
MRV	SFP	SFPFC4DW08-48-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1538.98nm	80km
MRV	SFP	SFPFC4DW08-50-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1537.40nm	80km
MRV	SFP	SFPFC4DW08-51-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1536.61nm	80km
MRV	SFP	SFPFC4DW08-52-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1535.82nm	80km
MRV	SFP	SFPFC4DW08-53-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1535.04nm	80km
MRV	SFP	SFPFC4DW08-54-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1534.25nm	80km
MRV	SFP	SFPFC4DW08-55-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1533.47nm	80km
MRV	SFP	SFPFC4DW08-55-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1533.47nm	80km
MRV	SFP	SFPFC4DW08-57-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1531.90nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFPFC4DW08-58-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1531.12nm	80km
MRV	SFP	SFPFC4DW08-59-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1530.33nm	80km
MRV	SFP	SFPFC4DW08-59-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1530.33nm	80km
MRV	SFP	SFPFC4DW08-61-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1528.77nm	80km
MRV	SFP	SFPFC4DW08-61-HO	multi DWDM ZX	1.0625Gbps2.125Gbps4.25Gbps	1528.77nm	80km
MRV	SFP	SFP-FD-BD35TH-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	40km
MRV	SFP	SFP-FD-BD53-HO	155MBase OC-3c/STM-1 BX-D	155Mbps	TX: 1550nmRX: 1310nm	40km
MRV	SFP	SFP-FD-BD53TH-HO	155MBase OC-3c/STM-1 BX-D	155Mbps	TX: 1550nmRX: 1310nm	40km
MRV	SFP	SFP-FD-BX35-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	28km
MRV	SFP	SFP-FD-BX35SC-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	28km
MRV	SFP	SFP-FD-BX35SC-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	28km
MRV	SFP	SFP-FD-BX35TH-HO	155MBase OC-3c/STM-1 BX-U	155Mbps	TX: 1310nmRX: 1550nm	28km
MRV	SFP	SFP-FD-BX53SC-HO	155MBase OC-3c/STM-1 BX-D	155Mbps	TX: 1550nmRX: 1310nm	28km
MRV	SFP	SFP-FD-BX53TH-HO	155MBase OC-3c/STM-1 BX-D	155Mbps	TX: 1550nmRX: 1310nm	28km
MRV	SFP	SFP-FD-BZ45-HO	155MBase OC-3c/STM-1 BX-U	125Mbps-155Mbps	TX: 1490nmRX: 1570nm	110km
MRV	SFP	SFP-FD-BZ54-HO	155MBase OC-3c/STM-1 BX-D	125Mbps-155Mbps	TX: 1570nmRX: 1490nm	110km
MRV	SFP	SFP-GA-R-HO	10/100/1000Base T	1.25Gbps	Copper	100m
MRV	SFP	SFP-GC-R-HO	10/100/1000Base T	1.25Gbps	Copper	100m
MRV	SFP	SFP-GD-BD34-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	40km
MRV	SFP	SFP-GD-BD35-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	40km
MRV	SFP	SFP-GD-BD35TH-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1550nm	40km
MRV	SFP	SFP-GD-BD43-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	40km
MRV	SFP	SFP-GD-BD53-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	40km
MRV	SFP	SFP-GD-BD53TH-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	40km
MRV	SFP	SFP-GD-BX34-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	25km
MRV	SFP	SFP-GD-BX34SC-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
MRV	SFP	SFP-GD-BX34SC-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
MRV	SFP	SFP-GD-BX43-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	25km
MRV	SFP	SFP-GD-BX43SC-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
MRV	SFP	SFP-GD-BX43SC-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
MRV	SFP	SFP-GD-BX43TH-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	25km
MRV	SFP	SFP-GD-BZ54-HO	1000Base BX-D	1.25Gbps	TX: 1570nmRX: 1490nm	100km
MRV	SFP	SFP-GD-BZ54-HO	1000Base BX-D	1.25Gbps	TX: 1570nmRX: 1490nm	100km
MRV	SFP	SFP-GDCWEZX-33-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1331nm	120km
MRV	SFP	SFP-GDCWEZX-35-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1351nm	120km
MRV	SFP	SFP-GDCWEZX-37-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1371nm	120km
MRV	SFP	SFP-GDCWEZX-39-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1391nm	120km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP-GDCWEZX-41-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1411nm	120km
MRV	SFP	SFP-GDCWEZX-43-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1431nm	120km
MRV	SFP	SFP-GDCWEZX-45-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1451nm	120km
MRV	SFP	SFP-GDCWEZX-47-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1471nm	120km
MRV	SFP	SFP-GDCWEZX-49-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1491nm	120km
MRV	SFP	SFP-GDCWEZX-51-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1511nm	120km
MRV	SFP	SFP-GDCWEZX-51-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1511nm	120km
MRV	SFP	SFP-GDCWEZX-55-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1551nm	120km
MRV	SFP	SFP-GDCWEZX-55-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1551nm	120km
MRV	SFP	SFP-GDCWEZX-59-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1591nm	120km
MRV	SFP	SFP-GDCWEZX-59-HO	1000Base CWDM ZXL	1.0625Gbps-1.25Gbps	1591nm	120km
MRV	SFP	SFP-GDCWXD-31-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1311nm	50km
MRV	SFP	SFP-GDCWXD-33-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1331nm	50km
MRV	SFP	SFP-GDCWXD-35-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1351nm	50km
MRV	SFP	SFP-GDCWXD-37-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1371nm	50km
MRV	SFP	SFP-GDCWXD-39-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1391nm	50km
MRV	SFP	SFP-GDCWXD-41-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1411nm	50km
MRV	SFP	SFP-GDCWXD-43-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1431nm	50km
MRV	SFP	SFP-GDCWXD-45-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1451nm	50km
MRV	SFP	SFP-GDCWXD-47-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1471nm	50km
MRV	SFP	SFP-GDCWXD-49-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1491nm	50km
MRV	SFP	SFP-GDCWXD-51-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1511nm	50km
MRV	SFP	SFP-GDCWXD-53-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1531nm	50km
MRV	SFP	SFP-GDCWXD-55-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1551nm	50km
MRV	SFP	SFP-GDCWXD-57-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1571nm	50km
MRV	SFP	SFP-GDCWXD-59-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1591nm	50km
MRV	SFP	SFP-GDCWXD-61-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1611nm	50km
MRV	SFP	SFP-GDCWXD-XX-HO	multi DWDM ZX	1.0625Gbps-1.25Gbps	Multi fixed	70km
MRV	SFP	SFP-GDCWZX-31-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1311nm	50km
MRV	SFP	SFP-GDCWZX-33-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1331nm	50km
MRV	SFP	SFP-GDCWZX-35-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1351nm	50km
MRV	SFP	SFP-GDCWZX-37-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1371nm	50km
MRV	SFP	SFP-GDCWZX-39-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1391nm	50km
MRV	SFP	SFP-GDCWZX-41-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1411nm	50km
MRV	SFP	SFP-GDCWZX-43-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1431nm	50km
MRV	SFP	SFP-GDCWZX-45-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1451nm	50km
MRV	SFP	SFP-GDCWZX-47-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1471nm	50km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP-GDCWZX-49-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1491nm	50km
MRV	SFP	SFP-GDCWZX-51-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1511nm	50km
MRV	SFP	SFP-GDCWZX-53-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1531nm	50km
MRV	SFP	SFP-GDCWZX-55-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1551nm	50km
MRV	SFP	SFP-GDCWZX-57-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1571nm	50km
MRV	SFP	SFP-GDCWZX-59-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1591nm	50km
MRV	SFP	SFP-GDCWZX-61-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1611nm	50km
MRV	SFP	SFP-GD-EBZ45-HO	1000Base BX-U	1.25Gbps	TX: 1490nmRX: 1570nm	120km
MRV	SFP	SFP-GD-EBZ54-HO	1000Base BX-D	1.25Gbps	TX: 1570nmRX: 1490nm	120km
MRV	SFP	SFP-GD-ELX-HO	1000Base EX	1.0625Gbps-1.25Gbps	1310nm	30km
MRV	SFP	SFP-GD-EZX-HO	1000Base ZXL	1.25Gbps	1550nm	120km
MRV	SFP	SFP-GD-LX-HO	1000Base LX	Multi-Rate: 1.0625-2.125Gbps	1310nm	10km
MRV	SFP	SFP-GD-MMX-HO	1 X 1000Base ENET & 1 x 1000Base Fiber chn	1.0625-1.25Gbps	1310nm	2km
MRV	SFP	SFP-GD-MX-HO	1000Base SX	1.25Gbps	1310nm	2km
MRV	SFP	SFP-GD-XD-HO	multi EX	1.25Gbps	1550nm	40km
MRV	SFP	SFP-GD-ZX-HO	1000Base ZX	1.06Gbps-1.25Gbps	1550nm	80km
MRV	SFP	SFP-G-MMX-HO	1 X 1000Base ENET & 1 x 1000Base Fiber chn	1.0625-1.25Gbps	1310nm	2km
MRV	SFP	SFP-MR27D-IR1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	20km
MRV	SFP	SFP-MR27D-IR2-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	60km
MRV	SFP	SFP-MR27D-LR1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
MRV	SFP	SFP-MR27D-LR1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	40km
MRV	SFP	SFP-MR27D-LR2-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1550nm	80km
MRV	SFP	SFP-MR27D-SR1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	2km
MRV	SFP	SFP-MR27D-SR1-HO	multi OC-3c/STM-1OC-12/STM-4OC-48/STM-16/2.5G SONET	155Mbps622Mbps2.488Gbps	1310nm	2km
MRV	SFP	SFP-MR2-M-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
MRV	SFP	SFP-MR-35IR1-HO	100Base BX-U	100-2700Mbps	TX: 1310nmRX: 1550nm	15km
MRV	SFP	SFP-MR-45IR2-HO	multi BX-U	100Mbps- 2.7Gbps	TX: 1490nmRX: 1570nm	40km
MRV	SFP	SFP-MR-45LR2-HO	multi BX-U	100Mbps-2.7Gbps	TX: 1490nmRX: 1570nm	80km
MRV	SFP	SFP-MR-53IR1-HO	1000Base BX-D	100-2700Mbps	TX: 1550nmRX: 1310nm	15km
MRV	SFP	SFP-MR-54IR2-HO	1000Base BX-D	100Mbps- 2.7Gbps	TX: 1570nmRX: 1490nm	40km
MRV	SFP	SFP-MR-54LR2-HO	multi BX-D	100Mbps-2.7Gbps	TX: 1570nmRX: 1490nm	80km
MRV	SFP	SFP-O12D-LR1-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	50km
MRV	SFP	SFP-O12D-LR1TH-HO	622MBase OC-12/STM-4 LR	622Mbps	1310nm	40km
MRV	SFP	SFP-O12D-LR2-HO	622MBase OC-12/STM-4 LR2	622Mbps	1550nm	80km
MRV	SFP	SFP-O3D-IR1-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	25km
MRV	SFP	SFP-O3D-IR1TH-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	25km
MRV	SFP	SFP-O3D-LR1-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1310nm	60km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP	SFP-O3D-LR2-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
MRV	SFP	SFP-O3D-M-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
MRV	SFP	SFP-O3D-MTH-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
MRV	SFP	SFP-O3D-XLR-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	160km
MRV	SFP	SFP-O3-IR1-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	25km
MRV	SFP	SFP-O3-IR1TH-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	25km
MRV	SFP	SFP-O3-LR1-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1310nm	60km
MRV	SFP	SFP-O3-LR1TH-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1310nm	60km
MRV	SFP	SFP-O3-M-HO	155MBase OC-3c/STM-1 SR	155Mbps	1310nm	2km
MRV	SFP	SFP-SW10-100-R-HO	10/100Base T	10Mbps/100Mbps	Copper	100m
MRV	SFP	SFP-TGD-SR4-HO	multi Fiber/ENET LX	1.0625Gbps4.25Gbps	1310nm	10km
MRV	SFP	SFP-TGD-SX-HO	multi Fiber/ENET SX	1.06Gbps-4.25Gbps	850nm	550m

MRV Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP+	SFP-10GCWER-47-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1470nm	40km
MRV	SFP+	SFP-10GCWER-49-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1490nm	40km
MRV	SFP+	SFP-10GCWER-51-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1510nm	40km
MRV	SFP+	SFP-10GCWER-53-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1530nm	40km
MRV	SFP+	SFP-10GCWER-55-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1550nm	40km
MRV	SFP+	SFP-10GCWER-57-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1570nm	40km
MRV	SFP+	SFP-10GCWER-57-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1570nm	40km
MRV	SFP+	SFP-10GCWER-61-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1610nm	40km
MRV	SFP+	SFP-10GCWER-61-HO	10GBase CWDM ER	9.9Gbps-11.3Gbps	1610nm	40km
MRV	SFP+	SFP-10GCWZR-47-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1470nm	70km
MRV	SFP+	SFP-10GCWZR-51-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1510nm	70km
MRV	SFP+	SFP-10GCWZR-51-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1510nm	70km
MRV	SFP+	SFP-10GCWZR-53-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1530nm	70km
MRV	SFP+	SFP-10GCWZR-57-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1570nm	70km
MRV	SFP+	SFP-10GCWZR-57-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1570nm	70km
MRV	SFP+	SFP-10GCWZR-61-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1610nm	70km
MRV	SFP+	SFP-10GCWZR-61-HO	10GBase CWDM ZR	9.9Gbps-11.3Gbps	1610nm	70km
MRV	SFP+	SFP-10GDBX23-HO	10GBase BX-U	8Gbps-11.3Gbps	TX: 1270nmRX: 1310nm	10km
MRV	SFP+	SFP-10GDBX32-HO	10GBase BX-D	8Gbps-11.3Gbps	TX; 1310nmRX; 1270nm	10km
MRV	SFP+	SFP-10GD-ER-HO	10GBase ER	8Gbps-11.3Gbps	1550nm	40km
MRV	SFP+	SFP-10GD-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
MRV	SFP+	SFP-10GD-LRM-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP+	SFP-10GD-LX-HO	10GBase LR	9.95Gbps-10.52Gbps	1310nm	10km
MRV	SFP+	SFP-10GDWE-C17-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1563.86nm	80km
MRV	SFP+	SFP-10GDWE-C18-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1563.05nm	80km
MRV	SFP+	SFP-10GDWE-C19-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1562.23nm	80km
MRV	SFP+	SFP-10GDWE-C20-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.42nm	80km
MRV	SFP+	SFP-10GDWE-C21-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
MRV	SFP+	SFP-10GDWE-C21-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.61nm	80km
MRV	SFP+	SFP-10GDWE-C43-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.94nm	80km
MRV	SFP+	SFP-10GDWE-C44-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
MRV	SFP+	SFP-10GDWE-C45-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
MRV	SFP+	SFP-10GDWE-C45-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
MRV	SFP+	SFP-10GDWE-C47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.77nm	80km
MRV	SFP+	SFP-10GDWE-C49-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
MRV	SFP+	SFP-10GDWE-C51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
MRV	SFP+	SFP-10GDWE-C51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
MRV	SFP+	SFP-10GDWE-C53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
MRV	SFP+	SFP-10GDWE-C53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
MRV	SFP+	SFP-10GDWE-C55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
MRV	SFP+	SFP-10GDWE-C56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
MRV	SFP+	SFP-10GDWE-C56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
MRV	SFP+	SFP-10GDWE-C58-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.12nm	80km
MRV	SFP+	SFP-10GDWE-C59-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.33nm	80km
MRV	SFP+	SFP-10GDWE-C60-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
MRV	SFP+	SFP-10GDWE-C61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1528.77nm	80km
MRV	SFP+	SFP-10GDWE-H17-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1563.46nm	80km
MRV	SFP+	SFP-10GDWE-H18-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1562.64nm	80km
MRV	SFP+	SFP-10GDWE-H18-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1562.64nm	80km
MRV	SFP+	SFP-10GDWE-H19-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1561.83nm	80km
MRV	SFP+	SFP-10GDWE-H21-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.20nm	80km
MRV	SFP+	SFP-10GDWE-H21-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1560.20nm	80km
MRV	SFP+	SFP-10GDWE-H42-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1543.33nm	80km
MRV	SFP+	SFP-10GDWE-H44-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.75nm	80km
MRV	SFP+	SFP-10GDWE-H44-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.75nm	80km
MRV	SFP+	SFP-10GDWE-H46-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.16nm	80km
MRV	SFP+	SFP-10GDWE-H47-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1539.37nm	80km
MRV	SFP+	SFP-10GDWE-H48-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.58nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP+	SFP-10GDWE-H48-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.58nm	80km
MRV	SFP+	SFP-10GDWE-H50-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.00nm	80km
MRV	SFP+	SFP-10GDWE-H51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.22nm	80km
MRV	SFP+	SFP-10GDWE-H52-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.43nm	80km
MRV	SFP+	SFP-10GDWE-H53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.64nm	80km
MRV	SFP+	SFP-10GDWE-H54-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.86nm	80km
MRV	SFP+	SFP-10GDWE-H55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.07nm	80km
MRV	SFP+	SFP-10GDWE-H56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.29nm	80km
MRV	SFP+	SFP-10GDWE-H57-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.51nm	80km
MRV	SFP+	SFP-10GDWE-H58-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.73nm	80km
MRV	SFP+	SFP-10GDWE-H59-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.94nm	80km
MRV	SFP+	SFP-10GDWE-H60-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.16nm	80km
MRV	SFP+	SFP-10GDWE-H61-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1528.38nm	80km
MRV	SFP+	SFP-10GDWER-22-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1559.79nm	40km
MRV	SFP+	SFP-10GDWER-23-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.98nm	40km
MRV	SFP+	SFP-10GDWER-24-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1558.17nm	40km
MRV	SFP+	SFP-10GDWER-25-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1557.36nm	40km
MRV	SFP+	SFP-10GDWER-26-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1556.55nm	40km
MRV	SFP+	SFP-10GDWER-27-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1555.75nm	40km
MRV	SFP+	SFP-10GDWER-28-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.94nm	40km
MRV	SFP+	SFP-10GDWER-29-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1554.13nm	40km
MRV	SFP+	SFP-10GDWER-30-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1553.33nm	40km
MRV	SFP+	SFP-10GDWER-31-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1552.52nm	40km
MRV	SFP+	SFP-10GDWER-32-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1551.72nm	40km
MRV	SFP+	SFP-10GDWER-33-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.92nm	40km
MRV	SFP+	SFP-10GDWER-33-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1550.92nm	40km
MRV	SFP+	SFP-10GDWER-35-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
MRV	SFP+	SFP-10GDWER-35-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1549.32nm	40km
MRV	SFP+	SFP-10GDWER-37-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
MRV	SFP+	SFP-10GDWER-37-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1547.72nm	40km
MRV	SFP+	SFP-10GDWER-38-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1546.92nm	40km
MRV	SFP+	SFP-10GDWER-40-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1545.32nm	40km
MRV	SFP+	SFP-10GDWER-40-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1545.32nm	40km
MRV	SFP+	SFP-10GDWER-42-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1544.73nm	40km
MRV	SFP+	SFP-10GDWER-43-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.94nm	40km
MRV	SFP+	SFP-10GDWER-44-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1542.14nm	40km
MRV	SFP+	SFP-10GDWER-45-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1541.35nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP+	SFP-10GDWER-46-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1540.56nm	40km
MRV	SFP+	SFP-10GDWER-47-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1539.77nm	40km
MRV	SFP+	SFP-10GDWER-48-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.98nm	40km
MRV	SFP+	SFP-10GDWER-49-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.19nm	40km
MRV	SFP+	SFP-10GDWER-49-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1538.19nm	40km
MRV	SFP+	SFP-10GDWER-51-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1536.61nm	40km
MRV	SFP+	SFP-10GDWER-51-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1536.61nm	40km
MRV	SFP+	SFP-10GDWER-53-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.04nm	40km
MRV	SFP+	SFP-10GDWER-53-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1535.04nm	40km
MRV	SFP+	SFP-10GDWER-55-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1533.47nm	40km
MRV	SFP+	SFP-10GDWER-56-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1532.68nm	40km
MRV	SFP+	SFP-10GDWER-57-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.90nm	40km
MRV	SFP+	SFP-10GDWER-58-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1531.12nm	40km
MRV	SFP+	SFP-10GDWER-59-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1530.33nm	40km
MRV	SFP+	SFP-10GDWER-60-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1529.55nm	40km
MRV	SFP+	SFP-10GDWER-61-HO	10GBase DWDM ER	8Gbps-11.3Gbps	1528.77nm	40km
MRV	SFP+	SFP-10GDWZR-22-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1559.79nm	80km
MRV	SFP+	SFP-10GDWZR-23-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.98nm	80km
MRV	SFP+	SFP-10GDWZR-24-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1558.17nm	80km
MRV	SFP+	SFP-10GDWZR-25-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1557.36nm	80km
MRV	SFP+	SFP-10GDWZR-26-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1556.55nm	80km
MRV	SFP+	SFP-10GDWZR-27-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
MRV	SFP+	SFP-10GDWZR-27-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1555.75nm	80km
MRV	SFP+	SFP-10GDWZR-29-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1554.13nm	80km
MRV	SFP+	SFP-10GDWZR-30-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1553.33nm	80km
MRV	SFP+	SFP-10GDWZR-31-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1552.52nm	80km
MRV	SFP+	SFP-10GDWZR-32-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1551.72nm	80km
MRV	SFP+	SFP-10GDWZR-33-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.92nm	80km
MRV	SFP+	SFP-10GDWZR-34-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1550.12nm	80km
MRV	SFP+	SFP-10GDWZR-35-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1549.32nm	80km
MRV	SFP+	SFP-10GDWZR-36-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1548.51nm	80km
MRV	SFP+	SFP-10GDWZR-37-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1547.72nm	80km
MRV	SFP+	SFP-10GDWZR-38-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.92nm	80km
MRV	SFP+	SFP-10GDWZR-39-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1546.12nm	80km
MRV	SFP+	SFP-10GDWZR-40-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1545.32nm	80km
MRV	SFP+	SFP-10GDWZR-41-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.53nm	80km
MRV	SFP+	SFP-10GDWZR-42-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1544.73nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	SFP+	SFP-10GDWZR-43-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.94nm	80km
MRV	SFP+	SFP-10GDWZR-44-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1542.14nm	80km
MRV	SFP+	SFP-10GDWZR-45-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1541.35nm	80km
MRV	SFP+	SFP-10GDWZR-46-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km
MRV	SFP+	SFP-10GDWZR-46-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1540.56nm	80km
MRV	SFP+	SFP-10GDWZR-48-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.98nm	80km
MRV	SFP+	SFP-10GDWZR-49-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1538.19nm	80km
MRV	SFP+	SFP-10GDWZR-50-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1537.40nm	80km
MRV	SFP+	SFP-10GDWZR-51-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1536.61nm	80km
MRV	SFP+	SFP-10GDWZR-52-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.82nm	80km
MRV	SFP+	SFP-10GDWZR-53-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1535.04nm	80km
MRV	SFP+	SFP-10GDWZR-54-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1534.25nm	80km
MRV	SFP+	SFP-10GDWZR-55-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1533.47nm	80km
MRV	SFP+	SFP-10GDWZR-56-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1532.68nm	80km
MRV	SFP+	SFP-10GDWZR-57-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.90nm	80km
MRV	SFP+	SFP-10GDWZR-58-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1531.12nm	80km
MRV	SFP+	SFP-10GDWZR-59-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1530.33nm	80km
MRV	SFP+	SFP-10GDWZR-60-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
MRV	SFP+	SFP-10GDWZR-60-HO	10GBase DWDM ZR	8Gbps-11.3Gbps	1529.55nm	80km
MRV	SFP+	SFP-10GD-ZR-HO	10GBase ENET/Fiber chn ZR	8Gbps-11.3Gbps	1550nm	80km
MRV	SFP+	SFP-8GD-LR-HO	multi Fiber/ENET LR	8Gbps-11.3Gbps	1310nm	10km
MRV	SFP+	SFP-8GD-SX-HO	multi Fiber/ENET SR	8Gbps-11.3Gbps	850nm	300m

MRV Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	XFP	XFP-10GCWER-47-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1470nm	40km
MRV	XFP	XFP-10GCWER-51-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1510nm	40km
MRV	XFP	XFP-10GCWER-53-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1530nm	40km
MRV	XFP	XFP-10GCWER-55-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1550nm	40km
MRV	XFP	XFP-10GCWER-57-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1570nm	40km
MRV	XFP	XFP-10GCWER-59-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1590nm	40km
MRV	XFP	XFP-10GCWER-61-HO	10GBase CWDM ER	9.953Gbps-11.318Gbps	1610nm	40km
MRV	XFP	XFP-10GCWZR-47-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1470nm	80km
MRV	XFP	XFP-10GCWZR-49-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1490nm	80km
MRV	XFP	XFP-10GCWZR-51-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1510nm	80km
MRV	XFP	XFP-10GCWZR-53-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1530nm	80km
MRV	XFP	XFP-10GCWZR-53-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1530nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	XFP	XFP-10GCWZR-57-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1570nm	80km
MRV	XFP	XFP-10GCWZR-59-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1590nm	80km
MRV	XFP	XFP-10GCWZR-61-HO	10GBase DWDM ZR	9.953Gbps-11.318Gbps	1610nm	80km
MRV	XFP	XFP-10GD-IR2-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
MRV	XFP	XFP-10GD-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
MRV	XFP	XFP-10GD-LR2-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
MRV	XFP	XFP-10GD-MMX-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
MRV	XFP	XFP-10GD-SX-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
MRV	XFP	XFP-10GED-IR2-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
MRV	XFP	XFP-10GED-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
MRV	XFP	XFP-10GED-LRTH-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
MRV	XFP	XFP-10GED-LRTH-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
MRV	XFP	XFP-CX4-HO	10GBase CX4	10Gbps	Copper	15m
MRV	XFP	XFP-DWIR204-17-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1563.86nm	40km
MRV	XFP	XFP-DWIR204-18-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1563.05nm	40km
MRV	XFP	XFP-DWIR204-19-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1562.23nm	40km
MRV	XFP	XFP-DWIR204-20-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1561.42nm	40km
MRV	XFP	XFP-DWIR204-21-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1560.61nm	40km
MRV	XFP	XFP-DWIR204-22-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1559.79nm	40km
MRV	XFP	XFP-DWIR204-23-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.98nm	40km
MRV	XFP	XFP-DWIR204-24-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1558.17nm	40km
MRV	XFP	XFP-DWIR204-25-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1557.36nm	40km
MRV	XFP	XFP-DWIR204-26-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1556.55nm	40km
MRV	XFP	XFP-DWIR204-27-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1555.75nm	40km
MRV	XFP	XFP-DWIR204-28-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.94nm	40km
MRV	XFP	XFP-DWIR204-29-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.13nm	40km
MRV	XFP	XFP-DWIR204-30-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1553.33nm	40km
MRV	XFP	XFP-DWIR204-31-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1552.52nm	40km
MRV	XFP	XFP-DWIR204-32-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1551.72nm	40km
MRV	XFP	XFP-DWIR204-33-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.92nm	40km
MRV	XFP	XFP-DWIR204-34-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550.12nm	40km
MRV	XFP	XFP-DWIR204-35-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1549.32nm	40km
MRV	XFP	XFP-DWIR204-36-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1548.51nm	40km
MRV	XFP	XFP-DWIR204-37-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1547.72nm	40km
MRV	XFP	XFP-DWIR204-38-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.92nm	40km
MRV	XFP	XFP-DWIR204-39-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1546.12nm	40km
MRV	XFP	XFP-DWIR204-40-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1545.32nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	XFP	XFP-DWIR204-41-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1544.53nm	40km
MRV	XFP	XFP-DWIR204-42-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1554.73nm	40km
MRV	XFP	XFP-DWIR204-43-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1542.94nm	40km
MRV	XFP	XFP-DWIR204-44-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1542.14nm	40km
MRV	XFP	XFP-DWIR204-45-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1541.35nm	40km
MRV	XFP	XFP-DWIR204-45-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1541.35nm	40km
MRV	XFP	XFP-DWIR204-47-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1539.77nm	40km
MRV	XFP	XFP-DWIR204-48-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1538.98nm	40km
MRV	XFP	XFP-DWIR204-49-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1538.19nm	40km
MRV	XFP	XFP-DWIR204-50-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1537.40nm	40km
MRV	XFP	XFP-DWIR204-50-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1537.40nm	40km
MRV	XFP	XFP-DWIR204-52-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1535.82nm	40km
MRV	XFP	XFP-DWIR204-53-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1535.04nm	40km
MRV	XFP	XFP-DWIR204-54-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1534.25nm	40km
MRV	XFP	XFP-DWIR204-55-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1533.47nm	40km
MRV	XFP	XFP-DWIR204-56-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1532.68nm	40km
MRV	XFP	XFP-DWIR204-57-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.90nm	40km
MRV	XFP	XFP-DWIR204-58-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1531.12nm	40km
MRV	XFP	XFP-DWIR204-59-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1530.33nm	40km
MRV	XFP	XFP-DWIR204-60-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1529.55nm	40km
MRV	XFP	XFP-DWIR204-61-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1528.77nm	40km
MRV	XFP	XFP-DWIR204-XX-HO	10GBase DWDM OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	Multi fixed	40km
MRV	XFP	XFP-DWLR08-17-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.86nm	80km
MRV	XFP	XFP-DWLR08-18-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1563.05nm	80km
MRV	XFP	XFP-DWLR08-19-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1562.23nm	80km
MRV	XFP	XFP-DWLR08-20-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1561.42nm	80km
MRV	XFP	XFP-DWLR08-21-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1560.61nm	80km
MRV	XFP	XFP-DWLR08-22-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1559.79nm	80km
MRV	XFP	XFP-DWLR08-23-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.98nm	80km
MRV	XFP	XFP-DWLR08-24-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1558.17nm	80km
MRV	XFP	XFP-DWLR08-25-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1557.36nm	80km
MRV	XFP	XFP-DWLR08-26-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1556.55nm	80km
MRV	XFP	XFP-DWLR08-27-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1555.75nm	80km
MRV	XFP	XFP-DWLR08-28-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.94nm	80km
MRV	XFP	XFP-DWLR08-29-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
MRV	XFP	XFP-DWLR08-29-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.13nm	80km
MRV	XFP	XFP-DWLR08-31-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1552.52nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



MRV Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
MRV	XFP	XFP-DWLR08-32-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1551.72nm	80km
MRV	XFP	XFP-DWLR08-33-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.92nm	80km
MRV	XFP	XFP-DWLR08-34-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550.12nm	80km
MRV	XFP	XFP-DWLR08-35-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1549.32nm	80km
MRV	XFP	XFP-DWLR08-36-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
MRV	XFP	XFP-DWLR08-36-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1548.51nm	80km
MRV	XFP	XFP-DWLR08-38-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.92nm	80km
MRV	XFP	XFP-DWLR08-39-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1546.12nm	80km
MRV	XFP	XFP-DWLR08-40-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
MRV	XFP	XFP-DWLR08-40-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1545.32nm	80km
MRV	XFP	XFP-DWLR08-42-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1554.73nm	80km
MRV	XFP	XFP-DWLR08-43-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.94nm	80km
MRV	XFP	XFP-DWLR08-44-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1542.14nm	80km
MRV	XFP	XFP-DWLR08-45-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1541.35nm	80km
MRV	XFP	XFP-DWLR08-46-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1540.56nm	80km
MRV	XFP	XFP-DWLR08-47-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1539.77nm	80km
MRV	XFP	XFP-DWLR08-48-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.98nm	80km
MRV	XFP	XFP-DWLR08-49-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
MRV	XFP	XFP-DWLR08-49-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1538.19nm	80km
MRV	XFP	XFP-DWLR08-51-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
MRV	XFP	XFP-DWLR08-51-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1536.61nm	80km
MRV	XFP	XFP-DWLR08-52-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1535.82nm	80km
MRV	XFP	XFP-DWLR08-54-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1534.25nm	80km
MRV	XFP	XFP-DWLR08-55-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1533.47nm	80km
MRV	XFP	XFP-DWLR08-56-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1532.68nm	80km
MRV	XFP	XFP-DWLR08-57-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.90nm	80km
MRV	XFP	XFP-DWLR08-58-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1531.12nm	80km
MRV	XFP	XFP-DWLR08-59-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1530.33nm	80km
MRV	XFP	XFP-DWLR08-60-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1529.55nm	80km
MRV	XFP	XFP-DWLR08-61-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1528.77nm	80km
MRV	XFP	XFP-DWLR08TC-HO	10GBase Tunable DWDM ZR	9.953Gbps-11.318Gbps	Multi fixed 1528nm-1568nm	80km
MRV	XFP	XFP-DWLR08-XX-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed	80km
MRV	XFP	XFP-DWLR08-XX-HO	10GBase DWDM ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	Multi fixed	80km

Netgear Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Netgear	GBIC	AGM721F-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Netgear Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Netgear	GBIC	AGM721T-HO	1000Base T	1.25Gbps	Copper	100m
Netgear	GBIC	AGM722F-HO	1000Base LX	1.25Gbps	1310nm	10km

Netgear Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Netgear	SFP	AGM731F-HO	1000Base SX	1.25Gbps	850nm	550m
Netgear	SFP	AGM732F-HO	1000Base LX	1.25Gbps	1310nm	10km
Netgear	SFP	AGM732F-BX-D-HO	1000Base BX-D	1.25Gbps	TX: 1490nmRX: 1310nm	10km
Netgear	SFP	AGM732F-BX-U-HO	1000Base BX-U	1.25Gbps	TX: 1310nmRX: 1490nm	10km
Netgear	SFP	AGM733-HO	1000Base ZX	1.25Gbps	1550nm	70km

Netgear Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Netgear	SFP+	AXM761-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m
Netgear	SFP+	AXM762-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km
Netgear	SFP+	AXM763-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m
Netgear	SFP+	AXM763-HO	10GBase LRM	8Gbps-11.3Gbps	1310nm	220m

Netgear Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Netgear	XFP	AXM751-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Netgear	XFP	AXM752-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km

Nortel Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Nortel	GBIC	AA1419002-HO	1000Base LX	1.25Gbps	1310nm	10km
Nortel	GBIC	AA1419003-E5-HO	1000Base ZX	1.25Gbps	1550nm	80km
Nortel	GBIC	AA1419003-E5-HO	1000Base ZX	1.25Gbps	1550nm	80km
Nortel	GBIC	AA1419018-E5-HO	1000Base CWDM ZX	1.25Gbps	1490nm	80km
Nortel	GBIC	AA1419019-E5-HO	1000Base CWDM ZX	1.25Gbps	1510nm	80km
Nortel	GBIC	AA1419020-E5-HO	1000Base CWDM ZX	1.25Gbps	1530nm	80km
Nortel	GBIC	AA1419021-E5-HO	1000Base CWDM ZX	1.25Gbps	1550nm	80km
Nortel	GBIC	AA1419022-E5-HO	1000Base CWDM ZX	1.25Gbps	1570nm	80km
Nortel	GBIC	AA1419023-E5-HO	1000Base CWDM ZX	1.25Gbps	1590nm	80km
Nortel	GBIC	AA1419024-E5-HO	1000Base CWDM ZX	1.25Gbps	1610nm	80km
Nortel	GBIC	AA1419041-E5-HO	1000Base T	1.25Gbps	Copper	100m
Nortel	GBIC	AA1419042-E5-HO	1000Base T	1.25Gbps	Copper	100m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Nortel Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Nortel	SFP	AA1419013-E5-HO	1000Base SX	1.25Gbps	850nm	550m
Nortel	SFP	AA1419014-E5-HO	1000Base MTRJ	1.25Gbps	850nm	550m
Nortel	SFP	AA1419015-E5-HO	1000Base LX	1.25Gbps	1310nm	10km
Nortel	SFP	AA1419015-E5-HO	1000Base LX	1.25Gbps	1310nm	10km
Nortel	SFP	AA1419025-E5-HO	1000Base CWDM EX	1.25Gbps	1470nm	40km
Nortel	SFP	AA1419026-E5-HO	1000Base CWDM EX	1.25Gbps	1490nm	40km
Nortel	SFP	AA1419027-E5-HO	1000Base CWDM EX	1.25Gbps	1510nm	40km
Nortel	SFP	AA1419028-E5-HO	1000Base CWDM EX	1.25Gbps	1530nm	40km
Nortel	SFP	AA1419029-E5-HO	1000Base CWDM EX	1.25Gbps	1550nm	40km
Nortel	SFP	AA1419030-E5-HO	1000Base CWDM EX	1.25Gbps	1570nm	40km
Nortel	SFP	AA1419031-E5-HO	1000Base CWDM EX	1.25Gbps	1590nm	40km
Nortel	SFP	AA1419031-E5-HO	1000Base CWDM EX	1.25Gbps	1590nm	40km
Nortel	SFP	AA1419033-E5-HO	1000Base CWDM ZX	1Gbps Gigabit Ethernet	1470nm	70km
Nortel	SFP	AA1419034-E5-HO	1000Base CWDM ZX	1.0625Gbps-1.25Gbps	1490nm	70km
Nortel	SFP	AA1419035-E5-HO	1000Base CWDM ZX	1Gbps Gigabit Ethernet	1510nm	70km
Nortel	SFP	AA1419036-E5-HO	1000Base CWDM ZX	1Gbps Gigabit Ethernet	1530nm	70km
Nortel	SFP	AA1419037-E5-HO	1000Base CWDM ZX	1Gbps Gigabit Ethernet	1550nm	70km
Nortel	SFP	AA1419038-E5-HO	1000Base CWDM ZX	1.25Gbps	1570nm	70km
Nortel	SFP	AA1419039-E5-HO	1000Base CWDM ZX	1.25Gbps	1590nm	70km
Nortel	SFP	AA1419040-E5-HO	1000Base CWDM ZX	1.25Gbps	1610nm	70km
Nortel	SFP	AA1419043-E6-HO	1000Base T	1.25Gbps	Copper	100m
Nortel	SFP	AA1419049-E6-HO	1000Base LX	1.25Gbps	1310nm	10km
Nortel	SFP	AA1419074-E6-HO	100Base FX	100Mbps	1310nm	2km
Nortel	SFP	NTK592NBE6-HO	155MBase OC-3c/STM-1 IR	155Mbps	1551nm	10km
Nortel	SFP	NTK592NHE6-HO	155MBase OC-3c/STM-1 IR	155Mbps	1511nm	10km
Nortel	SFP	NTTP02CD-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	15km
Nortel	SFP	NTTP03CF-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Nortel	SFP	NTTP03CF-HO	2.5GBase OC-48/STM-16/2.5G SONET IR	2.488Gbps	1310nm	15km
Nortel	SFP	NTTP05EF-HO	155MBase OC-3c/STM-1 LR	622Mbps	1310nm	40km
Nortel	SFP	NTTP05EF-HO	155MBase OC-3c/STM-1 LR	622Mbps	1310nm	40km

Nortel Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Nortel	XFP	AA1403001-E5-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Nortel	XFP	AA1403003-E5-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Nortel	XFP	AA1403005-E5-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Nortel	XFP	AA1403006-E5-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Nortel Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Nortel	XFP	AA1403006-E5-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

Palo Alto Compatible QSFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Palo Alto	QSFP+	PAN-QSFP-40GBASE-LR4-HO	40GB Multi-rate	43.01Gbps	4x10Gbps CWDM: 1310nm	10km
Palo Alto	QSFP+	PAN-QSFP-40GBASE-SR4-HO	40Gbase QSFP SR4	40Gbps Gigabit Ethernet	850nm	150m

Palo Alto Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Palo Alto	SFP	PA-CWDM-SFP-1610-HO	multi CWDM ZX	1.25 Gbps	1610nm	80km
Palo Alto	SFP	PAN-SFP-CG-HO	1000Base T	1.25Gbps	Copper	100m
Palo Alto	SFP	PAN-SFP-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Palo Alto	SFP	PAN-SFP-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Palo Alto	SFP	PAN-SFP-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km

Palo Alto Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Palo Alto	SFP+	PAN-SFP-PLUS-LR-HO	10Gbase LR	8Gbps-11.3Gbps	1310nm	10km
Palo Alto	SFP+	PAN-SFP-PLUS-SR-HO	10Gbase SR	8Gbps-11.3Gbps	850nm	300m

Palo Alto Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Palo Alto	XFP	PAN-XFP-LR-HO	10Gbase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Palo Alto	XFP	PAN-XFP-SR-HO	10Gbase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Pannaway Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Pannaway	SFP	SFP-LX-RT-HO	1000Base LX	1.25Gbps	1310nm	10km
Pannaway	SFP	SFP-SX-RT-HO	1000Base SX	1.25Gbps	850nm	550m
Pannaway	SFP	SFP-TX-RT-HO	1000Base T	1.25Gbps	Copper	100m
Pannaway	SFP	SFP-XLX-RT-HO	1000Base EX	1.25Gbps	1310nm	30km
Pannaway	SFP	SFP-ZX-RT-HO	1000Base ZX	1.25Gbps	1550nm	80km

Redback Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Redback	GBIC	ASM-SE8-GBIC-LX70-HO	1000Base ZX	1.25Gbps	1550nm	70km
Redback	GBIC	ASM-SE8-GBIC-SX-HO	1000Base SX	1.25Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Redback Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Redback	GBIC	ASM-SE8-GBIC-TX-HO	1000Base T	1.25Gbps	Copper	100m

Redback Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Redback	SFP	SFP-FE-FX-HO	100Base FX	100Mbps	1310nm	2km
Redback	SFP	SFP-FE-FX-LX10-HO	100Base FX	100Mbps	1310nm	10km
Redback	SFP	SFP-FE-FX-LX10-HO	100Base FX	100Mbps	1310nm	10km
Redback	SFP	SFP-GE-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
Redback	SFP	SFP-GE-TX-HO	1000Base T	1.25Gbps	Copper	100m
Redback	SFP	SFP-GE-Z-RB-HO	1000Base ZX	1.25Gbps	1550nm	80km

Redback Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Redback	XFP	OIM-SXFP-10GE-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m
Redback	XFP	XFP-10GE-ER-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Redback	XFP	XFP-10GE-LR-REDBACK-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Redback	XFP	XFP-10GE-LR-REDBACK-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Redback	XFP	XFP-10GE-ZR-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km

Riverbed Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Riverbed	SFP+	SFP-CSK-LR-HO	10GBase LR	10.3Gbps	1310nm	10km
Riverbed	SFP+	SFP-CSK-LR-C-HO	10GBase LR	10.3Gbps	1310nm	10km
Riverbed	SFP+	SFP-CSK-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m
Riverbed	SFP+	SFP-CSK-SR-C-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Riverstone Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Riverstone	GBIC	GIC-11-HO	1000Base SX	1.25Gbps	850nm	550m
Riverstone	GBIC	GIC-12-HO	1000Base T	1.25Gbps	Copper	100m
Riverstone	GBIC	GIC-18-HO	1000Base ZX	1.25Gbps	1550nm	70km
Riverstone	GBIC	GIC-19-HO	1000Base LX	1.25Gbps	1310nm	10km
Riverstone	GBIC	GIC-CWDM-1270-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1270nm	40km
Riverstone	GBIC	GIC-CWDM-1290-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1290nm	40km
Riverstone	GBIC	GIC-CWDM-1310-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1310nm	40km
Riverstone	GBIC	GIC-CWDM-1330-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1330nm	40km
Riverstone	GBIC	GIC-CWDM-1350-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1350nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Riverstone Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Riverstone	GBIC	GIC-CWDM-1370-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1370nm	40km
Riverstone	GBIC	GIC-CWDM-1390-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1390nm	40km
Riverstone	GBIC	GIC-CWDM-1410-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1410nm	40km
Riverstone	GBIC	GIC-CWDM-1430-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1430nm	40km
Riverstone	GBIC	GIC-CWDM-1450-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1450nm	40km
Riverstone	GBIC	GIC-CWDM-1450-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1450nm	40km
Riverstone	GBIC	GIC-CWDM-1490-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1490nm	40km
Riverstone	GBIC	GIC-CWDM-1510-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1510nm	40km
Riverstone	GBIC	GIC-CWDM-1530-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1530nm	40km
Riverstone	GBIC	GIC-CWDM-1550-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1550nm	40km
Riverstone	GBIC	GIC-CWDM-1570-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1570nm	40km
Riverstone	GBIC	GIC-CWDM-1570-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1570nm	40km
Riverstone	GBIC	GIC-CWDM-1610-HO	1000Base CWDM EX	1.0625Gbps-1.25Gbps	1610nm	40km
Riverstone	GBIC	GIC-CWDM-XXXX-HO	1000Base CWDM EX	1.25Gbps	1470nm-1610nm	40km

Riverstone Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Riverstone	SFP	SFPGE-11-HO	1000Base SX	1.25Gbps	850nm	550m
Riverstone	SFP	SFPGE-12-HO	1000Base T	1.25Gbps	Copper	100m
Riverstone	SFP	SFPGE-18-HO	1000Base ZX	1.25Gbps	1550nm	70km
Riverstone	SFP	SFPGE-18-HO	1000Base ZX	1.25Gbps	1550nm	70km

Sixnet Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sixnet	SFP	GMFIBER-SFP-2K-HO	1000Base LX	1.25Gbps	1310nm	2km
Sixnet	SFP	GMFIBER-SFP-500K-HO	1000Base SX	1.25Gbps	850nm	550m
Sixnet	SFP	GMFIBER-SFP-500K-HO	1000Base SX	1.25Gbps	850nm	550m
Sixnet	SFP	GSFIBER-SFP-10K-HO	1000Base LX	1.25Gbps	1310nm	10km
Sixnet	SFP	GSFIBER-SFP-10K-HO	1000Base LX	1.25Gbps	1310nm	10km
Sixnet	SFP	GSFIBER-SFP-30K-HO	1000Base EX	1.25Gbps	1550nm	30km
Sixnet	SFP	GSFIBER-SFP-80K-HO	1000Base ZX	1.25Gbps	1550nm	80km

SMC Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
SMC	GBIC	SMCBGLSCX1-HO	1000Base LX	1.25Gbps	1310nm	10km
SMC	GBIC	SMCBGSSCX1-HO	1000Base SX	1.25Gbps	850nm	550m
SMC	GBIC	SMCBGZSCX1-HO	1000Base ZX	1.25Gbps	1550nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



SMC Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
SMC	SFP	SMC1GSFP-LX-HO	1000Base LX	1.25Gbps	1310nm	10km
SMC	SFP	SMC1GSFP-SX-HO	1000Base SX	1.25Gbps	850nm	550m
SMC	SFP	SMC1GSFP-ZX-HO	1000Base ZX	1.25Gbps	1550nm	80km
SMC	SFP	SMCBGLCX1-HO	1000Base LX	1.25Gbps	1310nm	10km
SMC	SFP	SMCBGSLCX1-HO	1000Base SX	1.25Gbps	850nm	550m
SMC	SFP	SMCBGZLCX1-HO	1000Base ZX	1.25Gbps	1550nm	70km

SMC Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
SMC	XENPAK	SMC10GXEN-ER-HO	10GBase ER	10.312Gbps	1550nm	40km
SMC	XENPAK	SMC10GXEN-LR-HO	10GBase LR	10.312Gbps	1310nm	10km
SMC	XENPAK	SMC10GXEN-SR-HO	10GBase SR	10.312Gbps	850nm	300m
SMC	XENPAK	SMC10GXEN-ZR-HO	10GBase ZR	10.312Gbps	1550nm	80km

SMC Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
SMC	XFP	SMC10GXFPLR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
SMC	XFP	SMC10GXFPSR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Solarflare Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Solarflare	SFP+	SFM10G-SR-HO	10GBase SR	8Gbps-11.3Gbps	850nm	300m

Sun Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sun	GBIC	370-2303-HO	1000Base SX	1.25Gbps	850nm	550m
Sun	GBIC	370-2303-HO	1000Base SX	1.25Gbps	850nm	550m

Sun Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sun	SFP	370-5211-HO	2.125GBase SX	2.125Gbps	850nm	550m
Sun	SFP	370-5211-HO	2.125GBase SX	2.125Gbps	850nm	550m
Sun	SFP	371-0294-HO	4GBase SW	4.25Gbps	850nm	300m
Sun	SFP	XSFP-LW-2GB-4PK-HO	2GBase LW	2.125Gbps	1310nm	10km
Sun	SFP	XSFP-SW-2GB-4PK-HO	2.125GBase SX	2.125Gbps	850nm	550m

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Sun Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sun	SFP+	X2129A-HO	10GBase ENET/Fiber chn SR	8Gbps-11.3Gbps	850nm	300m

Sun Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sun	XFP	5558A-Z-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

Sunrise Telecom Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Sunrise Telecom	SFP	SA580-1310-HO	multi Fiber/ENET LX	1.25Gbps-2.125Gbps	1310nm	10km
Sunrise Telecom	SFP	SA580-1550-HO	multi Fiber/ENET ZX	1.06Gbps-1.25Gbps	1550nm	80km
Sunrise Telecom	SFP	SA580-850-HO	multi SX	1.06Gbps-2.125Gbps	850nm	550m
Sunrise Telecom	SFP	SA580-FXM-HO	100Base FX	100Mbps	850nm	550m
Sunrise Telecom	SFP	SA580-FXM-HO	100Base FX	100Mbps	850nm	550m

Telco Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Telco	SFP	BTI-CW-EX-59-SFP-HO	multi CWDM EX	1.25 Gbps	1590nm	40km
Telco	SFP	BTI-CW-EX-61-SFP-HO	multi CWDM EX	1.25 Gbps	1610nm	40km
Telco	SFP	BTI-SFP-GBD20L-55/31S-C-HO	1000Base BX-D	1.25Gbps	TX: 1550nmRX: 1310nm	20km

Tellabs Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Tellabs	SFP	0410-0447-HO	1000Base SX	1.25Gbps	850nm	550m
Tellabs	SFP	0410-0448-HO	1000Base LX	1.25Gbps	1310nm	10km
Tellabs	SFP	0410-044X-HO	1000Base ZX	1.25Gbps	1550nm	70km

Transition Networks Compatible GBIC

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Transition Networks	GBIC	TN-GB-MM5-HO	1000Base SX	1.25Gbps	850nm	550m
Transition Networks	GBIC	TN-GB-SM5-HO	1000Base LX	1.25Gbps	1310nm	10km
Transition Networks	GBIC	TN-GB-SM512-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Transition Networks	GBIC	TN-GB-SM512-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Transition Networks	GBIC	TN-GB-SM53-HO	1000Base EX	1.25Gbps	1310nm	30km
Transition Networks	GBIC	TN-GB-SM55-HO	1000Base ZX	1.25Gbps	1550nm	80km
Transition Networks	GBIC	TN-GB-SM58-HO	1000Base ZX	1.25Gbps	1550nm	80km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Transition Networks Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Transition Networks	SFP	TN-GLC-SX-MM-HO	1000Base SX	1.25Gbps	850nm	550m
Transition Networks	SFP	TN-GLC-SX-MM-HO	1000Base SX	1.25Gbps	850nm	550m
Transition Networks	SFP	TN-GLC-ZX-SM-HO	1000Base ZX	1.25Gbps	1550nm	80km
Transition Networks	SFP	TN-SFP-ELX1-HO	1000Base LX	1.25Gbps	1310nm	10km
Transition Networks	SFP	TN-SFP-ELX1-HO	1000Base LX	1.25Gbps	1310nm	10km
Transition Networks	SFP	TN-SFP-ESX6-HO	1000Base SX	1.25Gbps	1300nm	2km
Transition Networks	SFP	TN-SFP-FC2XM-HO	1000Base SX	2.488Gbps	850nm	550m
Transition Networks	SFP	TN-SFP-FC2XM-HO	1000Base SX	2.488Gbps	850nm	550m
Transition Networks	SFP	TN-SFP-FC2XS2-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Transition Networks	SFP	TN-SFP-FC2XS2-HO	2.5GBase OC-48/STM-16/2.5G SONET SR	2.488Gbps	1310nm	2km
Transition Networks	SFP	TN-SFP-LX1-HO	1000Base LX	1.25Gbps	1310nm	10km
Transition Networks	SFP	TN-SFP-LX12-HO	1000Base ZXL	1.25Gbps	1550nm	120km
Transition Networks	SFP	TN-SFP-LX16-HO	1000Base Fiber/ENET ZXL	1.25Gbps	1550nm	160km
Transition Networks	SFP	TN-SFP-LX3-HO	1000Base Fiber/ENET EX	1.25Gbps	1310nm	30km
Transition Networks	SFP	TN-SFP-LX5-HO	1000Base Fiber/ENET EX	1.25Gbps	1550nm	50km
Transition Networks	SFP	TN-SFP-LX8-HO	1000Base Fiber/ENET ZX	1.06Gbps-1.25Gbps	1550nm	80km
Transition Networks	SFP	TN-SFP-LX8-HO	1000Base Fiber/ENET ZX	1.06Gbps-1.25Gbps	1550nm	80km
Transition Networks	SFP	TN-SFP-LX8-CXX-HO	Multirate CWDM ZX	1.0625Gbps-1.25Gbps	Multi fixed 1270nm-1610nm	70km
Transition Networks	SFP	TN-SFP-OC12S-HO	622Mbps OC-3c/STM-1 IR	622Mbps	1310nm	20km
Transition Networks	SFP	TN-SFP-OC12S-CXX-HO	622Mbps OC-12/STM-4 CWDM	622Mbps	Multi fixed 1270nm-1610nm	70km
Transition Networks	SFP	TN-SFP-OC3M-HO	155Mbps OC-3c/STM-1 SR	155Mbps	1310nm	2km
Transition Networks	SFP	TN-SFP-OC3S-HO	155Mbps OC-3c/STM-1 IR	155Mbps	1310nm	20km
Transition Networks	SFP	TN-SFP-OC3S8-CXX-HO	155Mbps OC-3c/STM-1 CWDM	100Mbps	Multi fixed 1270nm-1610nm	70km
Transition Networks	SFP	TN-SFP-OC48S-CXX-HO	2.5GBase OC-48/STM-16/2.5G SONET CWDM LR2	1.25Gbps-2.5Gbps	Multi fixed 1270nm-1610nm	70km
Transition Networks	SFP	TN-SFP-SX-HO	1000Base SX	1.25Gbps	850nm	550m
Transition Networks	SFP	TN-SFP-SXD-HO	1000Base SX	1.25Gbps	850nm	550m
Transition Networks	SFP	TN-SFP-SXD-HO	1000Base SX	1.25Gbps	850nm	550m

Transition Networks Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Transition Networks	SFP+	TN-SFP-10G-ZR-HO	10GBase ZR	8Gbps-11.3Gbps	1550nm	80km

Transition Networks Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Transition Networks	XFP	TN-XFP-ER-HO	10GBase ER	9.953Gbps-11.318Gbps	1310nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Trendnet Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
TRENDnet	SFP	TEG-MGBS10-HO	1000Base LX	1.25Gbps	1310nm	10km
TRENDnet	SFP	TEG-MGBS10D35-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
TRENDnet	SFP	TEG-MGBS40-HO	1000Base EX	1.25Gbps	1310nm	40km
TRENDnet	SFP	TEG-MGBS80-HO	1000Base ZX	1.25Gbps	1550nm	80km
TRENDnet	SFP	TEG-MGBSX-HO	1000Base SX	1.25Gbps	850nm	550m

Zhone Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Zhone	SFP	SFP-GE-BEX-1310-SLC-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1550nm	40km
Zhone	SFP	SFP-GE-BEX-1550-SLC-HO	1000Base BX-D	1.25Gbps	TX: 1550nm RX: 1310nm	40km
Zhone	SFP	SFP-GE-BX-1310-SLC-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
Zhone	SFP	SFP-GE-BX-1490-SLC-HO	1000Base BX-D	1.25Gbps	TX: 1490nm RX: 1310nm	10km
Zhone	SFP	SFP-GE-EX-1310-DLC-HO	1000Base EX	1.25Gbps	1310nm	40km
Zhone	SFP	SFP-GE-LX-1310-DLC-HO	1000Base LX	1.25Gbps	1310nm	10km
Zhone	SFP	SFP-GE-SX-850-DLC-HO	1000Base SX	1.25Gbps	850nm	550m
Zhone	SFP	SFP-GE-ZX-1550-DLC-HO	1000Base ZX	1.25Gbps	1550nm	80km
Zhone	SFP	SFP-MMF-HO	1000Base SX	1.25Gbps	850nm	550m
Zhone	SFP	SFP-SMF10H-HO	1000Base LX	1.25Gbps	1310nm	10km
Zhone	SFP	SFP-SMF40H-HO	1000Base EX	1.25Gbps	1310nm	40km
Zhone	SFP	SFP-SMF80H-HO	1000Base ZX	1.25Gbps	1550nm	80km

Zhone Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
Zhone	XFP	MXK-10GE-XFP-40KM-1550-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km
Zhone	XFP	MXK-10GE-XFP-80KM-1550-HO	10GBase ENET & OC-192/STM-64/10G SONET ZR	9.953Gbps-11.318Gbps	1550nm	80km
Zhone	XFP	MXK-10GE-XFP-LR-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
Zhone	XFP	MXK-10GE-XFP-SR-HO	10GBase ENET/Fiber chn SR	9.953Gbps-11.318Gbps	850nm	300m

ZTE Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ZTE	SFP	SFP-FX-OC3-S15K-HO	155MBase OC-3c/STM-1 IR	155Mbps	1310nm	15km
ZTE	SFP	SFP-FX-OC3-S80K-HO	155MBase OC-3c/STM-1 LR2	155Mbps	1550nm	80km
ZTE	SFP	SFP-GE-M500-HO	1000Base SX	1.25Gbps	850nm	550m
ZTE	SFP	SFP-GE-RJ45-HO	1000Base T	1.25Gbps	Copper	100m
ZTE	SFP	SFP-GE-S10K-HO	1000Base LX	1.25Gbps	1310nm	10km
ZTE	SFP	SFP-GE-S10K-HO	1000Base LX	1.25Gbps	1310nm	10km
ZTE	SFP	SFP-GE-S40K-HO	1000Base EX	1.25Gbps	1310nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



ZTE Compatible SFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ZTE	SFP	SFP-GE-S40K-1550-HO	1000Base EX	1.25Gbps	1550nm	40km
ZTE	SFP	SFP-GE-S80K-HO	1000Base ZX	1.25Gbps	1550nm	80km
ZTE	SFP	SFP-GE-S80K-HO	1000Base ZX	1.25Gbps	1550nm	80km
ZTE	SFP	SFP-SDA-GE-S10K-HO	1000Base BX-U	1.25Gbps	TX: 1310nm RX: 1490nm	10km
ZTE	SFP	SFP-SDB-GE-S10K-HO	1000Base BX-U	1.25Gbps	TX: 1490nm RX: 1310nm	10km

ZTE Compatible SFP+

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ZTE	SFP+	SFP+-10G-S10K-HO	10GBase LR	8Gbps-11.3Gbps	1310nm	10km

ZTE Compatible XENPAK

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ZTE	XENPAK	XEN-10GE-M-HO	10GBase SR	10.312Gbps	850nm	300m
ZTE	XENPAK	XEN-10GE-S10K-HO	10GBase LR	10.312Gbps	1310nm	10km
ZTE	XENPAK	XEN-10GE-S40K-HO	10GBase ER	10.312Gbps	1550nm	40km

ZTE Compatible XFP

Compatible Vendor	FF	Part Number	Interface	Speed	Wavelength	Reach
ZTE	XFP	XFP-10GE-S10K-HO	10GBase ENET & OC-192/STM-64/10G SONET LR	9.953Gbps-11.318Gbps	1310nm	10km
ZTE	XFP	XFP-10GE-S40K-HO	10GBase ENET & OC-192/STM-64/10G SONET ER	9.953Gbps-11.318Gbps	1550nm	40km

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Adtran Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Adtran	SFP+ TWINAX	Passive	1179680G1-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Adtran	SFP+ TWINAX	Passive	1710484F1-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Adtran	SFP+ TWINAX	Passive	1710484F1-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Adtran	SFP+ TWINAX	Passive	1179830G1-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Adtran	SFP+ TWINAX	Passive	1710484F3-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Adtran	SFP+ TWINAX	Passive	1710484F5-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Alcatel Lucent Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Alcatel-Lucent	SFP+ TWINAX	Active	SFP-10G-C10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Alcatel-Lucent	QSFP+ TWINAX	Passive	QSFP-40G-C0.5-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Alcatel-Lucent	QSFP+ TWINAX	Passive	QSFP-40G-C1-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Alcatel-Lucent	SFP+ TWINAX	Passive	SFP-10G-C2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Alcatel-Lucent	QSFP+ TWINAX	Passive	QSFP-40G-C3-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Alcatel-Lucent	SFP+ TWINAX	Passive	SFP-10G-C3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Alcatel-Lucent	QSFP+ TWINAX	Passive	QSFP-40G-C5-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Alcatel-Lucent	SFP+ TWINAX	Passive	SFP-10G-C5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Alcatel-Lucent	QSFP+ TWINAX	Passive	QSFP-40G-C7-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Alcatel-Lucent	SFP+ TWINAX	Passive	SFP-10G-C7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Allied Telesis Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Allied Telesis	SFP+ TWINAX	Active	AT-SP10TW10-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW1-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW2-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW2-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW3-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW5-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Allied Telesis	SFP+ TWINAX	Passive	AT-SP10TW7-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Arista Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-100M-HO	100 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-50M-HO	50 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-75M-HO	75 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-1M-HO	Active 1 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-1M-HO	Active 1 meter SFP+ to SFP+ Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Arista Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-10M-HO	Active 10 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-10M-HO	Active 10 meter SFP+ to SFP+ Up to 10.5Gbps
Arista	SFP+ TWINAX	Active	CAB-SFP-SFP-10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	SFP+ TWINAX	Active	CAB-SFP-SFP-10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-12M-HO	Active 12 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-13M-HO	Active 13 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-14M-HO	Active 14 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-15M-HO	Active 15 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-15M-HO	Active 15 meter SFP+ to SFP+ Up to 10.5Gbps
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-16M-HO	Active 16 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-16M-HO	Active 16 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-17M-HO	Active 17 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-18M-HO	Active 18 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-19M-HO	Active 19 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-19M-HO	Active 19 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-2M-HO	Active 2 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-2M-HO	Active 2 meter SFP+ to SFP+ Up to 10.5Gbps
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-21M-HO	Active 21 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-25M-HO	Active 25 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-3M-HO	Active 3 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-3M-HO	Active 3 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-3M-HO	Active 3 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-30M-HO	Active 30 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-5M-HO	Active 5 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-5M-HO	Active 5 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-5M-HO	Active 5 meter SFP+ to SFP+ Up to 10.5Gbps
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-7M-HO	Active 7 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	Active Optical Cable	QSFP+	AOC-Q-Q-40G-7M-HO	Active 7 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Arista	Active Optical Cable	SFP+	AOC-S-S-10G-7M-HO	Active 7 meter SFP+ to SFP+ Up to 10.5Gbps
Arista	Active Optical Cable	QSFP+ Breakout	AOC-40G-Q-S-9M-HO	Active 9 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Arista	QSFP+ TWINAX	Breakout	CAB-Q-S-0.5M-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Arista	QSFP+ TWINAX	Passive	CAB-Q-Q-0.5M-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Arista	SFP+ TWINAX	Passive	CAB-SFP-SFP-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	QSFP+ TWINAX	Breakout	CAB-Q-S-1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Arista	QSFP+ TWINAX	Breakout	CAB-Q-S-1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-1M-HO	Passive 1 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	QSFP+ TWINAX	Passive	CAB-Q-Q-1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Arista Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Arista	SFP+ TWINAX	Passive	CAB-SFP-SFP-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	QSFP+ TWINAX	Breakout	CAB-Q-S-2M-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-2M-HO	Passive 2 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-2M-HO	Passive 2 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	QSFP+ TWINAX	Passive	CAB-Q-Q-2M-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-3M-HO	Passive 3 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-3M-HO	Passive 3 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	SFP+ TWINAX	Passive	CAB-SFP-SFP-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	QSFP+ TWINAX	Breakout	CAB-Q-S-5M-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Arista	QSFP100 TWINAX	Passive	CAB-Q-Q-100G-5M-HO	Passive 5 meter QSFP+ to QSFP+ QSFP100 Twinax 103.125Gbps-CR4
Arista	QSFP+ TWINAX	Passive	CAB-Q-Q-5M-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Arista	SFP+ TWINAX	Passive	CAB-SFP-SFP-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Arista	QSFP+ TWINAX	Passive	CAB-Q-Q-7M-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Arista	SFP+ TWINAX	Passive	CAB-SFP-SFP-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Aruba Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-50CM-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-1M-ARUBA-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-3M-ARUBA-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-5M-ARUBA-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Aruba	SFP+ TWINAX	Passive	DAC-SFP-10GE-7M-ARUBA-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Avaya Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Avaya	Active Optical Cable	QSFP+	AA1404041-E6-15M-HO	Active 15 meter QSFP+ to 4 x SFP+ 40Gbps Gigabit Ethernet
Avaya	SFP+ TWINAX	Passive	AA1403019-E6-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403019-E6-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403019-E6-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA140301M-E6-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA140301M-E6-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403018-E6-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Avaya Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Avaya	SFP+ TWINAX	Passive	AA1403019-E6-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403019-E6-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403020-E6-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Avaya	SFP+ TWINAX	Passive	AA1403020-E6-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Blade Networks Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Blade Networks	QSFP+ TWINAX	Breakout	BN-QS-SP-CBL-1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Blade Networks	QSFP+ TWINAX	Passive	BN-QS-QS-CBL-1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Blade Networks	QSFP+ TWINAX	Passive	BN-QS-QS-CBL-1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Blade Networks	QSFP+ TWINAX	Breakout	BN-QS-SP-CBL-3M-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Blade Networks	QSFP+ TWINAX	Breakout	BN-QS-SP-CBL-3M-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Blade Networks	QSFP+ TWINAX	Passive	BN-QS-QS-CBL-3M-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Blade Networks	QSFP+ TWINAX	Passive	BN-QS-QS-CBL-3M-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Blade Networks	SFP+ TWINAX	Passive	BN-SP-CBL-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Blade Networks	QSFP+ TWINAX	Breakout	BN-QS-SP-CBL-5M-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Blade Networks	SFP+ TWINAX	Passive	BN-SP-CBL-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Blade Networks	SFP+ TWINAX	Passive	BN-SP-CBL-8M5-HO	Passive 8.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Brocade-Foundry Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0108-HO	8 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0308-HO	8 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0508-HO	8 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-0101-ACTIVE-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-0101-ACTIVE-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-1001-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-0301-ACTIVE-HO	Active 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	XBR-TWX-0301-HO	Active 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	XBR-TWX-0301-HO	Active 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-0501-ACTIVE-HO	Active 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Active	10G-SFPP-TWX-0501-ACTIVE-HO	Active 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-C-00501-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0050-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-C-00508-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 8-PACK 40Gbps Gigabit Ethernet
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0101-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0101-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Brocade-Foundry Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0101-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	QSFP+ TWINAX	Breakout	40G-QSFP-4SFP-C-0201-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0201-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0201-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0201-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	QSFP+ TWINAX	Breakout	40G-QSFP-4SFP-C-0301-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0301-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0301-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	QSFP+ TWINAX	Breakout	40G-QSFP-4SFP-C-0501-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0501-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0501-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Brocade-Foundry	QSFP+ TWINAX	Passive	40G-QSFP-QSFP-C-0701-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Brocade-Foundry	SFP+ TWINAX	Passive	10G-SFPP-TWX-0701-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Calix Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Calix	SFP+ TWINAX	Passive	100-01424-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Calix	SFP+ TWINAX	Passive	100-01424-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Calix	SFP+ TWINAX	Passive	100-01793-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Calix	SFP+ TWINAX	Passive	100-01423-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Chelsio Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Chelsio	SFP+ TWINAX	Passive	CHELSIO TAPCABLE3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps Chelsio compatible.
Chelsio	SFP+ TWINAX	Passive	CHELSIO TAPCABLE5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps Chelsio compatible.

Cisco Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC1M-HO	Active 1 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC1M-HO	Active 1 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC1M-HO	Active 1 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC1M-HO	Active 1 meter SFP+ to SFP+ Up to 10.5Gbps
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC10M-HO	Active 10 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC10M-HO	Active 10 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	QSFP+ TWINAX	Active	QSFP-H40G-ACU10M-HO	Active 10 meter QSFP+ to QSFP+ Twinax 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC10M-HO	Active 10 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC10M-HO	Active 10 meter SFP+ to SFP+ Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Cisco	SFP+ TWINAX	Active	SFP-H10GB-ACU10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Active	SFP-H10GB-ACU12M-HO	Active 12 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC15M-HO	Active 15 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	SFP+ TWINAX	Active	SFP-H10GB-ACU15M-HO	Active 15 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC2M-HO	Active 2 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC2M-HO	Active 2 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC2M-HO	Active 2 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC2M-HO	Active 2 meter SFP+ to SFP+ Up to 10.5Gbps
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC20M-HO	Active 20 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC3M-HO	Active 3 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC3M-HO	Active 3 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC3M-HO	Active 3 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC3M-HO	Active 3 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC3M-HO	Active 3 meter SFP+ to SFP+ Up to 10.5Gbps
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC30M-HO	Active 30 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC5M-HO	Active 5 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC5M-HO	Active 5 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC5M-HO	Active 5 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC5M-HO	Active 5 meter SFP+ to SFP+ Up to 10.5Gbps
Cisco	Active Optical Cable	QSFP+ Breakout	QSFP-4X10G-AOC7M-HO	Active 7 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Cisco	Active Optical Cable	QSFP+	QSFP-H40G-AOC7M-HO	Active 7 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Cisco	QSFP100 Active Optical Cable	QSFP100	QSFP-100G-AOC7M-HO	Active 7 meter QSFP100 to QSFP100 QSFP100 103.125Gbps-CR4
Cisco	Active Optical Cable	SFP+	SFP-10G-AOC7M-HO	Active 7 meter SFP+ to SFP+ Up to 10.5Gbps
Cisco	SFP+ TWINAX	Active	SFP-H10GB-ACU7M-HO	Active 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU0.5M-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	QSFP+ TWINAX	Passive	QSFP-H40G-CU0.5M-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40GbE-CR4
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	QSFP+ TWINAX	Passive	QSFP-H40G-CU1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40GbE-CR4
Cisco	QSFP28 TWINAX	Passive Breakout	QSFP-4SFP25G-CU1M-HO	Passive 1 meter QSFP28 to 4 x SFP28 QSFP28 Twinax 103.125Gbps-QSFP28
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU1-5M-HO	Passive 1.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU1-5M-HO	Passive 1.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU10M-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU10M-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU2M-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	QSFP+ TWINAX	Passive	QSFP-H40G-CU2M-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40GbE-CR4

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Cisco Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU2-5M-HO	Passive 2.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU2-5M-HO	Passive 2.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU3M-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP+ TWINAX	Breakout	QSFP-4SFP10G-CU5M-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Cisco	QSFP+ TWINAX	Passive	QSFP-H40G-CU5M-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Cisco	QSFP+ TWINAX	Passive	QSFP-H40G-CU7M-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Cisco	SFP+ TWINAX	Passive	SFP-H10GB-CU7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Dell Compatible

Compatible Vendor	Form	Type	Part Number	Specification
DELL	SFP+ TWINAX	Passive	330-5959-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	QSFP+ TWINAX	Passive	331-5217-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
DELL	SFP+ TWINAX	Passive	330-3965-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	470-11429-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	QSFP+ TWINAX	Passive	332-1655-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
DELL	QSFP+ TWINAX	Passive	332-1655-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
DELL	SFP+ TWINAX	Passive	330-3966-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	330-5967-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	470-11430-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	QSFP+ TWINAX	Passive	332-1351-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
DELL	SFP+ TWINAX	Passive	330-3968-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	470-11431-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	0MV799-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	330-3967-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	330-5969-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
DELL	SFP+ TWINAX	Passive	470-11556-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

D-Link Compatible

Compatible Vendor	Form	Type	Part Number	Specification
D-Link	SFP+ TWINAX	Active	DEM-CB1000S-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
D-Link	SFP+ TWINAX	Passive	DEM-CB0.5MS-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
D-Link	SFP+ TWINAX	Passive	DEM-CB100S-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
D-Link	SFP+ TWINAX	Passive	DEM-CB200S-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
D-Link	SFP+ TWINAX	Passive	DEM-CB300S-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



D-Link Compatible

Compatible Vendor	Form	Type	Part Number	Specification
D-Link	SFP+ TWINAX	Passive	DEM-CB500S-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
D-Link	SFP+ TWINAX	Passive	DEM-CB700S-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

EMC Compatible

Compatible Vendor	Form	Type	Part Number	Specification
EMC	SFP+ TWINAX	Active	NEX-5020-TX10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
EMC	SFP+ TWINAX	Passive	NEX-5020-TX7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Enterasys Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Enterasys	SFP+ TWINAX	Active	10GB-C010-SFPP-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	SFP+ TWINAX	Active	10GB-C10-SFPP-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	SFP+ TWINAX	Active	10GB-C10-SFPP-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Breakout	10GB-4-C0.5M-QSFP-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	QSFP+ TWINAX	Breakout	40GB-C0.5M-QSFP-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	QSFP+ TWINAX	Passive	40GB-C0.5-QSFP-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40GbE-CR4
Enterasys	SFP+ TWINAX	Passive	10GB-C0.5M-SFPP-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	SFP+ TWINAX	Passive	10GB-C0.5M-SFPP-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Breakout	10GB-4-C01-QSFP-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	SFP+ TWINAX	Passive	10GB-C01-SFPP-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	SFP+ TWINAX	Passive	10GB-C01-SFPP-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Breakout	10GB-4-C02-QSFP-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	QSFP+ TWINAX	Passive	40GB-C02-QSFP-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40GbE Gigabit Ethernet
Enterasys	QSFP+ TWINAX	Passive	40GB-C02-QSFP-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40GbE Gigabit Ethernet
Enterasys	SFP+ TWINAX	Passive	10GB-C02-SFPP-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Breakout	10GB-4-C03-QSFP-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	SFP+ TWINAX	Passive	10GB-C03-SFPP-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Breakout	10GB-4-C05-QSFP-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Enterasys	QSFP+ TWINAX	Passive	40GB-C05-QSFP-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40GbE Gigabit Ethernet
Enterasys	SFP+ TWINAX	Passive	10GB-C05-SFPP-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Enterasys	QSFP+ TWINAX	Passive	40GB-C07-QSFP-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40GbE Gigabit Ethernet
Enterasys	SFP+ TWINAX	Passive	10GB-C07-SFPP-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Extreme Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Extreme	QSFP+ TWINAX	Passive	10311-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Extreme	SFP+ TWINAX	Passive	10304-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Extreme	QSFP+ TWINAX	Breakout	10202-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Extreme	QSFP+ TWINAX	Passive	10312-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Extreme	QSFP+ TWINAX	Passive	10312-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Extreme	QSFP+ TWINAX	Breakout	10203-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Extreme	QSFP+ TWINAX	Breakout	10203-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Extreme	SFP+ TWINAX	Passive	10305-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Extreme	QSFP+ TWINAX	Breakout	10321-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Extreme	QSFP+ TWINAX	Passive	10313-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Extreme	SFP+ TWINAX	Passive	10305-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Extreme	QSFP+ TWINAX	Breakout	10322-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Extreme	QSFP+ TWINAX	Passive	10323-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Extreme	SFP+ TWINAX	Passive	10306-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Extreme	SFP+ TWINAX	Passive	10307-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Fortinet Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Fortinet	Active Optical Cable	QSFP+ Breakout	FG-TRAN-QSFP-4xSFP-HO	Active 1 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Fortinet	Active Optical Cable	QSFP+ Breakout	FG-TRAN-QSFP-4xSFP-5-HO	Active 5 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate

Gigamon Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Gigamon	SFP+ TWINAX	Active	CBL-210-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-201-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-202-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-203-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-205-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gigamon	SFP+ TWINAX	Passive	CBL-207-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Gore Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Gore	SFP+ TWINAX	Active	SFN8000-10-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Active	SFN8000-10-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Passive	SFN8200-1-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Passive	SFN8200-2-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Gore Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Gore	SFP+ TWINAX	Passive	SFN8400-3-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Passive	SFN8600-5-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Passive	SFN8000-7-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Gore	SFP+ TWINAX	Passive	SFN8000-8-HO	Passive 8 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

HP Compatible

Compatible Vendor	Form	Type	Part Number	Specification
HP	SFP+ TWINAX	Active	JC784C-10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Active	JC784C-10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Active	J9287B-HO	Active 15 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Active	J9287B-HO	Active 15 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD095B-HO	Passive 0.65 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD095B-HO	Passive 0.65 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	QSFP+ TWINAX	Passive	JG326-61001-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40GbE-CR4
HP	SFP+ INFINIBAND	Passive	389665-B21-HO	Passive 1 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	J9281B-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD096B-HO	Passive 1.2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD097C-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD097C-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ INFINIBAND	Passive	389668-B21-HO	Passive 3 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
HP	SFP+ INFINIBAND	Passive	389668-B21-HO	Passive 3 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	AP784A-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	J9283B-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JD097B-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ INFINIBAND	Passive	389671-B21-HO	Passive 4 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	AP785A-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JG081C-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	J9285B-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
HP	SFP+ TWINAX	Passive	JC784C-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

IBM Compatible

Compatible Vendor	Form	Type	Part Number	Specification
IBM	SFP+ TWINAX	Passive	45W2401-HO	8 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	45W2409-HO	8 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	45W3042-HO	8 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Active	46K6182-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Active	95Y0323-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



IBM Compatible

Compatible Vendor	Form	Type	Part Number	Specification
IBM	SFP+ TWINAX	Active	95Y0326-HO	Active 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Active	46K6184-HO	Active 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Active	95Y0329-HO	Active 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	QSFP+ TWINAX	Breakout	49Y7886-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
IBM	SFP+ TWINAX	Passive	3722-S51-5510-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	3722-S51-5510-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	90Y9427-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	QSFP+ TWINAX	Breakout	49Y7887-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
IBM	SFP+ INFINIBAND	Passive	26R0813-HO	Passive 3 meter SFP+ to SFP+ INFINIBAND Up to 10.5Gbps
IBM	SFP+ INFINIBAND	Passive	26R0816-HO	Passive 3 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
IBM	SFP+ INFINIBAND	Passive	39R6471-HO	Passive 3 meter SFP+ to SFP+ SFP+ INFINIBAND Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	3722-S51-5520-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	45W2408-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	90Y9430-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	QSFP+ TWINAX	Breakout	49Y7888-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
IBM	QSFP+ TWINAX	Passive	00D5810-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
IBM	SFP+ TWINAX	Passive	3722-S51-5530-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	45W3039-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	SFP+ TWINAX	Passive	90Y9433-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
IBM	QSFP+ TWINAX	Passive	00D5813-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
IBM	SFP+ TWINAX	Passive	90Y9436-HO	Passive 8.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Intel Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Intel	QSFP+ TWINAX	Breakout	X4DACBL0.5M-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Intel	QSFP+ TWINAX	Passive	XLDACBL0.5-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Intel	SFP+ TWINAX	Passive	XDACBL0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Intel	QSFP+ TWINAX	Breakout	X4DACBL1-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Intel	QSFP+ TWINAX	Passive	XLDACBL1-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Intel	SFP+ TWINAX	Passive	XDACBL1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Intel	SFP+ TWINAX	Passive	XDACBL10M-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Intel	QSFP+ TWINAX	Breakout	X4DACBL2-HO	Passive 2 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Intel	QSFP+ TWINAX	Passive	XLDACBL2-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
Intel	SFP+ TWINAX	Passive	XDACBL2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Intel	QSFP+ TWINAX	Breakout	X4DACBL3-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Intel	QSFP+ TWINAX	Passive	XLDACBL3-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Intel	SFP+ TWINAX	Passive	XDACBL3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Intel Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Intel	QSFP+ TWINAX	Breakout	X4DACBL5-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Intel	QSFP+ TWINAX	Passive	XLDACBL5-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Intel	SFP+ TWINAX	Passive	XDACL5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Intel	QSFP+ TWINAX	Passive	XLDACBL7-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Intel	SFP+ TWINAX	Passive	XDACL7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Juniper Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-1M-HO	Active 1 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-1M-HO	Active 1 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-1M-HO	Active 1 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-1MA-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-1MA-HO	Active 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-10M-HO	Active 10 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-10M-HO	Active 10 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-10M-HO	Active 10 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	QSFP+ TWINAX	Active	JNP-QSFP-DAC-10MA-HO	Active 10 meter QSFP+ to QSFP+ Twinax 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-10M-HO	Active 10 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-10MA-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-15M-HO	Active 15 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-2M-HO	Active 2 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-2M-HO	Active 2 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-2M-HO	Active 2 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-20M-HO	Active 20 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-25M-HO	Active 25 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-3M-HO	Active 3 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-3M-HO	Active 3 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-3M-HO	Active 3 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-3MA-HO	Active 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-30M-HO	Active 30 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-30M-HO	Active 30 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-5M-HO	Active 5 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-5M-HO	Active 5 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-5M-HO	Active 5 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-5MA-HO	Active 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-7M-HO	Active 7 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	QSFP+ Breakout	QSFP-410G-AOC-7M-HO	Active 7 meter QSFP+ to 4 x SFP+ 10.0Gbps signaling rate per channel 40.0Gbps aggregate

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Juniper	Active Optical Cable	QSFP+	QSFP-AOC-7M-HO	Active 7 meter QSFP+ to QSFP+ 40Gbps Gigabit Ethernet
Juniper	QSFP+ TWINAX	Active	JNP-QSFP-DAC-7MA-HO	Active 7 meter QSFP+ to QSFP+ Twinax 10.0Gbps signaling rate per channel 40.0Gbps aggregate
Juniper	Active Optical Cable	SFP+	SFP10G-AOC-7M-HO	Active 7 meter SFP+ to SFP+ Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-7MA-HO	Active 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Active	QFX-SFP-DAC-7MA-HO	Active 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	QSFP+ TWINAX	Breakout	QFX-QSFP-DACBO-0.5M-HO	Passive 0.5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Juniper	QSFP+ TWINAX	Passive	EX-QSFP-40GE-DAC-50CM-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-0.5M-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	QSFP+ TWINAX	Breakout	QFX-QSFP-DACBO-1M-HO	Passive 1 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-1M-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	SFP+ TWINAX	Passive	EX-SFP-10GE-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-10GE-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SRX-SFP-10GE-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SRX-SFP-10GE-DAC-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-DAC-10M-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-QSFP-DAC-10M-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-2M-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-2M-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Breakout	QFX-QSFP-DACBO-3M-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Juniper	QSFP+ TWINAX	Breakout	QFX-QSFP-DACBO-3M-HO	Passive 3 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-3M-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Passive	QFX-QSFP-DAC-3M-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	SFP+ TWINAX	Passive	EX-SFP-10GE-DAC-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-10GE-DAC-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-10GE-DAC-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	QSFP+ TWINAX	Breakout	QFX-QSFP-DACBO-5M-HO	Passive 5 meter QSFP+ to 4 x SFP+ Twinax Up to 10.3125Gbps transfer rate per SFP+ channel 40Gbps aggregate
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-5M-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	QSFP+ TWINAX	Passive	QFX-QSFP-DAC-5M-HO	Passive 5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	SFP+ TWINAX	Passive	EX-SFP-10GE-DAC-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-10GE-DAC-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-DAC-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Juniper Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SRX-SFP-10GE-DAC-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	QSFP+ TWINAX	Passive	JNP-QSFP-DAC-7M-HO	Passive 7 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
Juniper	SFP+ TWINAX	Passive	EX-SFP-10GE-DAC-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	QFX-SFP-DAC-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Juniper	SFP+ TWINAX	Passive	SFP-10GE-DAC-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Meraki Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Meraki	SFP+ TWINAX	Active	MA-CBL-TA-10M-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-0.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-2M-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Meraki	SFP+ TWINAX	Passive	MA-CBL-TA-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Molex Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Molex	SFP+ TWINAX	Passive	74752-1051-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-1101-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-1101-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-1201-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-2201-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-1301-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-2301-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-2501-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-1701-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Molex	SFP+ TWINAX	Passive	74752-2701-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

NetApp Compatible

Compatible Vendor	Form	Type	Part Number	Specification
NetApp	SFP+ TWINAX	Active	X6557-10-R6-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Active	X-SFP-H10GB-CU10M-R6-C-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	QSFP+ TWINAX	Passive	X6557-0.5M-R6-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



NetApp Compatible

Compatible Vendor	Form	Type	Part Number	Specification
NetApp	QSFP+ TWINAX	Passive	X6557-R6-HO	Passive 0.5 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
NetApp	SFP+ TWINAX	Passive	X-SFP-H10GB-CU05M-R6-C-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	QSFP+ TWINAX	Passive	X6594-R6-HO	Passive 1 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
NetApp	QSFP+ TWINAX	Passive	X6558-R6-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
NetApp	QSFP+ TWINAX	Passive	X6558-R6-HO	Passive 2 meter QSFP+ to QSFP+ Twinax 40Gbase-CR4
NetApp	QSFP+ TWINAX	Passive	X6595-R6-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
NetApp	QSFP+ TWINAX	Passive	X6595-R6-HO	Passive 3 meter QSFP+ to QSFP+ Twinax 40Gbps Gigabit Ethernet
NetApp	SFP+ TWINAX	Passive	X6557-1-R6-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X6557-3-R6-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X-SFP-H10GB-CU3M-R6-C-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X6557-5-R6-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X-SFP-H10GB-CU5M-R6-C-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X6557-7-R6-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
NetApp	SFP+ TWINAX	Passive	X-SFP-H10GB-CU07M-R6-C-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Netgear Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Netgear	SFP+ TWINAX	Active	AXC7610-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC760.5M-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC761-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC762-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC763-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC765-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Netgear	SFP+ TWINAX	Passive	AXC767-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Palo Alto Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Palo Alto	SFP+ TWINAX	Passive	PAN-SFP-PLUS-CU-1M-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Palo Alto	SFP+ TWINAX	Passive	PAN-SFP-PLUS-CU-3M-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Palo Alto	SFP+ TWINAX	Passive	PAN-SFP-PLUS-CU-5M-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Palo Alto	SFP+ TWINAX	Passive	PAN-SFP-PLUS-CU-7M-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Qlogic Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Qlogic	STACKING	X2	X2-COPP-18-HO	Passive 0.5 meter X2 to X2 Stacking Up to 10.5Gbps
Qlogic	STACKING	XENPAK	X2-XPAK-COPP-18-HO	Passive 0.5 meter XENPAK to XENPAK Stacking Up to 10.5Gbps
Qlogic	STACKING	X2	X2-COPP-78-HO	Passive 2 meter X2 to X2 Stacking Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com



Qlogic Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Qlogic	STACKING	XENPAK	X2-XPAK-COPP-78-HO	Passive 2 meter XENPAK to XENPAK Stacking Up to 10.5Gbps

Tyco Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Tyco	SFP+ TWINAX	Passive	2032237-1-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-1-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-1-HO	Passive 0.5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032237-2-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-2-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-2-HO	Passive 1 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032237-11-HO	Passive 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-3-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-3-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-3-HO	Passive 2 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032237-4-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-4-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-4-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-6-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-6-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2053649-6-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-8-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Tyco	SFP+ TWINAX	Passive	2032247-8-HO	Passive 7 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

Woven Compatible

Compatible Vendor	Form	Type	Part Number	Specification
Woven	SFP+ TWINAX	Active	WV-CABLE-DA-SFP-10-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Woven	SFP+ TWINAX	Active	WV-CABLE-DA-SFP-10-HO	Active 10 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Woven	SFP+ TWINAX	Passive	WV-CABLE-DA-SFP-3-HO	Passive 3 meter SFP+ to SFP+ Twinax Up to 10.5Gbps
Woven	SFP+ TWINAX	Passive	WV-CABLE-DA-SFP-5-HO	Passive 5 meter SFP+ to SFP+ Twinax Up to 10.5Gbps

TRANSFORMING NETWORK CONNECTIVITY

All transceivers are standards-based and comply with industry MSA standards

sales@hoishi.com