

Tuesday, December 09, 2025

Bus No. Bus 1

Bus Capacity

0 (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 1

This shows the current date.
Text code: Text(Now(), "dddd, mmmm dd, yyyy")

This makes you choose bus no. from Bus table

If you change the bus no. it will reset the bus capacity and passenger count

OnChange code:

```
// Store the selected bus
Set(varCurrentBus,
Busnodropdown.Selected!Bus_No!);
```

```
// Reset capacity input when bus changes
Reset(Capacityinput);
```

```
// Reset session counter when bus changes
```

```
If(
!IsBlank(Busnodropdown.Selected),
Set(varSessionPassengerCount, 0);
Set(varTripStartTime, Now());
Notify("Bus changed. Starting new trip count.",
NotificationType.Information, 2000)
);
```

Recognizes the chosen bus no.

When bus no. changes, the bus capacity resets

When bus no. changes, the passenger count resets to 0

A notification will appear to remind you the bus no. changed

The current date must not restart

Tuesday, December 09, 2025

Bus No. Bus 1

Bus Capacity

0 (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 2

Since you changed the bus no. and it resets the bus capacity, it should reset the validation labels in order to close the scanner.

OnChange:

```
// RE-EVALUATE scanEnabled (now will be false
because capacity is reset)
Set(varScanEnabled,
    !IsBlank(Busnodropdown.Selected) &&
    !IsBlank(Value(Capacityinput.Text)) &&
    Value(Capacityinput.Text) > 0
);
```

```
UpdateContext({locBusValidation:
    If(
        IsBlank(Busnodropdown.Selected) ||
        IsBlank(Value(Capacityinput.Text)),
        "fill details",
        varSessionPassengerCount =
        Value(Capacityinput.Text),
        "Bus is full",
        varSessionPassengerCount >
        Value(Capacityinput.Text),
        "Bus is overloaded",
        "Bus is not full"
    )
})
```

This closes the scanner since you changed the bus no. and reset the bus capacity

Since you changed bus no. it will reset the bus capacity, and since the bus capacity is back to 0, the bus validation label will set back to "fill details"

Tuesday, December 09, 2025

Bus No. Bus 1 ▼

Bus Capacity

0 ▲ ▼ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 3

This is where you type the expected bus capacity
OnChange:

```
If(
    IsError(Value(Capacityinput.Text)) ||
    Value(Capacityinput.Text) <= 0,
    // Invalid capacity
    Notify("Please enter a valid positive number for bus
    capacity.", NotificationType.Warning, 3000);
    Set(varScanEnabled, false);
    UpdateContext({locBusValidation: "fill details"}),

    // Valid capacity entered - RE-EVALUATE EVERYTHING
    Set(varScanEnabled,
        !IsBlank(Busnodropdown.Selected) &&
        !IsBlank(Value(Capacityinput.Text)) &&
        Value(Capacityinput.Text) > 0
    );
```

Does not allow any invalid number
to be typed on bus capacity

If the user types an invalid number
into the bus capacity, a notification
will appear

if the user types a valid number this
code reads it to reevaluate if it is
really valid.

Tuesday, December 09, 2025

Bus No. Bus 1

Bus Capacity

0 (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 4

(Continuation)

```
UpdateContext({locBusValidation:
  If(
    IsBlank(Busnodropdown.Selected) ||
    IsBlank(Value(Capacityinput.Text)),
    "fill details",
    varSessionPassengerCount =
    Value(Capacityinput.Text),
    "Bus is full",
    varSessionPassengerCount >
    Value(Capacityinput.Text),
    "Bus is overloaded",
    "Bus is not full"
  )
})
)
```

If bus capacity is empty, bus validation label says "fill details"

If passenger count is equals to bus capacity, bus validation label says "Bus is full"

If passenger count is over the bus capacity, bus validation label says "Bus is overloaded", else "Bus is not full"

Tuesday, December 09, 2025

Bus No. Bus 1

Bus Capacity

0 (Today: 0)

Tap to scan

This is the passenger count, it counts whenever a scan is VALID.

Text code:

```
If(
  !IsBlank(Busnodropdown.Selected),
  varSessionPassengerCount,
  0
)
```

This counts the previous valid scanned amount when the trip resets

Text code:

```
"(Today: " &
CountRows(Distinct(Filter(Attendances,
'Bus_No.' =
Busnodropdown.Selected.'Bus_No.' &&
DateValue(Date) = Today() && Valid = true),
NFC_ID)) & ")"
```

EXPLAINING SCANNER PART 5

This is the bus validation label

Fill code:

If(

```
locBusValidation = "fill details",
Color.Gray,
```

```
locBusValidation = "Bus is full",
Color.Green,
```

```
locBusValidation = "Bus is overloaded",
Color.Red,
```

```
Color.LightBlue
```

)

If label says "fill details",
label color is gray

If label says "bus is full",
label color is green

If label says "bus is
overloaded", label color
is red

If label says "bus is not
full", label color is light
blue



New Trip



Tuesday, December 09, 2025

Bus No. Bus 1

Bus Capacity

0 (Today: 0)

fill details

Tap to scan

Fill code:

```
If(
  varNFCReading,
  Color.Orange,
  If(
    varIsScanned,
    If(
      varIsValidStudent,
      Color.Green,
      Color.Red
    ),
    Color.SteelBlue
  )
)
```

EXPLAINING SCANNER PART 6

This is the scanning label

Text code:

```
If(
  varNFCReading,
  "Hold NFC tag near device...",
  If(
    varIsScanned,
    If(
      IsBlank(varScannedStudent),
      "Invalid scan - Student not found",
      If(
        varIsValidStudent,
        "Valid scan - Welcome " &
        varScannedStudent.Student_Name,
        "Invalid scan - Wrong bus or schedule"
      )
    ),
    "Tap to scan"
  )
)
```

If scanner is in the middle of scanning, the label says "Hold NFC tag near device"

If the student ID does not exist in the database, the label says "invalid scan- Student not found"

If the student ID is valid, the label says "Valid scan- Welcome (student name)"

If the student ID exists in the database but on wrong bus or schedule, the label says "Invalid scan- Wrong bus or schedule"

Tuesday, December 09, 2025

Bus No. Bus 1 ▼

Bus Capacity

0 ▲ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 7

This button resets the bus no, bus capacity, and passenger count

OnSelect code:

```
// Reset SESSION counter
Set(varSessionPassengerCount, 0);
```

```
// Update trip start time
Set(varTripStartTime, Now());
```

```
// Reset Bus No. dropdown and Capacity
input
```

```
Reset(Busnodropdown);
Reset(Capacityinput);
```

```
// Clear previous scan status
Set(varIsScanned, false);
Set(varScannedStudent, Blank());
Set(varIsValidStudent, false);
```

```
// Clear stored bus selection
Set(varCurrentBus, "");
```

```
// Show confirmation
Notify("Trip completely reset. Select Bus
No. and enter capacity to start.",
NotificationType.Success, 3000);
```

```
// Update bus validation display
UpdateContext({locBusValidation: "fill
details"})
```

This resets the passenger count on current trip

When resetting, it will update what time the trip will start

This will reset the chosen bus no. and bus capacity

This will reset the validation labels

Attempt to set chosen bus as blank

Notify user that they reset the trip

Reevaluate that the bus validation is back to "fill details"

Tuesday, December 09, 2025

Bus No.

Bus 1



Bus Capacity

fill details

Before I explain the scanning logic, the whole screen has the variables from behind the scenes in order for the codes to be recognized in the main code.

Tap to scan



New Trip



EXPLAINING SCANNER PART 8

OnVisible:

```
Set(varNFCReading, false);
Set(varIsScanned, false);
Set(varScannedStudent, Blank());
Set(varIsValidStudent, false);
```

This is for the scanner, this sets the scanning validation in place for startup

```
Set(varScanEnabled,
  !IsBlank(Busnodropdown.Selected) &&
  !IsBlank(Value(Capacityinput.Text)) &&
  Value(Capacityinput.Text) > 0
);
```

This is for the scanner, it should not be able to open if bus capacity is empty

Visible code:

```
!IsBlank(Busnodropdown.Selected) &&
!IsBlank(Value(Capacityinput.Text)) &&
Value(Capacityinput.Text) > 0 &&
varSessionPassengerCount <=
Value(Capacityinput.Text)
```

```
UpdateContext({locBusValidation:
  If(
    IsBlank(Busnodropdown.Selected) ||
    IsBlank(Value(Capacityinput.Text)),
    "fill details",
    varSessionPassengerCount =
    Value(Capacityinput.Text),
    "Bus is full",
    varSessionPassengerCount >
    Value(Capacityinput.Text),
    "Bus is overloaded",
    "Bus is not full"
  )
});
```

This is for the bus validation label, this sets the bus validation label in place for startup

EXPLAINING SCANNER PART 9

Tuesday, December 09, 2025

Bus No.

Bus 1

▼

Bus Capacity

0

▲▼

(Today: 0)

fill details

Tap to scan



This is the scanner, where all students will scan

OnSelect code:

```
// Start NFC reading process
Set(varNFCReading, true);
Set(varIsScanned, false);
// Direct NFC reading approach
Set(varNFCTag, ReadNFC());
```

This starts starts NFC reading

This reads the NFC

This code is for failed to NFC scan :

```
If(
  IsBlank(varNFCTag) || IsEmpty(varNFCTag.NDEFRecords),
  // NFC read failed or no data
  Notify("NFC read failed or no data found. Please try again.",
  NotificationType.Error, 3000);
  Set(varNFCReading, false),
```

If the student does not scan an NFC or took away the ID quickly , a notification will appear and the label will mention

This is code is for if NFC was able to scan:

```
// NFC read successful - process the data
With(
{
  NFCData: Text(Coalesce(First(varNFCTag.NDEFRecords).Text,
  First(varNFCTag.NDEFRecords).URI))
},
Set(varNFCID, NFCData);
Set(varScannedStudent, LookUp(Students, Student_ID = NFCData));
```

If the NFC reader manages to detect an NFC being scanned



New Trip



Tuesday, December 09, 2025


Bus No. Bus 1 ▼

Bus Capacity

0 ▲ ▼ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 10

This is for Student that does not exist in database:

If(

```
IsBlank(varScannedStudent),
// Student not found - record as invalid
Patch(
  Attendances,
  Defaults(Attendances),
  {
    Attendance_ID: "ATT-" & Text(Now(),
"yyyymmddhhnnss") & "-" & Rand(),
    NFC_ID: NFCData,
    Student_Status: Blank(),
    Student_Name: "Unknown Student",
    Date: Now(),
    Valid: false,
    'Bus_No.': Busnodropdown.Selected.'Bus_No.'
  }
);
Set(varPlayInvalid, true)
```

This scan must be recorded in attendance

This looks into the scan and marks them as an Unknown student and as an INVALID scan

Tuesday, December 09, 2025


Bus No. Bus 1 ▼

Bus Capacity

0 ▲ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 11

This is for if student is found in database:

// Student found - validate

With(

{

// Get current day as 3-letter code (MON, TUE, etc.)

CurrentDay: Upper(Left(Text(Now(), "ddd"), 3)),

// Get student's schedule in uppercase

StudentSchedule:

Upper(varScannedStudent.Schedule),

// Check if it's the correct bus

IsCorrectBus: varScannedStudent.'Bus_No.' =

Busnodropdown.Selected.'Bus_No.',

// Check if student is active

IsActive: Text(varScannedStudent.Student_Status)

= "Active",

// Check if student already scanned in this session

AlreadyScanned: CountRows(

Filter(

Attendances,

NFC_ID = NFCData &&

'Bus_No.' = Busnodropdown.Selected.'Bus_No.' &&

Date >= varTripStartTime

)

) > 0

},

Collects the student's schedule then compares the current day

Checks if the bus the student is scanning on is the same as what bus they were assigned to

Checks the student status

Checks if the student has already scanned on the same bus

Tuesday, December 09, 2025


Bus No. Bus 1 ▼

Bus Capacity

0 ▲ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 12

This is for recording the attendance:

```
// Record attendance
Patch(
  Attendances,
  {
    Attendance_ID: "ATT-" & Text(Now(),
"yyyymmddhhnnss") & "-" & Rand(),
    NFC_ID: NFCData,
    Student_Status: varScannedStudent,
    Student_Name:
varScannedStudent.Student_Name,
    Date: Now(),
    Valid: varIsValidStudent,
    'Bus_No.': Busnodropdown.Selected.'Bus_No.'
  }
);
```

Collect the details to record it into
the Attendance table

This is to evaluate if student is valid:

```
// Calculate validation
Set(
  varIsValidStudent,
  !IsBlank(StudentSchedule) &&
  !IsBlank(Find(CurrentDay, StudentSchedule)) &&
  IsCorrectBus &&
  IsActive &&
  !AlreadyScanned // Prevent duplicate scans in same trip
);
```

This reads the scanned student
details and evaluate if they are valid

Tuesday, December 09, 2025


Bus No. Bus 1

Bus Capacity

0 (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 13

This is for updating passenger count when a scan is valid:

// Update session passenger count ONLY for valid,
non-duplicate scans

```
If(
    varIsValidStudent && !AlreadyScanned,
    Set(varSessionPassengerCount,
        varSessionPassengerCount + 1);
    Set(varPlayValid, true),
```

Valid student has not been scanned

```
If(
    AlreadyScanned,
    Notify("Student already scanned in this trip",
        NotificationType.Warning, 2000);
    Set(varPlayInvalid, true),
    Set(varPlayInvalid, true)
```

Valid student has already been
scanned and will be counted as
invalid

This is compare the bus capacity and passenger count:

```
// Update bus validation status
UpdateContext({locBusValidation:
    If(
        varSessionPassengerCount =
            Value(Capacityinput.Text),
            "Bus is full",
        varSessionPassengerCount >
            Value(Capacityinput.Text),
            "Bus is overloaded",
            "Bus is not full"
    )
});
```

This updates the bus validation label
based on the comparison of
passenger count and bus capacity
whenever a valid student scans

Tuesday, December 09, 2025

Bus No. Bus 1 ▼

Bus Capacity

0 ▲ (Today: 0)

fill details

Tap to scan



New Trip



EXPLAINING SCANNER PART 14

This for setting up the audios to play for bus validation label:

```
// Play capacity warning sounds
If(
    varSessionPassengerCount >
    Value(Capacityinput.Text),
    Set(varPlayOverloaded, true),
    varSessionPassengerCount =
    Value(Capacityinput.Text),
    Set(varPlayCapacityFull, true)
);

Set(varIsScanned, true);
Set(varNFCReading, false)
)
```

Clicking next should make the Attendance Record screen view the current bus used in Scanner

OnSelect code:

```
Set(varCurrentBusForAttendance,
Busnodropdown.Selected.'Bus_No. ');
Navigate('Attendance Record', ScreenTransition.Cover)
```


EXPLAINING RECORDS PART 1

Bus: Bus 1

12/8/2025

NFC_ID	Student_Name	Valid	Studen...	Date
STU1024	Adnan Mirza	Yes	Active	Monday, December 8, 20...
STU1005	Li Mackenzie de Chavez	Yes	Active	Monday, December 8, 20...
STU1001	Gurpreet Kaur	No	Active	Monday, December 8, 20...
STU1005	Li Mackenzie de Chavez	Yes	Active	Monday, December 8, 20...
STU1004	Jenny Abao	Yes	Active	Monday, December 8, 20...
STU1003	Yasmeen Firdous	Yes	Active	Monday, December 8, 20...
STU1002	Zeeshan Zia	Yes	Active	Monday, December 8, 20...
STU1001	Gurpreet Kaur	Yes	Active	Monday, December 8, 20...
STU1005	Li Mackenzie de Chavez	Yes	Active	Monday, December 8, 20...
STU1004	Jenny Abao	Yes	Active	Monday, December 8, 20...
STU1003	Yasmeen Firdous	Yes	Active	Monday, December 8, 20...
STU1002	Zeeshan Zia	Yes	Active	Monday, December 8, 20...
STU1001	Gurpreet Kaur	Yes	Active	Monday, December 8, 20...
STU1006	Bilal Sheikh	No	Unkno...	Monday, December 8, 20...
STU1025	Leila Hassan	No	Inactive	Monday, December 8, 20...
STU1016	Tariq Khan	No	Unkno...	Monday, December 8, 20...
STU1017	Yasmin Shah	No	Unkno...	Monday, December 8, 20...
STU1018	Saif Malik	No	Unkno...	Monday, December 8, 20...

This is for picking dates to filter the records

This is the attendance records, it should be filtered by the chosen date and chosen bus

Filter code:

Filter(

Attendances,

// Filter by selected bus

(IsBlank(varCurrentBusForAttendance) ||

'Bus_No.' = varCurrentBusForAttendance) &&

// Filter by selected date

DateValue(Date) =

DateValue(DatePicker1.SelectedDate)

)

Filters the records by chosen bus

Filters the records by chosen date

This label should show chosen bus to understand what the table is filtered to

// Text:

If(

IsBlank(varCurrentBusForAttendance),

"All Buses",

"Bus: " & varCurrentBusForAttendance

)

On startup, if user does choose bus, the table filters to all bus

If there is a chosen bus, it will be mentioned





* Course_ID

* Course_Name

* Year_No.



EXPLAINING COURSE PART 1

This resets the form
OnSelect code:
ResetForm(Courseform);
Set(gEditCourseRecord, Blank());

Resets the form back to new mode

This is the course form, where admin can
add new course or edit an existing course

The course form currently hides the success
pop up on start up by:
OnVisible code:
UpdateContext({locShowSuccessPopup:
false})



* Course_ID

* Course_Name

* Year_No.

Since all fields have *
(required), there is no
need to add validation



EXPLAINING COURSE PART 2

This button is for submitting

OnSelect code:

```

If(
    Courseform.Mode = FormMode.New,
    // New record validation
    If(
        IsBlank(LookUp(Courses, Course_ID = DataCardValue1.Text)),
        SubmitForm(Courseform), // This will trigger OnSuccess
        Notify("Course ID already exists! Please use a unique ID.",
        NotificationType.Error, 5000)
    ),
    Courseform.Mode = FormMode.Edit,
    // Edit record validation
    If(
        IsBlank(
            LookUp(
                Courses,
                Course_ID = DataCardValue1.Text &&
                Course_ID <> gEditCourseRecord.Course_ID
            )
        ),
        SubmitForm(Courseform), // This will trigger OnSuccess
        Notify("Course ID already exists! Please choose a different ID.",
        NotificationType.Error, 5000)
    )
)
    
```

This is for new course
submission

Submit course and check
if Course_ID already exists

Notify if Course_ID already
exists

The chosen course from
course record will
populate the form in edit
mode

Notify if the admin
changes the current
Course_ID into an existing
Course_ID

New

Edit

Course_ID	Course_Name	Year_No.
BAA-1	BA (Hons) Accountancy	1
BAA-2	BA (Hons) Accountancy	2
BAA-3	BA (Hons) Accountancy	3
MBA-1	Master of Business Admini...	1
MBA-2	Master of Business Admini...	2
BIL-3	BA (Hons) Animation and IL...	3
MSP-1	MSc Psychology	1
BSE-1	BEng (Hons) Software Engi...	1
BSE-2	BEng (Hons) Software Engi...	2
BSE-3	BEng (Hons) Software Engi...	3
BSC-1	BSc (Hons) Psychology and...	1
BSC-2	BSc (Hons) Psychology and...	2
BSC-3	BSc (Hons) Psychology and...	3
BAI-1	BSc (Hons) Artificial Intellig...	1
BAI-2	BSc (Hons) Artificial Intellig...	2
BAI-3	BSc (Hons) Artificial Intellig...	3
BIL-1	BA (Hons) Animation and IL...	1
BIL-2	BA (Hons) Animation and IL...	2
MSP-2	MSc Psychology	2



EXPLAINING COURSE PART 3

This is for editing an existing course, the admin must choose a course first to edit
OnSelect code:

If(

!IsBlank(Coursetable.Selected),
EditForm(Courseform); // Explicitly set to
EDIT mode

Set(gEditCourseRecord,
Coursetable.Selected);
Navigate('Course Form',
ScreenTransition.Cover),

Notify("Please select a course to edit.",
NotificationType.Warning, 2000)
)

Admin must choose a course to edit and will set the course form to edit version

After choosing a course to edit it will navigate back to course form with the form already populated with chosen course

This is for forming a new course, it will reset anything already written in the form

OnSelect code:

NewForm(Courseform);
Set(gEditCourseRecord, Blank());
Navigate('Course Form',
ScreenTransition.Cover)

EXPLAINING BUS PART 1



* Bus_ID

Bus_No.

Location



This resets the form
OnSelect code:

```
ResetForm(Busform);  
Set(gEditBusRecord, Blank());
```

Resets the form back to new mode

This is the bus form, where admin can add
new bus or edit an existing bus

The bus form currently hides the success
pop up on start up by:
OnVisible code:
UpdateContext({locShowSuccessPopup:
false})

EXPLAINING BUS PART 2



* Bus_ID

Bus_No.

Location

This is for submitting

OnSelect code:

```
If(
  Busform.Mode = FormMode.New,
  // New record validation
```

This sets the form
into new version

```
If(
  IsBlank(DataCardValue17.Text) || IsBlank(DataCardValue18.Text) ||
  IsBlank(DataCardValue19.Text),
  Notify("Please fill in all required fields.", NotificationType.Error, 5000),
  SubmitForm(Busform), // This will trigger OnSuccess
  Notify("Bus ID already exists! Please use a unique ID!", NotificationType.Error, 5000)
),
```

Submit course and check
if Bus_ID already exists

```
Busform.Mode = FormMode.Edit,
// Edit record validation
If(
  IsBlank(
    LookUp(
      Buses,
      Bus_ID = DataCardValue17.Text &&
      Bus_ID <> gEditBusRecord.Bus_ID
    )
  ),
```

Notify if Bus_ID already
exists

The chosen bus from bus
record will populate the
form in edit mode

Notify if the admin
changes the current
Bus_ID into an existing
Bus_ID

```
SubmitForm(Busform), // This will trigger OnSuccess
Notify("Bus ID already exists! Please choose a different ID!", NotificationType.Error, 5000)
)
)
```



New

Edit

Bus_ID	Bus_No.	Location
BUS001	Bus 1	DXB
BUS002	Bus 2	RAK
BUS003	Bus 3	FUJ
BUS004	Bus 4	AAN
BUS005	Bus 5	SHJ



EXPLAINING BUS PART 3

This is for editing an existing bus, the admin must choose a course first to edit

OnSelect code:

If(

```
!IsBlank(Bustable.Selected),  
EditForm(Busform);  
Set(gEditBusRecord, Bustable.Selected);  
Navigate('Bus Form',  
ScreenTransition.Cover),  
Notify("Please select a bus to edit.",  
NotificationType.Warning, 2000)  
)
```

Admin must choose a bus to edit and will set the bus form to edit version

After choosing a bus to edit it will navigate back to bus form with the form already populated with chosen bus

This is for forming a new bus, it will reset anything already written in the form

OnSelect code:

```
NewForm(Busform);  
Set(gEditBusRecord, Blank());  
Navigate('Bus Form',  
ScreenTransition.Cover)
```


EXPLAINING STUDENT PART 1



* Student_ID

Student_Name

Course_ID

Bus No.

Bus 1



This is the bus form, where admin can add new bus or edit an existing bus

☐ MON	☐ THU	☐ SUN
☐ TUE	☐ FRI	
☐ WED	☐ SAT	



The student form currently hides the success pop up and resets the schedule on start up by:

OnVisible code:

```
UpdateContext({
  locShowSuccessPopup: false,
  locSelectedBus: "",
  locScheduleString: "",
  locMonday: false,
  locTuesday: false,
  locWednesday: false,
  locThursday: false,
  locFriday: false,
  locSaturday: false,
  locSunday: false
})
```

This hides the pop up on startup

This attempts to keep the schedule empty on startup

This resets the form

OnSelect code:

```
ResetForm(Studentform);
Set(gEditStudentRecord, Blank());
```

Resets the form back to new mode

EXPLAINING STUDENT PART 2

Student_Name

Course_ID

Bus No.

Bus 1

▼

Cho

☐ MON	☐ THU	☐ SUN
☐ TUE	☐ FRI	
☐ WED	☐ SAT	

This is where admin chooses a schedule for student



```
If(
  Studentform.Mode = FormMode.New,
  If(
    IsBlank(DataCardValue5.Text) || IsBlank(DataCardValue4.Text) ||
    IsBlank(DataCardValue12.Selected) || IsBlank(DropDown_Bus.Selected) ||
    IsBlank(DataCardValue6.Selected),
    Notify("Please fill in all required fields.", NotificationType.Error, 5000),
    !IsBlank(LookUp(Students, Student_ID = DataCardValue5.Text)),
    Notify("Student ID already exists! Please use a unique ID.", NotificationType.Error, 5000),
    UpdateContext({
      locScheduleString: Concat(
        Filter(
          [
            {Key: "MON", Value: Checkbox_MON.Value},
            {Key: "TUE", Value: Checkbox_TUE.Value},
            {Key: "WED", Value: Checkbox_WED.Value},
            {Key: "THU", Value: Checkbox_THU.Value},
            {Key: "FRI", Value: Checkbox_FRI.Value},
            {Key: "SAT", Value: Checkbox_SAT.Value},
            {Key: "SUN", Value: Checkbox_SUN.Value}
          ],
          Value = true
        ),
        Key,
        ", "
      ),
      locSelectedBus: DropDown_Bus.Selected.'Bus_No.'
    });
    SubmitForm(Studentform);
    UpdateContext({locShowSuccessPopup: true})
  ),
```

This sets the form into new version

A notification will appear if any field is empty

A notification will appear if Student_ID already exists

Collects the chosen days for schedule, all separated by “,”

Collects the chosen bus

Submits data to Student Record and will show pop up

EXPLAINING
STUDENT
PART 3

✓

Student_Name

Course_ID

Bus No.

Bus 1

▼

Choose Schedule:

☐

MON

☐

THU

☐

SUN

☐

TUE

☐

FRI

☐

WED

☐

SAT

```
Studentform.Mode = FormMode.Edit,
If(
    IsBlank(DataCardValue5.Text) || IsBlank(DataCardValue4.Text) || IsBlank(DataCardValue12.Selected) ||
    IsBlank(DropDown_Bus.Selected) || IsBlank(DataCardValue6.Selected),
    Notify("Please fill in all required fields.", NotificationType.Error, 5000),
    !IsBlank(
        LookUp(
            Students,
            Student_ID = DataCardValue5.Text && Student_ID <> gEditStudentRecord.Student_ID
        )
    ),
    Notify("Student ID already exists! Please choose a different ID.", NotificationType.Error, 5000),
    // If validations pass, update context and submit
    UpdateContext({
        locScheduleString: Concat(
            Filter(
                [
                    {Key: "MON", Value: Checkbox_MON.Value},
                    {Key: "TUE", Value: Checkbox_TUE.Value},
                    {Key: "WED", Value: Checkbox_WED.Value},
                    {Key: "THU", Value: Checkbox_THU.Value},
                    {Key: "FRI", Value: Checkbox_FRI.Value},
                    {Key: "SAT", Value: Checkbox_SAT.Value},
                    {Key: "SUN", Value: Checkbox_SUN.Value}
                ],
                Value = true
            ),
            Key,
            ", "
        ),
        locSelectedBus: DropDown_Bus.Selected.'Bus_No.'
    });
    SubmitForm(Studentform);
    UpdateContext({locShowSuccessPopup: true})
```

This sets the form into edit version

A notification will appear if any field is empty

A notification will appear if admin changes the current Student_ID into an existing Student_ID

Collects the chosen days for schedule, all separated by “,”

Collects the chosen bus

Submits data to Student Record and will show pop up

New

Edit

Student_ID	Student_Name	Course_ID	Schedule	Stude...	Bus_No.
STU1001	Gurpreet Kaur	BSE-3	MON, FRI, SAT	Active	Bus 1
STU1002	Zeeshan Zia	BSE-2	MON, FRI, SAT	Active	Bus 1
STU1003	Yasmeen Firdous	BSE-3	MON, FRI, SAT	Active	Bus 1
STU1004	Jenny Abao	BSE-3	MON, FRI, SAT	Active	Bus 1
STU1005	Li Mackenzie de Chavez	BSE-3	MON, FRI, SAT	Active	Bus 1
STU1006	Bilal Sheikh	BSE-3	FRI, SAT	Active	Bus 1
STU1007	Layla Noor	BSE-1	MON, WED, T...	Active	Bus 2
STU1008	Jamal Ibrahim	BSC-1	WED, THU	Active	Bus 2
STU1009	Mariam Yusuf	BSC-2	MON, TUE, W...	Active	Bus 2
STU1010	Khalid Mansoor	BSC-3	WED, THU	Active	Bus 2
STU1011	Zainab Patel	BSC-1	MON, TUE	Active	Bus 3
STU1012	Hassan Qureshi	BSC-2	MON, TUE	Active	Bus 3
STU1013	Nadia Karim	BAA-1	MON, TUE	Active	Bus 1
STU1014	Imran Siddiqui	BAA-2	MON, TUE	Active	Bus 3
STU1015	Noor Javed	BAA-3	MON, TUE	Active	Bus 3
STU1016	Tariq Khan	BAA-1	MON, SUN	Inactive	Bus 4
STU1017	Yasmin Shah	BAA-2	MON, SUN	Inactive	Bus 4
STU1018	Saif Malik	BAA-3	MON, SUN	Inactive	Bus 4
STU1019	Huda Ansari	BAA-1	MON, SUN	Active	Bus 4

EXPLAINING STUDENT PART 4

This is for editing an existing student, the admin must choose a student first to edit
OnSelect code:

```
If(
    !IsBlank(Studenttable.Selected),
    Set(gEditStudentRecord,
        Studenttable.Selected);
    Navigate('Student Form',
        ScreenTransition.Cover),
    // If no student is selected, show warning
    Notify("Please select a student to edit.",
        NotificationType.Warning, 2000)
)
```

Admin must choose a student to edit and will set the student form to edit version

After choosing a student to edit it will navigate back to student form with the form already populated with chosen student

This is for forming a new student, it will reset anything already written in the form
OnSelect code:

```
NewForm(Studentform);
Set(gEditStudentRecord, Blank());
UpdateContext({locScheduleString: ""});
Navigate('Student Form',
    ScreenTransition.Cover)
```

