TASK 1: Prediction using Supervised ML

To Predict the percentage of marks of the students based on the number of hours they studied

Author – Yasmeen Ansar

Out[3]: False

```
# importing the required libraries
         import pandas as pd
         import numpy as np
         import matplotlib.pyplot as plt
         import seaborn as sns
         from sklearn.model_selection import train_test_split
         from sklearn.linear_model import LinearRegression
         from sklearn.metrics import mean_absolute_error
In [2]: # Reading the Data
         data = pd.read_csv ('https://raw.githubusercontent.com/AdiPersonalWorks/Random/master/student_scores%20-%20student_scores.csv')
         data.head(10)
           Hours Scores
        0
              2.5
                     21
                     47
        2
              3.2
                     27
        3
                     75
              8.5
        4
              3.5
                     30
        5
              1.5
                     20
        6
              92
                     88
              5.5
                     60
        8
             8.3
                     81
             2.7
                     25
In [3]: # Check if there any null value in the Dataset
         data.isnull == True
```


There is no null value in the Dataset so, we can now visualize our Data

```
In [4]:
    sns.set_style('darkgrid')
    sns.scatterplot(y= data['Scores'], x= data['Hours'])
    plt.title('Marks Vs Study Hours', size=20)
    plt.ylabel('Marks Percentage', size=12)
    plt.xlabel('Hours Studied', size=12)
    plt.show()
```



From the above scatter plot there looks to be correlation between the 'Marks Percentage' and 'Hours Studied', Lets plot a regression line to confirm the correlation.

```
In [5]:
sns.regplot(x= data['Hours'], y= data['Scores'])
plt.title('Regression Plot',size=20)
plt.ylabel('Marks Percentage', size=12)
plt.xlabel('Hours Studied', size=12)
plt.show()
print(data.corr())
```



It is confirmed that the variables are positively correlated.

Training the Model

1) Splitting the Data

```
In [6]: # Defining X and y from the Data
X = data.iloc[:, :-1].values
y = data.iloc[:, 1].values
# Spliting the Data in two
train_X, val_X, train_y, val_y = train_test_split(X, y, random_state = 0)
```

2) Fitting the Data into the model

```
In [7]: regression = LinearRegression()
    regression.fit(train_X, train_y)
    print("------")
------Model Trained------")
```

Predicting the Percentage of Marks

```
In [8]:
pred_y = regression.predict(val_X)
prediction = pd.DataFrame({'Hours': [i[0] for i in val_X], 'Predicted Marks': [k for k in pred_y]})
prediction
```


Out[8]:		Hours	Predicted Marks
	0	1.5	16.844722
	1	3.2	33.745575
	2	7.4	75.500624
	3	2.5	26.786400
	4	5.9	60.588106
	5	3.8	39.710582
	6	1.9	20.821393

Comparing the Predicted Marks with the Actual Marks

```
In [9]:
         compare_scores = pd.DataFrame({'Actual Marks': val_y, 'Predicted Marks': pred_y})
          compare_scores
           Actual Marks Predicted Marks
Out[9]:
         0
                     20
                              16.844722
                     27
                              33.745575
         2
                              75.500624
                     30
                              26.786400
         4
                     62
                              60.588106
         5
                     35
                              39.710582
                     24
                              20.821393
```

Visually Comparing the Predicted Marks with the Actual Marks

```
In [10]:
    plt.scatter(x=val_X, y=val_y, color='blue')
    plt.plot(val_X, pred_y, color='Black')
    plt.title('Actual vs Predicted', size=20)
    plt.ylabel('Marks Percentage', size=12)
    plt.xlabel('Hours Studied', size=12)
    plt.show()
```



Evaluating the Model

```
In [11]: # Calculating the accuracy of the model
print('Mean absolute error: ',mean_absolute_error(val_y,pred_y))

Mean absolute error: 4.130879918502486
```

Small value of Mean absolute error states that the chances of error or wrong forecasting through the model are very less.

What will be the predicted score of a student if he/she studies for 9.25 hrs/ day?

```
In [15]:
    hours = [9.25]
    answer = regression.predict([hours])
    print("Score = {}".format(round(answer[0],3)))

Score = 93.893
```

According to the regression model if a student studies for 9.25 hours a day he/she is likely to score 93.89 marks.