



Crear taula users a la base de dades. Ha de tenir els camps (id, nom, cognom, email i password)

Tabla users:



The screenshot shows the 'Create' dialog for a new table named 'users'. The 'Name' field contains 'users'. The 'Comment' and 'Engine' fields are empty. The left sidebar shows a tree view with 'users' selected, containing sub-items for 'columns', 'keys', 'foreign keys', and 'indexes'.


Camp id:



The screenshot shows the configuration for the 'id' column. The 'Name' field contains 'id'. The 'Data Type' is set to 'int'. The 'Not Null' checkbox is checked. The 'Auto Increment' checkbox is unchecked. The 'Column Kind' is set to 'NORMAL'. The 'Default Expression' field is empty. The 'On Update' field is empty. The 'Collation' field is empty. The 'Hidden' checkbox is unchecked. The 'Preview' section shows the SQL code for creating the table:

```
create table users
(
  id int not null,
  constraint 'PRIMARY'
    primary key (id)
);
```

Camp nom:



The screenshot shows the configuration for the 'nom' column. The 'Name' field contains 'nom'. The 'Data Type' is set to 'text'. The 'Not Null' checkbox is checked. The 'Auto Increment' checkbox is unchecked. The 'Column Kind' is set to 'NORMAL'. The 'Default Expression' field is empty. The 'On Update' field is empty. The 'Hidden' checkbox is unchecked. The 'Preview' section shows the SQL code for creating the table:

```
create table users
(
  id int not null,
  constraint 'PRIMARY'
    primary key (id)
);
```

Camp cognom:

The screenshot shows the configuration for a column named 'cognom' within a table named 'users'. The left sidebar displays the table structure with 'cognom' selected. The main panel shows the following settings:

- Name: cognom
- Comment: (empty)
- Data Type: text
- Not Null: ☐
- Auto Increment: ☐
- Column Kind: NORMAL
- Default Expression: (empty)
- Hidden: ☐

Camp email:

The screenshot shows the configuration for a column named 'email' within a table named 'users'. The left sidebar displays the table structure with 'email' selected. The main panel shows the following settings:

- Name: email
- Comment: (empty)
- Data Type: text
- Not Null: ☐
- Auto Increment: ☐
- Column Kind: NORMAL
- Default Expression: (empty)
- Hidden: ☐

Camp password:

The screenshot shows the configuration for a column named 'password' within a table named 'users'. The left sidebar displays the table structure with 'password' selected. The main panel shows the following settings:

- Name: password
- Comment: (empty)
- Data Type: text
- Not Null: ☐
- Auto Increment: ☐
- Column Kind: NORMAL
- Default Expression: (empty)
- Hidden: ☐

Crear inserts a la taula users

Insertaremos los datos en el campo y le daremos al ctrl+enter:

	id	nom	cognom	email	password
1	0	yassin	bekkaoui khaidar	yassinbekkaoui@iesebre.com	11111111

Y se nos quedara asi:

	id	nom	cognom	email	password
1	0	yassin	bekkaoui khaidar	yassinbekkaoui@iesebre.com	11111111

Crear controlador de users a app

Dentro del archivo pondremos lo siguiente:

```
1 <?php
2
3 use framework\App;
4
5 $users = App::get('database')->selectAll('users');
6
7 require '../resources/views/users.blade.php';
```

Crear ruta a routes.php i afegir la nova ruta al navegador

Al archivo routes.php añadiremos la linea de "/users":

```
<?php

return [
    '/'=>'../app/index.php',
    '/index.php'=>'../app/index.php',
    '/index'=>'../app/index.php',
    '/home'=>'../app/index.php',
    '/tasks' => '../app/index.php',
    '/contact' => '../app/contact.php',
    '/about' => '../app/about.php',
    '/users' => '../app/users.php',
];
```

crear la vista users.blade.php

En la carpeta views de resources crearemos la vista del users:

