



The Free, Open-Source, Local-First AI Software Engineering Cockpit.

LOCAL-FIRST

OPEN-SOURCE

DEPENDENCY-AWARE

AGENT-AGNOSTIC

The mark is a small dependency tree — one root branching into two managed nodes, the same structure Zeloryn imposes on agent work. The wordmark stays lowercase, like a shell command, with a trailing cursor block always rendered in the accent color: the one visual cue that reads "agent active" across every surface.

// 01 Logo

PRIMARY LOCKUP



ON DARK BACKGROUNDS



ON LIGHT BACKGROUNDS

SYMBOL SCALE



40px is the minimum tile size for the combined lockup icon. Below that, drop the tile and use the wordmark alone, or the bare glyph at 16–24px (favicons, tab icons).

CLEAR SPACE



zeloryn_

Minimum clear space on all sides = half the icon tile's width. Nothing — text, rules, edges — enters that margin.

DON'T

zeloryn_

× Don't stretch or distort

zeloryn_

× Don't add shadows or glow

zeloryn_

× Don't recolor outside the palette

// 02 Color

INTERFACE — DARK

Background
.16 .014 235

Surface
.22 .016 235

Border
.32 .02 235

Text primary
.95 .006 235

Text dim
.63 .02 235

INTERFACE — LIGHT

Background
.975 .005 85

Surface
1 0 0

Border
.89 .008 85

Text primary
.20 .01 235

Text dim
.46 .015 235

SEMANTIC ACCENTS

Success / green
Connected, active, completed

Warning / amber
Capacity, drift alerts

Error / red
Failed, blocked, disconnected

Left swatch = dark-bg use · Right swatch = light-bg use

// 03 Typography

Aa

IBM Plex Mono

Logo, headings, labels, code, data, all UI chrome

Aa

IBM Plex Sans

Body copy, longer descriptions, documentation prose

Section title

Mono / 600 / 32

Panel heading

Mono / 600 / 22

Body copy sits in the sans family for readability at length.

Sans / 400 / 16

MICRO LABEL CAPTION

Mono / 500 / 11 / tracked

MICRO-LABEL CONVENTION

WORKSPACE TARGETS (1 ACTIVE)

11–12px · 500 weight · 0.08em tracking · dim text

// 04 Graphic language



Dependency tree

Planning that fans into managed work



Prompt caret

Every task runs as a real command





Task bracket

Structured checklists, not ephemeral chat

STATUS DOT CONVENTION

● Connected ● Idle ● Blocked

// 05 Applications




FAVICON — 32 / 16PX

APP / DESKTOP ICON

CLI SPLASH

```
$ zeloryn --init
ZELORYN CLI v1.0
Local-first engineering cockpit — agents online.
> _
```

GITHUB SOCIAL PREVIEW / README HEADER




The Free, Open-Source, Local-First AI Software Engineering Cockpit.

MIT

LOCAL-FIRST

v1.0

WEBSITE / DOCS HEADER



[DOCS](#) [GITHUB](#) [DOWNLOAD](#)

PACKAGE REGISTRY LISTING



zeloryn v1.0.0

Local-first engineering cockpit for terminal coding agents

// 06 Usage rules

- › Combined lockup icon floors at 40px; below that, use the bare glyph alone down to 16px.
- › Clear space on every side is half the icon tile's width. Never crowd it.

- › The trailing cursor block is always the accent color — on the wordmark, in code, in the CLI. Never recolor it to match body text.
- › Match the lockup variant to the background — dark lockup on dark surfaces, light lockup on light surfaces. Never force one onto the wrong ground for contrast.
- › No gradients, bevels, glows, or 3D effects on the mark itself.
- › Tagline is sentence case, IBM Plex Sans, always visually secondary to the logo — never bold, never in the accent color.
- › Pair the mark with real terminal and monospace UI — never stock photography or illustration.

ZELORYN_ — LOCAL-FIRST ENGINEERING COCKPIT