



The Free, Open-Source, Local-First AI Software Engineering Cockpit.

LOCAL-FIRST

OPEN-SOURCE


DEPENDENCY-AWARE

AGENT-AGNOSTIC


The mark is a small dependency tree — one root branching into two managed nodes, the same structure Zeloryn imposes on agent work. The wordmark stays lowercase, like a shell command, with a trailing cursor block always rendered in the accent color: the one visual cue that reads "agent active" across every surface.

// 01 Logo

PRIMARY LOCKUP




ON DARK BACKGROUNDS




ON LIGHT BACKGROUNDS

SYMBOL SCALE




40px is the minimum tile size for the combined lockup icon. Below that, drop the tile and use the wordmark alone, or the bare glyph at 16–24px (favicons, tab icons).

CLEAR SPACE




Minimum clear space on all sides = half the icon tile's width. Nothing — text, rules, edges — enters that margin.

DON'T




// 02 Color


INTERFACE — DARK



INTERFACE — LIGHT



SEMANTIC ACCENTS



Left swatch = dark-bg use · Right swatch = light-bg use

// 03 **Typography**

Aa

IBM Plex Mono
Logo, headings, labels, code, data, all UI chrome

Aa

IBM Plex Sans
Body copy, longer descriptions, documentation prose

Section title

Mono / 600 / 32

Panel heading

Mono / 600 / 22

Body copy sits in the sans family for readability at length.

Sans / 400 / 16

MICRO LABEL CAPTION

Mono / 500 / 11 / tracked

MICRO-LABEL CONVENTION

WORKSPACE TARGETS (1 ACTIVE)

11–12px · 500 weight · 0.08em tracking · dim text

// 04 **Graphic language**



Dependency tree
Planning that fans into managed work



Prompt caret
Every task runs as a real command



Task bracket
Structured checklists, not ephemeral chat

STATUS DOT CONVENTION

● Connected

● Idle

● Blocked

// 05 Applications



APP / DESKTOP ICON



FAVICON — 32 / 16PX

CLI SPLASH

```
$ zeloryn --init
ZELORYN CLI v1.0
Local-first engineering cockpit — agents online.
> _
```

GITHUB SOCIAL PREVIEW / README HEADER



The Free, Open-Source, Local-First AI Software Engineering Cockpit.

MIT

LOCAL-FIRST

v1.0

WEBSITE / DOCS HEADER



[DOCS](#) [GITHUB](#) [DOWNLOAD](#)

PACKAGE REGISTRY LISTING



zeloryn v1.0.0

Local-first engineering cockpit for terminal coding agents

// 06 Usage rules

- › Combined lockup icon floors at 40px; below that, use the bare glyph alone down to 16px.
- › Clear space on every side is half the icon tile's width. Never crowd it.
- › The trailing cursor block is always the accent color — on the wordmark, in code, in the CLI. Never recolor it to match body text.
- › Match the lockup variant to the background — dark lockup on dark surfaces, light lockup on light surfaces. Never force one onto the wrong ground for contrast.
- › No gradients, bevels, glows, or 3D effects on the mark itself.
- › Tagline is sentence case, IBM Plex Sans, always visually secondary to the logo — never bold, never in the accent color.
- › Pair the mark with real terminal and monospace UI — never stock photography or illustration.

ZELORYN_ — LOCAL-FIRST ENGINEERING COCKPIT