# Application des notes

**Owner**: Yassine Abdeljalil
**Reviewer**: Ayoub
**Contributors**:
**Date Generated**: Sun Nov 01 2026

# Executive Summary


## High level system description

Not provided

## Summary

| | |
|---|---|
| **Total Threats** | 6 |
| **Total Mitigated** | 0 |
| **Total Open** | 6 |
| **Open / Critical Severity** | 2 |
| **Open / High Severity** | 4 |
| **Open / Medium Severity** | 0 |
| **Open / Low Severity** | 0 |

# Flux de donnees



# Flux de donnees

## Etudiant (Actor)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Enseignant (Actor)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Administrateur (Actor)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## API Web (Process)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|
| 3 | Usurpation d'identité | Spoofing | High | Open | | An attacker could impersonate a student or teacher to access the application or perform unauthorized actions. | Implement strong authentication using secure tokens and verify the identity of every user. |
| 4 | Élévation de privilèges | Elevation of privilege | Critical | Open | | A student could exploit missing authorization checks to access teacher functions and modify students' grades. | Implement role-based access control and verify user permissions before every sensitive operation. |

## Base des notes (Store)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|
| 5 | Modification non autorisée des notes | Tampering | Critical | Open | | An attacker could modify grades directly in the database or through an insecure API request, affecting the integrity of student records. | Use parameterized SQL queries, restrict database access, and verify authorization before modifying grades. |
| 6 | Divulgation des données | Information disclosure | High | Open | | An attacker could gain unauthorized access to the database and read students' grades and personal information. | Restrict database permissions, protect sensitive data, and ensure that users can only access authorized records. |

## Saisie du modification d'un note (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Confirmation (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Maintenance de serveur (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Ecriture des notes (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Lecture des notes (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Notes de l'etudiant (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|

## Demande de consultation des notes (Data Flow)

| Number | Title | Type | Severity | Status | Score | Description | Mitigations |
|---|---|---|---|---|---|---|---|
| 1 | Interception des données | Information disclosure | High | Open | | An attacker could intercept the communication between the student and the API and obtain sensitive information, such as authentication tokens or requests. | Use HTTPS/TLS to encrypt communications and avoid transmitting sensitive information in plain text. |
| 2 | Modification de la requête | Tampering | High | Open | | An attacker could modify the student's request before it reaches the API, potentially changing the requested information or manipulating parameters. | Validate all incoming requests, use HTTPS, and verify the integrity of sensitive operations. |