

LAPORAN PRAKTIKUM
APLIKASI BERBASIS PLATFORM

MODUL 5

Bootstrap



Disusun oleh:

YASVIN SYAHGANA

2311102065

S1 IF-04

Dosen Pengampu:

Dedy Agung Prabowo, S.Kom., M.Kom

PROGRAM STUDI S1 TEKNIK INFORMATIKA
FAKULTAS DIREKTORAT KAMPUS PURWOKERTO
UNIVERSITAS TELKOM

2026

LINK GIT :

<https://github.com/yasvinsyahgana/Laporan-Praktikum-ABP>

MODUL 5

Bootstrap

halaman web profil mahasiswa sederhana menggunakan framework Bootstrap 5.

1. Instalasi Bootstrap (CDN)

```
<!-- Pemanggilan Bootstrap dengan CDN -->

<!-- CSS -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
9ndCyUaIbzAi2FUVXJi0CjmCapSmO7SnpJef0486qhLnuZ2cdeRhO02iuK6FUUVM"
crossorigin="anonymous">

<!-- jQuery library -->

<script src="https://code.jquery.com/jquery-3.7.0.min.js" integrity="sha256-
2PmVv0kuTBOenSvLm6bvfbSShRtUJ+3A7x6P5Ebd07/g=" crossorigin="anonymous"></script>

<!-- JavaScript -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-geWF76RCwLtnZ8qwWowPQNguL3RmwHVBC9FhGdlKrxdiJJigb/j/68SIy3Te4Bkz"
crossorigin="anonymous"></script>
```

Output:

File HTML untuk Testing Instalasi:

```
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Test Instalasi Bootstrap</title>

  <!-- Bootstrap CSS CDN -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.cs
s" rel="stylesheet">
```

```

</head>

<body>

<div class="container mt-5">
  <h1 class="text-center text-primary">Bootstrap Berhasil Diinstall!</h1>
  <div class="alert alert-success mt-4 text-center">
    <strong>Sukses!</strong> Framework Bootstrap 5 sudah terhubung
dengan benar.
  </div>
  <button class="btn btn-primary d-block mx-auto">Ini Tombol
Bootstrap</button>
</div>

<!-- Bootstrap JavaScript CDN -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.
min.js"></script>
</body>


</html>

```

Bootstrap Berhasil Diinstall!

Sukses! Framework Bootstrap 5 sudah terhubung dengan benar.

Ini Tombol Bootstrap



2. Bootstrap Grid System

Bootstrap Grid System terdiri dari 3 komponen utama:

1. **Container** - Wrapper/pembungkus
2. **Row** - Baris
3. **Column** - Kolom (maksimal 12 kolom per row)

```
<div class="container">
  <div class="row">
    <div class="col-12 col-md-8">.col-12 .col-md-8</div>
```

PEMROGRAMAN WEB

34

```
    <div class="col-6 col-md-4">.col-6 .col-md-4</div>
  </div>
  <div class="row">
    <div class="col-6 col-md-4">.col-6 .col-md-4</div>
    <div class="col-6 col-md-4">.col-6 .col-md-4</div>
    <div class="col-6 col-md-4">.col-6 .col-md-4</div>
  </div>
  <div class="row">
    <div class="col-6">.col-6</div>
    <div class="col-6">.col-6</div>
  </div>
</div>
```


4. <!DOCTYPE html>
5. <html lang="id">
6. <head>
7. <meta charset="UTF-8">
8. <meta name="viewport" content="width=device-width, initial-scale=1.0">
9. <title>Bootstrap Grid System</title>
10. <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
11. <style>
12. .box {
13. background-color: #4CAF50;
14. color: white;

```
15.         text-align: center;
16.         padding: 20px;
17.         margin: 10px 0;
18.         border-radius: 5px;
19.     }
20. </style>
21. </head>
22. <body>
23.
24. <div class="container mt-5">
25.   <h1 class="text-center mb-5">Demo Bootstrap Grid System</h1>
26.
27.   <!-- Contoh 1: 2 Kolom Sama Besar -->
28.   <h3>1. Dua Kolom (6 + 6 = 12)</h3>
29.   <div class="row">
30.     <div class="col-md-6">
31.       <div class="box">Kolom 1<br>(col-md-6)</div>
32.     </div>
33.     <div class="col-md-6">
34.       <div class="box">Kolom 2<br>(col-md-6)</div>
35.     </div>
36.   </div>
37.
38.   <!-- Contoh 2: 3 Kolom Sama Besar -->
39.   <h3>2. Tiga Kolom (4 + 4 + 4 = 12)</h3>
40.   <div class="row">
41.     <div class="col-md-4">
42.       <div class="box">Kolom 1<br>(col-md-4)</div>
43.     </div>
44.     <div class="col-md-4">
45.       <div class="box">Kolom 2<br>(col-md-4)</div>
46.     </div>
47.     <div class="col-md-4">
```

```
48.     <div class="box">Kolom 3<br>(col-md-4)</div>
49.     </div>
50. </div>
51.
52. <!-- Contoh 3: 4 Kolom -->
53. <h3>3. Empat Kolom (3 + 3 + 3 + 3 = 12)</h3>
54. <div class="row">
55.     <div class="col-md-3">
56.         <div class="box">Kolom 1<br>(col-md-3)</div>
57.     </div>
58.     <div class="col-md-3">
59.         <div class="box">Kolom 2<br>(col-md-3)</div>
60.     </div>
61.     <div class="col-md-3">
62.         <div class="box">Kolom 3<br>(col-md-3)</div>
63.     </div>
64.     <div class="col-md-3">
65.         <div class="box">Kolom 4<br>(col-md-3)</div>
66.     </div>
67. </div>
68.
69. <!-- Contoh 4: Kolom Tidak Sama -->
70. <h3>4. Kolom Tidak Sama (8 + 4 = 12)</h3>
71. <div class="row">
72.     <div class="col-md-8">
73.         <div class="box">Kolom Lebar<br>(col-md-8)</div>
74.     </div>
75.     <div class="col-md-4">
76.         <div class="box">Kolom Sempit<br>(col-md-4)</div>
77.     </div>
78. </div>
79.
80. <!-- Contoh 5: Responsive Grid -->
```

```
81. <h3>5. Responsive Grid (Berubah di Mobile)</h3>
82. <div class="row">
83.   <div class="col-12 col-md-6 col-lg-4">
84.     <div class="box">Item 1<br>(col-12 col-md-6 col-lg-4)</div>
85.   </div>
86.   <div class="col-12 col-md-6 col-lg-4">
87.     <div class="box">Item 2<br>(col-12 col-md-6 col-lg-4)</div>
88.   </div>
89.   <div class="col-12 col-md-6 col-lg-4">
90.     <div class="box">Item 3<br>(col-12 col-md-6 col-lg-4)</div>
91.   </div>
92. </div>
93.
94. </div>
95.
96. <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.
    min.js"></script>
97. </body>
98. </html>
```


Output:



di Mobile)




Demo Bootstrap Grid System

1. Dua Kolom ($6 + 6 = 12$)



2. Tiga Kolom ($4 + 4 + 4 = 12$)



3. Empat Kolom ($3 + 3 + 3 + 3 = 12$)



4. Kolom Tidak Sama ($8 + 4 = 12$)

3. Bootstrap Table

```
<!--Tabel Hover Style -->
<table class="table table-hover">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Nama Lengkap</th>
      <th scope="col">Ksial Kota</th>
      <th scope="col">Umur</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
```

PEMROGRAMAN WEB

36

```
<td>Budi Rojadi</td>
<td>Semarang</td>
<td>35 th</td>
</tr>
<tr>
  <th scope="row">2</th>
  <td>Yulia Santi</td>
  <td>Bekasi</td>
  <td>32</td>
</tr>
<tr>
  <th scope="row">3</th>
  <td>Fahri Abdilah</td>
  <td>Medan</td>
  <td>38 th</td>
</tr>
</tbody>
</table>
```

```
<!DOCTYPE html>
<html lang="id">
```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Bootstrap Table</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.mi
n.css" rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <h1 class="text-center mb-5">Demo Bootstrap Table</h1>

  <!-- Tabel 1: Tabel Dasar dengan Hover -->
  <h3>1. Tabel Data Mahasiswa (table-hover)</h3>
  <table class="table table-hover">
    <thead class="table-dark">
      <tr>
        <th scope="col">No</th>
        <th scope="col">NIM</th>
        <th scope="col">Nama</th>
        <th scope="col">Jurusan</th>
        <th scope="col">IPK</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <th scope="row">1</th>
        <td>2026001</td>
        <td>Ahmad Rizki</td>
        <td>Teknik Informatika</td>
        <td>3.75</td>
      </tr>
      <tr>
        <th scope="row">2</th>
        <td>2026002</td>
        <td>Siti Nurhaliza</td>
        <td>Sistem Informasi</td>
        <td>3.82</td>
      </tr>
      <tr>
        <th scope="row">3</th>
        <td>2026003</td>
        <td>Budi Santoso</td>
        <td>Teknik Komputer</td>
        <td>3.65</td>
      </tr>
    </tbody>
  </table>

```

```

</tr>
<tr>
  <th scope="row">4</th>
  <td>2026004</td>
  <td>Dewi Lestari</td>
  <td>Teknik Informatika</td>
  <td>3.90</td>
</tr>
</tbody>
</table>

```

<!-- Tabel 2: Tabel dengan Striped dan Bordered -->

<h3>2. Tabel Jadwal Kuliah (table-striped table-bordered)</h3>

<table class="table table-striped table-bordered">

<thead class="table-primary">

```

    <tr>
      <th scope="col">Hari</th>
      <th scope="col">Jam</th>
      <th scope="col">Mata Kuliah</th>
      <th scope="col">Ruang</th>
      <th scope="col">Dosen</th>
    </tr>
  </thead>

```

<tbody>

```

    <tr>
      <td>Senin</td>
      <td>08:00 - 10:00</td>
      <td>Pemrograman Web</td>
      <td>R.301</td>
      <td>Pak Andi</td>
    </tr>

```

```

    <tr>
      <td>Selasa</td>
      <td>10:00 - 12:00</td>
      <td>Basis Data</td>
      <td>R.205</td>
      <td>Bu Siti</td>
    </tr>

```

```

    <tr>
      <td>Rabu</td>
      <td>13:00 - 15:00</td>
      <td>Struktur Data</td>
      <td>R.301</td>
      <td>Pak Budi</td>
    </tr>

```

```

    <tr>
      <td>Kamis</td>

```

```

        <td>08:00 - 10:00</td>
        <td>Jaringan Komputer</td>
        <td>Lab. Jaringan</td>
        <td>Pak Doni</td>
    </tr>
</tbody>
</table>

```

<!-- Tabel 3: Tabel dengan Warna Status -->

<h3>3. Tabel Status Pembayaran (dengan warna)</h3>

```

<table class="table table-bordered">

```

```

    <thead class="table-success">

```

```

        <tr>

```

```

            <th scope="col">No</th>

```

```

            <th scope="col">NIM</th>

```

```

            <th scope="col">Nama</th>

```

```

            <th scope="col">Status</th>

```

```

        </tr>

```

```

    </thead>

```

```

    <tbody>

```

```

        <tr class="table-success">

```

```

            <th scope="row">1</th>

```

```

            <td>2026001</td>

```

```

            <td>Ahmad Rizki</td>

```

```

            <td>Lunas ✓</td>

```

```

        </tr>

```

```

        <tr class="table-success">

```

```

            <th scope="row">2</th>

```

```

            <td>2026002</td>

```

```

            <td>Siti Nurhaliza</td>

```

```

            <td>Lunas ✓</td>

```

```

        </tr>

```

```

        <tr class="table-warning">

```

```

            <th scope="row">3</th>

```

```

            <td>2026003</td>

```

```

            <td>Budi Santoso</td>

```

```

            <td>Pending ⌚</td>

```

```

        </tr>

```

```

        <tr class="table-danger">

```

```

            <th scope="row">4</th>

```

```

            <td>2026004</td>

```

```

            <td>Dewi Lestari</td>

```

```

            <td>Belum Lunas X</td>

```

```

        </tr>

```

```

    </tbody>

```

```

</table>

```

```
<!-- Tabel 4: Tabel Responsif -->
<h3>4. Tabel Responsif (table-responsive)</h3>
<p class="text-muted">Resize browser untuk melihat scroll
horizontal</p>
<div class="table-responsive">
  <table class="table table-striped table-hover">
    <thead class="table-dark">
      <tr>
        <th>No</th>
        <th>NIM</th>
        <th>Nama Lengkap</th>
        <th>Email</th>
        <th>No. Telepon</th>
        <th>Alamat</th>
        <th>Jurusan</th>
        <th>Semester</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>1</td>
        <td>2026001</td>
        <td>Ahmad Rizki Pratama</td>
        <td>ahmad@email.com</td>
        <td>081234567890</td>
        <td>Jl. Merdeka No. 123</td>
        <td>Teknik Informatika</td>
        <td>5</td>
      </tr>
      <tr>
        <td>2</td>
        <td>2026002</td>
        <td>Siti Nurhaliza</td>
        <td>siti@email.com</td>
        <td>081234567891</td>
        <td>Jl. Sudirman No. 456</td>
        <td>Sistem Informasi</td>
        <td>5</td>
      </tr>
    </tbody>
  </table>
</div>

</div>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Output:

mentah



Demo Bootstrap Table

1. Tabel Data Mahasiswa (table-hover)

No	NIM	Nama	Jurusan	IPK
1	2026001	Ahmad Rizki	Teknik Informatika	3.75
2	2026002	Siti Nurhaliza	Sistem Informasi	3.82
3	2026003	Budi Santoso	Teknik Komputer	3.65
4	2026004	Dewi Lestari	Teknik Informatika	3.90

2. Tabel Jadwal Kuliah (table-striped table-bordered)

Hari	Jam	Mata Kuliah	Ruang	Dosen
Senin	08:00 - 10:00	Pemrograman Web	R.301	Pak Andi
Selasa	10:00 - 12:00	Basis Data	R.205	Bu Siti
Rabu	13:00 - 15:00	Struktur Data	R.301	Pak Budi
Kamis	08:00 - 10:00	Jaringan Komputer	Lab. Jaringan	Pak Doni

Setelah di hover (kursor di arahkan)

Demo Bootstrap Table

1. Tabel Data Mahasiswa (table-hover)

No	NIM	Nama	Jurusan	IPK
1	2026001	Ahmad Rizki	Teknik Informatika	3.75
2	2026002	Siti Nurhaliza	Sistem Informasi	3.82
3	2026003	Budi Santoso	Teknik Komputer	3.65
4	2026004	Dewi Lestari	Teknik Informatika	3.90

2. Tabel Jadwal Kuliah (table-striped table-bordered)

Hari	Jam	Mata Kuliah	Ruang	Dosen
Senin	08:00 - 10:00	Pemrograman Web	R.301	Pak Andi
Selasa	10:00 - 12:00	Basis Data	R.205	Bu Siti
Rabu	13:00 - 15:00	Struktur Data	R.301	Pak Budi
Kamis	08:00 - 10:00	Jaringan Komputer	Lab. Jaringan	Pak Doni

3. Tabel Status Pembayaran (dengan warna)

No	NIM	Nama	Status
1	2026001	Ahmad Rizki	Lunas ✓
2	2026002	Siti Nurhaliza	Lunas ✓
3	2026003	Budi Santoso	Pending ⌚
4	2026004	Dewi Lestari	Belum Lunas ✗

Responsive vertikal

4. Tabel Responsif (table-responsive)

Resize browser untuk melihat scroll horizontal

No	NIM	Nama Lengkap	Email	No. Telepon	Alamat
1	2026001	Ahmad Rizki Pratama	ahmad@email.com	081234567890	Jl. Merdeka No. 1
2	2026002	Siti Nurhaliza	siti@email.com	081234567891	Jl. Sudirman No. 4

Tabel 1 - Dasar:

- table-hover → Baris berubah warna saat di-hover
- table-dark pada thead → Header berwarna gelap

Tabel 2 - Striped & Bordered:

- table-striped → Baris selang-seling warna
- table-bordered → Border pada setiap sel
- table-primary → Header biru

Tabel 3 - Warna Status:

- table-success (hijau) → Lunas
- table-warning (kuning) → Pending

- table-danger (merah) → Belum Lunas

Tabel 4 - Responsive:

- table-responsive → Scroll horizontal di layar kecil
- Berguna untuk tabel dengan banyak kolom

4. Bootstrap Image

Bootstrap Image

```
<div class="container">
  <h2>Thumbnail & Fluid</h2>
  
  
</div>
```

Implementas:

```
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Bootstrap Image</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.mi
n.css" rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <h2 class="text-center mb-5">Demo Bootstrap Image</h2>

  <!-- 1. Image Fluid (Responsif) -->
  <h4>1. Gambar Responsif (img-fluid)</h4>
  <p class="text-muted">Resize browser, gambar akan menyesuaikan
lebar layar.</p>
  
  <hr>

  <!-- 2. Image Thumbnail -->
  <h4>2. Thumbnail Style (img-thumbnail)</h4>
  
  <hr>
```



```

<!-- 3. Rounded Shapes -->
<h4>3. Bentuk Sudut Gambar</h4>
<div class="row text-center">
  <div class="col-md-4">
    
    <p class="mt-2">rounded</p>
  </div>
  <div class="col-md-4">
    
    <p class="mt-2">rounded-circle</p>
  </div>
  <div class="col-md-4">
    
    <p class="mt-2">rounded-pill</p>
  </div>
</div>

<!-- 4. Image dalam Card (Contoh Penggunaan Nyata) -->
<h4 class="mt-4">4. Gambar dalam Komponen (Contoh Card)</h4>
<div class="card" style="width: 18rem;">
  
  <div class="card-body">
    <h5 class="card-title">Judul Card</h5>
    <p class="card-text">Contoh penggunaan gambar di dalam
komponen Bootstrap Card.</p>
    <a href="#" class="btn btn-primary">Lihat Detail</a>
  </div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bund
le.min.js"></script>
</body>
</html>

```

Demo Bootstrap Image

1. Gambar Responsif (img-fluid)

Resize browser, gambar akan menyesuaikan lebar layar.



2. Thumbnail Style (img-thumbnail)



5. Bootstrap Button

```
<div class="container">
  <h4>Button Styles</h4>
  <button type="button" class="btn btn-secondary">Secondary</button>
  <button type="button" class="btn btn-primary btn-lg">Primary</button>
  <button type="button" class="btn btn-success w-100">Success</button>
  <button type="button" class="btn btn-info btn-sm">Info</button>
  <button type="button" class="btn btn-warning">Warning</button>
  <button type="button" class="btn btn-danger">Danger</button>
  <button type="button" class="btn btn-link">Link</button>
</div>
```

```
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Bootstrap Button</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.mi
n.css" rel="stylesheet">
</head>
<body>

<div class="container mt-5">
  <h2 class="text-center mb-5">Demo Bootstrap Button</h2>

  <!-- 1. Basic Buttons -->
```

```
<h4>1. Basic Buttons</h4>
<div class="mb-4">
  <button type="button" class="btn btn-primary">Primary</button>
  <button type="button" class="btn btn-
secondary">Secondary</button>
  <button type="button" class="btn btn-success">Success</button>
  <button type="button" class="btn btn-danger">Danger</button>
  <button type="button" class="btn btn-warning">Warning</button>
  <button type="button" class="btn btn-info text-white">Info</button>
  <button type="button" class="btn btn-light border">Light</button>
  <button type="button" class="btn btn-dark">Dark</button>
  <button type="button" class="btn btn-link">Link Style</button>
</div>
```

```
<!-- 2. Outline Buttons -->
<h4>2. Outline Buttons</h4>
<div class="mb-4">
  <button type="button" class="btn btn-outline-
primary">Primary</button>
  <button type="button" class="btn btn-outline-
secondary">Secondary</button>
  <button type="button" class="btn btn-outline-
success">Success</button>
  <button type="button" class="btn btn-outline-
danger">Danger</button>
  <button type="button" class="btn btn-outline-
warning">Warning</button>
  <button type="button" class="btn btn-outline-info">Info</button>
  <button type="button" class="btn btn-outline-dark">Dark</button>
</div>
```

```
<!-- 3. Button Sizes -->
<h4>3. Button Sizes</h4>
<div class="mb-4">
  <button type="button" class="btn btn-primary btn-sm">Small
Button</button>
  <button type="button" class="btn btn-primary">Default
Button</button>
  <button type="button" class="btn btn-primary btn-lg">Large
Button</button>
</div>
```

```
<!-- 4. Block / Full Width Button -->
<h4>4. Block Button (Full Width)</h4>
<div class="d-grid gap-2 col-6 mx-auto mb-4">
  <button class="btn btn-success" type="button">Block
Button</button>
```

```

        <button class="btn btn-outline-primary" type="button">Block Outline
        Button</button>
    </div>

    <!-- 5. Disabled State -->
    <h4>5. Disabled Button</h4>
    <div class="mb-4">
        <button type="button" class="btn btn-primary" disabled>Disabled
        Button</button>
        <a href="#" class="btn btn-secondary disabled" tabindex="-1"
        role="button" aria-disabled="true">Disabled Link</a>
    </div>

    <!-- 6. Button Group -->
    <h4>6. Button Group</h4>
    <div class="btn-group mb-4" role="group" aria-label="Basic example">
        <button type="button" class="btn btn-primary">Left</button>
        <button type="button" class="btn btn-primary">Middle</button>
        <button type="button" class="btn btn-primary">Right</button>
    </div>

</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bund
le.min.js"></script>
</body>
</html>

```

Output:


1. Basic Buttons



2. Outline Buttons



3. Button Sizes



4. Block Button (Full Width)



5. Disabled Button




6. Button Group




1. Basic Buttons




2. Outline Buttons



3. Button Sizes




4. Block Button (Full Width)



5. Disabled Button



6. Button Group



1. Basic Buttons




2. Outline Buttons



3. Button Sizes


1. Basic Buttons




2. Outline Buttons




3. Button Sizes



4. Block Button (Full Width)



5. Disabled Button



6. Bootstrap Form

Bootstrap Form

```
<div class="container">
  <h3>Horizontal form</h3>
  <form action="/action_page.php">
    <div class="row mb-3">
      <label for="uname" class="col-sm-2 col-form-label">Username:</label>
      <div class="col-sm-10">
```

PEMROGRAMAN WEB

39

```
      <input type="text" class="form-control" id="uname" placeholder="Enter username"
name="uname">
    </div>
  </div>
  <div class="row mb-3">
    <label for="pwd" class="col-sm-2 col-form-label">Password:</label>
    <div class="col-sm-10">
      <input type="password" class="form-control" id="pwd" placeholder="Enter
password" name="pwd">
    </div>
  </div>
  <div class="row">
    <div class="col-sm-10 offset-sm-2">
      <button type="submit" class="btn btn-success">Submit</button>
    </div>
  </div>
</form>
</div>
```

```
<!DOCTYPE html>
<html lang="id">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Bootstrap Form</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.mi
n.css" rel="stylesheet">
</head>
<body>

  <div class="container mt-5">
    <h2 class="text-center mb-5">Demo Bootstrap Form</h2>

    <div class="card p-4">
      <h4 class="mb-3">Form Login (Horizontal)</h4>
      <form action="action_page.php">

        <!-- Baris 1: Username -->
        <div class="row mb-3">
          <label for="username" class="col-sm-2 col-form-
label">Username</label>
          <div class="col-sm-10">
```

```

        <input type="text" class="form-control" id="username"
placeholder="Masukkan nama pengguna">
    </div>
</div>

<!-- Baris 2: Password -->
<div class="row mb-3">
    <label for="password" class="col-sm-2 col-form-
label">Password</label>
    <div class="col-sm-10">
        <input type="password" class="form-control" id="password"
placeholder="Masukkan password">
    </div>
</div>

<!-- Baris 3: Email (Contoh tambahan) -->
<div class="row mb-3">
    <label for="email" class="col-sm-2 col-form-label">Email</label>
    <div class="col-sm-10">
        <input type="email" class="form-control" id="email"
placeholder="name@example.com">
    </div>
</div>

<!-- Baris 4: Tombol Submit -->
<!-- offset-sm-2 digunakan agar tombol sejajar dengan input, bukan
di bawah label -->
<div class="row mb-3">
    <div class="col-sm-10 offset-sm-2">
        <button type="submit" class="btn btn-
primary">Login</button>
        <button type="reset" class="btn btn-
secondary">Reset</button>
    </div>
</div>

</form>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bund
le.min.js"></script>
</body>
</html>

```

Output:

Demo Bootstrap Form

Form Login (Horizontal)

Username

Password

Email



082324500455

....



1234567

....



ganagana2402@gmail.com

.....



Kelola sandi...

