

Experiment.1

FTK Imager: A Forensic Imaging Tool Overview Acquiring

Volatile Memory (RAM) Using FTK Imager Link for

installation file :- [link](#)

Steps to Capture RAM Using FTK Imager


1. Run as Administrator

- Open FTK Imager with administrative privileges.
- Right-click the FTK Imager icon and select Run as administrator



2. Initiate Memory Capture


- In the top menu bar, click File → Capture Memory from the dropdown list.




3. Configure Destination

A dialog box will appear where you configure where and how the memory will be saved.

- **Destination Path:**
Click **Browse** to select a folder on an **external drive** (not the system drive).
- **Destination Filename:**
You can keep the default memdump.mem or assign a more descriptive name.




- **Optional: Include pagefile.sys**
Check this box to capture pagefile.sys, which is virtual memory stored on the disk.
- **Optional: Create AD1 file**
Saves the memory dump in an AccessData-specific container file.




4. Start Capture

- Click the **Capture Memory** button to begin acquisition.



5. Wait for Completion

- A progress bar will indicate the capture status.
- Capture time depends on the system's RAM size.
- Once finished, the memory dump file will be available in the destination folder.



The image shows a 'Evidence Item Information' dialog box with a close button (X) in the top right corner. It contains five input fields with the following data: Case Number: 500, Evidence Number: 99240040718, Unique Description: Yaswanth, Examiner: Yashu, and Notes: FTK imager. At the bottom, there are four buttons: '< Back', 'Next >', 'Cancel', and 'Help'.

Case Number:	500
Evidence Number:	99240040718
Unique Description:	Yaswanth
Examiner:	Yashu
Notes:	FTK imager

< Back Next > Cancel Help

Acquiring Non-Volatile Memory (Disk Image) Using FTK Imager

1. Start the Process


- In FTK Imager, go to the top menu bar: File → Create Disk Image....

2. Select Source Evidence Type

A window will appear asking you to choose the source type:

- **Physical Drive:** Images the entire disk, including all partitions, unallocated space, and the Master Boot Record (MBR).

- **Logical Drive:** Images a specific partition (e.g., C: drive).
- **Image File:** Converts or copies an existing image file.
- **Contents of a Folder:** Creates an image of a specific folder only.




3. Select the Source Drive


- From the dropdown, choose the physical drive to image (connected via **write-blocker**).
- Click **Finish**.

4. Configure the Image Destination

- Click **Add...** in the "Create Image" window to define the image **format** and **destination**.



Option



- **Fill in Evidence Item Information:**

- Enter case details, examiner name, and description.
- This information is stored in the image metadata (important for documentation).

<!-- -->

- **Choose Destination Folder:**

- Must be a different drive from the source.
- Name the image file (e.g., Case001_SuspectHDD).

- **Image Fragment Size:**



- Set a value to split the image into multiple parts.
- Set to 0 for a single image file.

5. Start the Imaging Process

- Click **Finish** to return to the "Create Image" screen.
- Check **"Verify images after they are created"** to calculate hash values and ensure integrity.
- Click **Start**.

6. Completion and Hash Verification

- The imaging process may take time depending on the drive size.
- After completion, FTK Imager verifies the hashes automatically.
- A final window shows **MD5** and **SHA1** hashes for both the source drive and image.
- Matching hashes confirm the forensic image's integrity.



References

- [FTK Imager Official Website](#)
- FTK Imager Documentation