

Vel Tech Group of Institutions

Name: Gontu Yaswanth

Email: vtu33434@veltech.edu.in

Roll no: Vtu33434

Phone: null

Branch: VTU

Department: CSE

Batch: 2028

Degree: B.Tech - Computer Science and Engineering

Scan to verify results



2028_NeoColab_Competitive Coding II_L8

VTU_Week 6_MCQ

Attempt : 1

Total Mark : 15

Marks Obtained : 12

Section 1 : MCQ

1. In Radix Sort, what happens if the input array contains numbers with different lengths?

Answer

The shorter numbers are padded with zeros.

Status : Correct

Marks : 1/1

2. In heap sort, when does the actual sorting take place?

Answer

During the swap and heapify phase

Status : Correct

Marks : 1/1

3. In heap sort, which of the following heap operations is performed to build a valid heap from an unsorted array?

Answer

Heapify

Status : Correct

Marks : 1/1

4. In heap sort, the element that is swapped with the final element of the heap is _____, in the case of a max-heap, sorted in descending order.

Answer

Largest element

Status : Correct

Marks : 1/1

5. Bucket sort is most efficient in the case when _____

Answer

The input is uniformly distributed

Status : Correct

Marks : 1/1

6. Which of the following is not necessarily a stable sorting algorithm?

Answer

All of the mentioned options

Status : Wrong

Marks : 0/1

7. Which step is essential to implement Bucket Sort correctly?

Answer

Dividing the range of input into intervals (buckets)

Status : Correct

Marks : 1/1

8. Which of the following is a characteristic of Radix Sort?

Answer

It is an in-place sorting algorithm.

Status : Wrong

Marks : 0/1

9. A database contains the following employee IDs: [1263, 2910, 8742, 3891, 2156]. Using Radix Sort, which of the following is the correct order of employee IDs after the first pass (sorting by the least significant digit)?

Answer

[2910, 3891, 8742, 1263, 2156]

Status : Correct

Marks : 1/1

10. What is the purpose of the counting sort algorithm in Radix Sort?

Answer

To sort the elements based on the current digit.

Status : Correct

Marks : 1/1

11. When does Heap Sort perform at its worst?

Answer

When the input array elements are required to be sorted in reverse order.

Status : Wrong

Marks : 0/1

12. How does Counting Sort handle duplicate elements?

Answer

It preserves their relative order

Status : Correct

Marks : 1/1

13. What is the purpose of the count array in Counting Sort?

Answer

To store the count of each unique element of the input array at their respective indices

Status : Correct

Marks : 1/1

14. What is the purpose of calculating the prefix sum in the Counting Sort algorithm?

Answer

To determine the final positions of elements in the output array

Status : Correct

Marks : 1/1

15. What is the initial value of each element in the count array in Counting Sort?

Answer

0

Status : Correct

Marks : 1/1