

Experiment 2

Programm:-

```
#include <stdio.h>
// FCFS Scheduling
void fcfs(int n, int bt[]) {
    int wt[10], tat[10];
    wt[0] = 0;
    for(int i = 1; i < n; i++)
        wt[i] = wt[i-1] + bt[i-1];
    printf("\nFCFS Scheduling:\n");
    printf("Process\tBurst Time\tWaiting Time\tTurnaround Time\n");
    for(int i = 0; i < n; i++) {
        tat[i] = wt[i] + bt[i];
        printf("P%d\t\t%d\t\t%d\t\t%d\n", i+1, bt[i], wt[i], tat[i]);
    }
}

// Round Robin Scheduling
void roundRobin(int n, int bt[], int tq) {
    int rem_bt[10], wt[10], tat[10];
    int t = 0;
    for(int i = 0; i < n; i++) {
        rem_bt[i] = bt[i];
        wt[i] = 0;
    }
    while(1) {
        int done = 1;
        for(int i = 0; i < n; i++) {
            if(rem_bt[i] > 0) {
                done = 0;
                if(rem_bt[i] > tq) {
                    t += tq;
                    rem_bt[i] -= tq;
                } else {
                    t += rem_bt[i];
                    wt[i] = t - bt[i];
                    rem_bt[i] = 0;
                }
            }
        }
    }
    if(done == 1)
        break;
}
```

```

printf("\nRound Robin Scheduling (Time Quantum = %d):\n", tq);
printf("Process\tBurst Time\tWaiting Time\tTurnaround Time\n");

for(int i = 0; i < n; i++) {
    tat[i] = bt[i] + wt[i];
    printf("P%d\t\t%d\t\t%d\t\t%d\n", i+1, bt[i], wt[i], tat[i]);
}
}

int main() {
    int n, tq;
    int bt[10];

    printf("Enter number of processes: ");
    scanf("%d", &n);
    printf("Enter burst times:\n");
    for(int i = 0; i < n; i++) {
        printf("P%d: ", i+1);
        scanf("%d", &bt[i]);
    }
    fcfs(n, bt);
    printf("\nEnter Time Quantum for Round Robin: ");
    scanf("%d", &tq);
    roundRobin(n, bt, tq);
    return 0;
}

```

Projects

My First Project

Help

\$0.00

0

Hello Buy a license or redeem a voucher. Prices start at a few \$ per month. Apply your license to this project. Free projects...

sch.c

2026-02-01-file-2.term

Assistant

Server

Terminal

File

Edit

View

Go

Help

Chat

Explorer

New

Log

Find

Servers

Users

Upgrades

Processes

Settings

K

~\$ gcc sch.c -o sch

~\$./sch

Enter number of processes: 2

Enter burst times:

P1: 2

P2: 3

FCFS Scheduling:

Process	Burst Time	Waiting Time	Turnaround Time
P1	2	0	2
P2	3	2	5

Enter Time Quantum for Round Robin: 3

Round Robin Scheduling (Time Quantum = 3):

Process	Burst Time	Waiting Time	Turnaround Time
P1	2	0	2
P2	3	2	5

~\$ █