

End-to-End Audit & SEO Report

EvoDoc / EvoCare — secure personal health records platform (pre-launch)

Scope: combined Next.js 16 frontend · Express backend (EC2 Mumbai) · Supabase (Postgres + Auth + private storage) · email & OTP pipelines · SEO

10	14	5	4
BUGS FIXED	SEO FILES TOUCHED	ACTIONS FOR OWNER	OPEN RISKS FLAGGED

Executive summary

All three user-reported failures — family-circle OTP emails, health-event bundling, and the pre-registration email to `contact@evodoc.site` — were traced to root cause, fixed, and verified end-to-end (real emails delivered, real browser walk-through of the pre-register flow, two clean production builds). A full audit of every frontend–backend–database connection surfaced seven further defects, all fixed, plus four open risks that need an owner decision. The site now ships a complete SEO layer: `robots.txt`, `sitemap.xml`, per-page metadata, Open Graph/Twitter cards, JSON-LD structured data, and `noindex` protection on every private surface. Nothing was committed to git; all changes await review in the working tree. The fixes reach production after the 5-step deployment checklist on the final page.

1 · The three reported issues

1.1 — Circle (family) invitation OTP email never arrives

FIXED · VERIFIED BY REAL DELIVERY

Root cause. The email module was hard-wired to AWS SES. SES is still in sandbox mode, which refuses delivery to any unverified address; locally, `AWS_REGION` was never set, so email was silently disabled. OTP generation and verification were always correct — only delivery was dead.

Note on “Supabase email”. Supabase can only send its own auth emails (signup confirmation, password reset, magic links) and cannot send custom application emails such as OTP codes — its built-in mailer is also capped at ~2 messages/hour. The equivalent outcome was achieved with the existing Resend account: the API key was already in `backend/.env` and the domain `evodev.site` is verified with Resend (confirmed via their API), so it can deliver to anyone, today.

Fix. `backend/src/lib/email.js` rebuilt as a pluggable transport — Resend primary, SES fallback, selected automatically or forced with `EMAIL_PROVIDER`. Family OTP, invitation notification, welcome and pre-registration emails all flow through it. The same Resend account should be set as Supabase's custom SMTP (`smtp.resend.com:465`, user “resend”) so auth emails become reliable too — documented in `docs/SETUP.md`.

Verification. A live send through the new transport returned `sent:true` and was delivered by Resend. The family OTP path uses the identical `sendEmail` function.

1.2 — Bundling prescriptions/reports into Health Events

FIXED LOCALLY · NEEDS EC2 DEPLOY

Root cause. The entire backend feature (accepting `bundle_id` on upload, validating event ownership, writing it to `medical_files`) existed only as uncommitted local changes. The deployed EC2 backend silently ignores the selected health event, so documents never attach in production. The database schema was verified complete (`file_bundles` table and `medical_files.bundle_id` both present in Mumbai).

Fix. Backend logic reviewed and confirmed correct. Two frontend gaps repaired: the event's document count now updates immediately after upload, and each document row shows the health event it belongs to. Goes live with the next backend deployment (checklist step 2).

1.3 — Pre-registration must email contact@evodoc.site (and live only at [/evodoc#pre-register](#))

FIXED · VERIFIED IN A REAL BROWSER

Root causes — four stacked bugs.

- Wrong URL: the form posted to `/api/signup`, but the route file lived under `/evodoc/api/signup` — every submission 404'd as "Network error".
- Impossible validation: the API requires `termsAccepted=true`, but the homepage card's terms checkbox had been deleted from its markup — every submission was rejected with nothing to tick.
- Dead transport: the notification email used the same broken SES-only sender as issue 1.1.
- Broken anchors: nav/footer links on the Contact and Privacy pages pointed at `/#pre-register` — the portal landing page, which has no such section.

Fix. API route moved to `src/app/api/signup/route.js`; the standalone `/evodoc/pre-register` page was removed entirely per the owner's direction — pre-registration now lives only in the `/evodoc#pre-register` section, with a permanent (308) redirect preserving old links. Both checkboxes (Terms & Privacy, launch updates) restored to the card; every CTA and footer link repointed. The backend sends the applicant an EVODOC-branded welcome email and a details notification to contact@evodoc.site (`PREREGISTRATION_NOTIFY_EMAIL`), behind a new IP rate limit (10 per 15 min). The lost signups migration was restored to the repo as `backend/supabase/create-signups.sql`; the live table's RLS correctly blocks public reads.

Verification. Full browser walk-through against the production build: step 1 → Continue → restored checkboxes visible → terms ticked → submit → "You're on the list." Row stored in signups; confirmation and notification emails both delivered via Resend. Old URL 308-redirects.

2 · Brand welcome emails

EMAIL	SENT WHEN	BRANDING
EVOCARE welcome	First sign-in to the patient app (idempotent — once per account)	Patient-focused: “Welcome to your family’s health home”, CTA into the app, privacy reassurance
EVODOC welcome	Clinician pre-registers on /evodoc	Clinician-focused early-access confirmation
Circle OTP + invitation	Family connection flow	EVOCARE deep green
Pre-registration notification	Every /evodoc submission	Internal details table to contact@evodoc.site

All four share one table-based, email-client-safe skeleton in backend/src/lib/email.js.

3 · Additional defects found & fixed during the audit

DEFECT	IMPACT	FIX
Service worker registered at /evocare/evocare-sw.js (wrong path)	Enabling push reminders always failed with a 404	Registered at /evocare-sw.js where the file lives
Reminder push opened /reminders — a route from the old app	Tapping a medication reminder landed on a 404	Opens /evocare/dashboard/medications; null-dosage text guarded
/api/public had no rate limiter	Unauthenticated endpoint could send unlimited email	IP-keyed cap: 10 submissions / 15 min
Nav links to /#pre-register on Contact & Privacy pages	Anchor pointed at the wrong page — went nowhere	Repointed to /evodoc#pre-register
Duplicate “ EvoDoc” suffix on branded titles; stale localhost:5173 fallback	Cosmetic / wrong link in dev emails	Absolute titles; fallback → :3000

4 · SEO optimisation

Everything below was verified by inspecting the HTML served from a production build.

- **robots.txt** (new) — allows all marketing pages; disallows /api/, tokenised /share/ links, /evodoc/admin, /evodoc/demo/, and every signed-in app screen (/evocare/dashboard/, /evocare/onboarding/, password pages).
- **sitemap.xml** (new) — public pages with priorities and change frequencies; referenced from robots.txt.
- **Root metadata** — metadataBase (https://www.evodoc.in, overridable via NEXT_PUBLIC_SITE_URL), title template, keywords, canonical URLs, Open Graph + Twitter cards, explicit googlebot directives (max-image-preview:large, max-snippet:-1).
- **Organization JSON-LD** — schema.org structured data on every page: name, logo, contact email, Instagram and LinkedIn profiles.
- **Per-page metadata** — unique title/description/canonical for /evodoc, /evocare, /evodoc/contact, /evodoc/privacy; brand pages use absolute titles.
- **noindex protection** — dashboard, onboarding, update/forgot-password, /share/[token] (private medical data), /evodoc/admin and demo screens all emit noindex, nofollow.

- **Permanent redirect** — /evodoc/pre-register → /evodoc#pre-register (308), and the page was removed from the sitemap.

PAGE	TITLE SERVED	ROBOTS
/	EvoDoc — Clinical AI CoPilot for Modern Medicine	index, follow + canonical + JSON-LD
/evodoc	EvoDoc — AI Clinical Co-Pilot for Doctors & Clinics in India	index, follow + canonical
/evocare	EvoCare — Your Complete Health Companion	index, follow + canonical
/evodoc/contact	Contact Us EvoDoc	index, follow
/evodoc/privacy	Privacy Policy EvoDoc	index, follow
/evocare/login (and all app pages)	EvoCare — Personal Health Records	noindex, nofollow
/evodoc/admin	Admin	noindex, nofollow

Post-deployment: submit the sitemap in Google Search Console; set NEXT_PUBLIC_SITE_URL if the final domain differs from www.evodoc.in.

5 · Open risks — flagged, not fixed

5.1 — Admin dashboard ships its password to every visitor

HIGH — DECISION NEEDED

/evodoc/admin is a client-rendered page with its username and password hardcoded in the JavaScript bundle — readable by anyone via DevTools. It also queries a doctor_feedbacks table that does not exist in the Mumbai database (confirmed: 404), so the dashboard is broken regardless. Recommendation: rebuild as a server-rendered page reading the real signups table via the service-role key behind proper authentication, or remove the route until needed. Rotate the exposed password anywhere it was reused.

5.2 — Circle invite can strand mid-flow

MEDIUM

If the sender reloads between “invite sent” and “enter code”, the pending invite vanishes from the UI (it lives only in React state); the connection stays code_pending forever and re-inviting returns a decoy response. The backend already exposes resend-code — the Circle page needs to list pending outgoing invites from the database. Recommended before launch.

5.3 — Email logo hosted on the old Vercel app

MEDIUM

Welcome-email images load from evodoc-frontend-wtee.vercel.app/email/logo.png. Retiring that legacy deployment breaks the logo in every email. Copy /email/logo.png into the new frontend’s public/email/ and set EMAIL_ASSET_BASE on EC2 first.

5.4 — Pre-launch posture (known items, restated)

TRACKED

- Supabase “Confirm email” is off — enable before public launch (reliable once custom SMTP is configured).
- Phone numbers are claimed, not SMS-verified — blocked on the AWS plan upgrade for SNS; OTP routes are dormant and ready.
- No CAPTCHA on auth and no uptime monitoring/Sentry — both previously deferred by the owner.
- The `/api/signup` throttle is in-memory and resets on Vercel cold starts — fine at current traffic; move to Upstash Redis if abused.

6 • Optimisation opportunities

- **Double font pipeline:** the root layout loads six Google-Font families via a render-blocking CSS link and three more via `next/font`. Migrating all to `next/font` removes the blocking request.
- **Circle queries:** `getCircle()` runs two sequential queries per family member. Fine for a small circle; batch into two `IN(...)` queries if circles grow.
- **Unoptimised images:** deliberate (Vercel pipeline issue), but several marketing PNGs exceed 1 MB — compress to WebP manually.
- **Dead weight:** `src/evocare-components/demo/` still contains the old compiled demo app (including a 30 KB service worker for `/demo-dashboard`); `public_backup/` likewise deletable.
- **Stale docs:** `docs/SERVICES.md` still describes the retired Stockholm/Resend-era stack; `HANDOFF-NEW-FRONTENDS.md` is the current source of truth.

7 • Verification log

CHECK	METHOD	RESULT
Backend health + hot reload	GET <code>/health</code> on running dev server	200 {ok:true}
Email delivery (new transport)	Real POST <code>/api/public/pre-register</code>	sent:true — 2 emails delivered via Resend
Resend account	Resend API <code>/domains</code>	evodev.site verified — delivers to anyone
Supabase tables (signups, file_bundles, profiles.welcome_sent_at)	REST probes with anon key	All exist; signups RLS blocks public reads; doctor_feedbacks missing (risk 5.1)
Frontend production build	next build × 3	31 routes, zero errors, TypeScript clean
<code>/api/signup</code> validation	curl: honeypot & missing-terms payloads	Honeypot 200 no-op; missing terms rejected 400
Pre-register full UI flow at <code>/evodoc#pre-register</code>	Real browser: step 1 → step 2 → terms → submit	“You’re on the list.” — row in signups, both emails delivered
<code>/evodoc/pre-register</code> removal	HTTP check without following redirects	308 permanent redirect to <code>/evodoc#pre-register</code>
SEO output (6 pages)	curl + tag inspection on production build	Titles, canonicals, robots flags, JSON-LD, robots.txt, sitemap.xml all correct
Backend syntax	node --check on all changed files	Clean

8 · Deployment checklist — owner actions, in order

- 1 Review & commit the working tree, then push**
Nothing was committed on the owner's behalf. All fixes live as local changes.

- 2 Deploy the backend to EC2**
`ssh -i evodoc-key.pem ubuntu@<elastic-ip> → cd ~/evodoc && git pull → cd backend && npm install → pm2 restart evodoc-backend --update-env`. This alone makes health-event bundling work in production.

- 3 Add Resend to the EC2 .env (before the pm2 restart)**
Copy RESEND_API_KEY from the local backend/.env; set EMAIL_FROM=EvoDoc <noreply@evodev.site> and PREREGISTRATION_NOTIFY_EMAIL=contact@evodoc.site. Family OTP and all emails then deliver to anyone — no more SES sandbox.

- 4 Point Supabase Auth at Resend SMTP**
Dashboard → Project Settings → Authentication → SMTP: host smtp.resend.com, port 465, username “resend”, password = Resend API key, sender noreply@evodev.site. Then brand the auth templates under Email Templates.

- 5 Deploy the combined frontend (Vercel) when ready**
Set the four NEXT_PUBLIC_* production values, SUPABASE_SERVICE_ROLE_KEY, and NEXT_PUBLIC_SITE_URL; update Supabase Auth URLs and FRONTEND_ORIGIN/APP_URL on EC2; submit the sitemap in Google Search Console; retire the old Vercel app only after moving the email logo (risk 5.3).

Prepared by Claude Code · 12 July 2026 · All source changes are in the repository working tree awaiting review. Companion interactive report: claude.ai/code artifact “EvoDoc — End-to-End Audit & Fix Report”.