Al Agentic Programming: A Survey of Techniques, Challenges, and Opportunities

HUANTING WANG, University of Leeds, UK JINGZHI GONG, University of Leeds, UK HUAWEI ZHANG, University of Leeds, UK ZHENG WANG, University of Leeds, UK

AI agentic programming is an emerging paradigm in which large language models (LLMs) autonomously plan, execute, and interact with external tools like compilers, debuggers, and version control systems to iteratively perform complex software development tasks. Unlike conventional code generation tools, agentic systems are capable of decomposing high-level goals, coordinating multi-step processes, and adapting their behavior based on intermediate feedback. These capabilities are transforming the software development practice. As this emerging field evolves rapidly, there is a need to define its scope, consolidate its technical foundations, and identify open research challenges. This survey provides a comprehensive and timely review of AI agentic programming. We introduce a taxonomy of agent behaviors and system architectures, and examine core techniques including planning, memory and context management, tool integration, and execution monitoring. We also analyze existing benchmarks and evaluation methodologies used to assess coding agent performance. Our study identifies several key challenges, including limitations in handling long context, a lack of persistent memory across tasks, and concerns around safety, alignment with user intent, and collaboration with human developers. We discuss emerging opportunities to improve the reliability, adaptability, and transparency of agentic systems. By synthesizing recent advances and outlining future directions, this survey aims to provide a foundation for research and development in building the next generation of intelligent and trustworthy AI coding agents.

CCS Concepts: • Software and its engineering \rightarrow Software development techniques.

Additional Key Words and Phrases: Large Language Models, LLMs, AI Agents, AI Agentic Programming

1 Introduction

The paradigm of software development is changing rapidly with the rise of large language models (LLMs) [73]. These models enable artificial intelligence (AI) systems that not only generate code [44] but also understand task requirements, interact with development tools, and iteratively refine their outputs [29, 43]. Recent studies suggest that software developers now use LLMs routinely to assist in daily coding tasks [30, 72, 73]. Unlike traditional code generation tools [31] that respond to a single prompt with a static code snippet, emerging AI coding agents are designed to operate within dynamic software environments, performing iterative, tool-augmented tasks to achieve complex goals.

This shift has given rise to a new programming paradigm known as **AI agentic programming**, where LLM-based coding agents can autonomously plan, execute, and refine software development tasks [36, 42]. These agents go beyond code completion: they can generate entire programs or modules from natural language specifications, diagnose and fix bugs using compiler or test feedback, write and execute test cases, and refactor code for readability or performance. They can also invoke and interact with external tools such as compilers, debuggers, performance profilers, or version control systems, supporting an end-to-end development workflow.

This emerging paradigm has the potential to fundamentally change how software is built and maintained. For example, an AI agent can take a natural language description of a feature and work

through a series of steps, such as writing code, generating tests, running those tests, analyzing and fixing issues, and preparing a pull request. Some state-of-the-art coding agents have demonstrated the ability to continue working for hours while maintaining task consistency, avoiding deadlocks, and recovering from failed actions [29, 42]. These systems can generate and test code, migrate software between frameworks, debug runtime failures, and integrate new features by decomposing complex goals into manageable subtasks [34, 35]. This represents a clear shift from static, one-shot AI-based code generation to *interactive*, *iterative*, and tool-augmented workflows.

Although progress has been fast, AI agentic programming is still in its early stages. Existing systems vary in architecture, autonomy, tool integration, and reasoning capabilities. There is no standard taxonomy, benchmark suite, or evaluation methodology. Moreover, multiple key challenges remain, including improving reliability [73], reducing errors or hallucinations [30], handling tasks across different platforms and languages [81], and making sure these systems are safe and trustworthy in real use [54].

The success of AI coding agents depends heavily on their ability to interact effectively with external tools. However, today's programming languages, compilers, and debuggers are fundamentally human-centric. They are not designed for automated, autonomous systems. These tools often abstract away internal states and decision-making processes to improve usability, ensure portability, and reduce cognitive load for human users [129, 130]. While this abstraction benefits human developers, it may not fit AI agents, which require fine-grained, structured access to internal states, transformation sequences, and validation logic in order to reason about the effects of their actions [33]. Without such access, AI agents struggle to diagnose failures, understand the implications of their changes, or recover from errors in a principled way. For instance, when a code transformation leads to a build failure, the agent needs more than just an error message - it must trace the failure to specific intermediate steps and understand why the changes caused the issue. Existing development environments do not provide hooks and feedback mechanisms to support this kind of iterative, tool-integrated reasoning.

Similarly, agentic coding systems benefit significantly from toolchains that support *iterative development*, *state tracking*, and *rich feedback propagation* - capabilities that most conventional tools do not expose. To operate effectively, AI agents may need access to internal compiler representations, transformation traces, symbolic information, and execution metadata. This raises a fundamental question: *Are our current programming languages and software development tools still adequate in the era of AI agentic programming?* Or is it time to rethink the design of programming languages, compilers, and debuggers to treat AI agents as first-class participants in the development process?

These challenges show that AI agentic programming is not just a new way of using existing tools. It is a shift that exposes important gaps in how today's software systems are designed. As the field evolves rapidly, there is a growing need to clarify its conceptual landscape, identify common patterns and system architectures, and assess the suitability of current development ecosystems. This is the right moment to step back, take stock of recent progress, and lay out the key questions that researchers and developers need to tackle next.

Therefore, this survey aims to provide a comprehensive overview of the emerging field of AI agentic programming. Specifically, it covers:

- A conceptual foundation and taxonomy of AI coding agents,
- A review of core system architectures and underlying techniques,
- A summary of current applications and practical use cases,
- An analysis of evaluation strategies and benchmarking practices,
- A discussion of key challenges and current limitations, and




Fig. 1. A representative workflow of an AI coding agent.

 An exploration of future research directions, including opportunities to bridge perspectives across disciplines such as programming languages, software engineering, AI, and humancomputer interaction.

We focus primarily on **LLM-driven agentic systems for software development**, though many insights extend to general task-oriented agents. Our goal is to chart the current landscape, clarify foundational concepts, and support the design of robust, efficient, and trustworthy AI agents for programming.

2 Background

2.1 Al Agentic Programming

AI agentic programming refers to a new programming paradigm in which LLM-based agents autonomously perform software development tasks. Unlike traditional code generation tools that produce outputs in a single step based on a static prompt [81], agentic systems operate in a goal-directed, multi-step manner. They reason about tasks, make decisions, use external tools (such as compilers, debuggers, and test runners), and iteratively refine their outputs based on feedback [42, 47, 74]. These agents can plan sequences of actions, adapt their strategies over time, and coordinate complex development workflows with limited or no human intervention.

At its core, agentic programming combines the capabilities from natural language processing, external tool integration, and task planning. Figure 1 illustrates the architecture of a Copilot-style agentic programming system. At its core, the agent embeds an LLM within an execution loop, enabling interaction with the development environment. The agent receives natural language prompts from the user and gathers additional context from the operating system and the workspace (e.g., file summaries or environment state). This information is passed into the reasoning loop, where the LLM decomposes the task into subgoals, generates code or decisions, and determines whether to invoke external tools—such as reading/editing files or executing terminal commands. Tool outputs are returned to the loop and used as feedback for further refinement. This iterative process continues until the agent completes the task or reaches a stopping condition. Final results are streamed back to the user.

AI agentic programming is characterized by several key properties. First, it emphasizes *autonomy*, where LLM-based agents can make decisions and take actions without continuous human supervision. Second, it is inherently *interactive*, as agents engage with external tools and environments during execution. Third, it supports *iterative refinement*, allowing agents to improve outputs based on intermediate feedback. Finally, it is *goal-oriented*, with agents pursuing high-level objectives (e.g., sub-tasks generated from the user inputs) rather than simply responding to one-shot prompts.

Together, these features mark a departure from earlier forms of automation and code generation based on rules [110], classical machine learning models [31] or one-shot LLM calling [81]. AI



Fig. 2. Agentic workflow for implementing a REST task.




Fig. 3. A diagram showing the evolution of coding agents from program synthesis, to code completion tools to Al coding agents

agentic programming represents a change toward intelligent systems that actively participate in the software development process. This enables new capabilities in intelligent code assistance [114], autonomous debugging and testing [35, 155], automated code maintenance [41], and potentially even self-improving software systems [48, 58].

2.1.1 Working example. As an example of AI agentic programming, consider a developer who tasks an AI coding agent with the following request: "Implement a REST API endpoint that returns the top 10 most frequently accessed URLs from a web server log file. Include unit tests and documentation." This task requires integrating multiple software components, including file parsing, frequency analysis, web API implementation, testing, and documentation.

A high-level view of an agentic loop for solving this task is depicted in Figure 2. Here, an LLM begins by analyzing the natural language task and planning a sequence of actions. It first produces a Python function to parse the log file and count URL frequencies using a dictionary or a data analysis library like collections. Counter. Next, it implements a REST API endpoint using a web framework such as Flask, exposing a route like /top-urls that returns the computed result in JSON format. The LLM then writes unit tests and calls a Python interpreter to execute the generated Python script in the terminal and collects output to validate both the parsing logic and the API usage. It runs these tests using a tool like pytest, identifies failing cases, and refines the implementation. If a test fails due to a corner case (e.g., missing fields or malformed input), the LLM goes back to change the Python code, e.g., by adding input validation. It repeats this process running tools, interpreting results, and modifying the code - until all tests pass. Finally, the LLM can generate documentation strings for each function and call an external tool like pdoc or Sphinx to produce human-readable API documentation. The process concludes when the agent validates that the tests pass, the API behaves as expected, and the documentation is complete.

This example illustrates the core features of agentic programming: autonomous planning, tool integration, iterative refinement, and goal-directed behavior. Unlike one-shot code generation, the agent interacts continuously with tools, learns from feedback, and adapts its actions to deliver a complete and functional software component.

2.2 Historical Context and Motivations

As illustrated in Figure 3, the idea of automating software development has long been a goal in artificial intelligence and software engineering research [116]. Early efforts in *program synthesis* aimed to generate correct-by-construction programs from formal specifications [117], while *code completion tools* sought to improve developer productivity by predicting likely code snippets based on contexts [112–114]. These approaches, while impactful, typically relied on classical machine-learning models [31], handcrafted ruless [110], or statistical techniques with limited generalizations [111].

The advent of large-scale pre-trained LLMs such as Codexs [77], GPTs [87], Claudes [85], LLa-Mas [86] and StarCoder [70] marked a major turning point. These models demonstrated strong zero-shot and few-shot capabilities in generating code [67, 68], translating between programming languages [82, 83], and answering complex programming questions with little or no task-specific fine-tuning [50, 80]. Their ability to understand and generate natural language and code made them a good fit for software development tasks beyond basic code completion [57], including documentation generation [60], test synthesis [65], and bug detection and fixing [35, 155, 156].

As these models became more capable, a new opportunity emerged: using LLMs not just as passive code generators, but as autonomous agents that could reason about goals, invoke tools, and refine their outputs over multiple steps. This shift leads to the paradigm of AI agentic programming, where models operate as task-driven entities capable of planning, interacting with compilers and debuggers, and self-correcting based on feedback.

Several trends motivated this change. First, real-world software development often requires iterative problem solving, tool use, and adaptation, which single-step code generation cannot handle effectively [74, 121]. Second, the rise of prompt engineering and structured prompting techniques (e.g., ReAct, chain-of-thought, scratchpads) enabled LLMs to reason more effectively over multiple steps [64, 109]. Third, the increasing availability of APIs, command-line tools, and language server protocols made it possible to integrate LLMs into full-stack development environments [61–63].

These developments prompted a rethinking of how LLMs could be deployed-not just as smart coding assistants [113, 114], but as semi-autonomous agents capable of carrying out software engineering tasks with minimal human supervision. The resulting systems promise to augment developer productivity, lower the barrier to entry for software creation, and open new avenues for automation in programming workflows.

2.3 Agency in Al Systems

Agency is a foundational concept in the design of intelligent systems. At its core, an agent is an entity capable of perceiving its environment, reasoning about goals, and taking actions to influence outcomes. In the context of AI coding agents, *agency* refers to a system's capacity to act autonomously, i.e., selecting actions based on internal objectives, external feedback, and learned knowledge.

Classical AI research has explored agency extensively in domains such as planning, robotics, and multi-agent systems [120, 121]. Traditional agent models focus on several key attributes:

- Reactivity: the ability to respond to changes in the environment,
- **Proactivity**: the pursuit of long-term goals,
- Social ability: the capacity to communicate and coordinate with other agents or humans,
- Autonomy: the ability to operate without direct human intervention.

In the context of AI agentic programming, agency manifests through an LLM-based system's ability to:

• Interpret open-ended tasks described in natural language,

- Plan sequences of development steps (e.g., writing, testing, debugging),
- Invoke and coordinate external tools (e.g., compilers, test runners, linters),
- Adapt actions based on feedback from the environment (e.g., compiler errors or test failures),
- Maintain coherent state and reasoning across multiple iterations.

Unlike symbolic AI agents that rely on explicitly defined world models and search-based planning, LLM-based coding agents operate in a probabilistic, language-driven manner. Despite this difference, they increasingly exhibit behaviors aligned with classical definitions of agency, especially when augmented with memory, tool-use modules, and planning routines.

2.3.1 Comparison with Robotics and Reinforcement Learning Agents. Robotic agents typically interact with the physical world through sensors and actuators. Their perception, control, and planning modules are tightly coupled with real-time feedback and often require safety guarantees. Reinforcement learning (RL) agents [49], by contrast, learn behaviors by maximizing cumulative reward through trial and error, often in simulated environments. These agents explore large stateaction spaces and learn policies over time.

Agentic programming systems share similarities with both paradigms:

- Like robotic agents, coding agents must coordinate perception (e.g., task understanding) and action (e.g., code edits, tool invocations) in an environment with constraints and feedback.
- Like RL agents, agentic systems benefit from feedback loops (e.g., test results, compiler outputs) and may incorporate exploration, retry strategies, or even reward-guided behavior.

However, coding agents operate in a symbolic, tool-rich environment, where actions are language-based, and environments (e.g., codebases, APIs, test harnesses) are highly structured. They must reason not only about immediate feedback but also about abstract software goals, dependencies, and long-term coherence across multiple steps. This makes agency in programming both uniquely challenging and distinctly different from physical-world or simulated agents.

2.4 Key Enablers of Agentic Programming

Figure 1 shows a representative system architecture of AI agentic programming. The emergence of AI agentic programming has been made possible by a combination of advances in language modeling, interaction frameworks, and software toolchains. Together, these enablers allow LLMs to move beyond static code generation toward goal-driven, interactive behavior. Below, we summarize the core technical factors that underpin this transition.

2.4.1 Large Language Models. LLMs trained on massive corpora of code and natural language form the foundation of modern agentic programming systems. These models, as represented by GPT-5 [56], Claude [85], DeepSeek [109], and Gemini [76], serve as the core reasoning engines, powering code generation, task planning, debugging, documentation, and natural language interaction. Their ability to understand and execute complex instructions makes them central to the design of agentic workflows.

Modern LLMs can generate syntactically correct and semantically meaningful code, answer development-related queries, and engage in multi-turn conversations with minimal task-specific fine-tuning. Many of these models leverage few-shot, zero-shot, and in-context learning capabilities, allowing them to generalize across programming languages, frameworks, and task domains. This flexibility enables developers to use the same underlying model for a wide range of software engineering tasks, from scaffolding and unit test generation to bug repair and performance tuning. In addition to general-purpose models, some LLMs like Grok [108] and Calude Opus [106] are increasingly optimized for coding tasks through specialized instruction tuning, extended context length, tool use capabilities, and integration with retrieval-based systems. These enhancements

Model	Size (B)	Context Win.	Tool use	Provider (access)	Open Source	MoE	Used in coding IDEs		
GPT-5	N/A	1 M	✓	OpenAI (API only)	Х	1	VS Code, Cursor, other IDEs		
GPT-4 variants (o3, o4, etc.)	N/A	128k	✓	OpenAI (API only)	×	1	VS Code, JetBrains, Cursor		
Claude 4 Opus	~300	200k	1	Anthropic (API)	X	1	Cursor, Replit (chat)		
Gemini 2.5 Pro	~200	1M	1	Google (API)	X	1	Replit, Google Colab		
Grok 4	~1.7T	~128k	1	xAI	X	1	Not publicly integrated		
DeepSeek R1-0528	671 (act. 37)	160k	✓	DeepSeek (API + weights)	✓	1	Emacs, VS Code (via ex- tension)		
Kimi K2	1000 (act. 32)	128k	Limited	Moonshot AI (API)	✓	1	Custom plugin support		
Qwen3-235B- A22B	235 (act. 22)	32k	Limited	Alibaba	✓	1	Alibaba Cloud IDE		
Qwen3-Coder- 480B-A35B-	480 (act. 35)	256k		Alibaba	✓	✓	Alibaba Cloud IDE		
Instruct									
Solar-Pro	72	128k	1	Upstage (weights on HF)	✓	Х	VS Code (via third- party)		
Openhands-LM- 32B-v0.1	32	128k	✓	OpenHands	✓	X	VS Code (via extension)		
Devstral-Large	123	128k	1	Mistral (API only)	X	X	VS Code (via API)		
Devstral-Small	24	128k	1	Mistral (API only)	✓	X	VS Code (via API)		

Table 1. Representative LLMs for coding tasks.

Table 2. Examples of tools supported by GitHub Copilot Agent.

Tool Type	Examples
Compiler Debugger Test Framework Linter Version Control Build System Package Manager Language Server	gcc [1], clang [2], javac [3], tsc [4] gdb [5], lldb [7], pdb [8] pytest [9], unittest [10], Jest [11], Mocha [12] eslint [13], flake8 [14], black [15], prettier [16] git [17] make [18], cmake [19], npm [20], maven [21] pip [24] yarn [25], cargo [26] pyright [22], tsserver [23]

make them suitable for multi-turn reasoning, code synthesis grounded in external context, and tool-augmented workflows.

Table 1 provides a comparative overview of state-of-the-art LLMs widely used in code-related tasks. The models listed include Grok 4, GPT-5 (GPT-4, o3 and o4 variants), Gemini 2.5 Pro, Claude 4 Opus, DeepSeek V3, Kimi K2, and Qwen3. The table compares their key attributes, such as the context window length. As the capabilities of LLMs continue to evolve, selecting and fine-tuning the appropriate foundation model becomes a critical design choice in building reliable, efficient, and adaptive agentic systems.

- 2.4.2 Prompt Engineering and Reasoning Strategies. Effective agentic behavior often requires structured prompting techniques to guide LLMs through multi-step reasoning and tool use. Methods such as chain-of-thought prompting, ReAct (reasoning and acting), scratchpad prompting, and modular prompting enable LLMs to plan, reflect, and revise outputs. These techniques allow agents to decompose complex problems, retain intermediate states, and act in ways that are more transparent and controllable.
- 2.4.3 Tool Use and API Integration. Agentic systems rely heavily on external tools, such as compilers, debuggers, test frameworks, linters, and version control systems, to validate and refine

generated code. Integration with these tools via command-line interfaces, language server protocols (LSP), or RESTful APIs enables agents to execute actions, gather feedback, and close the loop between generation and validation. Tool use is a defining feature of agentic programming, supporting iterative workflows and grounding decisions in observable outcomes.

For example, Table 2 lists some of the tools supported by GitHub Copilot Agent. The set of tools ranges from compilation to testing and version control.

2.4.4 State and Context Management. LLMs operate under fixed context windows, limiting their ability to reason over long histories. Agentic systems therefore incorporate external memory mechanisms to store plans, results, tool outputs, and partial progress. This memory can take the form of vector stores, scratchpads, or structured logs, allowing the agent to recall relevant information across multiple steps and maintain coherence over long-running tasks.

Table 3 compares the context management strategies of mainstream AI coding agents, revealing substantial differences in context size and memory persistence. Tools like GitHub Copilot and Codeium lack persistent memory, instead using transient methods such as sliding windows or dynamic token budgeting. In contrast, agents like SWE-agent, Devika, and OpenDevin employ persistent storage, often via vector databases or structured stores, to support long-term recall of plans, tool outputs, and project history. Some, such as Cursor IDE and Continue.dev, use embedding-based search to retrieve semantically relevant content, while others summarize prior actions to stay within the available context window.

These differences reflect a clear trade-off: smaller context windows typically rely on lightweight retrieval or summarization, whereas larger windows with persistent memory enable richer state tracking but add storage and retrieval overhead.

2.4.5 Feedback Loops and Self-Improvement. Agentic programming leverages feedback to refine outputs iteratively. Agents may rerun failed tests, revise prompts based on compiler errors, or reflect on past failures to improve future behavior. Some systems incorporate explicit planning, retry mechanisms, or even gradient-based updates through fine-tuning or reinforcement learning. This closed-loop design supports robustness and adaptability in complex programming tasks.

Together, these enablers mark a significant departure from traditional code generation pipelines. They allow LLMs to operate as interactive systems capable of planning, acting, and learning, paving the way for more autonomous and capable software development agents.

2.5 Comparison to Related Paradigms

AI agentic programming represents a distinct paradigm that builds upon but fundamentally differs from existing paradigms that have shaped the landscape of automated software development.

2.5.1 Program Synthesis. Program synthesis has been a foundational approach to automated code generation, traditionally divided into two types: deductive synthesis uses formal specifications to generate provably correct programs, while inductive synthesis learns from input-output examples with symbolic search and logic programming techniques to infer program logic [55, 117]. Classical synthesis systems like sketching [116] and more recent neural approaches like RobustFill [115] specialize in generating targeted code snippets that satisfy precise specifications.

However, program synthesis focuses on single-function generation from formal specifications and typically operates in a one-shot generation mode [115], whereas agentic programming handles multi-step workflows (e.g., planning, tool use, and iterative refinement) and engages in continuous interaction with development environments [134].

Agent Context Window Persistent Me		Persistent Memory	Context Management Mechanism					
GitHub Copilot	16k	Х	Sliding window over active buffer					
Codeium	32k	X	Dynamic token budgeting based on file proximity and edit history					
Cursor IDE	128k	✓	Semantic search over project history					
SWE-agent	16k	✓	Vector DB retrieval for tool outputs and plan state					
Devika	32k	✓	Structured memory via SQLite and embeddings					
AutoDev	16k	✓	summarization of prior actions and tool logs					
Continue.dev	32k	X	Embedding-based local recall over recent edits					
OpenDevin	32k	✓	RAG over command history, plans, and intermediate outputs					

Table 3. Context management mechanisms supported by mainstream AI coding agents.

2.5.2 Code Completion Tools. Code completion, as one of the most commercially successful applications of AI in programming, excels at context-aware code suggestion, leveraging large-scale pre-training on code repositories to predict next tokens of partially written code [57, 80, 84]. Advanced completion tools can suggest entire functions, classes, or small modules based on comments, function signatures, and surrounding context, with tools like GitHub Copilot [114], TabNine [113], and Amazon Q Developer [112] achieving widespread adoption.

These code completion tools often operate as reactive assistants that respond to developer input, while agentic programming systems demonstrate proactive behavior and autonomous planning. Furthermore, agentic programming extends beyond code generation to encompass testing, debugging, deployment, and maintenance activities that completion tools typically do not address [54, 134].

2.5.3 DevOps Automation. DevOps automation focuses on streamlining software delivery pipelines through Infrastructure as Code (IaC), Continuous Integration/Continuous Deployment (CI/CD), and automated testing frameworks [135]. Tools like Jenkins [133], GitLab CI [132], and modern platforms like GitHub Actions [131] automate repetitive deployment tasks, testing workflows, and infrastructure management.

While both paradigms emphasize automation, DevOps automation primarily handles pre-defined workflows and infrastructure management, whereas agentic programming focuses on adaptive problem-solving and creative solution generation. Additionally, agentic programming can potentially orchestrate and improve DevOps processes themselves, representing a higher-order form of automation [128].

2.5.4 AutoML and Automated Development. Automated Machine Learning (AutoML) represents a successful paradigm for democratizing AI model development through automation of model selection, hyperparameter tuning, and feature engineering [127]. Platforms like Google Cloud AutoML [125], Amazon SageMaker Autopilot [126], and open-source frameworks like Auto-sklearn automate the traditional machine learning pipeline from data preprocessing to model deployment [124].

However, AutoML focuses on statistical model optimization within well-defined machine learning workflows and operates with structured data and standardized evaluation metrics, while agentic programming tackles more general software development challenges with creative problem-solving and multi-modal reasoning.

2.5.5 Multi-Agent Systems and Human-AI Collaboration. Traditional multi-agent systems in software development typically involve specialized agent roles working within predefined coordination protocols [118]. These systems often feature separate agents for requirements analysis, code generation, testing, and documentation, coordinating through structured communication interfaces. Recent advances in LLM-based multi-agent programming have demonstrated the potential for

more sophisticated collaboration, with systems like MetaGPT showing how multiple AI agents can simulate software development teams [122].

AI agentic programming can be viewed as an evolution of multi-agent systems that incorporates human-in-the-loop collaboration and dynamic role adaptation. Unlike traditional multi-agent systems with fixed agent roles and rigid communication protocols, agentic programming systems demonstrate fluid role assignment and context-adaptive behavior. Moreover, the integration of tool use, environmental interaction, and persistent memory distinguishes modern agentic programming from earlier multi-agent approaches. Contemporary agentic systems like AutoGen [120] and CrewAI [119] enable agents to directly interact with development tools, maintain context across extended sessions, and learn from past interactions [121]. This represents a significant advancement over traditional multi-agent systems that typically operated in more constrained, simulation-based environments.

3 Survey Methodology

This survey follows a widely-used systematic literature review (SLR) methodology [32, 45, 46, 73, 88, 92] to provide comprehensive coverage of AI agentic programming research, as illustrated in Figure 4.

3.1 Search Strategy

We conducted automatic searches across multiple academic databases, including Google Scholar, ACM Digital Library, IEEE Xplore, SpringerLink, and arXiv.org. We also examined proceedings from top-tier venues (FSE, ICSE, ASE, ICML, NeurIPS, AAAI, etc.).

Our search string combined the following term clusters using Boolean operators:

- Agent terms: "AI agent" OR "agentic" OR "autonomous agent" OR "coding agent" OR "software agent" OR "intelligent agent" OR "task agent" OR "LLM agent"
- **Programming terms**: "programming" OR "coding" OR "software development" OR "code generation" OR "software engineering" OR "developer" OR "autonomous coding" OR "software automation"
- AI/LLM terms: "large language model" OR "LLM" OR "language model" OR "foundation model" OR "AI model" OR "neural code generation"

3.2 Study Selection

After initial retrieval, we followed a three-stage study selection process: (1) title and abstract screening by two independent researchers, (2) full-text review with disagreement resolution through discussion, and (3) backward and forward citation chaining to identify additional relevant studies. During the selection process, we used the following criteria:

Inclusion criteria - studies were included if they met all of the following:

- (1) Focus on AI systems for software development with autonomous/semi-autonomous behavior
- (2) Demonstrate agentic behaviors: planning, tool use, iterative refinement, or adaptive decision-making
- (3) Present novel techniques, architectures, evaluations, or comprehensive analysis
- (4) Include experimental evaluation, case studies, or substantial implementation details
- (5) Written in English with accessible full text

Exclusion criteria - studies were excluded if they:

- (1) Focused solely on traditional code completion without agentic behavior
- (2) Addressed non-programming domains (robotics, game playing, etc.)




Fig. 4. Survey Methodology.

Fig. 5. Distribution of Papers.

3.3 Results

Our systematic search yielded:

- Initial retrieval: 7,700 papers from database searches
- Title/abstract screening: 395 papers selected for full-text review
- Full-text review: 141 met all criteria.
- Final corpus: 152 papers included after full-text evaluation and citation chaining

Among the 152 academic references published from 2022 to 2025 (excluding tool descriptions and websites), 5% appeared in 2022, 22% in 2023, 53% in 2024, and 20% in 2025, as shown in Figure 5, reflecting a surge in AI agent programming research following the widespread adoption of LLMs.

4 Taxonomy of Al Agentic Programming

AI agentic programming is an emerging paradigm that equips LLM-based systems with autonomy, enabling them to plan, execute, and refine programming tasks over multiple steps. To provide structure to the diverse and fast-evolving landscape of agentic programming systems, this section introduces a taxonomy based on key behavioral and architectural dimensions. We categorize existing systems and approaches along these axes to clarify the design space and inform future development.

4.1 Agentic Behaviour Dimensions

This subsection defines the primary behavioural traits that differentiate agentic systems, forming the basis for a comparative classification.

- 4.1.1 Reactivity vs. Proactivity. Reactive agents respond directly to user prompts or feedback without independent task planning. For example, GitHub Copilot reacts by instantly suggesting a function body based on context after users type a function header like def initial. It does not include subsequent steps like writing tests or checking generated code. Proactive agents initiate subtasks, form execution plans, and re-evaluate decisions, often working autonomously over extended periods. For example, a proactive LLM-based agent can decompose a task into subtasks and execute them automatically. Users providing high-level instructions, such as "Add a user authentication module," will generate the login logic, update the database, integrate it with the UI, and write corresponding unit tests.
- 4.1.2 Single-turn vs. Multi-turn Execution. Single-turn agents perform actions in response to individual prompts, often without preserving context. For example, classical GitHub Copilot responds to each prompt independently, without remembering past interactions. In contrast, multi-turn agents,

such as GitHub Copilot Agent or Claude Opus 4 with tooling capabilities, maintain state across interactions, enabling iterative refinement, exploration, and goal pursuit. For instance, GitHub Copilot Agent can hold a conversation across multiple steps, remember earlier function names, and build a complete module through back-and-forth iterations between agents [114].

- 4.1.3 Tool-Augmented vs. Standalone Agents. Some agents are tightly integrated with external tools (e.g., compilers, debuggers, browsers, test frameworks), allowing them to perform code execution, validation, and correction. Others operate solely within the LLM's reasoning capabilities, limiting their interactivity and adaptability.
- 4.1.4 Static vs. Adaptive Agents. Static agents (e.g., GitHub Copilot and Tabnine) follow predefined workflows or heuristics. Adaptive agents modify their strategies using feedback from tools, user input, or environmental signals. Some employ learning mechanisms to improve over time. For example, GitHub Copilot Agent adapts its approach when test failures occur, revising its implementation or replanning subtasks.

4.2 Agent System Categories

We now present a classification of current AI agentic programming systems, organised by their core functionality and architectural patterns.

4.2.1 Interactive Code Assistants. These are among the most widely adopted applications of LLMs in software development. These systems assist developers by providing code completions, inline documentation, editing suggestions, and simple refactorings. They are typically integrated directly into editors and IDEs, where developers interact with the underlying LLMs either through chat-like interfaces or by selecting code or comments using mouse-based interactions.

GitHub Copilot [114] and Cursor [104] are two representative examples of LLM-based code assistants. GitHub Copilot, originally developed based on Codex trained on GitHub code repositories, offers context-aware code completions across multiple programming languages and is tightly integrated into popular IDEs such as Visual Studio Code [105] and JetBrains. Cursor extends this functionality by embedding conversational interaction, maintaining memory of previous edits, and supporting structured command execution, allowing for a more dynamic and iterative user experience. Other notable systems include Amazon Q Develiper [112] and Tabnine [113]. Amazon CodeWhisperer targets developers working in cloud ecosystems, offering language-specific completions, cloud API integration, and basic vulnerability detection. In contrast to CodeWhisperer, Tabnine takes a privacy-first approach by deploying smaller local models trained on permissively licensed code, making it attractive for organizations and developers who do not want to send their code to a remote cloud.

Implementations of these systems typically exhibit reactive behavior, responding to user input without initiating their own plans or taking proactive steps. Their interactions are generally single-turn, relying on the immediate context within the code editor rather than maintaining a persistent memory of past interactions or broader development goals. Most systems in this category are tightly coupled with development tools and offer real-time assistance that fits naturally within existing programming workflows. However, they are limited in autonomy, lacking the ability to decompose complex tasks, maintain long-term state, or coordinate multi-step development activities.

Despite these limitations, interactive code assistants serve as a foundational layer within the more recent agentic programming ecosystem. They are widely deployed, easy to integrate into everyday development practices, and offer immediate value to developers. Furthermore, some recent systems, such as Cursor and GitHub Copilot Agent, are beginning to incorporate features

like session-level memory, persistent context, and structured task execution, gradually bridging the gap between reactive code assistants and more autonomous, multi-turn agents.

These distinctions are captured in our taxonomy (see Table 4), where interactive code assistants are compared with other categories of agentic systems across key dimensions, including autonomy, memory scope, tool integration, reasoning complexity, and interaction model.

- 4.2.2 Autonomous Task-Oriented Agents. These agents perform multi-step programming tasks with minimal human intervention, often maintaining control over the entire development process from requirement interpretation to code generation and validation. They can plan, execute, and revise their own workflows in response to intermediate results or changing task requirements. Many integrate external tools such as debuggers, package managers, or search engines, enabling them to gather information, resolve errors, and optimize code without direct user guidance. Examples include the state-of-the-art LLMs that have tool integration capabilities like GPT-5 [56], Claude Opus 4 [106], Google Jules [6], Kimi K2 [52], and Gemini 2 [78]. These agents are often proactive in suggesting next steps, adaptive to new inputs, and capable of maintaining continuity across extended sessions through persistent memory or context management mechanisms.
- 4.2.3 Planning-Centric Agents. Planning-centric agents approach problem-solving as a two-phase process: first, structured task decomposition, where high-level goals are broken down into smaller, more manageable steps; and second, execution monitoring, in which results are evaluated and the plan is adjusted accordingly. This approach improves the handling of long-horizon tasks. For example, CAMEL [53] employs two agents in a role-playing setup, a "user" agent and an "assistant" agent, which collaboratively refine goals and strategies, producing plans that downstream code generators can execute. These agents are typically multi-turn, memory-enabled, and trading speed for robustness.
- 4.2.4 Multi-Agent and Collaborative Systems. Multi-agent and collaborative systems extend agent-based programming by introducing multiple specialized agents that coordinate to solve complex software engineering tasks. This approach draws inspiration from human software teams, where each member has a distinct role, such as requirements analysis, coding, testing, or documentation, and communication protocols are established to ensure progress toward shared objectives. For example, SWE-Agent [54] employs multiple role-specific LLM agents—an "Architect" agent for high-level design, a "Coder" agent for implementation, and a "Reviewer" agent for quality assurance—connected through structured dialogue and shared memory. Such systems offer high autonomy, scalability, and tool integration, but face challenges in avoiding redundancy and managing conflicts.

4.3 Summary and Comparative Table

We conclude this section with a comparative summary (Table 4) of representative systems across the behavioural dimensions and categories introduced above. This taxonomy provides a lens to understand the capabilities and limitations of existing approaches and can guide the design of future systems.

4.4 Cost and Token Consumption Model

While recent LLMs show impressive capabilities in software engineering tasks, their real-world applicability is often constrained by cost considerations. This cost is typically measured in terms of *tokens consumed per US dollar* for both input and output, along with additional expenses incurred by extended reasoning strategies such as Chain-of-Thought (CoT) and tool-augmented workflows.

System	Category	Proactivity	Multi-turn	Tool Use	Adaptivity
GitHub Copilot	IDE Assistant	Reactive	Х	√	Х
Tabnine	IDE Assistant	Reactive	X	X	X
Cursor	IDE Assistant	Reactive	X	✓	X
Claude Opus 4	Task-oriented	Proactive	✓	✓	✓
Google Jules	Task-oriented	Proactive	✓	✓	✓
Dev-GPT	Task-oriented	Proactive	✓	✓	✓
KimI K2	Task-oriented	Proactive	✓	✓	✓
Gemini 2	Task-oriented	Proactive	/	X	X
Voyager	Planning Agent	Proactive	1	1	/
CAMEL	Planning Agent	Proactive	1	X	X
CodePlan	Planning Agent	Proactive	✓	X	X
ChatDev	Multi-agent System	Proactive	/	/	X
AutoCodeRover	Multi-agent System	Proactive	/	/	/
SWE-Agent	Multi-agent System	Proactive	1	1	/

Table 4. Comparison of Representative AI Agentic Programming Systems.

Table 5. Representative token pricing for LLMs used in coding tasks (USD per 1M tokens, as of Aug. 2025).

Model	Input(\$)	Output(\$)	Context Window
GPT-5 (Standard)	1.25	10.00	256k
GPT-5 Mini	0.25	2.00	128k
GPT-4 variants (e.g., 4o)	2.50	10.00	128k
Claude 4 Opus	15.00	75.00	200k
Gemini 2.5 Pro	1.25	10	1M
Grok 4	3.00	15.00	256k
DeepSeek R1-0528	0.55	2.19	160k
Kimi K2	0.15	2.50	128k
Qwen3-235B-A22B	0.22	0.88	32k
Qwen3-Coder-480B-A35B-Instruct	4.5	13.5	256k
Solar-Pro	0.30	0.30	128k
Openhands-LM-32B-v0.1	2.6	3.4	128k
Devstral-Small (Mistral)	0.10	0.30	128k
Devstral-Large (Mistral Medium 3)	0.40	2.00	128k

- 4.4.1 Pricing Dimensions. Commercial providers generally price LLM usage by input and output tokens, with rates varying across model families. Some, such as OpenAI's GPT-5, offer multiple service tiers (Standard, Mini, Nano, Pro) with different pricing, context lengths, and throughput limits. Table 5 summarizes representative pricing.
- 4.4.2 Impact of Reasoning Strategies. To make the cost-performance trade-offs more concrete, we draw on the "Agentic workflow for implementing a REST task" example described earlier in Section 2. In that workflow, the agent receives a high-level natural language specification for a REST API endpoint, interprets the requirements, generates code, and iteratively tests the implementation until it passes the provided unit tests.

We consider three reasoning strategies applied to this scenario:

Short reasoning. The model produces the implementation in a single turn with minimal intermediate reasoning. For the REST API task, this means directly generating the endpoint code and tests without explicit planning or validation steps. This approach minimizes token usage and latency but risks missing subtle requirements.

Standard CoT. The model uses a fixed-depth chain of thought to plan the implementation. In the REST API case, this involves reasoning about request handling, data validation, and error responses before generating the code. This strategy consumes significantly more tokens, roughly twice as many, compared to the short reasoning strategy, but yields a higher likelihood of producing a correct implementation on the first attempt.

Tool-augmented iterative reasoning. The agent integrates code compilation and test execution into the workflow. After producing an initial version, it runs the tests, inspects any failures, and revises the code in subsequent turns. For the REST API example, this may involve multiple cycles of fixing logic errors, adjusting request parsing, and refining edge-case handling. While this maximizes accuracy and robustness, it also increases token consumption and wall-clock time substantially due to repeated code generation and analysis.

In practice, the optimal choice depends on the cost-performance budget of the project. For time-sensitive or budget-constrained environments, a hybrid approach can offer a more effective balance.

5 Challenges

AI agentic programming introduces a promising and complex shift in how software is developed, relying on the autonomous capabilities of LLMs. Despite recent progress, several technical and conceptual challenges remain that hinder the deployment of robust, scalable, and trustworthy agentic systems [27, 28].

5.1 Inadequate Evaluation and Benchmarking

A variety of benchmarks and open-source toolkits [89, 90] have been proposed to evaluate the capabilities of LLM-based agents across different tasks. Despite this progress, existing benchmarks commonly used for assessing coding agents, such as HumanEval [136] and SWE-Bench [101], remain inadequate for capturing the full complexity of real-world software engineering workflows.

These benchmarks primarily focus on small, self-contained problems, often restricted to a narrow range of programming languages, such as Python [91], and generally lack support for interactive, multi-turn, or tool-integrated tasks [90]. In contrast, practical agentic systems are expected to operate over large, modular codebases, interface with third-party libraries, manage build workflow pipelines, and respond dynamically to user feedback or runtime tool outputs. As LLM-based systems increasingly incorporate reinforcement learning [163, 172] and more advanced planning mechanisms, future benchmarks should reflect this integration.

Moreover, there is a noticeable absence of evaluation frameworks designed for emerging complex use cases, such as those involving interactions with compilers and debuggers [171], where agents must reason about low-level program behavior, perform iterative transformations, or track state across toolchains. The lack of such domain-specific benchmarks presents a significant gap in evaluating agent performance under realistic conditions.

5.2 Domain Foundation Models for Agents

Generic coding agents often struggle in domain-specific environments such as embedded systems, high-performance computing, optimization, or formal software verification [169, 170]. These domains typically impose stricter operational constraints and require deep integration with specialized APIs, toolchains, and domain knowledge resources that are often underrepresented in general-purpose training corpora.

To address these limitations, recent research has proposed domain-adapted models and task-specific learning strategies to accelerate agent performance in specialized settings [168]. For instance, some approaches have begun incorporating compiler knowledge or security-specific patterns into LLM training pipelines [166, 167], enabling agents to reason more effectively about low-level program behavior or vulnerability patterns.

In the future, developing robust and adaptable domain foundation models will be a promising direction for enabling agents to operate reliably in complex software environments, such as LLMs pretrained or fine-tuned on domain-specific data, tools, and semantics.

5.3 Safety and Privacy

As agentic systems gain increasing autonomy, so does the potential for unsafe behavior. Unlike traditional tools [107], agentic systems can invoke external tools, perform structural code modifications, and even commit changes without direct human oversight [164, 165]. These capabilities introduce significant risks, including the possibility of introducing subtle bugs, propagating unsafe patterns, or violating security constraints.

A critical future direction involves ensuring that agentic systems can protect users and data. For example, when agents visit private repositories or are deployed in cloud-integrated environments, future models may need built-in controls to restrict access to sensitive project data.

Further, malicious prompts, poisoned APIs, or compromised toolchains can mislead agents into executing unsafe behaviors [98, 100]. Future research should prioritize the design of secure protocols for agent collaboration, including authentication between agents, validation of tool outputs, and detection of anomalous actions.

Also, agents must be capable of explaining their reasoning, flagging uncertainties, and allowing developers to understand and revise with minimal effort. Building safety and privacy into the foundation of agentic architectures is essential.

5.4 Toolchain Integration and Programming Language Design

One fundamental challenge lies in the incompatibility between existing software tools and the needs of autonomous agents. Most programming languages, compilers, debuggers, and development tools are designed with human developers in mind [93].

They emphasize usability over feedback, so agents often struggle to diagnose failures, trace the effects of their code transformations, or understand build errors [97]. For example, compilers typically provide minimal insights into transformation failures or semantic conflicts [99].

To support agentic workflows, toolchains must evolve to expose IRs, transformation traces, and structured feedback interfaces. Moreover, language-level annotations and agent-aware interfaces are needed to communicate developer intent and guide automated reasoning.

5.5 Scalable Memory

Agentic programming systems must maintain coherence and reasoning over long-running tasks involving multiple iterations, tools, and contextual dependencies. However, current LLMs are limited by fixed context windows and lack persistent, structured memory mechanisms [94].

Realistic software tasks, such as feature implementation, debugging, or refactoring, require agents to store and reason over evolving states, feedback logs, intermediate plans, and prior actions [95]. Without hierarchical and queryable memory systems, agents risk repeating errors, forgetting past successes, or producing inconsistent results.

Emerging solutions such as retrieval-augmented generation and memory summarization offer partial relief, but they remain inadequate for complex, multi-session workflows [96]. Future research can explore memory architectures that differentiate short-term interactions, mid-term subgoals, and long-term domain knowledge.

6 Opportunities and Future Directions

AI agentic programming represents a fast-evolving research frontier that intersects artificial intelligence, programming languages, and software engineering. While recent advances have demonstrated promising capabilities, significant challenges remain in realizing robust, efficient, and trustworthy agentic systems. In this section, we outline several key opportunities and open research directions that can shape the future of this field.

6.1 Integrating Coding Agents with Tools

Existing AI coding agents typically orchestrate LLMs with loosely integrated toolchains and basic memory mechanisms. These ad hoc designs often lack robustness, scalability, and generalization across programming tasks. Advancing agent architectures will require moving beyond simple prompt-response patterns toward more modular, structured systems that support reasoning, tool interaction, planning, and verification.

A promising direction is to rethink how programming languages, compilers, and testing frameworks, which are traditionally built for human developers, can be redesigned to support AI coding agents. For example, instead of emitting opaque diagnostics, compilers could provide structured feedback explaining why certain optimizations (e.g., vectorization or inlining) fail [71, 79, 138]. These could include semantic barriers like unresolved aliasing, ambiguous data/control flow, or missing annotations [33], enabling agents to revise code more precisely. Beyond diagnostics, compilers can help agents track state across iterations. Feedback on which edits introduced errors, failed assertions, or performance regressions would enable agents to reason over the change history and adjust strategies accordingly.

Opening compiler internals also presents a valuable opportunity. Coding agents could interact directly with intermediate representations (IRs), such as LLVM IR [139] or MLIR [51], to reason about program structure, verify transformations, or perform static analysis at a semantic level. Compiler APIs and language servers (e.g., Clang's LibTooling, the Language Server Protocol) already expose ASTs, symbol tables, and refactoring tools, but a wider adoption may require standardized, introspective interfaces across compilers.

At the programming language level, agent-aware extensions or annotations could further improve interaction. Developers might use domain-specific languages, embedded contracts, or even natural language comments, e.g., "sort the elements of input array x", to convey intent. This could guide synthesis, verification, or debugging. Likewise, compilers might expose symbolic summaries of control flow, memory access patterns, or performance profiles to inform multi-step agent reasoning.

Tighter integration with runtime systems also offers opportunities. For instance, agents can dynamically insert instrumentation or launch profiling runs, then use the results to inform optimization choices. Coupling these capabilities with autotuning frameworks [59, 140] would expand the design space while preserving correctness and safety.

Finally, advances in structured code representations, such as ASTs, graph-based IRs, and semantic embeddings, offer a foundation for more powerful agent reasoning. Combining LLMs with graph neural networks or neuro-symbolic systems could improve generalization and support cross-language, cross-target understanding.

6.2 Scalable Memory and Context Management

A key capability of agentic programming lies in managing memory and contextual information across tasks that involve long context reasoning and multiple iterations. Unlike traditional code generation, which typically follows a single pass prompt to solution model, agentic workflows for solving real-world software engineering problems involve multiple steps, iterative refinement, and integration with external tools and development environments [77, 104, 114, 141].

Consider an agent tasked with adding a new feature to an open source project, such as implementing a command-line flag to enable verbose logging. The agent must first analyze the existing codebase to locate the argument parsing logic, generate the required code changes, and update the logging behavior. If the updated code fails with a runtime error due to an uninitialized flag, the agent needs to debug the issue by inspecting stack traces, revise the code accordingly, and rerun

the tests. Once the implementation is verified, the agent writes a commit message, creates a pull request with a summary of the changes, and links it to the relevant issue.

Throughout this process, the agent must persist and reason over a large and evolving context: the initial task description, previously generated code, compiler and runtime feedback, and version control metadata. Without the ability to store and recall this information in a structured way, the agent may repeat past mistakes, forget earlier successful changes, or submit incomplete solutions. Agentic programming, therefore, needs mechanisms for memory and context tracking that go beyond simple token limits, enabling coding agents to maintain continuity across extended interactions and tool usage.

As the memory footprint of LLMs grows linearly with input token length [75, 174], current LLM-based agents remain constrained by their context windows and lack persistent memory across a long sequence of iterations [175–177]. However, reasoning about real-world programs often requires modeling complex data structures and code context (like function calls) spanning across multiple files, which often exceeds typical context limits. Although some industry-scale LLMs claim to support million-token contexts [178, 179, 205], they often rely on random sampling techniques [206] and fail to leverage program structure or semantics effectively.

Therefore, an interesting direction is to design attention mechanisms that are guided by code structure, such as syntax trees, control flow graphs, or data dependencies. These structures can help agents focus more accurately on the most relevant parts of a program. While approaches like retrieval-augmented generation (RAG) [145], KV cache offloading [142, 143], and compression [144, 146] provide partial solutions, they struggle to provide precise control over long-term dependencies, structured knowledge, and execution histories.

AI coding agents can also benefit from hierarchical memory models that distinguish between short-term interaction history, mid-term planning objectives (such as subgoals and intermediate decisions), and long-term knowledge. This long-term layer may include patterns of success or failure, reusable code templates, and observed tool behaviors. Such hierarchies can be dynamically updated and selectively queried using retrieval controllers or attention-based mechanisms. Additionally, memory summarization techniques could be explored to condense lengthy interaction histories into structured, semantically meaningful representations. For example, an agent might summarize a multi-turn session as a sequence of planning decisions and outcomes, highlighting key insights and interventions.

Another important area is the development of context-aware retrieval strategies that move beyond static similarity-based methods [147]. During debugging, for instance, an agent could retrieve not only the most recent error message but also similar past failures, proposed fixes, relevant test cases, and their outcomes. Retrieval conditioned on task state and tool feedback would significantly improve the agent's ability to reason under uncertainty.

Structured mechanisms for program state tracing and replay may also enhance agent performance. By recording partial program states, tool outputs, and execution steps, agents can support backtracking, recovery from failure, and richer explanations. For example, an agent could explain how a specific code edit introduced a type error or why a particular memory access blocked loop vectorization. These capabilities are crucial for supporting causal reasoning and improving transparency. Likewise, persistent memory across multiple code generation and refinement sessions will be essential for enabling agents to accumulate and refine knowledge over time. This may include long-term storage of project-specific context, interaction histories, usage patterns of tools, and models of user intent. Such memory infrastructure will allow for continual learning and increasing personalization of agent behavior.

In summary, effective memory and context management are foundational for scaling agentic programming systems. These capabilities are vital for advancing from reactive, prompt-driven

Table 6. Benchmarks for Evaluating LLMs and Agentic Systems on Programming Tasks.

Abbreviations: CP = Competitive Programming, BF = Bug Fixing, FC = Function Completion, CR = CLI Reasoning.

Benchmark	Source	Language	Task	Difficulty	Year
HumanEval	Hand-written	Python	FC	Beginner	2021
MBPP	Crowd-sourced	Python	FC	Beginner	2021
CodeContests	CP	Python/C++/Java	FC	Diverse	2022
HumanEval-X	Hand-written	Python/C++/Java/JS/Go	FC	Intermediate	2023
SWE-Bench	GitHub Issues	Python	BF	Expert	2024
SWE-bench M	GitHub Issues	JŠ	BF	Diverse	2024
LiveCodeBench	CP (live)	Python	FC, BF	Diverse	2024
TerminalBench	Community-curated	Shell	CR	Diverse	2025
Spider 2.0	Enterprise DB Apps	SQL	FC	Expert	2025
EffiBench-X	Synthetic	Python/C++/JS	FC, BF	Diverse	2025
Web-Bench	Web App Projects	JS/TS/HTML/CSS/Python	BF, FC	Expert	2025
ProjectEval	Open-source repos	Python/Java/C++/JS	FC, BF, CR	Expert	2025
TRAIL	CP	Python/Java/C++/JS	BF, CR	Expert	2025

Note: "Diverse" difficulty indicates that the benchmark covers a wide range from beginner to expert-level tasks.

assistants to autonomous, context-aware collaborators capable of sustained reasoning, adaptation, and long-term learning.

6.3 Evaluation and Benchmarking

Table 7. Al Intelligence Score (across mathematics, science, coding, and reasoning) and Speed (Output tokens per second) for LLMs on LivecodeBench

Metric	GPT-5	GPT- 40	Claude 4	Gemini 2.5 Pro	Grok 4	DeepSeek R1	Kimi K2	Qwen3	Solar- Pro	Devstral	Llama 4	Magistral
AI score	69	65	59	65	68	59	49	64	43	31	42	36
Speed	102	148	100	153	76	21	45.2	24	54	44	174	51

Table 6 summarizes several widely used coding benchmarks for evaluating LLMs and agentic systems on programming tasks. These benchmarks vary in their origin, programming language coverage, task types, and difficulty levels. Commonly used datasets include *HumanEval* [77], *HumanEval-X* [136], *MBPP* [103], *SWE-Bench* [101], SWE-bench Multimodal [54], *TerminalBench* [102], *LiveCodeBench* [123], *CodeContests* [80], Spider2.0 [137], EffiBench-X [40], Web-Bench [39], ProjectEval [38], and TRAIL [37].

While these benchmarks have provided valuable insights into the capabilities of LLMs and agentic systems for code generation and bug fixing, they also have important limitations. For example, they are heavily biased toward a small set of programming languages - especially Python, which dominates the training corpus of code for current models [148, 149]. This limits the generalizability of evaluation results to domains involving statically typed or domain-specific languages, such as C++ or Rust [148]. For example, Table 7 presents the AI Intelligence Score (aggregated across mathematics, science, coding, and reasoning) and the output speed (in tokens per second) for a selection of widely used LLMs on the LiveCodeBench evaluation. For the intelligence score, the latest model, GPT-5, achieved 69, indicating that more than 30% of challenges remain unresolved.

Furthermore, many existing benchmarks focus on small, self-contained problems that may not be representative of real-world software engineering tasks. Realistic development scenarios often involve working with large, modular codebases, extensive use of third-party libraries, non-trivial build processes, and long-range dependencies across files and components. These characteristics

are largely absent from current benchmark datasets, making it difficult to assess an agent's ability to scale or generalize.

Another key limitation is that most benchmarks do not capture the interactive, iterative nature of agentic programming. In real-world settings, coding agents will need to collaborate with human developers [77, 104, 114, 141], receive intermediate feedback and confirmation, and rely on external tools such as compilers, debuggers, and test frameworks. Benchmarks that assume single-shot or non-interactive task completion fail to reflect the complexity of such multi-step, tool-augmented workflows.

Addressing these gaps will require the development of more comprehensive and extensible evaluation frameworks. Future benchmarks should incorporate realistic tasks that reflect end-to-end development workflows, support multiple programming languages, and enable interaction with tools and human feedback loops. Metrics should go beyond functional correctness to include robustness, tool usage efficiency, recovery from failure, and the ability to incorporate feedback. Simulation environments and evaluation harnesses will also be important for reproducibility and fair comparison.

6.4 Human-Al Collaboration

While a long-term vision of agentic programming is to automate the entire software development lifecycle, including writing, debugging, and testing code, near-term opportunities include extending the capabilities of current LLM-based coding assistants [77, 104, 114, 141]. Rather than replacing human developers, these systems can act as collaborative partners, supporting workflows in which humans retain strategic oversight. Similar to pair programming [150], LLM-based agents can assist by proposing ideas, detecting errors, suggesting improvements, and automating routine tasks, thereby augmenting human productivity.

Designing effective human–AI collaboration models remains an important research challenge. This includes developing user interfaces, interaction protocols, and frameworks for allocating responsibilities between human developers and agents, particularly in professional and teambased environments where coordination, trust, and efficiency are essential. Unlike traditional code generation tools, agentic systems operate in iterative, feedback-driven loops and are capable of making autonomous decisions based on intermediate results. This interaction model shifts the role of the developer from directive command-giver to interactive collaborator, opening up new opportunities and challenges for co-creating software. To enable meaningful collaboration, agents must be transparent in their reasoning, responsive to human input, and able to explain their decisions. Realizing these capabilities will require advances in interactive prompting [180], natural language explanations [181], and context-aware dialogue protocols [151, 152].

One promising research direction is the development of mixed-initiative workflows, in which control shifts fluidly between the developer and the agent. In these workflows, the human might specify high-level goals, architectural constraints, or coding conventions, while the agent proactively generates scaffolding code, explores design alternatives, or automates repetitive subtasks. The developer can then inspect, accept, reject, or refine the agent's contributions. For instance, an agent could propose multiple refactoring strategies for a large function and generate test cases to verify the correctness of each variant. The human collaborator evaluates these options and selects the most appropriate one, potentially with further refinements. Supporting such workflows requires robust management of shared context, memory, and goal state across multiple interaction turns.

Agents must also be able to handle ambiguity and uncertainty. Real-world development often involves vague or underspecified requirements. Future research may explore agents that can ask clarifying questions [153, 154], infer intent from surrounding artifacts, or learn user preferences over time. For example, when given an instruction like "make this more efficient", the agent should

determine whether to optimize for speed, memory, or readability - potentially by prompting the user for clarification.

Furthermore, human developers rely on a rich ecosystem of non-code artifacts, such as design diagrams, issue trackers, documentation, and domain-specific knowledge. Integrating these contextual signals into the agent's reasoning pipeline remains an open challenge. For instance, when fixing a bug, the agent may need to cross-reference issue tracker discussions or past commits to fully understand the context and constraints of the fix.

Trust and usability are foundational to collaboration. Developers must feel confident that the agent's actions are safe, interpretable, and reversible. Research is needed on techniques that allow agents to explain their decisions, cite relevant documentation or examples (e.g., from internal codebases or public repositories), and highlight trade-offs. Users should be empowered to inspect, override, or revert agent-generated changes easily—especially in safety-critical or compliance-sensitive domains such as finance, healthcare, or aerospace.

Collaboration in team-based environments presents additional opportunities. Future systems may support multi-user workflows where agents assist in coordinating tasks across a team, help onboard new developers by answering project-specific questions, or even mediate merge conflicts by suggesting consistent resolutions based on prior history. For example, an agent integrated into a version control system might suggest commit messages, flag inconsistent code style across pull requests, or recommend reviewers based on code ownership.

In summary, enabling rich human-AI collaboration in agentic programming will require progress across multiple dimensions: user interface design, communication strategies, intent modeling, memory management, and trust calibration. These systems should be designed not to replace human developers, but to augment their creativity, efficiency, and decision-making. Ultimately, effective collaboration will depend on how well agents can adapt to the social and cognitive workflows of modern software development.

6.5 Domain Specialization and Adaptability

General-purpose coding agents often underperform in domain-specific tasks due to a lack of tailored knowledge, tool integration, and contextual understanding [69, 199]. While LLMs trained on extensive code corpora can demonstrate general programming capabilities, they may struggle in specialized domains, such as generating Verilog code for hardware synthesis, which involves strict performance constraints, low-level abstractions, or domain-specific libraries and tooling.

Future research may explore strategies for domain-adaptive prompting, fine-tuning, and agent behavior modulation to improve performance in areas such as embedded systems, data science, scientific computing, high-performance computing, and formal methods. For example, in embedded systems programming [155], agents must reason about memory layout, real-time constraints, and hardware-specific APIs, which are often underrepresented in general training datasets of code. Fine-tuning on domain-specific codebases or adapting the agent's planning strategy to prioritize correctness and safety over code brevity may significantly improve performance. Another direction is to build LLM agents that incorporate domain-specific tools and diagnostics into their reasoning loop. For instance, a scientific computing agent might integrate with tools like NumPy, MATLAB, or domain-specific simulation engines [157–159], allowing it to generate, run, and analyze numerical experiments autonomously. Similarly, an agent for cybersecurity tasks might interact with static analyzers [160], fuzzers [161], or formal verification tools [162] to check code properties as part of its development process.

Domain specialization can also improve interpretability and safety. By narrowing the operational scope of an agent, developers can apply stricter validation, leverage existing formal specifications,

and generate more meaningful feedback. In safety-critical applications, such as aerospace, automotive, or medical software, agents must operate under rigorous constraints, and tailoring their reasoning and code generation behaviors to domain-specific requirements is essential.

Additionally, research into adaptive agent behavior can enable models to detect the domain of a task at runtime and adjust their prompting strategies, tool usage, and explanation styles accordingly. For example, an agent working on a financial modeling script might switch to using Pandas and SQL queries, while one dealing with real-time control code may emphasize low-latency function design and interrupt safety. This line of research will also open opportunities for personalisation at the developer or team level. Agents can learn preferences, coding conventions, and domain-specific heuristics from local repositories or past interactions, enabling more consistent and context-aware assistance.

6.6 Safety, Alignment, and Trust

As agentic coding systems become more autonomous and start taking on greater responsibility in software development, it becomes increasingly important to ensure that their behavior aligns with user intent, produces correct results, and avoids unintended changes [163, 200]. Unlike traditional LLM-based code assistants, agentic systems can take multi-step actions, use external tools, and modify codebases with limited human oversight, making safety and trust essential goals [173, 201].

One key research direction is building agents that can better understand and follow what users actually want, even when instructions are vague or incomplete. Current systems rely heavily on natural language prompts, which can be ambiguous. Future work could focus on grounding agent behavior in more structured forms of input, such as constraints, test cases, or high-level goals, that are easier to validate and reason about [187–189].

An interesting idea is to design a structured language that developers can use to express their intent clearly. This language would serve as a kind of programming interface for LLMs, allowing users to define what the agent should do, what it must avoid, and what counts as a valid solution. For example, a developer might specify that a function's output must remain the same after refactoring, and the agent would only explore changes that meet this requirement. This kind of structure could also make it easier to apply lightweight verification tools, such as static analyzers or type checkers, to ensure the agent's suggestions are safe and correct [160, 202, 203].

In safety-critical domains like healthcare, finance, or automotive software, agents will also need to follow strict coding standards, legal rules, and certification guidelines. Agents could be trained to recognize such constraints or be paired with rule-based systems to flag violations and suggest compliant alternatives [163, 182].

Another important challenge is ethical alignment. Because agentic systems are trained on large and diverse codebases, they may learn unsafe or biased practices [183, 184, 204]. Research efforts are needed to detect and reduce risks such as generating insecure code, leaking sensitive data, or reinforcing stereotypes. Techniques from responsible AI, like behavioral audits, adversarial testing, and human feedback, can be adapted to this setting.

To build user trust, agents should also be able to explain their decisions [47, 181, 185]. Developers need to know why an agent made a change, where the idea came from, and what trade-offs are involved. Research on explanation generation, source citation, and visualization of code changes will help make agent behavior more transparent and understandable [190–192].

Agents should also be aware of their own limitations. When they are uncertain, they should be able to flag their confidence level [181, 186], suggest multiple options [47, 66], or ask the user for confirmation [153, 154]. Designing agents that can adapt their behavior based on task difficulty or user feedback is a promising direction [47, 193–196].

Finally, safety mechanisms like undo and audit trails will be essential. Agents should keep track of what they have changed and allow users to roll back actions easily [197, 198]. Future work could explore automatic snapshotting, reversible code edits, and tight integration with version control systems to support safe collaboration.

7 Conclusion

We have presented a comprehensive review of AI agentic programming. This new software paradigm, driven by the success of large language models (LLMs), is a transformative shift in how software can be created, maintained, and evolved. By combining the capabilities of LLMs with planning, tool use, and iterative refinement, coding agents are beginning to automate complex, multi-stage programming workflows that traditionally required significant human involvement. These systems can not only generate and test code but also interact with development tools, decompose tasks, and adapt based on feedback, bringing us closer to the vision of autonomous software development.

In this article, we have introduced a taxonomy of AI coding agents and architectures, reviewed underpinning techniques like context management and tool integration, and discussed how existing benchmarks evaluate the capabilities of coding agents. We have summarized the progress made in enabling LLM-based AI agents to reason over tasks, interface with software development tools, and operate in increasingly sophisticated ways. At the same time, we have identified multiple open challenges that must be addressed to ensure these systems are safe, reliable, and usable in real-world settings. These include limitations in context handling, the need for persistent and structured memory, alignment with user intent, human-AI collaboration, and verification of agent behavior. As software developers are increasingly relying on AI coding agents, these concerns will become more pressing and will require interdisciplinary solutions drawing from programming languages, human-computer interaction, software engineering, and responsible AI.

Looking ahead, AI agentic programming offers exciting opportunities to fundamentally rethink the software development practice. Whether as collaborative partners in interactive workflows or as autonomous systems that manage long-running tasks, these agents have the potential to augment developer productivity, reduce software maintenance costs, and expand access to programming. We hope this survey serves as a foundation for researchers and practitioners to navigate the emerging landscape of AI agentic programming and to accelerate progress in building the next generation of intelligent and trustworthy software development tools.

References

- [1] "Gnu compiler collection (gcc)," https://gcc.gnu.org/, 2025, accessed: 2025-08-15.
- [2] "Clang: a c language family frontend for llvm," https://clang.llvm.org/, 2025, accessed: 2025-08-15.
- [3] "javac: The java compiler," https://docs.oracle.com/javase/8/docs/technotes/tools/windows/javac.html, 2025, accessed: 2025-08-15.
- [4] "Typescript compiler (tsc)," https://www.typescriptlang.org/docs/handbook/compiler-options.html, 2025, accessed: 2025-08-15.
- [5] "Gdb: The gnu project debugger," https://www.gnu.org/software/gdb/, 2025, accessed: 2025-08-15.
- [6] "Google jules," https://jules.google/, 2025, accessed: 2025-08-15.
- [7] "Lldb debugger," https://lldb.llvm.org/, 2025, accessed: 2025-08-15.
- [8] "pdb the python debugger," https://docs.python.org/3/library/pdb.html, 2025, accessed: 2025-08-15.
- [9] "pytest: simple powerful testing with python," https://docs.pytest.org/, 2025, accessed: 2025-08-15.
- [10] "unittest unit testing framework (python)," https://docs.python.org/3/library/unittest.html, 2025, accessed: 2025-08-15
- [11] "Jest: Delightful javascript testing," https://jestjs.io/, 2025, accessed: 2025-08-15.
- [12] "Mocha: Javascript test framework," https://mochajs.org/, 2025, accessed: 2025-08-15.
- [13] "Eslint: Find and fix problems in your javascript code," https://eslint.org/, 2025, accessed: 2025-08-15.

- [14] "flake8: the modular source code checker," https://flake8.pycqa.org/, 2025, accessed: 2025-08-15.
- [15] "Black: The uncompromising python code formatter," https://black.readthedocs.io/, 2025, accessed: 2025-08-15.
- [16] "Prettier: An opinionated code formatter," https://prettier.io/, 2025, accessed: 2025-08-15.
- [17] "Git: Distributed version control system," https://git-scm.com/, 2025, accessed: 2025-08-15.
- [18] "Gnu make," https://www.gnu.org/software/make/, 2025, accessed: 2025-08-15.
- [19] "Cmake: Cross-platform make," https://cmake.org/, 2025, accessed: 2025-08-15.
- [20] "npm: Node package manager," https://www.npmjs.com/, 2025, accessed: 2025-08-15.
- [21] "Apache maven: Project management tool," https://maven.apache.org/, 2025, accessed: 2025-08-15.
- [22] "Pyright: Fast type checker for python," https://github.com/microsoft/pyright, 2025, accessed: 2025-08-15.
- [23] "tsserver: Typescript language server," https://github.com/microsoft/TypeScript/wiki/Standalone-Server-(tsserver), 2025, accessed: 2025-08-15.
- [24] "pip: The python package installer," https://pip.pypa.io/, 2025, accessed: 2025-08-15.
- [25] "Yarn: Fast, reliable, and secure dependency management," https://yarnpkg.com/, 2025, accessed: 2025-08-15.
- [26] "Cargo: Rust's package manager and build system," https://doc.rust-lang.org/cargo/, 2025, accessed: 2025-08-15.
- [27] D. B. Acharya, K. Kuppan, and B. Divya, "Agentic ai: Autonomous intelligence for complex goals—a comprehensive survey," *IEEe Access*, 2025.
- [28] R. Sapkota, K. I. Roumeliotis, and M. Karkee, "Ai agents vs. agentic ai: A conceptual taxonomy, applications and challenges," 2025. [Online]. Available: https://arxiv.org/abs/2505.10468
- [29] C. Qian, W. Liu, H. Liu, N. Chen, Y. Dang, J. Li, C. Yang, W. Chen, Y. Su, X. Cong, J. Xu, D. Li, Z. Liu, and M. Sun, "Chatdev: Communicative agents for software development," 2024. [Online]. Available: https://arxiv.org/abs/2307.07924
- [30] J. Gong, V. Voskanyan, P. Brookes, F. Wu, W. Jie, J. Xu, R. Giavrimis, M. Basios, L. Kanthan, and Z. Wang, "Language models for code optimization: Survey, challenges and future directions," arXiv preprint arXiv:2501.01277, 2025.
- [31] M. Allamanis, E. T. Barr, P. Devanbu, and C. Sutton, "A survey of machine learning for big code and naturalness," ACM Comput. Surv., vol. 51, no. 4, Jul. 2018. [Online]. Available: https://doi.org/10.1145/3212695
- [32] U. Qudus, M. Röder, M. Saleem, and A.-C. Ngonga Ngomo, "Fact checking knowledge graphs-a survey," ACM Computing Surveys, 2025.
- [33] Z. Bi, Y. Wan, Z. Wang, H. Zhang, B. Guan, F. Lu, Z. Zhang, Y. Sui, H. Jin, and X. Shi, "Iterative refinement of project-level code context for precise code generation with compiler feedback," in *Findings of the Association for Computational Linguistics ACL 2024*, 2024, pp. 2336–2353.
- [34] Z. Liu, W. Yao, J. Zhang, L. Xue, S. Heinecke, R. Murthy, Y. Feng, Z. Chen, J. C. Niebles, D. Arpit *et al.*, "Bolaa: Benchmarking and orchestrating llm-augmented autonomous agents," *arXiv preprint arXiv:2308.05960*, 2023.
- [35] G. Deng, Y. Liu, V. Mayoral-Vilches, P. Liu, Y. Li, Y. Xu, T. Zhang, Y. Liu, M. Pinzger, and S. Rass, "Pentestgpt: An llm-empowered automatic penetration testing tool," 2024. [Online]. Available: https://arxiv.org/abs/2308.06782
- [36] Y. Gao, Y. Xiong, X. Gao, K. Jia, J. Pan, Y. Bi, Y. Dai, J. Sun, H. Wang, and H. Wang, "Retrieval-augmented generation for large language models: A survey," arXiv preprint arXiv:2312.10997, vol. 2, no. 1, 2023.
- [37] D. Deshpande, V. Gangal, H. Mehta, J. Krishnan, A. Kannappan, and R. Qian, "Trail: Trace reasoning and agentic issue localization," 2025. [Online]. Available: https://arxiv.org/abs/2505.08638
- [38] K. Liu, Y. Pan, Y. Xiang, D. He, J. Li, Y. Du, and T. Gao, "ProjectEval: A benchmark for programming agents automated evaluation on project-level code generation," in *Findings of the Association for Computational Linguistics: ACL 2025*, W. Che, J. Nabende, E. Shutova, and M. T. Pilehvar, Eds. Vienna, Austria: Association for Computational Linguistics, Jul. 2025, pp. 20 205–20 221. [Online]. Available: https://aclanthology.org/2025.findings-acl.1036/
- [39] K. Xu, Y. Mao, X. Guan, and Z. Feng, "Web-bench: A llm code benchmark based on web standards and frameworks," arXiv preprint arXiv:2505.07473, 2025.
- [40] Y. Qing, B. Zhu, M. Du, Z. Guo, T. Y. Zhuo, Q. Zhang, J. M. Zhang, H. Cui, S.-M. Yiu, D. Huang, S.-K. Ng, and L. A. Tuan, "Effibench-x: A multi-language benchmark for measuring efficiency of llm-generated code," 2025. [Online]. Available: https://arxiv.org/abs/2505.13004
- [41] Z. Fan, X. Gao, M. Mirchev, A. Roychoudhury, and S. H. Tan, "Automated repair of programs from large language models," in 2023 IEEE/ACM 45th International Conference on Software Engineering (ICSE). IEEE, 2023, pp. 1469–1481.
- [42] A. Novikov, N. Vũ, M. Eisenberger, E. Dupont, P.-S. Huang, A. Z. Wagner, S. Shirobokov, B. Kozlovskii, F. J. Ruiz, A. Mehrabian et al., "Alphaevolve: A coding agent for scientific and algorithmic discovery," arXiv preprint arXiv:2506.13131, 2025.
- [43] N. Alshahwan, J. Chheda, A. Finogenova, B. Gokkaya, M. Harman, I. Harper, A. Marginean, S. Sengupta, and E. Wang, "Automated unit test improvement using large language models at meta," ser. FSE 2024. New York, NY, USA: Association for Computing Machinery, 2024, p. 185–196. [Online]. Available: https://doi.org/10.1145/3663529.3663839
- [44] J. Jiang, F. Wang, J. Shen, S. Kim, and S. Kim, "A survey on large language models for code generation," ACM Trans. Softw. Eng. Methodol., Jul. 2025, just Accepted. [Online]. Available: https://doi.org/10.1145/3747588

- [45] B. Kitchenham and S. M. Charters, "Guidelines for performing systematic literature reviews in software engineering," 2007.
- [46] Q. Zhang, C. Fang, Y. Xie, Y. Ma, W. Sun, Y. Yang, and Z. Chen, "A systematic literature review on large language models for automated program repair," 2024.
- [47] N. Shinn, F. Cassano, A. Gopinath, K. Narasimhan, and S. Yao, "Reflexion: Language agents with verbal reinforcement learning," in *Neural Information Processing Systems (NeurIPS)*, 2023.
- [48] D. Huang, J. Dai, H. Weng, P. Wu, Q. Yuhao, H. Cui, Z. Guo, and J. Zhang, "Effilearner: Enhancing efficiency of generated code via self-optimization," 2024.
- [49] C. Sun, S. Huang, and D. Pompili, "Llm-based multi-agent reinforcement learning: Current and future directions," arXiv preprint arXiv:2405.11106, 2024.
- [50] T. Coignion, C. Quinton, and R. Rouvoy, "A performance study of llm-generated code on leetcode," in *International Conference on Evaluation and Assessment in Software Engineering (EASE)*, 2024, pp. 79–89.
- [51] C. Lattner, M. Amini, U. Bondhugula, A. Cohen, A. Davis, J. Pienaar, R. Riddle, T. Shpeisman, N. Vasilache, and O. Zinenko, "Mlir: Scaling compiler infrastructure for domain specific computation," in 2021 IEEE/ACM International Symposium on Code Generation and Optimization (CGO). IEEE, 2021, pp. 2–14.
- [52] K. Team, Y. Bai, Y. Bao, G. Chen, J. Chen, N. Chen, R. Chen, Y. Chen, Y. Chen, Y. Chen et al., "Kimi k2: Open agentic intelligence," arXiv preprint arXiv:2507.20534, 2025.
- [53] G. Li, H. Hammoud, H. Itani, D. Khizbullin, and B. Ghanem, "Camel: Communicative agents for" mind" exploration of large language model society," Advances in Neural Information Processing Systems, vol. 36, pp. 51 991–52 008, 2023.
- [54] J. Yang, C. E. Jimenez, A. Wettig, K. Lieret, S. Yao, K. Narasimhan, and O. Press, "Swe-agent: Agent-computer interfaces enable automated software engineering," *Advances in Neural Information Processing Systems*, vol. 37, pp. 50 528–50 652, 2024.
- [55] N. Jain, S. Vaidyanath, A. Iyer, N. Natarajan, S. Parthasarathy, S. Rajamani, and R. Sharma, "Jigsaw: Large language models meet program synthesis," in *International Conference on Software Engineering (ICSE)*, 2022, pp. 1219–1231.
- [56] OpenAI, "Introducing gpt-5," https://openai.com/index/introducing-gpt-5/, 2025, accessed: 2025-08-10.
- [57] R. A. Husein, H. Aburajouh, and C. Catal, "Large language models for code completion: A systematic literature review," *Computer Standards & Interfaces*, vol. 92, p. 103917, 2025.
- [58] E. Zelikman, E. Lorch, L. Mackey, and A. T. Kalai, "Self-taught optimizer (STOP): recursively self-improving code generation," 2024.
- [59] T. Chen, T. Moreau, Z. Jiang, L. Zheng, E. Yan, H. Shen, M. Cowan, L. Wang, Y. Hu, L. Ceze et al., "{TVM}: An automated {End-to-End} optimizing compiler for deep learning," in 13th USENIX Symposium on Operating Systems Design and Implementation (OSDI 18), 2018, pp. 578–594.
- [60] S. S. Dvivedi, V. Vijay, S. L. R. Pujari, S. Lodh, and D. Kumar, "A comparative analysis of large language models for code documentation generation," in *Proceedings of the 1st ACM international conference on AI-powered software*, 2024, pp. 65–73.
- [61] Anthropic, "Claude Code: Command-line interface reference," https://docs.anthropic.com/en/docs/claude-code/clireference, 2025, accessed: 2025-08-15.
- [62] G. Cloud, "Google cloud cli documentation," https://cloud.google.com/cli, 2025, accessed: 2025-08-15.
- [63] Anthropic, "Model context protocol (mcp) specification," https://modelcontextprotocol.io/, 2025, accessed: 2025-08-15.
- [64] S. Yao, J. Zhao, D. Yu, N. Du, I. Shafran, K. Narasimhan, and Y. Cao, "React: Synergizing reasoning and acting in language models," in *International Conference on Learning Representations (ICLR)*, 2023. [Online]. Available: https://arxiv.org/abs/2210.03629
- [65] S. Jorgensen, G. Nadizar, G. Pietropolli, L. Manzoni, E. Medvet, U.-M. O'Reilly, and E. Hemberg, "Large language model-based test case generation for gp agents," in *Proceedings of the genetic and evolutionary computation conference*, 2024, pp. 914–923.
- [66] A. Madaan, N. Tandon, P. Gupta, and et al., "Self-refine: Iterative refinement with self-feedback," in Neural Information Processing Systems (NeurIPS), 2023.
- [67] H. Le, Y. Wang, A. D. Gotmare, S. Savarese, and S. C. Hoi, "Coderl: Mastering code generation through pretrained models and deep reinforcement learning," in *Neural Information Processing Systems (NeurIPS)*, 2022.
- [68] Y. Peng, A. D. Gotmare, M. Lyu, C. Xiong, S. Savarese, and D. Sahoo, "Perfcodegen: Improving performance of llm generated code with execution feedback," arXiv:2412.03578, 2024.
- [69] S. Joel, J. J. Wu, and F. H. Fard, "Survey on code generation for low resource and domain specific programming languages," arXiv:2410.03981, 2024.
- [70] A. Lozhkov, R. Li, L. B. Allal, F. Cassano, J. Lamy-Poirier, N. Tazi, A. Tang, D. Pykhtar, J. Liu, Y. Wei et al., "Starcoder 2 and the stack v2: The next generation," arXiv:2402.19173, 2024.
- [71] A. H. Ashouri, W. Killian, J. Cavazos, G. Palermo, and C. Silvano, "A survey on compiler autotuning using machine learning," *Computing Surveys (CSUR)*, vol. 51, pp. 1–42, 2018.

[72] A. Fan, B. Gokkaya, M. Harman, M. Lyubarskiy, S. Sengupta, S. Yoo, and J. M. Zhang, "Large language models for software engineering: Survey and open problems," in *International Conference on Software Engineering: Future of Software Engineering, ICSE-FoSE 2023*. IEEE, 2023, pp. 31–53.

- [73] X. Hou, Y. Zhao, Y. Liu, Z. Yang, K. Wang, L. Li, X. Luo, D. Lo, J. Grundy, and H. Wang, "Large language models for software engineering: A systematic literature review," ACM Transactions on Software Engineering and Methodology, vol. 33, no. 8, pp. 1–79, 2024.
- [74] J. Liu, K. Wang, Y. Chen, X. Peng, Z. Chen, L. Zhang, and Y. Lou, "Large language model-based agents for software engineering: A survey," arXiv:2409.02977, 2024.
- [75] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," in Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems, 2017, pp. 5998–6008.
- [76] R. Anil, S. Borgeaud, and et al., "Gemini: A family of highly capable multimodal models," 2023.
- [77] OpenAI, "Evaluating large language models trained on code," 2021.
- [78] G. C. et al., "Gemini 2.5: Pushing the frontier with advanced reasoning, multimodality, long context, and next generation agentic capabilities," 2025. [Online]. Available: https://arxiv.org/abs/2507.06261
- [79] S. Maleki, Y. Gao, M. J. Garzar, T. Wong, D. A. Padua et al., "An evaluation of vectorizing compilers," in 2011 International Conference on Parallel Architectures and Compilation Techniques. IEEE, 2011, pp. 372–382.
- [80] Y. Li, D. Choi, J. Chung, and et al., "Competition-level code generation with alphacode," Science, vol. 378, pp. 1092–1097, 2022.
- [81] F. F. Xu, U. Alon, G. Neubig, and V. J. Hellendoorn, "A systematic evaluation of large language models of code," in SIGPLAN International Symposium on Machine Programming. ACM, 2022, pp. 1–10.
- [82] C. B. Clement, D. Drain, J. Timcheck, A. Svyatkovskiy, and N. Sundaresan, "Pymt5: Multi-mode translation of natural language and python code with transformers," in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP*. Association for Computational Linguistics, 2020, pp. 9052–9065.
- [83] F. Guzzi, G. Kourousias, R. Pugliese, A. Gianoncelli, and F. Billè, "Translating and optimising computational microscopy algorithms with large language models," in 47th MIPRO ICT and Electronics Convention, MIPRO. IEEE, 2024, pp. 1700–1705.
- [84] E. Nijkamp, B. Pang, H. Hayashi, L. Tu, H. Wang, Y. Zhou, S. Savarese, and C. Xiong, "Codegen: An open large language model for code with multi-turn program synthesis," in *The Eleventh International Conference on Learning Representations, ICLR.* OpenReview.net, 2023.
- [85] Anthropic, "Introducing the next generation of claude," https://www.anthropic.com/news/claude-3-family, Mar. 2024, accessed: 2025-08-15.
- [86] Meta, "Introducing llama 3.1: Our most capable models to date," 2024. [Online]. Available: https://ai.meta.com/blog/meta-llama-3-1/
- [87] OpenAI, "Hello gpt-40," 2024. [Online]. Available: https://openai.com/index/hello-gpt-40/
- [88] J. Gong and T. Chen, "Deep configuration performance learning: A systematic survey and taxonomy," ACM Transactions on Software Engineering and Methodology (TOSEM), 2024.
- [89] Y. Qin, S. Liang, Y. Ye, K. Zhu, L. Yan, Y. Lu, Y. Lin, X. Cong, X. Tang, B. Qian, S. Zhao, L. Hong, R. Tian, R. Xie, J. Zhou, M. Gerstein, D. Li, Z. Liu, and M. Sun, "Toolllm: Facilitating large language models to master 16000+ real-world apis," 2023. [Online]. Available: https://arxiv.org/abs/2307.16789
- [90] X. Liu, H. Yu, H. Zhang, Y. Xu, X. Lei, H. Lai, Y. Gu, H. Ding, K. Men, K. Yang, S. Zhang, X. Deng, A. Zeng, Z. Du, C. Zhang, S. Shen, T. Zhang, Y. Su, H. Sun, M. Huang, Y. Dong, and J. Tang, "Agentbench: Evaluating llms as agents," arXiv preprint arXiv: 2308.03688, 2023.
- [91] M. Chen, J. Tworek et al., "Evaluating large language models trained on code," 2021. [Online]. Available: https://arxiv.org/abs/2107.03374
- [92] S. Wang, L. Huang, A. Gao, J. Ge, T. Zhang, H. Feng, I. Satyarth, M. Li, H. Zhang, and V. Ng, "Machine/deep learning for software engineering: A systematic literature review," *IEEE Trans. Software Eng.*, vol. 49, no. 3, pp. 1188–1231, 2023.
- [93] J. Rorseth, P. Godfrey, L. Golab, D. Srivastava, and J. Szlichta, "Ladybug: an llm agent debugger for data-driven applications," 2025.
- [94] W. Wang, L. Dong, H. Cheng, X. Liu, X. Yan, J. Gao, and F. Wei, "Augmenting language models with long-term memory," Advances in Neural Information Processing Systems, vol. 36, pp. 74530–74543, 2023.
- [95] H. Qian, Z. Liu, P. Zhang, K. Mao, D. Lian, Z. Dou, and T. Huang, "Memorag: Boosting long context processing with global memory-enhanced retrieval augmentation," in *Proceedings of the ACM on Web Conference 2025*, 2025, pp. 2366–2377.
- [96] A. Maharana, D.-H. Lee, S. Tulyakov, M. Bansal, F. Barbieri, and Y. Fang, "Evaluating very long-term conversational memory of llm agents," in Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics

- (Volume 1: Long Papers), 2024, pp. 13851-13870.
- [97] S. Kim, S. Moon, R. Tabrizi, N. Lee, M. W. Mahoney, K. Keutzer, and A. Gholami, "An llm compiler for parallel function calling," in *Forty-first International Conference on Machine Learning*, 2024.
- [98] Q. Zhan, Z. Liang, Z. Ying, and D. Kang, "Injecagent: Benchmarking indirect prompt injections in tool-integrated large language model agents," 2024. [Online]. Available: https://arxiv.org/abs/2403.02691
- [99] X. Li, "A review of prominent paradigms for llm-based agents: Tool use, planning (including rag), and feedback learning," in *Proceedings of the 31st International Conference on Computational Linguistics*, 2025, pp. 9760–9779.
- [100] E. Debenedetti, J. Zhang, M. Balunović, L. Beurer-Kellner, M. Fischer, and F. Tramèr, "Agentdojo: A dynamic environment to evaluate prompt injection attacks and defenses for llm agents," 2024. [Online]. Available: https://arxiv.org/abs/2406.13352
- [101] C. E. Jimenez, J. Yang, A. Wettig, S. Yao, K. Pei, O. Press, and K. Narasimhan, "Swe-bench: Can language models resolve real-world github issues?" arXiv preprint arXiv:2310.06770, 2023.
- [102] T. T.-B. Team, "Terminal-bench: A benchmark for ai agents in terminal environments," Apr 2025. [Online]. Available: https://github.com/laude-institute/terminal-bench
- [103] J. Austin, A. Odena, M. Nye, M. Bosma, H. Michalewski, D. Dohan, E. Jiang, C. Cai, M. Terry, Q. Le et al., "Program synthesis with large language models," arXiv preprint arXiv:2108.07732, 2021.
- [104] "Cursor," https://cursor.com, 2025, accessed: 2025-08-15.
- [105] "Visual studio code," https://code.visualstudio.com/, 2025, accessed: 2025-08-15.
- [106] Anthropic, "Claude opus 4," https://www.anthropic.com/claude/opus, 2025, accessed: 2025-08-15.
- [107] "Checkmarx," https://checkmarx.com/, 2025.
- [108] xAI, "Grok 4: The next-generation ai model," https://x.ai/news/grok-4/, 2025, accessed: 2025-08-15.
- [109] D. Guo, D. Yang, H. Zhang, J. Song, R. Zhang, R. Xu, Q. Zhu, S. Ma, P. Wang, X. Bi et al., "Deepseek-r1: Incentivizing reasoning capability in llms via reinforcement learning," arXiv preprint arXiv:2501.12948, 2025.
- [110] J. Xu, "Rule-based automatic software performance diagnosis and improvement," in *Proceedings of the 7th international workshop on Software and performance*, 2008, pp. 1–12.
- [111] M. Bruch, M. Monperrus, and M. Mezini, "Learning from examples to improve code completion systems," in *Proceedings* of the 7th joint meeting of the European software engineering conference and the ACM SIGSOFT symposium on the foundations of software engineering, 2009, pp. 213–222.
- [112] Amazon Web Services, "Amazon q developer: The most capable generative ai–powered assistant for software development," https://aws.amazon.com/q/developer/, 2025, accessed: 2025-08-15.
- [113] Tabnine, "Tabnine: Ai coding assistant," 2025. [Online]. Available: https://www.tabnine.com/
- [114] GitHub, "Introducing github copilot: your ai pair programmer," June 2021. [Online]. Available: https://github.blog/2021-06-29-introducing-github-copilot-ai-pair-programmer/
- [115] J. Devlin, J. Uesato, S. Bhupatiraju, R. Singh, A.-r. Mohamed, and P. Kohli, "Robustfill: Neural program learning under noisy i/o," in *International conference on machine learning*. PMLR, 2017, pp. 990–998.
- [116] A. Solar-Lezama, Program synthesis by sketching. University of California, Berkeley, 2008.
- [117] S. Gulwani, O. Polozov, R. Singh et al., "Program synthesis," Foundations and Trends® in Programming Languages, vol. 4, no. 1-2, pp. 1–119, 2017.
- [118] N. R. Jennings, "On agent-based software engineering," Artificial intelligence, vol. 117, no. 2, pp. 277-296, 2000.
- [119] Z. Duan and J. Wang, "Exploration of llm multi-agent application implementation based on langgraph+ crewai," arXiv preprint arXiv:2411.18241, 2024.
- [120] Q. Wu, G. Bansal, J. Zhang, Y. Wu, B. Li, E. Zhu, L. Jiang, X. Zhang, S. Zhang, J. Liu et al., "Autogen: Enabling next-gen llm applications via multi-agent conversations," in First Conference on Language Modeling, 2024.
- [121] X. Li, S. Wang, S. Zeng, Y. Wu, and Y. Yang, "A survey on llm-based multi-agent systems: workflow, infrastructure, and challenges," *Vicinagearth*, vol. 1, no. 1, p. 9, 2024.
- [122] S. Hong, X. Zheng, J. Chen, Y. Cheng, J. Wang, C. Zhang, Z. Wang, S. K. S. Yau, Z. Lin, L. Zhou *et al.*, "Metagpt: Meta programming for multi-agent collaborative framework," *arXiv preprint arXiv:2308.00352*, vol. 3, no. 4, p. 6, 2023.
- [123] N. Jain, K. Han, A. Gu, W.-D. Li, F. Yan, T. Zhang, S. Wang, A. Solar-Lezama, K. Sen, and I. Stoica, "Livecodebench: Holistic and contamination free evaluation of large language models for code," arXiv preprint arXiv:2403.07974, 2024.
- [124] M. Feurer, A. Klein, K. Eggensperger, J. Springenberg, M. Blum, and F. Hutter, "Efficient and robust automated machine learning," *Advances in neural information processing systems*, vol. 28, 2015.
- [125] G. Cloud, "Automl solutions," https://cloud.google.com/automl, 2025, accessed: 2025-08-15.
- [126] A. W. Services, "Amazon sagemaker autopilot," https://aws.amazon.com/sagemaker-ai/autopilot/, 2025, accessed: 2025-08-15.
- [127] X. He, K. Zhao, and X. Chu, "Automl: A survey of the state-of-the-art," Knowledge-based systems, vol. 212, p. 106622,

[128] G. KAMBALA, "Intelligent software agents for continuous delivery: Leveraging ai and machine learning for fully automated devops pipelines," *Iconic Research And Engineering Journals*, vol. 8, no. 1, pp. 662–670, 2024.

- [129] S. Maleki, Y. Gao, M. J. Garzarán, T. Wong, and D. A. Padua, "An evaluation of vectorizing compilers," in 2011 International Conference on Parallel Architectures and Compilation Techniques, 2011, pp. 372–382.
- [130] C. Lattner and V. Adve, "Llvm: A compilation framework for lifelong program analysis & transformation," in Proceedings of the International Symposium on Code Generation and Optimization: Feedback-Directed and Runtime Optimization, ser. CGO '04. USA: IEEE Computer Society, 2004, p. 75.
- [131] GitHub, "Understanding github actions," https://docs.github.com/articles/getting-started-with-github-actions, 2025, accessed: 2025-08-15.
- [132] G. Inc., "Get started with gitlab ci/cd," https://docs.gitlab.com/ci/, 2025, accessed: 2025-08-15.
- [133] T. J. Project, "Jenkins (software)," https://en.wikipedia.org/wiki/Jenkins (software), 2025, accessed: 2025-08-15.
- [134] I. Bouzenia, P. Devanbu, and M. Pradel, "Repairagent: An autonomous, llm-based agent for program repair," arXiv preprint arXiv:2403.17134, 2024.
- [135] J. Humble and D. Farley, Continuous delivery: reliable software releases through build, test, and deployment automation. Pearson Education, 2010.
- [136] Q. Zheng, X. Xia, X. Zou, Y. Dong, S. Wang, Y. Xue, L. Shen, Z. Wang, A. Wang, Y. Li et al., "Codegeex: A pre-trained model for code generation with multilingual benchmarking on humaneval-x," in Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, 2023, pp. 5673–5684.
- [137] F. Lei, J. Chen, Y. Ye, R. Cao, D. Shin, H. Su, Z. Suo, H. Gao, W. Hu, P. Yin et al., "Spider 2.0: Evaluating language models on real-world enterprise text-to-sql workflows," arXiv preprint arXiv:2411.07763, 2024.
- [138] S. Siso, W. Armour, and J. Thiyagalingam, "Evaluating auto-vectorizing compilers through objective withdrawal of useful information," ACM Transactions on Architecture and Code Optimization (TACO), vol. 16, no. 4, pp. 1–23, 2019.
- [139] C. Lattner and V. Adve, "Llvm: A compilation framework for lifelong program analysis & transformation," in *International symposium on code generation and optimization, 2004. CGO 2004.* IEEE, 2004, pp. 75–86.
- [140] J. Ansel, S. Kamil, K. Veeramachaneni, J. Ragan-Kelley, J. Bosboom, U.-M. O'Reilly, and S. Amarasinghe, "Opentuner: An extensible framework for program autotuning," in *Proceedings of the 23rd international conference on Parallel architectures and compilation*, 2014, pp. 303–316.
- [141] X. Wang, B. Li, Y. Song, F. F. Xu, X. Tang, M. Zhuge, J. Pan, Y. Song, B. Li, J. Singh *et al.*, "Openhands: An open platform for ai software developers as generalist agents," *arXiv preprint arXiv:2407.16741*, 2024.
- [142] W. Lee, J. Lee, J. Seo, and J. Sim, "{InfiniGen}: Efficient generative inference of large language models with dynamic {KV} cache management," in 18th USENIX Symposium on Operating Systems Design and Implementation (OSDI 24), 2024, pp. 155–172.
- [143] H. Sun, L.-W. Chang, W. Bao, S. Zheng, N. Zheng, X. Liu, H. Dong, Y. Chi, and B. Chen, "Shadowkv: Kv cache in shadows for high-throughput long-context llm inference," arXiv preprint arXiv:2410.21465, 2024.
- [144] Z. Liu, J. Yuan, H. Jin, S. Zhong, Z. Xu, V. Braverman, B. Chen, and X. Hu, "Kivi: A tuning-free asymmetric 2bit quantization for kv cache," arXiv preprint arXiv:2402.02750, 2024.
- [145] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel et al., "Retrieval-augmented generation for knowledge-intensive nlp tasks," *Advances in neural information processing systems*, vol. 33, pp. 9459–9474, 2020.
- [146] C.-C. Chang, W.-C. Lin, C.-Y. Lin, C.-Y. Chen, Y.-F. Hu, P.-S. Wang, N.-C. Huang, L. Ceze, M. S. Abdelfattah, and K.-C. Wu, "Palu: Kv-cache compression with low-rank projection," in *The Thirteenth International Conference on Learning Representations*, 2025.
- [147] W. Su, Y. Tang, Q. Ai, Z. Wu, and Y. Liu, "Dragin: dynamic retrieval augmented generation based on the information needs of large language models," *arXiv preprint arXiv:2403.10081*, 2024.
- [148] L. Twist, J. M. Zhang, M. Harman, D. Syme, J. Noppen, and D. Nauck, "Llms love python: A study of llms' bias for programming languages and libraries," arXiv preprint arXiv:2503.17181, 2025.
- [149] L. Chai, S. Liu, J. Yang, Y. Yin, K. Jin, J. Liu, T. Sun, G. Zhang, C. Ren, H. Guo et al., "Mceval: Massively multilingual code evaluation," arXiv preprint arXiv:2406.07436, 2024.
- [150] J. E. Hannay, T. Dybå, E. Arisholm, and D. I. Sjøberg, "The effectiveness of pair programming: A meta-analysis," Information and software technology, vol. 51, no. 7, pp. 1110–1122, 2009.
- [151] C. Shah, "From prompt engineering to prompt science with humans in the loop," *Communications of the ACM*, vol. 68, no. 6, pp. 54–61, 2025.
- [152] Anthropic, "Introducing the model context protocol (mcp)," https://www.anthropic.com/news/model-context-protocol, Nov. 2024, accessed: 2025-08-15.
- [153] M. J. Zhang, W. B. Knox, and E. Choi, "Modeling future conversation turns to teach llms to ask clarifying questions," arXiv preprint arXiv:2410.13788, 2024.

- [154] F. Mu, L. Shi, S. Wang, Z. Yu, B. Zhang, C. Wang, S. Liu, and Q. Wang, "Clarifygpt: A framework for enhancing llm-based code generation via requirements clarification," *Proceedings of the ACM on Software Engineering*, vol. 1, no. FSE, pp. 2332–2354, 2024.
- [155] Z. Englhardt, R. Li, D. Nissanka, Z. Zhang, G. Narayanswamy, J. Breda, X. Liu, S. Patel, and V. Iyer, "Exploring and characterizing large language models for embedded system development and debugging," in Extended Abstracts of the CHI Conference on Human Factors in Computing Systems, 2024, pp. 1–9.
- [156] S. Kang, B. Chen, S. Yoo, and J.-G. Lou, "Explainable automated debugging via large language model-driven scientific debugging," *Empirical Software Engineering*, vol. 30, no. 2, p. 45, 2025.
- [157] OpenFOAM Foundation, OpenFOAM: The Open Source CFD Toolbox, 2023, https://www.openfoam.com.
- [158] C. J. Permann, D. R. Gaston, D. Andrš, R. W. Carlsen, F. Kong, A. D. Lindsay, J. M. Miller, J. W. Peterson, A. E. Slaughter, R. H. Stogner et al., "Moose: Enabling massively parallel multiphysics simulation," SoftwareX, vol. 11, p. 100430, 2020.
- [159] The MathWorks, Inc., Simulink: Dynamic System Simulation for MATLAB, 2023, https://www.mathworks.com/products/simulink.html.
- [160] G. S. Lab, "Codeql: Semantic code analysis engine," https://codeql.github.com/, 2020.
- [161] V. J. Manès, H. Han, C. Han, S. K. Cha, M. Egele, E. J. Schwartz, and M. Woo, "The art, science, and engineering of fuzzing: A survey," *IEEE Transactions on Software Engineering*, vol. 47, no. 11, pp. 2312–2331, 2019.
- [162] J. Woodcock, P. G. Larsen, J. Bicarregui, and J. Fitzgerald, "Formal methods: Practice and experience," ACM computing surveys (CSUR), vol. 41, no. 4, pp. 1–36, 2009.
- [163] L. Ouyang, J. Wu, X. Jiang, D. Almeida, C. Wainwright, P. Mishkin, C. Zhang, S. Agarwal, K. Slama, A. Ray et al., "Training language models to follow instructions with human feedback," Advances in neural information processing systems, vol. 35, pp. 27730–27744, 2022.
- [164] Z. Zhang, S. Cui, Y. Lu, J. Zhou, J. Yang, H. Wang, and M. Huang, "Agent-safetybench: Evaluating the safety of llm agents," 2025. [Online]. Available: https://arxiv.org/abs/2412.14470
- [165] H. Triedman, R. Jha, and V. Shmatikov, "Multi-agent systems execute arbitrary malicious code," 2025. [Online]. Available: https://arxiv.org/abs/2503.12188
- [166] C. Cummins, V. Seeker, D. Grubisic, B. Roziere, J. Gehring, G. Synnaeve, and H. Leather, "Llm compiler: Foundation language models for compiler optimization," in *Proceedings of the 34th ACM SIGPLAN International Conference on Compiler Construction*, ser. CC '25. New York, NY, USA: Association for Computing Machinery, 2025, p. 141–153. [Online]. Available: https://doi.org/10.1145/3708493.3712691
- [167] B. Lin, S. Wang, Y. Qin, L. Chen, and X. Mao, "Give llms a security course: Securing retrieval-augmented code generation via knowledge injection," 2025. [Online]. Available: https://arxiv.org/abs/2504.16429
- [168] Z. Song, B. Yan, Y. Liu, M. Fang, M. Li, R. Yan, and X. Chen, "Injecting domain-specific knowledge into large language models: a comprehensive survey," arXiv preprint arXiv:2502.10708, 2025.
- [169] C. Loughridge, Q. Sun, S. Ahrenbach, F. Cassano, C. Sun, Y. Sheng, A. Mudide, M. R. H. Misu, N. Amin, and M. Tegmark, "Dafnybench: A benchmark for formal software verification," arXiv preprint arXiv:2406.08467, 2024.
- [170] T. Le-Cong, B. Le, and T. Murray, "Can llms reason about program semantics? a comprehensive evaluation of llms on formal specification inference," 2025. [Online]. Available: https://arxiv.org/abs/2503.04779
- [171] X. Wang, Y. Chen, L. Yuan, Y. Zhang, Y. Li, H. Peng, and H. Ji, "Executable code actions elicit better llm agents," 2024.
 [Online]. Available: https://arxiv.org/abs/2402.01030
- [172] L. Wang, C. Ma, X. Feng, Z. Zhang, H. Yang, J. Zhang, Z. Chen, J. Tang, X. Chen, Y. Lin et al., "A survey on large language model based autonomous agents," Frontiers of Computer Science, vol. 18, no. 6, p. 186345, 2024.
- [173] NVIDIA Technical Blog, "Safeguard agentic ai systems with the nvidia safety recipe," https://developer.nvidia.com/blog/safeguard-agentic-ai-systems-with-the-nvidia-safety-recipe, 2025.
- [174] J. Kaplan, S. McCandlish, T. Henighan, T. B. Brown, B. Chess, R. Child, S. Gray, A. Radford, J. Wu, and D. Amodei, "Scaling laws for neural language models," arXiv preprint arXiv:2001.08361, 2020.
- [175] T. Schick, J. Dwivedi-Yu, R. Dessi, R. Raileanu, M. Lomeli, E. Hambro, L. Zettlemoyer, N. Cancedda, and T. Scialom, "Toolformer: Language models can teach themselves to use tools," *Advances in Neural Information Processing Systems*, vol. 36, pp. 68 539–68 551, 2023.
- [176] N. F. Liu, K. Lin, J. Hewitt, A. Paranjape, M. Bevilacqua, F. Petroni, and P. Liang, "Lost in the middle: How language models use long contexts," arXiv preprint arXiv:2307.03172, 2023.
- [177] C. Packer, V. Fang, S. Patil, K. Lin, S. Wooders, and J. Gonzalez, "Memgpt: Towards llms as operating systems." 2023.
- [178] J. Ding, S. Ma, L. Dong, X. Zhang, S. Huang, W. Wang, N. Zheng, and F. Wei, "Longnet: Scaling transformers to 1,000,000,000 tokens," arXiv preprint arXiv:2307.02486, 2023.
- [179] G. Team, P. Georgiev, V. I. Lei, R. Burnell, L. Bai, A. Gulati, G. Tanzer, D. Vincent, Z. Pan, S. Wang et al., "Gemini 1.5: Unlocking multimodal understanding across millions of tokens of context," arXiv preprint arXiv:2403.05530, 2024.
- [180] S. Schulhoff, M. Ilie, N. Balepur, K. Kahadze, A. Liu, C. Si, Y. Li, A. Gupta, H. Han, S. Schulhoff *et al.*, "The prompt report: a systematic survey of prompt engineering techniques," *arXiv preprint arXiv:2406.06608*, 2024.

[181] A. Creswell and M. Shanahan, "Faithful reasoning using large language models," arXiv preprint arXiv:2208.14271, 2022.

- [182] J. He, M. Vero, G. Krasnopolska, and M. Vechev, "Instruction tuning for secure code generation," arXiv preprint arXiv:2402.09497, 2024.
- [183] H. Pearce, B. Ahmad, B. Tan, B. Dolan-Gavitt, and R. Karri, "Asleep at the keyboard? assessing the security of github copilot's code contributions," *Communications of the ACM*, vol. 68, no. 2, pp. 96–105, 2025.
- [184] D. Huang, J. M. Zhang, Q. Bu, X. Xie, J. Chen, and H. Cui, "Bias testing and mitigation in llm-based code generation," ACM Transactions on Software Engineering and Methodology, 2024.
- [185] N. F. Rajani, B. McCann, C. Xiong, and R. Socher, "Explain yourself! leveraging language models for commonsense reasoning," arXiv preprint arXiv:1906.02361, 2019.
- [186] L. Kuhn, Y. Gal, and S. Farquhar, "Semantic uncertainty: Linguistic invariances for uncertainty estimation in natural language generation," arXiv preprint arXiv:2302.09664, 2023.
- [187] S. Fakhoury, A. Naik, G. Sakkas, S. Chakraborty, and S. K. Lahiri, "Llm-based test-driven interactive code generation: User study and empirical evaluation," *IEEE Transactions on Software Engineering*, 2024.
- [188] D. Huang, J. M. Zhang, M. Luck, Q. Bu, Y. Qing, and H. Cui, "Agentcoder: Multi-agent-based code generation with iterative testing and optimisation," arXiv preprint arXiv:2312.13010, 2023.
- [189] J. Li, G. Li, Y. Li, and Z. Jin, "Structured chain-of-thought prompting for code generation," ACM Transactions on Software Engineering and Methodology, vol. 34, no. 2, pp. 1-23, 2025.
- [190] Y. Liu, C. Tantithamthavorn, Y. Liu, and L. Li, "On the reliability and explainability of language models for program generation," ACM Transactions on Software Engineering and Methodology, vol. 33, no. 5, pp. 1–26, 2024.
- [191] J. Sun, Q. V. Liao, M. Muller, M. Agarwal, S. Houde, K. Talamadupula, and J. D. Weisz, "Investigating explainability of generative ai for code through scenario-based design," in *Proceedings of the 27th international conference on intelligent* user interfaces, 2022, pp. 212–228.
- [192] J. Huang and K. C.-C. Chang, "Citation: A key to building responsible and accountable large language models," arXiv preprint arXiv:2307.02185, 2023.
- [193] H. Sun, Y. Zhuang, L. Kong, B. Dai, and C. Zhang, "Adaplanner: Adaptive planning from feedback with language models," Advances in neural information processing systems, vol. 36, pp. 58 202–58 245, 2023.
- [194] M. Damani, I. Shenfeld, A. Peng, A. Bobu, and J. Andreas, "Learning how hard to think: Input-adaptive allocation of lm computation," arXiv preprint arXiv:2410.04707, 2024.
- [195] R. Manvi, A. Singh, and S. Ermon, "Adaptive inference-time compute: Llms can predict if they can do better, even mid-generation," arXiv preprint arXiv:2410.02725, 2024.
- [196] J. C.-Y. Chen, A. Prasad, S. Saha, E. Stengel-Eskin, and M. Bansal, "Magicore: Multi-agent, iterative, coarse-to-fine refinement for reasoning," arXiv preprint arXiv:2409.12147, 2024.
- [197] S. G. Patil, T. Zhang, V. Fang, R. Huang, A. Hao, M. Casado, J. E. Gonzalez, R. A. Popa, I. Stoica *et al.*, "Goex: Perspectives and designs towards a runtime for autonomous llm applications," *arXiv preprint arXiv:2404.06921*, 2024.
- [198] X. Jiang, Y. Dong, Y. Tao, H. Liu, Z. Jin, W. Jiao, and G. Li, "Rocode: Integrating backtracking mechanism and program analysis in large language models for code generation," arXiv preprint arXiv:2411.07112, 2024.
- [199] D. Zheng, Y. Wang, E. Shi, H. Zhang, and Z. Zheng, "How well do llms generate code for different application domains? benchmark and evaluation," arXiv preprint arXiv:2412.18573, 2024.
- [200] F. Liu, Y. Liu, L. Shi, H. Huang, R. Wang, Z. Yang, L. Zhang, Z. Li, and Y. Ma, "Exploring and evaluating hallucinations in llm-powered code generation," arXiv preprint arXiv:2404.00971, 2024.
- [201] W. Hua, X. Yang, M. Jin, Z. Li, W. Cheng, R. Tang, and Y. Zhang, "Trustagent: Towards safe and trustworthy llm-based agents," arXiv preprint arXiv:2402.01586, 2024.
- [202] Z. Li, S. Dutta, and M. Naik, "Iris: Llm-assisted static analysis for detecting security vulnerabilities," arXiv preprint arXiv:2405.17238, 2024.
- [203] A. Nunez, N. T. Islam, S. K. Jha, and P. Najafirad, "Autosafecoder: A multi-agent framework for securing llm code generation through static analysis and fuzz testing," arXiv preprint arXiv:2409.10737, 2024.
- [204] Y. Liu, X. Chen, Y. Gao, Z. Su, F. Zhang, D. Zan, J.-G. Lou, P.-Y. Chen, and T.-Y. Ho, "Uncovering and quantifying social biases in code generation," *Advances in Neural Information Processing Systems*, vol. 36, pp. 2368–2380, 2023.
- [205] Y. Ding, L. L. Zhang, C. Zhang, Y. Xu, N. Shang, J. Xu, F. Yang, and M. Yang, "Longrope: Extending llm context window beyond 2 million tokens," arXiv preprint arXiv:2402.13753, 2024.
- [206] P. Hosseini, I. Castro, I. Ghinassi, and M. Purver, "Efficient solutions for an intriguing failure of llms: Long context window does not mean llms can analyze long sequences flawlessly," arXiv preprint arXiv:2408.01866, 2024.