



EAST TEXAS A&M
— UNIVERSITY —

CSCI 352.61E

DIGITAL FORENSICS


INVESTIGATING HARASSMENT EMAILS

Email, Wireshark, and Digital Forensics

BACKGROUND

HARASSMENT SCENARIO

- Created by Dr. Simson Garfinkel at Naval Postgraduate School
- Mimics "Nitroba University Harassment Scenario"



HARASSMENT SCENARIO (1)

- Nitroba's IT department received an email from **Lily Tuckrige**, a teacher in the Chemistry Department. Tuckride has been receiving harassing emails and she suspects that they are being sent by a student in her class **Chemistry 109**, which she is teaching this summer. The email was received at Tuckrige's personal email account, **lilytuckrige@yahoo.com**. She provided a screenshot of the web browser.
- The system administrator who received the complaint wrote back to Tuckrige that Nitroba needed the full headers of the email message. Tuckrige responded by clicking the Full message headers button in Yahoo Mail and sent in another screenshot, this one with mail headers.

HARASSMENT SCENARIO (2)

- The mail header shows that the mail message originated from the IP address **140.247.62.34**, which is a room in the Nitroba student-shared accommodation. Three women share the room. Nitroba provides an Ethernet connection in every room but not Wi-Fi access, so of the occupants have installed a Wi-Fi router in the room, which is a common practice. There is no password on this Wi-Fi.
- Because several email messages appear to come from the IP address, Nitroba decides to place a network sniffer on the ethernet port. All of the packets are logged. On **Monday 21 July**, Tuckrige received another harassing email. But this time instead of sending it directly, the perpetrator sent it through a web-based service called **willselfdestruct.com**. The website briefly showed the message to Tuckrige, and then the website reports that the **Message Has Been Destroyed**.




You need to determine if one of the students in the class was responsible for the harassing email

THE INFORMATION WE HAVE

1. The first harassment email provided by the faculty
2. Class roster of Chem 109
3. The second harassment email
4. The captured network traffic log

1. THE FIRST HARASSMENT EMAIL



2. CHEM 109 - CLASS ROSTER

Teacher: Lily Tuckrige

Students:

Amy Smith

Burt Greedom

Tuck Gorge

Ava Book

Johnny Coach

Jeremy Ledvkin

Nancy Colburne

Tamara Perkins


Esther Pringle

Asar Misrad

Jenny Kant

3. THE SECOND HARASSMENT EMAIL

- It was sent from www.willselfdestruct.com
- When the faculty click a link in the email, the faculty read the content provided by the website
- The screenshot is provided by the faculty



larger screenshots are shown on next slide



ks Window Help

(0 unread) Yahoo! Mail, lilytuckrige

+ 1P <http://us.mg2.mail.yahoo.com/dc/launch?.rand=euh4ul3e8u9oh> clock

MAIL lilytuckrige Available Sign Out, My Account, Mail Classic Yahoo! My Yahoo! News Search the Web...

Home Inbox 2 messages

Delete Reply Forward Spam Move Print More Actions View

	From	Subject	Date	Size
☐	noreply@willselfdestruct.cc	you can't find us	Mon, 7/21/08 11:04 PM	4KB
☐	nobody@nitroba.org	we don't like your class	Sun, 7/13/08 5:21 PM	1KB

you can't find us Compact Header Full Message View

"noreply@willselfdestruct.com" <noreply@willselfd... Add To: lilytuckrige@yahoo.com

You have been sent a secure e-mail from someone you know.

[To view the message please click here.](#)

If the above link does not work, you can paste the following address into your browser:

<http://www.willselfdestruct.com/secure/lnkes834>

You may view this message **only once** for **30 second(s)**. after which it **will self-destruct**.

If you leave this page or refresh the page the message **will self-destruct**.

Will Self-Destruct has forwarded this message on behalf of the author. We do not send our own messages nor do we store the message or your email after your message has been viewed.

If you would like to no longer receive mails from Will Self-Destruct please click the following link

<http://www.willselfdestruct.com/secure/block?email=lilytuckrige@yahoo.com>

Kind Regards,
Will Self-Destruct

+ TODAY: 7/28 No events. Click the plus sign to add an event.

FREE secure anonymous E-mail to a friend, client or colleague: WillSelfDestruct

http://www.willselfdestruct.com/secure/lnkes834

Google

WILL SELF-DESTRUCT 

[Send Message](#) | [Faq](#) | [Blog](#) | [Feedback](#) | [B2B](#) | [Loga](#)

[Ads by Google](#)

[Free Proxy Server](#)

[Anonymous Surfing](#)

[Anonymous Proxy](#)

[Anonymous Browsing](#)

[Anonymous Em](#)

WILL SELF-DESTRUCT



This message will self-destruct in **4 second(s)**. If you leave this page or refresh the message will be destroyed.

From: [Undisclosed Sender]
To: lilytuckrige@yahoo.com
Subject: you can't find us

Message:

and you can't hide from us.
Stop teaching.
Start running.

**Will Self-Destruct
is
For Sale**

We've had a lot of fun with
over the years but we are
moving to pastures greener
you are interested in buying
you can either visit [ebay](#)
[contact us](#) directly.

[Mission Impossible Ver](#)

Ads by Google

[Tom Cruise in M:](#)
The Site You Have Been
Waiting For-
TomCruise.com. The
Official Site.
[TomCruise.com](#)

[Free Trial - Mass Emailer](#)
99.9% Highest Inbox
Deliverability. Test Drive
our Mass Emailer Free!
[www.iContact.com](#)

[Gambling Anonymous](#)
Licensed, Individualized
Treatment & Financial
Aid. Get Treated Today

4. THE CAPTURED NETWORK TRAFFIC LOG

Create a
working folder

```
/bin/bash 74x20
root@kali:~#
root@kali:~# mkdir harass
root@kali:~# cd harass/
root@kali:~/harass#
```

Download
traffic log

```
root@kali:~/harass# wget -q https://digitalcorpora.s3.amazonaws.com/corpora/scenarios/2008-nitroba/nitroba.pcap
root@kali:~/harass#
```

Verify hash
code

```
root@kali:~/harass#
root@kali:~/harass# ls -l nitroba.pcap
-rw-r--r-- 1 root root 56180821 Jun  9  2014 nitroba.pcap
root@kali:~/harass#
root@kali:~/harass# openssl dgst -md5 nitroba.pcap
MD5(nitroba.pcap)= 9981827f11968773ff815e39f5458ec8
root@kali:~/harass#
```


TRAFFIC DATA REVIEW

```
root@kali:~/harass#  
root@kali:~/harass# wireshark nitroba.pcap
```

Warning: Ignoring XDG_SESSION_TYPE=wayland on Gnome. Use QT_QPA_PLATFORM=wayland to run on Wayland anyway.

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
94400	15757.768257	192.168.15.1	239.255.255.250	SSDP	347	NOTIFY * HTTP/1.1
94401	15757.778324	192.168.15.1	239.255.255.250	SSDP	403	NOTIFY * HTTP/1.1
94402	15757.788459	192.168.15.1	239.255.255.250	SSDP	331	NOTIFY * HTTP/1.1
94403	15757.798232	192.168.15.1	239.255.255.250	SSDP	323	NOTIFY * HTTP/1.1
94404	15757.808182	192.168.15.1	239.255.255.250	SSDP	367	NOTIFY * HTTP/1.1
94405	15757.818217	192.168.15.1	239.255.255.250	SSDP	343	NOTIFY * HTTP/1.1
94406	15757.828376	192.168.15.1	239.255.255.250	SSDP	397	NOTIFY * HTTP/1.1
94407	15757.838370	192.168.15.1	239.255.255.250	SSDP	395	NOTIFY * HTTP/1.1
94408	15757.848237	192.168.15.1	239.255.255.250	SSDP	399	NOTIFY * HTTP/1.1
94409	15757.858175	192.168.15.1	239.255.255.250	SSDP	391	NOTIFY * HTTP/1.1
94410	15759.950751	192.168.15.4	74.125.19.99	TCP	70	[TCP Retransmission] 36858 → 80 [FIN, AC...


too many packets, we need filters to find what we are search for

Frame 1: 70 bytes on wire (560 bits) 70 bytes captured (560 bits)

SCENARIO ANALYSIS

ASSUMED SCENARIO

- 1 A student accesses the website
- 2 Website provides a form
- 3 A student fills out the form (contains harassment content) on the website
- 4 The website sends a notification email to faculty
- 5 Faculty click the link in the email
- 6 Website sends the harassment content saved on the website





Find evidence to reconstruct the scenario if our assumption is correct.

MAPPING SCENARIO TO EVIDENCE

- 1 A student accesses the website
- 2 Website provides a form
- 3 A student fills out the form (contains harassment content) on the website
- 4 The website sends a notification email to the faculty
- 5 Faculty click the link in the email
- 6 Website sends the harassment content saved on the website

ID	Who	Did	What	When
1	IP, mac	HTTP get	www.willselfdes truct.com	?
3	IP, mac	HTTP post	harassment content in a form a. From b. To c. Subject d. content	?
6	faculty	HTTP get	harassment content = email content received by the faculty	?

EVIDENCE COLLECTION


LIST OF QUESTIONS

- Which IP accessed www.willselfdestruct.com?
- Does the IP post harassing comments to the website?
- Does the HTTP post contain the harassment message?
- Is the IP associated with any suspects?
- Is the suspect in the faculty's class?
- When did the suspect use www.willselfdestruct.com?

WHICH IP ACCESSED WWW.WILLSELFDESTRUCT.COM?

- The IP is associated with HTTP Requests and Responses

1 2 3



File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

[http.request.method == "GET" && http.host == "www.willselfdestruct.com"](#) Evidence from 1

No.	Time	Source	Destination	Protocol	Length	Info
82936	2008-07-22 06:03:43.825871	192.168.15.4	69.25.94.22	HTTP	596	GET /secure/submit HTTP/1.1
82985	2008-07-22 06:03:44.125949	192.168.15.4	69.25.94.22	HTTP	355	GET /images/spacer.gif HTTP/1.1
83025	2008-07-22 06:03:44.334254	192.168.15.4	69.25.94.22	HTTP	356	GET /images/sm-logo.gif HTTP/1.1
83037	2008-07-22 06:03:44.374583	192.168.15.4	69.25.94.22	HTTP	361	GET /images/warning-home.gif HTTP/1.1
83072	2008-07-22 06:03:44.530352	192.168.15.4	69.25.94.22	HTTP	356	GET /images/body-bk.gif HTTP/1.1
83087	2008-07-22 06:03:44.599079	192.168.15.4	69.25.94.22	HTTP	358	GET /images/bttn-send.gif HTTP/1.1
83162	2008-07-22 06:03:44.852265	192.168.15.4	69.25.94.22	HTTP	361	GET /images/bridge_small.gif HTTP/1.1
83614	2008-07-22 06:04:24.564165	192.168.15.4	69.25.94.22	HTTP	461	GET /secure/success HTTP/1.1
83654	2008-07-22 06:04:24.902157	192.168.15.4	69.25.94.22	HTTP	360	GET /images/bk-message.gif HTTP/1.1

▶ Frame 82936: 596 bytes on wire (4768 bits), 596 bytes captured (4768 bits)

▶ Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60)

▶ Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22

▶ Transmission Control Protocol, Src Port: 35984, Dst Port: 80, Seq: 1, Ack: 1, Len: 526

▼ Hypertext Transfer Protocol

▶ GET /secure/submit HTTP/1.1\r\n

Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, */*\r\n

Referer: http://email.about.com/gi/dynamic/offsite.htm?zi=1/XJ&sdn=email&cdn=compute&tm=17&gps=101_1829_788_511&f=00&su=p284.9.

Accept-Language: en-us\r\n

Accept-Encoding: gzip, deflate\r\n

User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)\r\n

[Host: www.willselfdestruct.com\r\n](#) →

Connection: Keep-Alive\r\n

\r\n

[\[Full request URI: http://www.willselfdestruct.com/secure/submit\]](#)


[\[HTTP request 1/1\]](#)

[\[Response in frame: 82998\]](#)

ALTERNATIVE: FIND IP FROM HTTP RESPONSE

2

- Anyone accessed the website will see the webpage *title*
- Title in *.html*
<title>FREE secure anonymous E-mail to a friend, client or colleague: WillSelfDestruct</title>
- We can search keywords in the title
 - How?



<title>FREE secure anonymous E-mail to a friend,
client or colleague: WillSelfDestruct</title>

Find IP by searching the title of a web page

```
root@kali:~/harass#  
root@kali:~/harass# wireshark nitroba.pcap
```

nitroba.pcap


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

data-text-lines contains "secure anonymous E-mail"

No.	Time	Source	Destination	Protocol	Length	Info
82998	15157.115668	69.25.94.22	192.168.15.4	HTTP	75	HTTP/1.1 200 OK (text/html)
83641	15197.756153	69.25.94.22	192.168.15.4	HTTP	1189	HTTP/1.1 200 OK (text/html)

two response messages

Frame 82998: 75 bytes on wire (600 bits), 75 bytes captured (600 bits)
Ethernet II, Src: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60), Dst: Apple_e2:c0:ce (00:17:f2:e2:c0:ce)
Internet Protocol Version 4, Src: 69.25.94.22, Dst: 192.168.15.4
Transmission Control Protocol, Src Port: 80, Dst Port: 35984, Seq: 20471, Ack: 527, Len: 5
[16 Reassembled TCP Segments (20475 bytes): #82953(1368), #82954(1368), #82963(1368), #82965(1368), #82967
Hypertext Transfer Protocol
Line-based text data: text/html (539 lines)



Conclusion: 69.25.94.22 is the web's IP and 192.168.15.4 is the suspect's ID

data-text-lines contains "secure anonymous E-mail" *IP in dorm*

No.	Time	Source	Destination	Protocol	Length	Info
82998	15157.115668	69.25.94.22	192.168.15.4	HTTP	75	HTTP/1.1 200 OK (text/html)
83641	15197.756153	69.25.94.22	192.168.15.4	HTTP	1189	HTTP/1.1 200 OK (text/html)

Server (www.willselfdestruct.com) IP *HTTP response*

```
<html>\n
<head>\n
  <meta name="Description" content="Secure, anonymous email and messaging for sensitive data. Send a self
  <meta name="KeyWords" content="secure anonymous self destruct email message page, will self destruct ema
  <title>FREE secure anonymous E-mail to a friend, client or colleague: WillSelfDestruct</title>\n
</head>\n
```

TR!CK

Find the field name (data-text-lines: [Line-based test data](#)) for search

The image shows the Wireshark network protocol analyzer interface. A terminal window in the background shows the command `wireshark nitroba.pcap` being executed. In the foreground, the packet list pane shows two packets. The first packet, number 82998, is selected. The packet details pane shows the hierarchy of the selected packet: Frame 82998, Ethernet II, Internet Protocol Version 4, Transmission Control Protocol, and Hypertext Transfer Protocol. The 'data-text-lines' field is highlighted in green. A red box highlights the 'data-text-lines' field name. A red line connects this field to the 'Line-based text data: text/html (539 lines)' entry in the packet details pane. A right-click context menu is open over the packet details pane, with the 'Prepare as Filter' option highlighted by a red box. A red number '3' is next to the 'View' menu item. A red number '1' is next to the 'Hypertext Transfer Protocol' entry. A red number '2' is next to the 'Line-based text data: text/html (539 lines)' entry.

3. View

data-text-lines

No.	Time	Source	Destination
82998	15157.115668	69.25.94.22	192.168.1.1
83641	15197.756153	69.25.94.22	192.168.1.1

Frame 82998: 75 bytes on wire (600 bits), 75 captured (600 bytes) on interface (eth0) capture filter 'eth0' (0 bytes)

- Ethernet II, Src: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60), Dst: 02:00:00:00:00:00 (02:00:00:00:00:00)
- Internet Protocol Version 4, Src: 69.25.94.22, Dst: 192.168.1.1
- Transmission Control Protocol, Src Port: 80, Dst Port: 80, Seq: 3442222222, Win: 0, Len: 0
- [16 Reassembled TCP Segments (20475 bytes): #1-16]
- Hypertext Transfer Protocol
- Line-based text data: text/html (539 lines)

2. Right click the line

- Expand Subtrees
- Collapse Subtrees
- Expand All
- Collapse All
- Apply as Column Ctrl+Shift+I
- Apply as Filter
- Prepare as Filter
- Conversation Filter
- Colorize with Filter
- Follow
- Copy
- Show Packet Bytes... Ctrl+Shift+O
- Export Packet Bytes... Ctrl+Shift+X
- Wiki Protocol Page
- Filter Field Reference
- Protocol Preferences
- Decode As...
- Go to Linked Packet
- Show Linked Packet in New Window

DOES THE IP POST HARASSING COMMENTS TO THE WEBSITE?

Search HTTP POST request.

Note: We are only interested in the traffic between 69.25.94.22 (web's IP) and 192.168.15.4 (the suspect's IP)


`(ip.src == 192.168.15.4) && (ip.dst == 69.25.94.22) && http.request.method == "POST"`

No.	Time	Source	Destination	Protocol	Length	Info
83601	15197.216422	192.168.15.4	69.25.94.22	HTTP	719	POST /secure/subm...

Frame 83601: 719 bytes on wire (5752 bits), 719 bytes captured (5752 bits)

- Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPr_2e:4f:60 (00:1d:d9:00:00:00)
- Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
- Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 1, Ack: 1, Len: 649
- Hypertext Transfer Protocol
- HTML Form URL Encoded: application/x-www-form-urlencoded
 - Form item: "to" = "lilytuckrige@yahoo.com"
 - Form item: "from" = ""
 - Form item: "subject" = "you can't find us"
 - Form item: "message" = "and you can't hide from us."
 - Stop teaching.
 - Start running. "
 - Form item: "type" = "0"
 - Form item: "ttl" = "30"
 - Form item: "submit.x" = "92"
 - Form item: "submit.y" = "26"

Harassing comment founded!



IS THE IP ASSOCIATED WITH ANY SUSPECTS?

- No.
 - A few students may use the same IP
- Yes
 - Need to find the **MAC address**
 - MAC address is unique
- Found MAC add
 - **00:17:f2:e2:c0:ce**

Filter: (ip.src == 192.168.15.4) && (ip.dst == 69.25.94.22) && http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length
83601	15197.216422	192.168.15.4	69.25.94.22	HTTP	719

Frame 83601: 719 bytes on wire (5752 bits), 719 bytes captured (5752 bits) on interface 0

Ethernet II, Src: Apple e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60)

Destination: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60)

Address: HonHaiPr_2e:4f:60 (00:1d:d9:2e:4f:60)

Type: IPv4 (0x0800)

Frame check sequence: 0x60c8d0a3 [unverified]

[FCS Status: Unverified]

Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22

Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 36044, Win: 0, Len: 0

Hypertext Transfer Protocol

HTML Form URL Encoded: application/x-www-form-urlencoded

Form item: "to" = "lilytuckrige@yahoo.com"

Form item: "from" = ""

Form item: "subject" = "you can't find us"

Form item: "message" = "and you can't hide from us."

Search all packets sending and receiving by the suspect's Apple device

eth.addr == 00:17:f2:e2:c0:ce

No.	Time	Source	Destination	Protocol	Length	Info
18813	9524.581107	Apple_e2:c0:ce	Broadcast	ARP	64	Who has 192...
18814	9524.582146	HonHa1Pr_2e:4f...	Apple_e2:c0:ce	ARP	64	192.168.15.1...
18815	9524.582370	192.168.15.4	192.168.1.254	DNS	106	Standard que...
18816	9524.583468	192.168.1.254	192.168.15.4	DNS	106	Standard que...
18818	9526.610956	192.168.15.4	192.168.1.254	DNS	78	Standard que...
18819	9526.624322	192.168.1.254	192.168.15.4	DNS	242	Standard que...

Frame 18813: 64 bytes on wire (512 bits), 64 bytes captured (512 bits)

Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: Broadcast (ff:ff:ff:ff:ff:ff)

Address Resolution Protocol (request)

0000 ff ff ff ff ff ff 00 17 f2 e2 c0 ce 08 06 00 01

0010 08 00 06 04 00 01 00 17 f2 e2 c0 ce c0 a8 0f 04

0020 00 00 00 00 00 05 c0 a8 0f 01 00 00 00 00 00 00

nitroba.pcap Packets: 94410 Displayed: 73246 (77.6%) Profile: Default


too many packets!

The most important question!

WHO OWNS THE MAC
ADDRESS?

HOW TO CONNECT MAC ADDRESS WITH SUSPECT'S ID?

- HTTP is a stateless protocol
 - each request is executed by server independently, without any knowledge of the requests that were executed before it
- How to let server remember you?
 - HTTP cookie (web cookie, browser cookie)
- A cookie
 - Is a small piece of data that a server sends to the user's web browser.
 - The client browser may store it and send it back with later requests to the same server.



PURPOSE OF COOKIES

- Session management
 - Logins, shopping carts, game scores, or anything else the server should remember
- Personalization
 - User preferences, themes, and other settings
- Tracking
 - Recording and analyzing user behavior

We may be able to find suspects' profiles from Cookies!

Narrow down the search result using cookie

eth.src == 00:17:f2:e2:c0:ce && http.cookie contains "@" @ hopefully cookies have email information.

No.	Time	Source	Destination	Protocol	Length	Info
78967	14995.018158	192.168.15.4	74.125.19.17	HTTP	1345	GET /mail/channel/test?at=xn3j32okt
78968	14995.019816	192.168.15.4	74.125.19.17	HTTP	1391	GET /mail/?ui=1&view=page&name=gp&v
78975	14995.242111	192.168.15.4	74.125.19.17	HTTP	1391	GET /mail/?ui=1&view=page&name=gp&v
78977	14995.282628	192.168.15.4	74.125.19.17	HTTP	1391	GET /mail/?ui=1&view=page&name=gp&v
78984	14995.371518	192.168.15.4	209.85.201.189	HTTP	1359	GET /mail/images/cleardot.gif?at=xr
78990	14995.451768	192.168.15.4	74.125.19.17	HTTP	1391	GET /mail/?ui=1&view=page&name=gp&v

Cookie pair: GMAIL_AT=xn3j32oktf2a0q6oa3k9sfr6d09yzf
Cookie pair: GMAIL_SU=1
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: PREF=ID=8fc081df5e738a3c:TM=1210743469:LM=1210743469:S=PiBsyJkS6cu-UEXV
Cookie pair: NID=13=tJ7LtEc6z12iH4BP_IPyV0gGhi4aLcZoJcAf7l-9JQ2AeoD8oWG9NJtOp7T5tuskknNgEKMRA9P49v
Cookie pair: __utmx=173272373.00000983192309928271:2:
Cookie pair: __utmxx=173272373.00000983192309928271:1216706401:2592000
Cookie pair: SID=DQAAAGwAAACH8Y_j5izp1fdbDJzwdRFDGtU3aaeZKWgZ7DwUjYpLoqH7F1_E-X5taC4l0uvzXtrVeE6Zq1q
Cookie pair: TZ=-60
Cookie pair: GMAIL_HELP=hosted:0

(149 matching packets)

IS THE SUSPECT IN FACULTY'S CLASS?

Teacher: Lily Tuckrige

Students:

Amy Smith

Burt Greedom

Tuck Gorge

Ava Book

Johnny Coach

Jeremy Ledvkin

Nancy Colburne

Tamara Perkins


Esther Pringle

Asar Misrad

Jenny Kant

WHEN DID THE SUSPECT USE WWW.WILLSELFDESTRUCT.COM?

Change time format



data-text-lines contains "secure anonymous E-mail"

No.	Time	Source	Destination	Prot
82998	2008-07-22 06:03:44.210946	69.25.94.22	192.168.15.4	HTTP
83641	2008-07-22 06:04:24.851431	69.25.94.22	192.168.15.4	HTTP

[16 Reassembled TCP Segments (20475 bytes): #82953(1368), #82954(1368)]

Hypertext Transfer Protocol

HTTP/1.1 200 OK\r\n

Date: Tue, 22 Jul 2008 07:24:05 GMT\r\n

Server: Apache\r\n

Pragma: No-cache\r\n

Cache-Control: no-cache\r\n

Expires: Thu, 01 Jan 1970 00:00:00 GMT\r\n

Set-Cookie: JSESSIONID=0FB2AD5FEEF73F78A1D0A5492813C761; Path=/\r\n

Content-Type: text/html; charset=ISO-8859-1\r\n

Connection: close\r\n

Transfer-Encoding: chunked\r\n

\r\n

[HTTP response 1/1]

[Time since request: 0.385075000 seconds]

[Request in frame: 82936]

[Request URI: http://www.willselfdestruct.com/secure/submit]

HTTP chunked response

data-text-lines contains "secure anonymous E-mail"

No.	Time	Source	Destination	Prot
82998	2008-07-22 06:03:44.210946	69.25.94.22	192.168.15.4	HTTP
83641	2008-07-22 06:04:24.851431	69.25.94.22	192.168.15.4	HTTP

[12 Reassembled TCP Segments (16167 bytes): #83618(1368), #83619(1368)]

Hypertext Transfer Protocol

HTTP/1.1 200 OK\r\n

Date: Tue, 22 Jul 2008 07:24:45 GMT\r\n

Server: Apache\r\n

Pragma: No-cache\r\n

Cache-Control: no-cache\r\n

Expires: Thu, 01 Jan 1970 00:00:00 GMT\r\n

Set-Cookie: JSESSIONID=C0AC3EC4944A8C88D98B7A8020B12492; Path=/\r\n

Content-Type: text/html; charset=ISO-8859-1\r\n

Connection: close\r\n

Transfer-Encoding: chunked\r\n

\r\n

[HTTP response 1/1]


[Time since request: 0.287266000 seconds]

[Request in frame: 83614]

[Request URI: http://www.willselfdestruct.com/secure/success]

OTHER HELPFUL FILTERS

- `http.set_cookie`
- `ip.dst == 192.168.15.4`
- `http.user_agent == "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)"`
- `http.request.uri` contains `"?"`
- `http.request.method=="POST"`



THANK YOU

Yau Ka Cheung
Yauka.Cheung@etamu.edu
ACB1 Room 335