

Order System

Java May'19 DSA Final - 1 day 02:56:24

It's very busy over at the North Pole nowadays. Today kids are smarter and want more expensive gifts. It was easy for Santa when everything a kid would wish for was a new book or a new bike (eventually they got socks and sweaters, but that's a different topic). Now, on the other hand, children want VR headsets, electric scooters, and drones. What is more, kids used to get one wish only, and now they have whole lists of wishes!

Help Santa by writing a program that makes keeping up with kids Wishes a little easier. Each wish has the name of the item, how much it would cost the dwarfs to make it and the name of the child that requested it. Design a system that executes N commands, given in the input (a single command at a line):

- **AddWish item_name;estimated_price;child_name** - adds a new wish to Santa's list by given name of the item, estimated price and the name of the child. If a wish with the same name / price / child name already exists, the newly added wish does not affect existing ones (duplicates are allowed). As a result, the command prints "**Wish added**".
- **DeleteWishes kid_name** - You have to be on the "Good kids list" in order to get your present. If someone is not, Santa needs to be able to delete all Wishes by that kid. As a result, the command prints "**X Wishes deleted**" where **X** is the number of deleted Wishes or "**No Wishes found**" if no such wish exist.
- **FindWishesByPriceRange fromPrice;toPrice** – Santa needs to balance the books from time to time, so there needs to be a command that finds all Wishes whose estimated price is greater or equal than **fromPrice** and less or equal than **toPrice**. As a result the command prints a list of Wishes in the format **{item_name;kid_name;estimated_price}**. The list items should be ordered in alphabetical order. You should print each order on a single line. If no orders exist within the specified price range, the command prints "**No Wishes found**".
- **FindWishesByChild child_name** – finds all wishes by given child name. As a result the command prints a list of Wishes in format **{item_name;kid_name;estimated_price}**. The list items should be ordered in alphabetical order. You should print each wish on a single line. If no Wishes exist by the specified child, the command prints "**No Wishes found**".

See the examples bellow.

Input

The input data is read from the standard input (the console).

[Submit solution](#)[My submissions](#)
[All submissions](#)
[Best submissions](#)

✓ **Points:** 100
(partial)
⌚ **Time limit:** 1.5s
📄 **Memory limit:** 64M
✍ **Author:**
viktor

🏷 **Tags**
Hash Tables
⬆ **Difficulty**
Intermediate

▼ **Allowed languages**
java



Output

Java May'19 DSA Final - 1 day 02:56:24

The output data is printed on the standard output (the console).

- The output should contain the output from each command from the input.

Constraints

- **N** will be between 1 and 60000
- All names and other strings consist of alphabetical characters, numbers and spaces.
- Prices are given as real numbers with up to 2 digits after the decimal point, (e.g. 35.18, or 120).
- The '.' symbol is used as decimal separator.
- Prices should be printed with exactly 2 digits after the decimal point (e.g. 120.30 instead of 120.3).

Sample Tests

Input

```
10
AddWish Electric Scooter 2000Z;1536.50;Stefan
AddWish Fortnite Skin;3000;Stefan
AddWish AMD Radeon;4099.99;Pesho
AddWish Apple AirPods;200000;Kiril
AddWish Socks;10000;Tosho
AddWish Swater;999;Stefan
FindWishesByChild Stefan
DeleteWishes Stefan
FindWishesByChild Stefan
FindWishesByPriceRange 100000;200000
```

Copy

Output



```
Wish added
Wish added
Wish added
Wish added
Wish added
{Electric Scooter 2000Z;Stefan;1536.50}
{Fortnite Skin;Stefan;3000.00}
{Swater;Stefan;999.00}
3 Wishes deleted
No Wishes found
{Apple AirPods;Kiril;200000.00}
```

Java May'19 DSA Final - 1 day 02:56:24

Input

```
8
AddWish Electric Scooter 2000Z;3500.05;Rayko Petrov
AddWish Fortnite Skin;3000;Rayko Petrov
AddWish AMD Radeon;16400;Hristo
AddWish Apple AirPods;21111.50;Nadya
FindWishesByChild Jorko jorkov
DeleteWishes Rayko Petrov
FindWishesByChild Jorko Jorkov
FindWishesByPriceRange 5000;30000
```

Copy

Output

Copy

[PROBLEMS](#)[SUBMISSIONS](#)[USERS](#)[CONTESTS](#)[ABOUT](#)HELLO, **YAVORYANKOV83**.

Wish added

Wish added

No Wishes found

2 Wishes deleted

No Wishes found

{AMD Radeon;Hristo;16400.00}

{Apple AirPods;Nadya;21111.50}

Java May'19 DSA Final - 1 day 02:56:24

? Clarifications

No clarifications have been made at this time.

Telerik Academy | Powered by [DMOJ](#)