



✓ Scrooge McDuck

Java May'19 Advanced Practice 2 - 2 days 03:34:13

Submit solution

[My submissions](#)

[All submissions](#)

[Best submissions](#)

✓ **Points:** 100 (partial)

⌚ **Time limit:** 0.3s

JavaScript: 0.4s

≡ **Memory limit:** 32M

JavaScript: 32M

✍ **Author:**

[donchominkov](#)

🏷 **Tags**

Arrays

⬆ **Difficulty**

Easy

▼ **Allowed languages**

C#, java, JavaScript

Scrooge McDuck likes his treasure very much. That is why he likes to play a funny game.

He builds a labyrinth of coins and tries to escape from it. You can think of the labyrinth as a rectangular field. Each cell of the field contains 0 or more coins.


When Scrooge McDuck steps on a cell, he can take only a single coin from this cell, and only if there are any coins. Scrooge McDuck can escape the field, only if he is surrounded by empty cells.

Scrooge McDuck always wants to go to the neighbouring cell with most coins. BUT if there are more than one cells with the same amount of coins (the largest), he chooses a cell (always the largest) from the order **left, right, up, down**

If Scrooge McDuck cannot go in any direction, he is out of the labyrinth

Examples

Sample test



Scrooge McDuck is worried, not about his life, but if the coins he collect will be enough. Your task is to tell him how many coins he will collect, following the rules above.

Input

- Read from the standard input
- On the first line find **N** and **M**
 - The size of the labyrinth
- On the next **N** lines find **M** integer values, separated by a space
- The input data will always be valid and there is no need to check it explicitly



Output

- Print to the standard output
- On the single line, print the number of coins Scrooge McDuck can collect, following the rules

Java May'19 Advanced Practice 2 - 2 days 03:34:13

Constraints

- $2 \leq N \leq 10$
- $2 \leq M \leq 10$
- Each cell can contain up to 1024 coins

Sample tests

Input

```
4 3
3 2 4
2 0 3
1 1 5
2 2 5
```

Copy

Output

22

Copy

Input

```
3 3
10 10 0
10 10 10
10 10 10
```

Copy

Output

78

Copy

Input

Copy



```
10 10 10
10 0 10
10 10 10
```

Java May'19 Advanced Practice 2 - 2 days 03:34:13

Output

80

Copy

Input

```
2 3
0 5 2
2 5 3
```

Copy

Output

15

Copy

? Clarifications

on Dec. 22, 2017, 1:32 p.m.

Uploaded detailed example

on Dec. 22, 2017, 10:37 a.m.

Scrooge McDuck chooses left, right, up or down, only if the biggest value is in two or more neighbouring cells.