

## Tables (20)

Name	Type	Schema
<b>account_emailaddress</b>		CREATE TABLE "account_emailaddress" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "verified" bool NOT NULL, "primary" bool NOT NULL, "user_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "email" varchar(254) NOT NULL)
id	integer	"id" integer NOT NULL
verified	bool	"verified" bool NOT NULL
primary	bool	"primary" bool NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
<b>account_emailconfirmation</b>		CREATE TABLE "account_emailconfirmation" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "created" datetime NOT NULL, "sent" datetime NULL, "key" varchar(64) NOT NULL UNIQUE, "email_address_id" integer NOT NULL REFERENCES "account_emailaddress" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
created	datetime	"created" datetime NOT NULL
sent	datetime	"sent" datetime
key	varchar(64)	"key" varchar(64) NOT NULL UNIQUE
email_address_id	integer	"email_address_id" integer NOT NULL
<b>auth_group</b>		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
<b>auth_group_permissions</b>		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>auth_permission</b>		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)

Name	Type	Schema
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
<b>django_admin_log</b>		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	bigint	"user_id" bigint NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
<b>django_content_type</b>		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
<b>django_migrations</b>		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
<b>django_session</b>		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL

Name	Type	Schema
<b>django_site</b>		CREATE TABLE "django_site" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(50) NOT NULL, "domain" varchar(100) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
domain	varchar(100)	"domain" varchar(100) NOT NULL UNIQUE
<b>lawchatbot_chats</b>		CREATE TABLE "lawchatbot_chats" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" text NOT NULL, "created_at" datetime NOT NULL, "user_id_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "last_modified" date NOT NULL)
id	integer	"id" integer NOT NULL
name	text	"name" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
user_id_id	bigint	"user_id_id" bigint NOT NULL
last_modified	date	"last_modified" date NOT NULL
<b>lawchatbot_messages</b>		CREATE TABLE "lawchatbot_messages" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "message" text NOT NULL, "author" text NOT NULL, "created_at" datetime NOT NULL, "chat_id_id" bigint NOT NULL REFERENCES "lawchatbot_chats" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "dislike" bool NOT NULL, "like" bool NOT NULL)
id	integer	"id" integer NOT NULL
message	text	"message" text NOT NULL
author	text	"author" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
chat_id_id	bigint	"chat_id_id" bigint NOT NULL
user_id_id	bigint	"user_id_id" bigint NOT NULL
dislike	bool	"dislike" bool NOT NULL
like	bool	"like" bool NOT NULL
<b>lawchatbot_user</b>		CREATE TABLE "lawchatbot_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "email" varchar(254) NOT NULL UNIQUE, "name" varchar(255) NOT NULL, "lastname" varchar(255) NOT NULL, "is_active" bool NOT NULL, "is_superuser" bool NOT NULL, "is_staff" bool NOT NULL, "date_joined" datetime NOT NULL, "last_login" datetime NULL)
id	integer	"id" integer NOT NULL

Name	Type	Schema
password	varchar(128)	"password" varchar(128) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL UNIQUE
name	varchar(255)	"name" varchar(255) NOT NULL
lastname	varchar(255)	"lastname" varchar(255) NOT NULL
is_active	bool	"is_active" bool NOT NULL
is_superuser	bool	"is_superuser" bool NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
last_login	datetime	"last_login" datetime
<b>lawchatbot_user_groups</b>		CREATE TABLE "lawchatbot_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
group_id	integer	"group_id" integer NOT NULL
<b>lawchatbot_user_user_permissions</b>		CREATE TABLE "lawchatbot_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>socialaccount_socialaccount</b>		CREATE TABLE "socialaccount_socialaccount" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "provider" varchar(200) NOT NULL, "uid" varchar(191) NOT NULL, "last_login" datetime NOT NULL, "date_joined" datetime NOT NULL, "user_id" bigint NOT NULL REFERENCES "lawchatbot_user" ("id") DEFERRABLE INITIALLY DEFERRED, "extra_data" text NOT NULL CHECK ((JSON_VALID("extra_data") OR "extra_data" IS NULL)))
id	integer	"id" integer NOT NULL
provider	varchar(200)	"provider" varchar(200) NOT NULL
uid	varchar(191)	"uid" varchar(191) NOT NULL
last_login	datetime	"last_login" datetime NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
extra_data	text	"extra_data" text NOT NULL CHECK((JSON_VALID("extra_data") OR "extra_data"

Name	Type	Schema
		IS NULL))
<b>socialaccount_socialapp</b>		<pre>CREATE TABLE "socialaccount_socialapp" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "provider" varchar(30) NOT NULL, "name" varchar(40) NOT NULL, "client_id" varchar(191) NOT NULL, "secret" varchar(191) NOT NULL, "key" varchar(191) NOT NULL, "provider_id" varchar(200) NOT NULL, "settings" text NOT NULL CHECK ((JSON_VALID("settings") OR "settings" IS NULL))</pre>
id	integer	"id" integer NOT NULL
provider	varchar(30)	"provider" varchar(30) NOT NULL
name	varchar(40)	"name" varchar(40) NOT NULL
client_id	varchar(191)	"client_id" varchar(191) NOT NULL
secret	varchar(191)	"secret" varchar(191) NOT NULL
key	varchar(191)	"key" varchar(191) NOT NULL
provider_id	varchar(200)	"provider_id" varchar(200) NOT NULL
settings	text	"settings" text NOT NULL CHECK((JSON_VALID("settings") OR "settings" IS NULL))
<b>socialaccount_socialapp_sites</b>		<pre>CREATE TABLE "socialaccount_socialapp_sites" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "socialapp_id" integer NOT NULL REFERENCES "socialaccount_socialapp" ("id") DEFERRABLE INITIALLY DEFERRED, "site_id" integer NOT NULL REFERENCES "django_site" ("id") DEFERRABLE INITIALLY DEFERRED)</pre>
id	integer	"id" integer NOT NULL
socialapp_id	integer	"socialapp_id" integer NOT NULL
site_id	integer	"site_id" integer NOT NULL
<b>socialaccount_socialtoken</b>		<pre>CREATE TABLE "socialaccount_socialtoken" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "token" text NOT NULL, "token_secret" text NOT NULL, "expires_at" datetime NULL, "account_id" integer NOT NULL REFERENCES "socialaccount_socialaccount" ("id") DEFERRABLE INITIALLY DEFERRED, "app_id" integer NULL REFERENCES "socialaccount_socialapp" ("id") DEFERRABLE INITIALLY DEFERRED)</pre>
id	integer	"id" integer NOT NULL
token	text	"token" text NOT NULL
token_secret	text	"token_secret" text NOT NULL
expires_at	datetime	"expires_at" datetime
account_id	integer	"account_id" integer NOT NULL

Name	Type	Schema
app_id	integer	"app_id" integer
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence (name, seq)
name		"name"
seq		"seq"

## Indices (31)

Name	Type	Schema
<b>account_emailaddress_upper</b>		CREATE INDEX "account_emailaddress_upper" ON "account_emailaddress" ((UPPER("email")))
(UPPER("email"))		(UPPER("email"))
<b>account_emailaddress_user_id_2c513194</b>		CREATE INDEX "account_emailaddress_user_id_2c513194" ON "account_emailaddress" ("user_id")
user_id		"user_id"
<b>account_emailaddress_user_id_email_987c8728_unique</b>		CREATE UNIQUE INDEX "account_emailaddress_user_id_email_987c8728_unique" ON "account_emailaddress" ("user_id", "email")
user_id		"user_id"
email		"email"
<b>account_emailconfirmation_email_address_id_5b7f8c58</b>		CREATE INDEX "account_emailconfirmation_email_address_id_5b7f8c58" ON "account_emailconfirmation" ("email_address_id")
email_address_id		"email_address_id"
<b>auth_group_permissions_group_id_b120cbf9</b>		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
<b>auth_group_permissions_group_id_permission_id_0cd325b0_unique</b>		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_unique" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
<b>auth_group_permissions_permission_id_84c5c92e</b>		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_permission_content_type_id_2f476e4b</b>		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
<b>auth_permission_content_type_id_codename_01ab375a_unique</b>		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_unique" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"

Name	Type	Schema
<b>django_admin_log_content_type_id_c4bce8eb</b>		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
<b>django_admin_log_user_id_c564eba6</b>		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
<b>django_content_type_app_label_model_76bd3d3b_uniq</b>		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
<b>django_session_expire_date_a5c62663</b>		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
<b>lawchatbot_chats_user_id_id_9fc40ca3</b>		CREATE INDEX "lawchatbot_chats_user_id_id_9fc40ca3" ON "lawchatbot_chats" ("user_id_id")
user_id_id		"user_id_id"
<b>lawchatbot_messages_chat_id_id_ae51d322</b>		CREATE INDEX "lawchatbot_messages_chat_id_id_ae51d322" ON "lawchatbot_messages" ("chat_id_id")
chat_id_id		"chat_id_id"
<b>lawchatbot_messages_user_id_id_7fe2c6a0</b>		CREATE INDEX "lawchatbot_messages_user_id_id_7fe2c6a0" ON "lawchatbot_messages" ("user_id_id")
user_id_id		"user_id_id"
<b>lawchatbot_user_groups_group_id_d3f32baa</b>		CREATE INDEX "lawchatbot_user_groups_group_id_d3f32baa" ON "lawchatbot_user_groups" ("group_id")
group_id		"group_id"
<b>lawchatbot_user_groups_user_id_9c06595f</b>		CREATE INDEX "lawchatbot_user_groups_user_id_9c06595f" ON "lawchatbot_user_groups" ("user_id")
user_id		"user_id"
<b>lawchatbot_user_groups_user_id_group_id_aa64dadcd_uniq</b>		CREATE UNIQUE INDEX "lawchatbot_user_groups_user_id_group_id_aa64dadcd_uniq" ON "lawchatbot_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
<b>lawchatbot_user_user_permissions_permission_id_1c2714d2</b>		CREATE INDEX "lawchatbot_user_user_permissions_permission_id_1c2714d2" ON "lawchatbot_user_user_permissions" ("permission_id")
permission_id		"permission_id"
<b>lawchatbot_user_user_permissions_user_id_4dd0f17a</b>		CREATE INDEX "lawchatbot_user_user_permissions_user_id_4dd0f17a" ON "lawchatbot_user_user_permissions" ("user_id")

Name	Type	Schema
user_id		"user_id"
<b>lawchatbot_user_user_permissions_user_id_permission_id_939f8b38_uniq</b>		CREATE UNIQUE INDEX "lawchatbot_user_user_permissions_user_id_permission_id_939f8b38_uniq" ON "lawchatbot_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
<b>socialaccount_socialaccount_provider_uid_fc810c6e_uniq</b>		CREATE UNIQUE INDEX "socialaccount_socialaccount_provider_uid_fc810c6e_uniq" ON "socialaccount_socialaccount" ("provider", "uid")
provider		"provider"
uid		"uid"
<b>socialaccount_socialaccount_user_id_8146e70c</b>		CREATE INDEX "socialaccount_socialaccount_user_id_8146e70c" ON "socialaccount_socialaccount" ("user_id")
user_id		"user_id"
<b>socialaccount_socialapp_sites_site_id_2579dee5</b>		CREATE INDEX "socialaccount_socialapp_sites_site_id_2579dee5" ON "socialaccount_socialapp_sites" ("site_id")
site_id		"site_id"
<b>socialaccount_socialapp_sites_socialapp_id_97fb6e7d</b>		CREATE INDEX "socialaccount_socialapp_sites_socialapp_id_97fb6e7d" ON "socialaccount_socialapp_sites" ("socialapp_id")
socialapp_id		"socialapp_id"
<b>socialaccount_socialapp_sites_socialapp_id_site_id_71a9a768_uniq</b>		CREATE UNIQUE INDEX "socialaccount_socialapp_sites_socialapp_id_site_id_71a9a768_uniq" ON "socialaccount_socialapp_sites" ("socialapp_id", "site_id")
socialapp_id		"socialapp_id"
site_id		"site_id"
<b>socialaccount_socialtoken_account_id_951f210e</b>		CREATE INDEX "socialaccount_socialtoken_account_id_951f210e" ON "socialaccount_socialtoken" ("account_id")
account_id		"account_id"
<b>socialaccount_socialtoken_app_id_636a42d7</b>		CREATE INDEX "socialaccount_socialtoken_app_id_636a42d7" ON "socialaccount_socialtoken" ("app_id")
app_id		"app_id"
<b>socialaccount_socialtoken_app_id_account_id_fca4e0ac_uniq</b>		CREATE UNIQUE INDEX "socialaccount_socialtoken_app_id_account_id_fca4e0ac_uniq" ON "socialaccount_socialtoken" ("app_id", "account_id")
app_id		"app_id"
account_id		"account_id"
<b>unique_verified_email</b>		CREATE UNIQUE INDEX "unique_verified_email" ON "account_emailaddress" ("email") WHERE "verified"
email		"email"

## Views (0)



Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------