


wazifa.app - High-Level System Design


One Next.js 16 modular monolith serves both candidate and admin surfaces while preserving clear server-side boundaries.



Key idea: one deployment does not mean one blob - UI, business rules, and database access remain separated.

Two Domains, Two Surfaces, One Product

The host tells us which product surface the request enters. The surfaces have different layouts and access rules but share product capabilities.



Shared underneath: jobs, users, applications, business rules, and one primary deployment unit.

Business Journeys First. Routing Supports Them.

The candidate and admin journeys are the product. proxy.ts is infrastructure that helps each host enter the correct surface and apply early access checks.

CANDIDATE BUSINESS JOURNEY

Discover jobs

View details

Sign up / log in

Apply + resume

Submission saved

ADMIN BUSINESS JOURNEY

Admin login

Manage jobs

Review applications

Private resume

AI screening

proxy.ts - preview

Inspects the hostname and routes requests toward public or admin surfaces. Full hostname routing is taught later, not implemented in this lecture.

Business rule that still matters

Admin pages and mutations require server-enforced role checks. Hiding a link or using a subdomain is not authorization.

Lecture 005 Checklist

If these answers are clear, Day 0 is complete and you are ready to create and deploy the first Next.js application.

- | | |
|---|---|
| ☐ Describe wazifa.app in one sentence. | ☐ Explain the high-level diagram without opening implementation files. |
| ☐ Walk through the candidate journey end to end. | ☐ State that subdomains do not replace server-side authorization. |
| ☐ Walk through the admin journey end to end. | ☐ Explain proxy.ts at a preview level: hostname routing + early access checks. |
| ☐ Name wazifa.app and admin.wazifa.app and explain why the domains differ. | ☐ Group the roadmap by capabilities instead of memorizing libraries. |
| ☐ Explain that both domains enter one Next.js modular monolith. | ☐ State that Day 1 begins with a real deployment, not weeks of local-only setup. |

DAY 1 HANDOFF

Lecture 006 - Create Next.js App (TypeScript + App Router)

