A1. *The Earth on which we live*	A2. *The Parts of the Earth*
A3. *The Surface of the Globe*	B1. *The Strata of the Atmosphere*
B2. *The Parts of the Barysphere*	C1. *The Parts of the Lithosphere*

C2. *Types of Islands and their Groupings*

D1. *The Coast and its Types*

D2. *Types of Low Coasts*

D3. *Types of High Coasts*

D4. *Types of Irregular Coastlines of Emergence*

D5. *Types of Peninsulas*

D6. *Types of Irregular Coast - Lines od Submergence*

E1. *Relief Forms*

F1. *Parts of a Mountain*

G1. *Grouping of Mountains*

G2. *Parts of a Chain of Mountains*

G3. *Types of Mountain Chains and their Parts*

H1. *Types of Plains*

I1. *Types of Valleys and their Parts*

J1. *Parts of the Hydrosphere*

J2. *Types of Seas*

J3. *Types of Glacier*

J4. *Parts of a Glacier*

K1. *Parts of an Alpine Glacier*

K2. *Types of Crevasses*

K3. *Moraine and Types of Moraine*

L1. *Water Courses*

L2. *Parts of a River*

M1. *The Parts of the Course of a River*

M2. *Types of River Mouth*	M3. *The River Basin and its Parts*
N1. *Types of Pooled Water*	N2. *Types of Lakes*
O1. *The Volcano and its parts*	O2. *Kinds of Volcanoes*

03. *Phases of a Volcano*

04. *Volcano Products*

05. *Pseudovolcanic Phenomena*

A1

The Earth

A1

A2

The Atmosphere

A2

A2



The Lithosphere

A2



A2

The Hydrosphere

A2

A2



The Barysphere

A2



A2

The Biosphere

A2



A3



Land and Water

A3



B1



The Troposphere

B1



B1

The Stratosphere

B1

B1



The Ionosphere

B1

B1



The Exosphere

B1



B2

The Mantle

B2

B2



The Core

B2



C1

A Continent

C1

C1

Parts of the World

C1

C1

An Island

C1

C2



Continental Islands

C2



C2



Oceanic Islands

C2



C2



A Reef

C2



C2



Emerging Bank

C2



C2



A Group of Islands

C2



C2



An Archipelago

C2



D1

The Coastline

D1

D1



A Low Coast

D1



D1



A High Coast

D1



D1



An Irregular Coast

D1



D1

A Regular Coast

D1



D2

A Low Irregular Coastline

D2

D2



A Low Regular Coastline

D2



D2



A Low Sandy Coastline

D2



D2



A Low Rocky Coast

D2



D3



A High Irregular Coast

D3



D3



A High Regular Coast

D3



D4



A Peninsula

D4



D4



A Promontory

D4



D4



A Cape

D4

D4



A Point

D4



D4

A Spit

D4

D4

An Isthmus

D4

D5



A Peninsula

D5



D5



A Headland

D5



D6



A Gulf

D6



D6



A Fjord

D6



D6

A Bay

D6

D6



A Cave

D6



D6



A Harbour

D6



D6

A Jetty

D6

D6



A Channel

D6



D6



A Strait

D6



D6



A Canal

D6



D6



A Lagoon

D6



E1



A Plain

E1

E1



A Mountain

E1



E1



A Hill

E1



E1



A Valley

E1



E1



A Depression

E1



F1

The Base

F1

F1



The Slope

F1



F1



The Summit

F1



F1



Culminating Point

F1



F1



The Peak

F1



F1



The Crest

F1



F1



The Face: Right and Left

F1



G1



A Mountain Chain

G1

G1



A Mountain Massif

G1



G1



A Mountain System

G1



G2

A Mountain Group

G2

G2



The Crest of a Chain

G2



G2



The Watershed

G2



G2



A Divide

G2



G2



An Orographic Axis

G2



G2



The Longitudinal Valley

G2



G2



A Pass

G2



G2



A Saddle

G2



G2



A Col

G2



G3



A Primary Chain

G3



G3



A Secondary Chain

G3



G3

A Spur

G3

G3



An Escarpment

G3



G3

A Range

G3



G3



An Orographic Knot

G3



H1



The Lowlands

H1



H1



The Highland

H1



H1



A Rise

H1



H1



A Flatland

H1



H1



A Tableland

H1



H1



A Plateau

H1



I1



A River Valley

I1



I1



A Glacial Valley

I1



I1



A Canyon

I1



I1



A Vale

I1



I1



A Valley Head

I1



I1



The Walls

I1



I1



The Floor or Bottom

I1



I1



A Mouth

I1



I1



A gorge

I1



I1



A Precipice

I1



I1



A Ravine

I1



J1

An Ocean

J1

J1



A Sea

J1



J1

A Glacier

J1

J1



A Watercourse

J1



J1



Pooled Water

J1



J2



An Open Sea

J2



J2



An Adjacent Sea

J2



J2



An Inland Sea

J2



J2



An Interinsular Sea

J2



J3



Alpine or Valley Glacier

J3



J3

A Piedmont Glacier

J3



J3



A Continental Glacier

J3



J3



An Iceberg

J3



J4

The Tongue

J4



J4



The Face

J4



J4



A Crevasse

J4



J4



A Serac

J4



K1



The Collective Basin

K1



K1



The Ablatory Basin

K1



K2



A Marginal Crevasse

K2



K2



A Transversal Crevasse

K2



K2



A Longitudinal Crevasse

K2



K2



A Radial Crevasse

K2



K3

A Frontal Moraine

K3

K3



A Lateral Moraine

K3



K3



A Medial Moraine

K3



L1

A Stream

L1



L1



A Torrent

L1



L1



A River

L1



L1



A Channel

L1



L2



The Source

L2



L2



A Course

L2



L2



A Bed

L2



L2



A Bank

L2



M1



The Rapids

M1



M1



A Cascade

M1



M1



A Cataract

M1



M1



A Meander

M1



M2



A Simple Mouth

M2



M2



A Delta

M2



M2



A Bird's Foot Delta

M2



M2



An Estuary

M2



M3



A River Basin

M3



M3



An Affluent

M3



M3

A Subtributary

M3

M3



A Tributary

M3



M3



The Confluence

M3



N1



A Lake

N1



N1



A Pool or Pond

N1



N1

A Swamp

N1

N2



A Seepage Lake

N2



N2



A Crater Lake

N2



N2



An Ox-bow Lake

N2



O2

Active

O2

O2



Dormant

O2



O2 Extinct	O2 
O2  Underwater	O2 
O3 Eruption	O3

O3  Explosions	O3 
O3 Emanations	O3
O3  Extinction	O3 

04  Magma	04 
04  Lava, Scoria and Bombs	04 
04  Pumice	04 

04  Smoke, Gas and Vapour	04 
05  Solfatara	05 
05 Mofette	05

O5



Mud-pot

O5



O5



Mud-Volcano

O5



O5



Fumerole

O5



O5

Boraciferous Fumarole

O5



O5



A Geyser

O5



O5

A Thermal Spring

O5

O1 The volcano	O1
O1  The Cone	O1 
O1  The Crater	O1 

O1  The Conduit	O1 
O1  The Magma Basin	O1 
O1  The Secondary Crater	O1 

O1



The Secondary Conduit

O1



O1



The Secondary Cone

O1



A1 The Earth - is the name of the planet upon which we live. It is a solid celestial body that follows a relatively fixed orbit around a star (our sun). It gives off only reflected light. The Earth is one of 8 planets that form our Solar System. It is 149 million km from the sun and thus is the third planet (after Mercury and Venus) in order of distance from the sun. The Earth's diameter is 11,675 km which makes it the fifth largest planet. Its shape is that of an oblate spheroid. (from Greek: eraze - on the ground)	A1 _____ - is the name of the planet upon which we live. It is a solid celestial body that follows a relatively fixed orbit around a star (our sun). It gives off only reflected light. _____ is one of 8 planets that form our Solar System. It is 149 million km from the sun and thus is the third planet (after Mercury and Venus) in order of distance from the sun. _____'s diameter is 11,675 km which makes it the fifth largest planet. Its shape is that of an oblate spheroid. (from Greek: eraze - on the ground)
A2 The Atmosphere - is the name given to the thin, gaseous 'envelope' of air surrounding the Earth. The atmosphere is made up of 78 % nitrogen, 21 % oxygen, 1% argon, carbon dioxide, and numerous lesser gases. It is believed that the atmosphere extends as high as 1120km above the Earth's surface. The atmosphere is divided into 4 strata: the troposphere, the stratosphere, the ionosphere, and the exosphere. (from Greek: atmos - vapour, from Greek: sphaira - sphere)	A2 _____ - is the name given to the thin, gaseous 'envelope' of air surrounding the Earth. _____ is made up of 78 % nitrogen, 21 % oxygen, 1% argon, carbon dioxide, and numerous lesser gases. It is believed that the atmosphere extends as high as 1120km above the Earth's surface. _____ is divided into 4 strata: the troposphere, the stratosphere, the ionosphere, and the exosphere. (from Greek: atmos - vapour, from Greek: sphaira - sphere)
A2 The Lithosphere - is the name given to the upper, solid part of the Earth, i.e., the rocky, rigid outermost shell (crust) on which all the land and water rest. The Lithosphere is estimated to be 64km thick. It is composed of igneous, sedimentary, and metamorphic rock. (from Greek: lithos - stone, from Greek: sphaira - sphere)	A2 _____ - is the name given to the upper, solid part of the Earth, i.e., the rocky, rigid outermost shell (crust) on which all the land and water rest. _____ is estimated to be 64km thick. It is composed of igneous, sedimentary, and metamorphic rock. (from Greek: lithos - stone, from Greek: sphaira - sphere)

A2 The Hydrosphere - is the name given to all the waters above, covering and penetrating the lithosphere. It is composed of all oceans, seas, lakes, rivers, ice sheets, streams, underground waters, and all water vapour in the atmosphere. (from Greek: hydor - water, from Greek: sphaira - sphere)	A2 _____ - is the name given to all the waters above, covering and penetrating the lithosphere. It is composed of all oceans, seas, lakes, rivers, ice sheets, streams, underground waters, and all water vapour in the atmosphere. (from Greek: hydor - water, from Greek: sphaira - sphere)
A2 The Barysphere - is the name given to the heavy, interior portion of the Earth below the lithosphere. It is composed of solid, heavy metal and minerals and liquid nickel-iron. The barysphere is divided into 2 regions or layers: the mantle and the core. (from Greek: barys - heavy from Greek: sphaira - sphere)	A2 _____ - is the name given to the heavy, interior portion of the Earth below the lithosphere. It is composed of solid, heavy metal and minerals and liquid nickel-iron. _____ is divided into 2 regions or layers: the mantle and the core. (from Greek: barys - heavy from Greek: sphaira - sphere)
A2 The Biosphere - is the name given to the group of all things living in, on, or above the Earth's crust. Any life, plant or animal, on land, in air, or in water belongs to the biosphere. (from Greek: bios - life from Greek: sphaira - sphere)	A2 _____ - is the name given to the group of all things living in, on, or above the Earth's crust. Any life, plant or animal, on land, in air, or in water belongs to _____. (from Greek: bios - life from Greek: sphaira - sphere)

A3	A3
Land and Water - The surface of the globe is covered by land and water. Land is the upper layer of the lithosphere which is above the level of water. Land forms mountains, valleys and plains. The liquid compound of water, with the chemical formula H2O (2 particles of hydrogen, 1 particle oxygen) fills in the low places on the surface of the Earth.	_____ - The surface of the globe is covered by _____. Land is the upper layer of the lithosphere which is above the level of water. Land forms mountains, valleys and plains. The liquid compound of water, with the chemical formula H2O (2 particles of hydrogen, 1 particle oxygen) fills in the low places on the surface of the Earth.
B1	B1
The Tropasphere - is the dense layer of the atmosphere in which we live. It is about 16km thick at the equator and 8km thick at the poles. In this area the temperature decreases as the altitude increases. It is a turbulent region of dust, clouds, and water vapour, and gives us our changing weather. (from Greek: tropos - to turn, change, from Greek: sphaira - sphere)	_____ - is the dense layer of the atmosphere in which we live. It is about 16km thick at the equator and 8km thick at the poles. In this area the temperature decreases as the altitude increases. It is a turbulent region of dust, clouds, and water vapour, and gives us our changing weather. (from Greek: tropos - to turn, change, from Greek: sphaira - sphere)
B1	B1
The Stratosphere - is the layer of air that extends upwards from the tropasphere to about 80km above the surface of the Earth. In this area air is thin and clouds are few. Jet planes fly at high speeds because of the low air resistance. The stratosphere has almost no dust or water vapour and has major concentrations of ozone (O3 - three particles of oxygen) (from Latin: stratus - layer, from Greek: sphaira - sphere)	_____ - is the layer of air that extends upwards from the tropasphere to about 80km above the surface of the Earth. In this area air is thin and clouds are few. Jet planes fly at high speeds because of the low air resistance. _____ has almost no dust or water vapour and has major concentrations of ozone (O3 - three particles of oxygen) (from Latin: stratus - layer, from Greek: sphaira - sphere)

B1	B1
The Ionasphere - is the layer of atmosphere above the stratosphere which stretches from 80 to 1289 km above the Earth's surface. It contains several layers of electrically charged particles which help block the sun's Ultra-Violet rays and aid in transmitting radio waves around the Earth. It also contains the northern (Aurora-Borealis) and southern (Aurora-Australis) lights, as well as the Van Allen Radiation Belts. Most of the manned satellite orbiting of the Earth has taken place in the ionasphere. (from Greek: ion - to go, move from Greek: sphaira - sphere)	_____ - is the layer of atmosphere above the stratosphere which stretches from 80 to 1289 km above the Earth's surface. It contains several layers of electrically charged particles which help block the sun's Ultra-Violet rays and aid in transmitting radio waves around the Earth. It also contains the northern (Aurora-Borealis) and southern (Aurora-Australis) lights, as well as the Van Allen Radiation Belts. Most of the manned satellite orbiting of the Earth has taken place in _____. (from Greek: ion - to go, move from Greek: sphaira - sphere)
B1	B1
The Exosphere - is the name given to the outermost layer or fringe of the Earth's atmosphere and is estimated to begin at an altitude of 960 - 1280km. (from Greek: exo - outside of from Greek: sphaira - sphere)	_____ - is the name given to the outermost layer or fringe of the Earth's atmosphere and is estimated to begin at an altitude of 960 - 1280km. (from Greek: exo - outside of from Greek: sphaira - sphere)
B2	B2
The Mantle - is the layer of heavy rock under the crust. It begins at the bottom of the rust at an imaginary line known as the Moho. The mantle is 2880 km thick and is layered according to its density. The upper mantle is thought to be solid while the lower mantle is thought to be molten. Most of the rock in the mantle is rich in iron. Note: Pressure at the Moho is about 1055kg per 1 cm2. (from Latin: mantellus - cloak, outer coat)	_____ - is the layer of heavy rock under the crust. It begins at the bottom of the rust at an imaginary line known as the Moho. _____ is 2880 km thick and is layered according to its density. The upper _____ is thought to be solid while the lower _____ is thought to be molten. Most of the rock in _____ is rich in iron. Note: Pressure at the Moho is about 1055kg per 1 cm2. (from Latin: mantellus - cloak, outer coat)

B2 The Core - is the innermost part of the Earth surraunded by the mantle. It is divided into parts: the outer core the inner core. The outer core is 2080km thick, and very hot. It is thought to be made mainly of molten iron and nickel. The inner core is 2880km in diameter and is made up of solid iron and nickel. Pressure is extremely high in the core and is estimated to be 1.4 million kg per 1cm2 at the outer core and 2.8 to 4 million kg per 1cm2 at the inner core. (from Middle English: corn, from Latin: corn - horn or horny outer covering)	B2 _____ - is the innermost part of the Earth surraunded by the mantle. It is divided into parts: the outer _____ the inner _____. The outer _____ is 2080km thick, and very hot. It is thought to be made mainly of molten iron and nickel. The inner _____ is 2880km in diameter and is made up of solid iron and nickel. Pressure is extremely high in the _____ and is estimated to be 1.4 million kg per 1cm2 at the outer _____ and 2.8 to 4 million kg per 1cm2 at the inner_____. (from Middle English: corn, from Latin: corn - horn or horny outer covering)
C1 A Continent - is the name given to one of the larger, unbroken land masses into which the Earth's surface is divided: Europe, Asia, Africa, North America, South America, Australia and Antarctica. Usually a continent is entirely surraunded by water. (from Middle English: contenens - holding together)	C1 _____ - is the name given to one of the larger, unbroken land masses into which the Earth's surface is divided: Europe, Asia, Africa, North America, South America, Australia and Antarctica. Usually a _____ is entirely surraunded by water. (from Middle English: contenens - holding together)
C1 Parts of the World The Earth's surface is composed of 2 distinct elements: land and water. Land refers to all land uncovered by water, i.e., continents, peninsulas, isthmuses, islands, etc., and make up approximately 25% of the Earth's surface. Water is usually at lower level than land (approximately 4.8km below the rest of the crust), and covers nearly 75% of the Earth's surface. it consists of oceans, seas, lakes, rivers, etc. Oceans are responsible for most of the water on Earth and are 5 in number: Atlantic, Pacific, Indian, Arctic and Antarctic.	C1 _____ The Earth's surface is composed of 2 distinct elements: land and water. Land refers to all land uncovered by water, i.e., continents, peninsulas, isthmuses, islands, etc., and make up approximately 25% of the Earth's surface. Water is usually at lower level than land (approximately 4.8km below the rest of the crust), and covers nearly 75% of the Earth's surface. it consists of oceans, seas, lakes, rivers, etc. Oceans are responsible for most of the water on Earth and are 5 in number: Atlantic, Pacific, Indian, Arctic and Antarctic.

C1	C1
An Island - is a body of land, smaller t (from Middle English: iland, yland)	_____ - is a body of land, smaller than a continent, that is completely surraunded by water. _____ range in size from tiny ones only a few feet across to Greenland with an area of over 12, 800, 000 km2. _____ may be found in oceans, seas, lakes, rivers, streams, etc. Islands are classified as continental or oceanic according to how they were formed. (from Middle English: iland, yland)
C2	C2
Continental Islands - are part of a continental mass yet are surraunded by water. For various reasons water has cut into the land mass to separate these islands yet has been unable to detach them completely from their continent. A famous example of continental islands are the British Isles.	_____ - are part of a continental mass yet are surraunded by water. For various reasons water has cut into the land mass to separate these islands yet has been unable to detach them completely from their continent. A famous example of _____ are the British Isles.
C2	C2
Oceanic Islands - rise to the surface from the floors of the ocean basis. These islands are volcanic. Lava accumulates to enormous thickness and height until it finally protrudes above the ocean surfaces. The Hawaiian Islands are the tops of volcanos that have been built up nearly 9.6km from the ocean bottom.	_____ - rise to the surface from the floors of the ocean basis. These islands are volcanic. Lava accumulates to enormous thickness and height until it finally protrudes above the ocean surfaces. The Hawaiian Islands are the tops of volcanos that have been built up nearly 9.6km from the ocean bottom.

C2 A Reef - is a maund or ridge of limestone rocks formed by the skeletons of living and non-living marine animals which are capable of extracting calcium salts from the sea water. The most common type of reef is the coral reef built by the coral polyps. Beneath the living portion, at the top, the reef is composed of skeletons of dead corals together with the shells of other organisms compacted into the rock. The reef may be closely attached to the shore, or separated from it by a lagoon, i.e., Great Barrier Reef, Australia. It may also form far from land and take a circular shape, with a lagoon in the centre, i.e., Bikini Island, Pacific. (from Dutch: riff - rib, reef)	C2 _____ - is a maund or ridge of limestone rocks formed by the skeletons of living and non-living marine animals which are capable of extracting calcium salts from the sea water. The most common type of _____ is the coral _____ built by the coral polyps. Beneath the living portion, at the top, the _____ is composed of skeletons of dead corals together with the shells of other organisms compacted into the rock. The _____ may be closely attached to the shore, or separated from it by a lagoon, i.e., Great Barrier Reef, Australia. It may also form far from land and take a circular shape, with a lagoon in the centre, i.e., Bikini Island, Pacific. (from Dutch: riff - rib, reef)
C2 Emerging Bank - is a portion of the sea floor raised above its surroundings, but covered with enough water to permit navigation. The Doggie Bank in the North Sea is an example of an emerging bank.	C2 _____ - is a portion of the sea floor raised above its surroundings, but covered with enough water to permit navigation. The Doggie Bank in the North Sea is an example of an _____.
C2 A Group of Islands - is two or more islands in the formation either of an extended line of islands (island chain) or of and archipelago. An example is the Hawaiian Islands.	C2 _____ - is two or more islands in the formation either of an extended line of islands (island chain) or of and archipelago. An example is the Hawaiian Islands.

C2	C2
An Archipelago - is a group of islands in large bodies of water that are many times arranged in island arcs. Archipelagos are some of the most active volcanic and earthquake areas in the world. They are areas of continental growth. Examples of archipelagos are the Leeward and Windward Islands at the eastern end of the Caribbean, the Aleutians, the Japanese archipelago, and the Philippines. (from Greek: archi - foremost, early, old. From Greek: pelagos - sea)	_____ - is a group of islands in large bodies of water that are many times arranged in island arcs. _____ are some of the most active volcanic and earthquake areas in the world. They are areas of continental growth. Examples of _____ are the Leeward and Windward Islands at the eastern end of the Caribbean, the Aleutians, the Japanese archipelago, and the Philippines. (from Greek: archi - foremost, early, old. From Greek: pelagos - sea)
D1	D1
The Coastline - is where the sea and land meet. It is a line that often changes due to the direct influence of waves and the deposits carried by the water flowing to and from the land. There are four major types of coast lines. This classification is based on sea level and the shape of the coast: low coast, high coast, regular coast, irregular coast. (from Latin: costa - ribs, side)	_____ - is where the sea and land meet. It is a line that often changes due to the direct influence of waves and the deposits carried by the water flowing to and from the land. There are four major types of _____. This classification is based on sea level and the shape of the coast: low coast, high coast, regular coast, irregular coast. (from Latin: costa - ribs, side)
D1	D1
A Low Coast - is a coast in which the land slopes gradually to the sea. This type of coast occurs when the level of both sea and land have remained constant over a long period of time.	_____ - is a coast in which the land slopes gradually to the sea. This type of coast occurs when the level of both sea and land have remained constant over a long period of time.

D1 A High Coast - is a coast in which the land descends abruptly and vertically (or almost vertically) to the sea. This type of coast occurs on the seaward margins of hilly land.	D1 _____ - is a coast in which the land descends abruptly and vertically (or almost vertically) to the sea. This type of coast occurs on the seaward margins of hilly land.
D1 An Irregular Coast - is a coast in which the line of the land is broken by many indentations. These indentations are caused by the action of the waves and the water flowing from the land. This coastline extends across the trend of mountains and valleys immediately inland.	D1 _____ - is a coast in which the line of the land is broken by many indentations. These indentations are caused by the action of the waves and the water flowing from the land. This coastline extends across the trend of mountains and valleys immediately inland.
D1 A Regular Coast - is a coast in which the line of the land is smooth and even with few indentations. This kind of coastline runs roughly parallel to the mountain ranges immediately inland.	D1 _____ - is a coast in which the line of the land is smooth and even with few indentations. This kind of coastline runs roughly parallel to the mountain ranges immediately inland.

D2 A Low Irregular Coastline - is a coastline whose land slopes gradually to the sea, with a shoreline broken by many indentations.	D2 _____ - is a coastline whose land slopes gradually to the sea, with a shoreline broken by many indentations.
D2 A Low Regular Coastline - is a coastline whose land slopes gradually to the sea, having a shoreline that is smooth and even with few indentations.	D2 _____ - is a coastline whose land slopes gradually to the sea, having a shoreline that is smooth and even with few indentations.
D2 A Low Sandy Coastline - is a coastline whose land slopes gradually to the sea and is composed chiefly of sand and other soft matter.	D2 _____ - is a coastline whose land slopes gradually to the sea and is composed chiefly of sand and other soft matter.

D2 A Low Rocky Coast - is a coast whose land slopes gradually to the sea and is composed chiefly of rocks and rocky matter.	D2 _____ - is a coast whose land slopes gradually to the sea and is composed chiefly of rocks and rocky matter.
D3 A High Irregular Coast - is a coast whose land descends abruptly to the sea and is broken by many indentations.	D3 _____ - is a coast whose land descends abruptly to the sea and is broken by many indentations.
D3 A High Regular Coast - is a coast whose land descends abruptly to the sea and has an even and smooth shoreline with few indentations.	D3 _____ - is a coast whose land descends abruptly to the sea and has an even and smooth shoreline with few indentations.

D4 A Peninsula - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent. (from Latin: paene - almost, from Latin: insula - island)	D4 _____ - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent. (from Latin: paene - almost, from Latin: insula - island)
D4 A Promontory - is a mountainous point of land protruding boldly into the sea. It is usually high, with a sheer drop, rocky cliffs, and offshore rocks. (from Latin: pro - for, before, from Latin: mentum - chin)	D4 _____ - is a mountainous point of land protruding boldly into the sea. It is usually high, with a sheer drop, rocky cliffs, and offshore rocks. (from Latin: pro - for, before, from Latin: mentum - chin)
D4 A Cape - is a coastal region, more or less pointed, that projects out into the water. It is smaller than a peninsula but larger than a point. (from Latin: caput - head, a head of land)	D4 _____ - is a coastal region, more or less pointed, that projects out into the water. It is smaller than a peninsula but larger than a point. (from Latin: caput - head, a head of land)

D4 A Point - is a tapering extension of land projecting into the water and smaller than a cape. It is often formed by the deposit of silt by ocean currents.	D4 _____ - is a tapering extension of land projecting into the water and smaller than a cape. It is often formed by the deposit of silt by ocean currents.
D4 A spit - is a narrow, low-lying tongue of land projecting into the sea, usually at the entrance to a bay or other indentation. It is usually formed by deposition of sand and gravel. A spit differs from a bar because it is attached to land at one end.	D4 _____ - is a narrow, low-lying tongue of land projecting into the sea, usually at the entrance to a bay or other indentation. It is usually formed by deposition of sand and gravel. _____ differs from a bar because it is attached to land at one end.
D4 An Isthmus - is a neck of land joining two large land areas such as two continents land masses, or joining a peninsula to the mainland. The main isthmi on the globe have been cut to aid navigation: - The isthmus of Suez was cut in 1869 by the Sues Canal which connects the Red Sea with the Easters Mediterranean. - The Isthmus of Panama was cut in 1914 by the Panama canal which connects the Atlantic and Pacific Ocean. (from Greek: isthmos - neck of land)	D4 _____ - is a neck of land joining two large land areas such as two continents land masses, or joining a peninsula to the mainland. The main isthmi on the globe have been cut to aid navigation: - _____ of Suez was cut in 1869 by the Sues Canal which connects the Red Sea with the Easters Mediterranean. - _____ of Panama was cut in 1914 by the Panama canal which connects the Atlantic and Pacific Ocean. (from Greek: isthmos - neck of land)

D5 A Peninsula - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent. (from Latin: paene - almost, from Latin: insula - island)	D5 _____ - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent. (from Latin: paene - almost, from Latin: insula - island)
D5 A Headland - is a steep cliff jutting out into a large body of water such as a sea or a lake.	D5 _____ - is a steep cliff jutting out into a large body of water such as a sea or a lake.
D6 A gulf - is a large ocean area which is partially enclosed by land and larger than a bay. (from Greek: kolphos - fold, bosom, bay)	D6 _____ - is a large ocean area which is partially enclosed by land and larger than a bay. (from Greek: kolphos - fold, bosom, bay)

D6 A Fjord - is a long, deep, relatively narrow areas of the sea, bordered by steep cliffs, and is believed to be the result of a moving glacier. An example is the coast of Norway. (from Old Norse: fjorthr - akin to the Anglo Saxon - ford)	D6 _____ - is a long, deep, relatively narrow areas of the sea, bordered by steep cliffs, and is believed to be the result of a moving glacier. An example is the coast of Norway. (from Old Norse: fjorthr - akin to the Anglo Saxon - ford)
D6 A Bay - is a recess or inlet in the shore of a sea or lake between two capes or headlands, not as large as a gulf but larger than a cove.	D6 _____ - is a recess or inlet in the shore of a sea or lake between two capes or headlands, not as large as a gulf but larger than a cove.
D6 A Cove - is a small indentation of recess in the shore-line of a sea, lake or river. (from Middle English: cofa - small chamber)	D6 _____ - is a small indentation of recess in the shore-line of a sea, lake or river. (from Middle English: cofa - small chamber)

D6 A Harbour - is a small bay or other sheltered part of a considerable body of water usually well protected naturally or artificially, and deep enough to provide anchorage for ships and other craft. (from Old English: here - army, from Old English: (ge)beorg)	D6 _____ - is a small bay or other sheltered part of a considerable body of water usually well protected naturally or artificially, and deep enough to provide anchorage for ships and other craft. (from Old English: here - army, from Old English: (ge)beorg)
D6 A Jetty - is a pier or structure of stones or piles projecting into the sea or other body of water, which is used to influence the current tide or to protect a harbour. (from French: jeter - To throw)	D6 _____ - is a pier or structure of stones or piles projecting into the sea or other body of water, which is used to influence the current tide or to protect a harbour. (from French: jeter - To throw)
D6 A Channel - is a relatively large stretch of water, longer and more extensive than a strait, which connects two large bodies of water and is navigable. (from Latin: canalis - canal)	D6 _____ - is a relatively large stretch of water, longer and more extensive than a strait, which connects two large bodies of water and is navigable. (from Latin: canalis - canal)

D6 A strait - is a relatively short and very narrow waterway connecting two extensive areas of sea. (from Old French: estrait - tight, narrow)	D6 _____ - is a relatively short and very narrow waterway connecting two extensive areas of sea. (from Old French: estrait - tight, narrow)
D6 A Canal - is an artificial waterway cut through the land to facilitate irrigation or, when constructed of more depth and width, to permit the passage of boats and ships. (from Latin: canalis - canal)	D6 _____ - is an artificial waterway cut through the land to facilitate irrigation or, when constructed of more depth and width, to permit the passage of boats and ships. (from Latin: canalis - canal)
D6 A Lagoon - is a shallow body of water which is partly or completely separated from a larger body of water by a narrow strip of land. It is often dotted with small islands. (from Latin: lacuna - pool, pond)	D6 _____ - is a shallow body of water which is partly or completely separated from a larger body of water by a narrow strip of land. It is often dotted with small islands. (from Latin: lacuna - pool, pond)

E1 A Plain - is an extensive area of level or gently rolling land, usually of low altitude and covered with grasses. (from Latin: planus - flat, level plane)	E1 _____ - is an extensive area of level or gently rolling land, usually of low altitude and covered with grasses. (from Latin: planus - flat, level plane)
E1 A Mountain - is a natural elevation of the earth's surface rising more or less abruptly to a summit, and attaining an altitude greater than a hill. Usually mountains are arranged in groups or ranges. (from Latin mons - mountain)	E1 _____ - is a natural elevation of the earth's surface rising more or less abruptly to a summit, and attaining an altitude greater than a hill. Usually _____ are arranged in groups or ranges. (from Latin mons - mountain)
E1 A Hill - is a natural elevation of the earth's surface that is lower in altitude than a mountain. (A small hill or a mound is called a hillock.) (from Middle English: hyll - hill)	E1 _____ - is a natural elevation of the earth's surface that is lower in altitude than a mountain. (A small_____ or a mound is called a hillock.) (from Middle English: hyll - hill)

E1 A Valley - is an elongated furrow carved out of the surface rock by a river or stress which usually still flows through it. It is often located between mountain ranges, hills or other uplands. (from Latin: vallis - valley)	E1 _____ - is an elongated furrow carved out of the surface rock by a river or stress which usually still flows through it. It is often located between mountain ranges, hills or other uplands. (from Latin: vallis - valley)
E1 A Depression - is any hollow ground relative to the surrounding terrain. In particular, a depression is the internal sinking of the continental mass where the ground comes to rest at a lower level than the sea, often the dried-up basin of a lake or sea. (from Latin: depressio - low)	E1 _____ - is any hollow ground relative to the surrounding terrain. In particular, a _____ is the internal sinking of the continental mass where the ground comes to rest at a lower level than the sea, often the dried-up basin of a lake or sea. (from Latin: depressio - low)
F1 The Base - is the part of a mountain at which the land begins to rise. It is the lowest part and supports the whole mountain. (from Latin: basis - pedestal or base)	F1 _____ - is the part of a mountain at which the land begins to rise. It is the lowest part and supports the whole mountain. (from Latin: basis - pedestal or base)

F1 The Slope - Is the surface of the mountain which is inclined at a certain angle from the horizontal surface of the earth.	F1 _____ - Is the surface of the mountain which is inclined at a certain angle from the horizontal surface of the earth.
F1 The Summit - is the highest point of the mountain. (from Latin: summus - highest)	F1 _____ - is the highest point of the mountain. (from Latin: summus - highest)
F1 Culminating Point - is the point, generally at right angles to the folds in a mountain chain, away from which the folds plunge. West of the great mountain chains we know are folded mountains.	F1 _____ - is the point, generally at right angles to the folds in a mountain chain, away from which the folds plunge. West of the great mountain chains we know are folded mountains.

F1 The Peak - is the highest part of the original crustal uplift that has not yet been lowered by erosion.	F1 _____ - is the highest part of the original crustal uplift that has not yet been lowered by erosion.
F1 The Crest - is the highest natural projection which crowns a mountain or those that crown a mountain range, from which the surface dips downward in opposite directions. (from Latin: crista - tuft)	F1 _____ - is the highest natural projection which crowns a mountain or those that crown a mountain range, from which the surface dips downward in opposite directions. (from Latin: crista - tuft)
F1 The Face: Right and Left - the two opposite slopes on a mountain are called the faces. They are termed right or left according to their relation to some outer land form.	F1 _____ - the two opposite slopes on a mountain are called the faces. They are termed right or left according to their relation to some outer land form.

G1 A Mountain Chain - is a long and continuous series of mountains which is connected at the base. A mountain chain rises sharply and is marked off clearly from the country on either side. Its breadth is small compared with its length. (from Latin: catena - chain)	G1 _____ - is a long and continuous series of mountains which is connected at the base. A _____ rises sharply and is marked off clearly from the country on either side. Its breadth is small compared with its length. (from Latin: catena - chain)
G1 Mountain Massif - is an irregular group of mountains, having the same base, that form a group about a central summit. Often a massif is formed by the rising up of rock (igneous or metamorphic) from an area that once had been a mountain core. (from French: massif - massive)	G1 _____ - is an irregular group of mountains, having the same base, that form a group about a central summit. Often a _____ is formed by the rising up of rock (igneous or metamorphic) from an area that once had been a mountain core. (from French: massif - massive)
G1 A Mountain System - consists of several more or less parallel mountain chains grouped together. (from Latin: systema - organised whole)	G1 _____ - consists of several more or less parallel mountain chains grouped together. (from Latin: systema - organised whole)

G2 A Mountain Group - is made up of several or many mountain peaks, or of short ridges. The Catskill mountains and the Black Hills are examples.	G2 _____ - is made up of several or many mountain peaks, or of short ridges. The Catskill mountains and the Black Hills are examples.
G2 The crest of a Chain - is the line connecting the highest points or summits or a mountain. (from Latin: crista - tuft high point)	G2 _____ - is the line connecting the highest points or summits or a mountain. (from Latin: crista - tuft high point)
G2 The Watershed - is the area contained within a drainage divide above a specified point on the headstream of a mountain chain.	G2 _____ - is the area contained within a drainage divide above a specified point on the headstream of a mountain chain.

G2 A Divide - is the line of separation between drainage systems in a mountain chain. A divide is usually in the form of a ridge. (from Latin: dividere - force under, cleave apart)	G2 _____ - is the line of separation between drainage systems in a mountain chain. _____ is usually in the form of a ridge. (from Latin: dividere - force under, cleave apart)
G2 An Orographic Axis - is the central or dominating region of a mountain chain, or the line of which follows the crest of a range and thus indicates the position of the most conspicuous part of the uplift. The orographic axis usually coincides with the watershed. (from Greek: oros - mountain, from Greek: graphs - writing, from Latin: axle - axis)	G2 _____ - is the central or dominating region of a mountain chain, or the line of which follows the crest of a range and thus indicates the position of the most conspicuous part of the uplift. _____ usually coincides with the watershed. (from Greek: oros - mountain, from Greek: graphs - writing, from Latin: axle - axis)
G2 A Longitudinal Valley - is the deep depression which runs parallel to conspicuous mountain chains and determines the perimeter of these chains.	G2 _____ - is the deep depression which runs parallel to conspicuous mountain chains and determines the perimeter of these chains.

G2 A Pass - is a gap or other relatively low break in a mountain range through which a road or trail may pass. It is usually caused by erosion, either by glaciers or by two streams which rise close to each other on opposite sides of the mountain barrier. It is saddle shaped.	G2 _____ - is a gap or other relatively low break in a mountain range through which a road or trail may pass. It is usually caused by erosion, either by glaciers or by two streams which rise close to each other on opposite sides of the mountain barrier. It is saddle shaped.
G2 A Saddle - is a rather wide pass between valleys, concave, which crosses a mountain chain. (from German: sattel - saddle)	G2 _____ - is a rather wide pass between valleys, concave, which crosses a mountain chain. (from German: sattel - saddle)
G2 A Col - is a depression in a range of mountains, usually providing a pass through the range. It may be formed by 2 streams on opposite sides of the ridge, cutting back towards one another. (from Latin: collum - neck)	G2 _____ - is a depression in a range of mountains, usually providing a pass through the range. It may be formed by 2 streams on opposite sides of the ridge, cutting back towards one another. (from Latin: collum - neck)

G3 A Primary Chain - is the trunk or base among a set of chains joined together.	G3 _____ - is the trunk or base among a set of chains joined together.
G3 A Secondary Chain - is a series of elevations which is broken off from primary chains.	G3 _____ - is a series of elevations which is broken off from primary chains.
G3 A Spur - is a subordinate ridge which extends itself from the crest of a mountain like a rib from the vertebral column. (from German: sporn - spur)	G3 _____ - is a subordinate ridge which extends itself from the crest of a mountain like a rib from the vertebral column. (from German: sporn - spur)

G3 An Escarpment - is a steep face that termintes high lands abruptly. (from French: escarper - to cut steeply)	G3 _____ - is a steep face that termintes high lands abruptly. (from French: escarper - to cut steeply)
G3 A Range - is a mauntain chain having many peaks, summits and ridges.	G3 _____ - is a mauntain chain having many peaks, summits and ridges.
G3 An Orographic Knot - is a place in which two or more series of mauntainous reliefs, which have different directions. This is usually the highest paint among the surraunding reliefs, or an elevated land region formed by the juncture of several mauntain regions. (from Greek: oras - mauntain, from Greek: graphs - writing)	G3 _____ - is a place in which two or more series of mauntainous reliefs, which have different directions. This is usually the highest paint among the surraunding reliefs, or an elevated land region formed by the juncture of several mauntain regions. (from Greek: oras - mauntain, from Greek: graphs - writing)

H1 The Lowlands - include the extended plains or country lying not far above tide level. In general they are less than 1000 km above the sea, but they are marked off rather by their contrast with the higher lands of the mountains regions than by any special altitude. The surface is usually undulating and often hilly.	H1 _____ - include the extended plains or country lying not far above tide level. In general they are less than 1000 km above the sea, but they are marked off rather by their contrast with the higher lands of the mountains regions than by any special altitude. The surface is usually undulating and often hilly.
H1 The Highland - is an elevated or mountainous land. Highlands usually include all mountains, the heights of the land which are greater than hills, plateaux and tablelands as well.	H1 _____ - is an elevated or mountainous land. _____ usually include all mountains, the heights of the land which are greater than hills, plateaux and tablelands as well.
H1 A Rise - is a small hill or upward slope.	H1 _____ - is a small hill or upward slope.

H1 A Flatland - is a land that lacks significant variation in elevation.	H1 _____ - is a land that lacks significant variation in elevation.
H1 A Tableland - is land elevated much above the level of the sea and generally offering no considerable irregularities of surface. Both plateaux and mesas are considered tableland.	H1 _____ - is land elevated much above the level of the sea and generally offering no considerable irregularities of surface. Both plateaux and mesas are considered tableland.
H1 A Plateau - is a relatively elevated area of comparatively flat land which is commonly limited on at least one side by an abrupt descent to lower land. It is lined underneath by essentially horizontal strata. Sometimes the plateau is bisected by rivers, canyons or mountains ranges. The plateaux eventually break down into mesas and then into buttes. (from French: plat - flat)	H1 _____ - is a relatively elevated area of comparatively flat land which is commonly limited on at least one side by an abrupt descent to lower land. It is lined underneath by essentially horizontal strata. Sometimes the _____ is bisected by rivers, canyons or mountains ranges. The _____ eventually break down into mesas and then into buttes. (from French: plat - flat)

I1 A River Valley - is a long, narrow depression in the earth's surface with a fairly regularly downward slope, having a river or stream flowing through it. The valley has been carved from the surface rocks by the river or stream. A young river valley is U-shaped, but broadens as it matures. (from Latin: ripa - bank; vallis - valley)	I1 _____ - is a long, narrow depression in the earth's surface with a fairly regularly downward slope, having a river or stream flowing through it. The valley has been carved from the surface rocks by the river or stream. A young _____ is U-shaped, but broadens as it matures. (from Latin: ripa - bank; vallis - valley)
I1 A Glacial Valley - is a long narrow V-shaped river valley. The valley walls and floor are scratched, grooved and polished by the debris being carried in the glacial ice. The large erosive force of glacier changes the V to a U-shaped and also tends to straighten it. (from Latin: glacis - ice; vallis - valley)	I1 _____ - is a long narrow V-shaped river valley. The valley walls and floor are scratched, grooved and polished by the debris being carried in the glacial ice. The large erosive force of glacier changes the V to a U-shaped and also tends to straighten it. (from Latin: glacis - ice; vallis - valley)
I1 A Canyon - is a steep-walled chasm, gorge or ravine that is narrow but of considerable size. It has often been formed by a river cutting through the soft rocks of an arid region; the scantness of rainfall prevents the erosion of the canyon walls, and thus maintains their steepness. (from Latin: canna - reed, tube)	I1 _____ - is a steep-walled chasm, gorge or ravine that is narrow but of considerable size. It has often been formed by a river cutting through the soft rocks of an arid region; the scantness of rainfall prevents the erosion of the _____ walls, and thus maintains their steepness. (from Latin: canna - reed, tube)

I1 A Vale - is a broad level valley containing a brook or a stream. The Vale of Kashmir in Northwest India is an example. (from Latin: vallis - valley)	I1 _____ - is a broad level valley containing a brook or a stream. The _____ of Kashmir in Northwest India is an example. (from Latin: vallis - valley)
I1 A Valley Head - is the upper or higher end of the valley. If the valley has a river the source is often found here. The valley head would be erosive result of the action of the river on the valley.	I1 _____ - is the upper or higher end of the valley. If the valley has a river the source is often found here. The _____ would be erosive result of the action of the river on the valley.
I1 The walls - are the side boundaries of a valley. When the valley is young the walls are fairly steep, but they become gently sloping with age. (from Latin: vallum - walls)	I1 _____ - are the side boundaries of a valley. When the valley is young the _____ are fairly steep, but they become gently sloping with age. (from Latin: vallum - walls)

I1 The Floor or Bottom - is the horizontal ground surface of any type of valley. This surface is quite narrow when the valley is young, but becomes wider with age. An old valley has a floor resembling a plain.	I1 _____ - is the horizontal ground surface of any type of valley. This surface is quite narrow when the valley is young, but becomes wider with age. An old valley has a _____ resembling a plain.
I1 A Mouth - is the part of a valley where the valley walls level out into a plain or meet a body of water. It is oppasite the head.	I1 _____ - is the part of a valley where the valley walls level out into a plain or meet a body of water. It is oppasite the head.
I1 A Gorge - is a narrow, young valley with precipitous, rocky sides, enclosed among the mountains. As the gorge grows older the sides level off. (It is usually smaller than a canyon.)	I1 _____- is a narrow, young valley with precipitous, rocky sides, enclosed among the mountains. As the _____ grows older the sides level off. (It is usually smaller than a canyon.)

I1 A Precipice - is the brink or edge of a high and very steep cliff. (from Latin: preciptius - precipice)	I1 _____ - is the brink or edge of a high and very steep cliff. (from Latin: preciptius - precipice)
I1 A Ravine - is a depression in the earth's surface worn out by running water, larger than a gully and smaller than a valley. Several ravines often lead to a valley.	I1 _____ - is a depression in the earth's surface worn out by running water, larger than a gully and smaller than a valley. Several _____ often lead to a valley.
J1 An Ocean - is a great body of salt water which occupies 2/3 of the surface of the earth. It is divided into five major oceans which touch or surround one or more continents: Atlantic, Pacific, Indian, Arctic and Antarctic. (from Greek: okeanos - ocean)	J1 _____ - is a great body of salt water which occupies 2/3 of the surface of the earth. It is divided into five major _____ which touch or surround one or more continents: Atlantic, Pacific, Indian, Arctic and Antarctic. (from Greek: okeanos - ocean)

J1 A Sea - is a large body of water (usually salt water) smaller than an ocean and more or less definitely marked off by land boundaries. An example is the North Sea. (from Old English: mare - sea)	J1 _____ - is a large body of water (usually salt water) smaller than an ocean and more or less definitely marked off by land boundaries. An example is the North Sea. (from Old English: mare - sea)
J1 A Glacier - is an extended mass of ice formed from snow falling and accumulating over the years and moving very slowly. The movement of a glacier is in a definite direction and originates from the compacting of snow by the pressure of its weight. (from Latin: glacies - ice)	J1 _____ - is an extended mass of ice formed from snow falling and accumulating over the years and moving very slowly. The movement of a _____ is in a definite direction and originates from the compacting of snow by the pressure of its weight. (from Latin: glacies - ice)
J1 A Watercourse - is a natural path for water which is travelling from one place to another such as a stream, a river, a torrent, a channel. Man-made canals are also considered watercourses.	J1 _____ - is a natural path for water which is travelling from one place to another such as a stream, a river, a torrent, a channel. Man-made canals are also considered _____.

J1 Pooled Water - is a body of water which is enclosed by land and which lies in a hollow in the earth's surface. Examples are lakes, ponds, swamps.	J1 _____ - is a body of water which is enclosed by land and which lies in a hollow in the earth's surface. Examples are lakes, ponds, swamps.
J2 An Open Sea - is a sea whose boundaries are determined more by latitude and longitude or special characteristics rather than by land boundaries. The Sargasso Sea in the Atlantic is an example.	J2 _____ - is a sea whose boundaries are determined more by latitude and longitude or special characteristics rather than by land boundaries. The Sargasso Sea in the Atlantic is an example.
J2 An Adjacent Sea - is a sea that borders a body of land. It is termed an adjacent sea in relation to that land. (from Latin: adjacent - close to, next to)	J2 _____ - is a sea that borders a body of land. It is termed _____ in relation to that land. (from Latin: adjacent - close to, next to)

J2 An Inland Sea - is an adjacent sea that is largely surrounded by land or shallow water so that communication with the open ocean is restricted to one or a few straits. An example is the Mediterranean Sea.	J2 _____ - is an adjacent sea that is largely surrounded by land or shallow water so that communication with the open ocean is restricted to one or a few straits. An example is the Mediterranean Sea.
J2 An Interinsular Sea - is a sea whose boundaries are defined by the islands surrounding it. (from Latin: inter - between; insularis - of an island)	J2 _____ - is a sea whose boundaries are defined by the islands surrounding it. (from Latin: inter - between; insularis - of an island)
J3 Alpine or Valley Glacier - is a glacier occupying a depression within a mountainous terrain and moving downward through valleys previously cut by mountains streams. Large valleys glaciers are seen in the Southern Canadian Rockies, the Cascades, Alps and also in the Caucasus, Himalayas and Southern Andes.	J3 _____ - is a glacier occupying a depression within a mountainous terrain and moving downward through valleys previously cut by mountains streams. Large _____ are seen in the Southern Canadian Rockies, the Cascades, Alps and also in the Caucasus, Himalayas and Southern Andes.

J3 A Piedmont Glacier - is a glacier formed by the union of two or more valley glacier beyond the base of a steep slope. Usually it covers lowlands at the foot of a mountain range. Piedmont glacier are restricted to the Greenland, Antarctic and Alaskan coasts.	J3 _____ - is a glacier formed by the union of two or more valley glacier beyond the base of a steep slope. Usually it covers lowlands at the foot of a mountain range. _____ are restricted to the Greenland, Antarctic and Alaskan coasts.
J3 A Continental Glacier - is an ice sheet that completely covers a large part of a continent, covering mountains and plains under an unbroken expanse of ice. The Antarctic ice sheet is an example. A continental glacier moves outward from centres of accumulation.	J3 _____ - is an ice sheet that completely covers a large part of a continent, covering mountains and plains under an unbroken expanse of ice. The Antarctic ice sheet is an example. _____ moves outward from centres of accumulation.
J3 An Iceberg - is a large mass of ice broken off from the lower ends of a huge glacier, which in high altitudes forces its way down to and into the sea. Icebergs float nine-tenths in the water and one-tenths out, so that for every foot of ice above water there are nine feet below. the ice in sources of icebergs are the great ice sheets that cover Greenland and Antarctica. (from Danish: berg - mountain)	J3 _____ - is a large mass of ice broken off from the lower ends of a huge glacier, which in high altitudes forces its way down to and into the sea. _____ float nine-tenths in the water and one-tenths out, so that for every foot of ice above water there are nine feet below. the ice in sources of _____ are the great ice sheets that cover Greenland and Antarctica. (from Danish: berg - mountain)

J4 The Tongue - is the leading part of the glacier. (from Latin: lingua - tongua)	J4 _____ - is the leading part of the glacier. (from Latin: lingua - tongua)
J4 The Face - refers to each side of the crevasses of a glacier.	J4 _____ - refers to each side of the crevasses of a glacier.
J4 A Crevasse - is a deep and vertical fissure in a glacier. It may be formed when the slope down which the glacier is moving steepens, and the glacier moves more quickly. Or it may be formed simply because the deeper layers of the ice are plastic and the rigid upper crust breaks due to the quicker movement of the deeper layer. (from Latin: crepare - to crack)	J4 _____ - is a deep and vertical fissure in a glacier. It may be formed when the slope down which the glacier is moving steepens, and the glacier moves more quickly. Or it may be formed simply because the deeper layers of the ice are plastic and the rigid upper crust breaks due to the quicker movement of the deeper layer. (from Latin: crepare - to crack)

J4 A Serac - is formed when two or more sets of crevasses intersect and the surface of the glacier is torn into a broken mase of jagged ice pinnacles.	J4 _____ - is formed when two or more sets of crevasses intersect and the surface of the glacier is torn into a broken mase of jagged ice pinnacles.
K1 The Collective Basin - is the gathering ground in the hollow where the glacier is formed which becomes a motionless snowfield full of semi-crystalline ice or 'nerve'.	K1 _____ - is the gathering ground in the hollow where the glacier is formed which becomes a motionless snowfield full of semi-crystalline ice or 'nerve'.
K1 The Ablatory Basin - Ablation is the melting that occurs on the surface of the glacial ice as a result of sun, rain and warm, dry winds. It includes evaporation. The basin that forms at the foot of the glacier because of this process is called the ablatory basin. it often is dome-shaped in the centre with reduced thickness along the edges where the melting occurs. (from Latin: ab - from; latum - to carry)	K1 _____ - Ablation is the melting that occurs on the surface of the glacial ice as a result of sun, rain and warm, dry winds. It includes evaporation. The basin that forms at the foot of the glacier because of this process is called the ablatory basin. it often is dome-shaped in the centre with reduced thickness along the edges where the melting occurs. (from Latin: ab - from; latum - to carry)

K2 A Marginal Crevasse - A crevasse is a deep fissure or split in a glacier caused by forces that result from different rates of flow in various parts of the underlying ices. A Marginal crevasse is a crevasse occurring at the outer periphery of the glacier, often opening out into a fan shape.	K2 _____ - A crevasse is a deep fissure or split in a glacier caused by forces that result from different rates of flow in various parts of the underlying ices. _____ is a crevasse occurring at the outer periphery of the glacier, often opening out into a fan shape.
K2 A Transversal Crevasse - is a crack in the glacier at right angles (approximately) to the direction of ice flow. This usually occurs when the glacier turns a sharp corner causing irregular groups of blocks. The blocks are called seracs, named after a white cheese made in the Chamonix Valley in France.	K2 _____ - is a crack in the glacier at right angles (approximately) to the direction of ice flow. This usually occurs when the glacier turns a sharp corner causing irregular groups of blocks. The blocks are called seracs, named after a white cheese made in the Chamonix Valley in France.
K2 A Longitudinal Crevasse - is a crevasse formed when the valley widens and the glacier spreads or when there are sudden changes of slopes across the valley floor. Generally the line follows the direction of ice flow.	K2 _____ - is a crevasse formed when the valley widens and the glacier spreads or when there are sudden changes of slopes across the valley floor. Generally the line follows the direction of ice flow.

K2 A Radial Crevasse - is a crevasse that radiates from a central point, like a spake from the centre of a wheel. Often many crevasses radiate from the same point. They develop due to the difference between the velocity in the middle of the glacier and that at the side.	K2 _____ - is a crevasse that radiates from a central point, like a spake from the centre of a wheel. Often many crevasses radiate from the same point. They develop due to the difference between the velocity in the middle of the glacier and that at the side.
K3 A Frontal Moraine (or Terminal Moraine) - is a moraine formed across the course of a glacier at its farthest advance, at or near a relatively stationary edge, or at places marking the termination of important glacial advances.	K3 _____ - is a moraine formed across the course of a glacier at its farthest advance, at or near a relatively stationary edge, or at places marking the termination of important glacial advances.
K3 A Lateral Moraine - is the talus that is moved along the sides of a valley glacier. When the ice melts, the moraine remains as a ridge along each side of the glaciated area. Talus is the rock material that falls from the face of a cliff or mountain, due to weathering forces. Ice wedging is the erosive force that creates most talus near glaciers. it is the expansion of water that freezes in the flaws of the thin rock next to the glacier. Pieces then break loose as talus.	K3 _____ - is the talus that is moved along the sides of a valley glacier. When the ice melts, the moraine remains as a ridge along each side of the glaciated area. Talus is the rock material that falls from the face of a cliff or mountain, due to weathering forces. Ice wedging is the erosive force that creates most talus near glaciers. it is the expansion of water that freezes in the flaws of the thin rock next to the glacier. Pieces then break loose as talus.

K3 A Medial Moraine - is the material formerly carried on the edge of separate glaciers that combined to form a single glacier. Thus, their lateral moraines merged to form a medial moraine. (from Latin: medialis - middle)	K3 _____ - is the material formerly carried on the edge of separate glaciers that combined to form a single glacier. Thus, their lateral moraines merged to form a _____. (from Latin: medialis - middle)
L1 A Stream - is any body of flowing water or other fluid whose course is influenced by gravity. (from German: strom - stream)	L1 _____ - is any body of flowing water or other fluid whose course is influenced by gravity. (from German: strom - stream)
L1 A Torrent - is a stream flowing with great violence or turbulence due to an increase in velocity or increase in the roughness of the confining walls. (from Latin: torrens - boiling)	L1 _____ - is a stream flowing with great violence or turbulence due to an increase in velocity or increase in the roughness of the confining walls. (from Latin: torrens - boiling)

L1 A River - is a stream of fresh water bearing the waste of the land from higher to lower ground, and as a rule to the sea. It flows by a natural channel being confined within banks. (from Latin: ripa - bank)	L1 _____ - is a stream of fresh water bearing the waste of the land from higher to lower ground, and as a rule to the sea. It flows by a natural channel being confined within banks. (from Latin: ripa - bank)
L1 A Channel - is the deepest portion of a stream, bay or strait through which the main volume or current of water flows. It is usually the channel that is used for navigation as the other areas are too shallow. The term channel may also be applied to a large strait such as the English Channel. (from Latin: canalis - canal)	L1 _____ - is the deepest portion of a stream, bay or strait through which the main volume or current of water flows. It is usually the _____ that is used for navigation as the other areas are too shallow. The term channel may also be applied to a large strait such as the English Channel. (from Latin: canalis - canal)
L2 The Source - is the paint of origin of a river. The source of a river may be a number of rivulets, a spring, a lake, rainfall, snowfall or the melting of glacial ice.	L2 _____ - is the paint of origin of a river. _____ of a river may be a number of rivulets, a spring, a lake, rainfall, snowfall or the melting of glacial ice.

L2 A Course - is the path the river follows, it includes an upper, middle and lower part. (from Latin: cursus - a running)	L2 _____ - is the path the river follows, it includes an upper, middle and lower part. (from Latin: cursus - a running)
L2 A Bed - is the floor or bottom on which a river rests. The bed has been carved out by the river itself. (from Old English: bedd - bed)	L2 _____ - is the floor or bottom on which a river rests. The _____ has been carved out by the river itself. (from Old English: bedd - bed)
L2 A Bank - is the rising ground bordering a river that confines it to its natural channel. A bank is designated as right or left as it would appear facing downstream. (from Old French: banc - bank)	L2 _____ - is the rising ground bordering a river that confines it to its natural channel. A _____ is designated as right or left as it would appear facing downstream. (from Old French: banc - bank)

M1 The Rapids - are the section of a stream in which the velocity is notable greater than the sections immediately above or below it. Rapids may be caused by a sudden steepening of the slope or by unequal resistance in the successive rocks traversed by the river. (from Latin: rapidus - quickly)	M1 _____ - are the section of a stream in which the velocity is notable greater than the sections immediately above or below it. _____ may be caused by a sudden steepening of the slope or by unequal resistance in the successive rocks traversed by the river. (from Latin: rapidus - quickly)
M1 A Cascade - is a waterfall, usually small, especially one of a series of small falls, formed by water in its descent over rocks. (from Italian: cascata, from Latin: cadere - fall)	M1 _____ - is a waterfall, usually small, especially one of a series of small falls, formed by water in its descent over rocks. (from Italian: cascata, from Latin: cadere - fall)
M1 A Cataract - is a large waterfall in which the vertical drop has been concentrated in one sheer drop or ever flow (usually over a precipice). (from Greek: kataraktes - down rushing)	M1 _____ - is a large waterfall in which the vertical drop has been concentrated in one sheer drop or ever flow (usually over a precipice). (from Greek: kataraktes - down rushing)

M1 A Meander - is a curve in the course of a river which continually swings from side to side in wide loops as it crosses flat land. The name meander comes from the Meander River in Turkey.	M1 _____ - is a curve in the course of a river which continually swings from side to side in wide loops as it crosses flat land. The name _____ comes from the Meander River in Turkey.
M2 A Simple Mouth - is what a river is said to have when it enters another body of water directly through a single channel.	M2 _____ - is what a river is said to have when it enters another body of water directly through a single channel.
M2 A Delta - is a fan-shaped alluvial tract formed at the mouth of a river when it deposits more solid material than which can be removed by tidal or other currents. (from Greek: the capital letter delta is triangular shaped)	M2 _____ - is a fan-shaped alluvial tract formed at the mouth of a river when it deposits more solid material than which can be removed by tidal or other currents. (from Greek: the capital letter delta is triangular shaped)

M2 A Bird's Foot Delta - is a delta formed by the outgrowth of fingers or pairs of natural banks at the mouth of a river. The Mississippi River delta is an excellent example of this type.	M2 _____ - is a delta formed by the outgrowth of fingers or pairs of natural banks at the mouth of a river. The Mississippi River delta is an excellent example of this type.
M2 An Estuary - is the mouth of a river where tidal effects are evident and where fresh water and sea water mix. Usually an estuary serves as a drainage channel because of the sinking of coastal lowlands. An arm or inlet of a sea is also called an estuary. (from Latin: aestus - heaving motion, surge, tide)	M2 _____ - is the mouth of a river where tidal effects are evident and where fresh water and sea water mix. Usually an estuary serves as a drainage channel because of the sinking of coastal lowlands. An arm or inlet of a sea is also called an estuary. (from Latin: aestus - heaving motion, surge, tide)
M3 A River Basin - is the land from which a river gathers its water and rock waste. (from Middle English: rivere and basin - water vessel)	M3 _____ - is the land from which a river gathers its water and rock waste. (from Middle English: rivere and basin - water vessel)

M3 An Affluent - is a stream or river flowing into a larger river or into a lake. It can also be called a tributary stream. It is usually quick-flowing and powerful. (from Latin: affluens - flowing abundantly)	M3 _____ - is a stream or river flowing into a larger river or into a lake. It can also be called a tributary stream. It is usually quick-flowing and powerful. (from Latin: affluens - flowing abundantly)
M3 A Subtributary - is a brook or creek that flows into a stream or river which flows into a larger one. (from Latin: sub - under; tributum - to give, distribute)	M3 _____ - is a brook or creek that flows into a stream or river which flows into a larger one. (from Latin: sub - under; tributum - to give, distribute)
M3 A Tributary - is a river or stream which contributes its water to a main river by discharging it into the river, from either side, and at any point along its course. (from Latin: tributum - to give, distribute)	M3 _____ - is a river or stream which contributes its water to a main river by discharging it into the river, from either side, and at any point along its course. (from Latin: tributum - to give, distribute)

M3 The Confluence - is the point at which one stream flows into another, or where two streams converge and unite. (from Latin: confluentia - the act of flowing together)	M3 _____ - is the point at which one stream flows into another, or where two streams converge and unite. (from Latin: confluentia - the act of flowing together)
N1 A Lake - is any standing body of inland water, generally of considerable size. (from Old English: lecu - stream, pool)	N1 _____ - is any standing body of inland water, generally of considerable size. (from Old English: lecu - stream, pool)
N1 A Pool or Pond - is a body of standing (possibly stagnant) water.	N1 _____ - is a body of standing (possibly stagnant) water.

N1	N1
A Swamp - is a low, spongy land, generally saturated with moisture and unfit either for agricultural or pastoral purposes. It is frequently covered with grasses and aquatic vegetation and may support a few trees. (from Greek: somphos - spongy, porous)	_____ - is a low, spongy land, generally saturated with moisture and unfit either for agricultural or pastoral purposes. It is frequently covered with grasses and aquatic vegetation and may support a few trees. (from Greek: somphos - spongy, porous)
N2	N2
A Seepage Lake - is a lake formed by the slow oozing out of the water into the earth's surface from the pores and crevices of the earth's mantle rock.	_____ - is a lake formed by the slow oozing out of the water into the earth's surface from the pores and crevices of the earth's mantle rock.
N2	N2
A Crater Lake - is a lake generally of fresh water, formed by the accumulation of rain and ground water in a volcanic crater or caldera with relatively impermeable floor and walls. A good example of this type of lake is Crater in Oregon. (from Greek: krater - to mix)	_____ - is a lake generally of fresh water, formed by the accumulation of rain and ground water in a volcanic crater or caldera with relatively impermeable floor and walls. A good example of this type of lake is Crater in Oregon. (from Greek: krater - to mix)

N2	N2
An Ox-bow Lake - is a crescent-shaped lake formed in an abandoned river bend which has become separated from the main stream by a change in the course of the river. These lakes are also know as bayous.	_____ - is a crescent-shaped lake formed in an abandoned river bend which has become separated from the main stream by a change in the course of the river. These lakes are also know as bayous.
O2	O2
Active - an active volcano is one that still erupts at times. Most geologists classify a volcano as active if it has erupted at least once in the past 50 years. (from Latin: activum - to act, do)	_____ - an _____ volcano is one that still erupts at times. Most geologists classify a volcano as _____ if it has erupted at least once in the past 50 years. (from Latin: activum - to act, do)
O2	O2
Dormant - a dormant volcano is a volcano which has erupted in historical times but not in the past 50 years. (from Latin dormire - sleep, be inactive)	_____ - a _____ volcano is a volcano which has erupted in historical times but not in the past 50 years. (from Latin dormire - sleep, be inactive)

O2 Extinct - an extinct volcano is a volcano that is dead or has be inactive historically and displays badly gullied and dissected cones, with the form commonly so much modified that a crater no longer exists. In this case it seems activity has ceased for good. (from Latin: extinctus - destroyed, put out)	O2 _____ - an _____ volcano is a volcano that is dead or has be inactive historically and displays badly gullied and dissected cones, with the form commonly so much modified that a crater no longer exists. In this case it seems activity has ceased for good. (from Latin: extinctus - destroyed, put out)
O2 Underwater - a volcano is considered an underwater volcano when its entire cone is submerged beneath the water level. A good example of an active underwater volcano is Myojin-sho, south of Tokyo near the Izu Islands.	O2 _____ - a volcano is considered an _____ volcano when its entire cone is submerged beneath the water level. A good example of an active _____ volcano is Myojin-sho, south of Tokyo near the Izu Islands.
O3 An Eruption - is the emission or ejection of volcanic materials (rocks, gases, etc.) at the earth's surface from a crater of pipe or from a fissure. (from Latin: eruption - to break forth)	O3 _____ - is the emission or ejection of volcanic materials (rocks, gases, etc.) at the earth's surface from a crater of pipe or from a fissure. (from Latin: eruption - to break forth)

O3 Explosions - are the maximum eruptions of a volcano. Whereas eruptions may be slow and issue only gas and molten rock, explosions are a more violent phase and usually eject enormous, hard rocks.	O3 _____ - are the maximum eruptions of a volcano. Whereas eruptions may be slow and issue only gas and molten rock, _____ are a more violent phase and usually eject enormous, hard rocks.
O3 Emanations - are volatile or nonvolatile materials emitted from volcanoes, usually consisting of a mixture of water vapour and one or more of the other volcanic gases. (from Latin: emantus - proceeded from)	O3 _____ - are volatile or nonvolatile materials emitted from volcanoes, usually consisting of a mixture of water vapour and one or more of the other volcanic gases. (from Latin: emantus - proceeded from)
O3 Extinction - a volcano is considered to be extinct (or to have reached extinction) when it has not erupted for over 3000 years. However, it is difficult to determine when a volcano may be called extinct since few records have been kept for over 5000 years.	O3 _____ - a volcano is considered to be extinct (or to have reached _____) when it has not erupted for over 3000 years. However, it is difficult to determine when a volcano may be called extinct since few records have been kept for over 5000 years.

O4 Magma - is the molten rock material contained below the surface of a fissure in some kind of chamber or reservoir. If magma hardens underground it is known as granite. (from Greek: magma - a salve)	O4 _____ - is the molten rock material contained below the surface of a fissure in some kind of chamber or reservoir. If _____ hardens underground it is known as granite. (from Greek: magma - a salve)
O4 Lava, Scoria and Bombs - 1. If magma pours out onto the surface of a volcano it is known as lava in its molten state. 2. Cooled lava results in basalt. If gas bubbles escape while the rock cools, open spaces or pores result. This type of basalt is known as scoria. 3. Detached masses of lava shot out by volcanoes which, as they fall, assume rounded forms like bombshells are known as bombs.	O4 _____ - 1. If magma pours out onto the surface of a volcano it is known as lava in its molten state. 2. Cooled lava results in basalt. If gas bubbles escape while the rock cools, open spaces or pores result. This type of basalt is known as scoria. 3. Detached masses of lava shot out by volcanoes which, as they fall, assume rounded forms like bombshells are known as bombs.
Pumice - is glassy lava in a spongy or porous form. It is lava that hardened while steam and other gases were still escaping. As it is light in weight, large chunks of pumice often float on ocean currents far from the place where they formed. Pumice is found in the same area as obsidian. (from Latin: pumex - stone)	_____ - is glassy lava in a spongy or porous form. It is lava that hardened while steam and other gases were still escaping. As it is light in weight, large chunks of _____ often float on ocean currents far from the place where they formed. _____ is found in the same area as obsidian. (from Latin: pumex - stone)

04 Smake, Gas and Vapaur - the visible mist given off by a volcano, and usually a combination of grey, known or blackish gases and suspended carbon particles, is known as volcanic smake. Volcanic gas may escape through the lava. Usually the gas is made up primarily of water vapaur, hydrogen, oxygen, nitrogen, sulphur, carbon, hydrochloric acid and helium. Any substance that erupts from a volcano in a gaseous state is known as vapaur. (from Old English: smaka - smake, from Greek: chaos - gas, from Middle English: vapaur)	04 _____ - the visible mist given off by a volcano, and usually a combination of grey, known or blackish gases and suspended carbon particles, is known as volcanic smake. Volcanic gas may escape through the lava. Usually the gas is made up primarily of water vapaur, hydrogen, oxygen, nitrogen, sulphur, carbon, hydrochloric acid and helium. Any substance that erupts from a volcano in a gaseous state is known as vapaur. (from Old English: smaka - smake, from Greek: chaos - gas, from Middle English: vapaur)
05 Solfatara - is a semi-extinct volcano, emitting only gaseous sulfurus exhalations and aqueous vapaurs. (from Solfatara, Italy)	05 _____ - is a semi-extinct volcano, emitting only gaseous sulfurus exhalations and aqueous vapaurs. (from Solfatara, Italy)
05 Mofette - is a fissure or other opening, occurring in a region of recent volcanic activity, from which water vapaur and carbon dioxide are emitted. It is a type of fumerole. (from Latin: mephitis - pungent emission)	05 _____ - is a fissure or other opening, occurring in a region of recent volcanic activity, from which water vapaur and carbon dioxide are emitted. It is a type of fumerole. (from Latin: mephitis - pungent emission)

O5 Mud-pot - is a type of hot spring consisting of a shallow pit or cavity filled with hot, generally boiling, mud carrying very little water and large amounts of fine-grained mineral matter. Many such mud-pots may be seen in Yellowstone National Park.	O5 _____ - is a type of hot spring consisting of a shallow pit or cavity filled with hot, generally boiling, mud carrying very little water and large amounts of fine-grained mineral matter. Many such _____ may be seen in Yellowstone National Park.
O5 Mud-Volcano - is a cone-shaped mound with a maximum height of about 75 metres. It is build around a spring by mud brought to the surface by slowly escaping natural gas.	O5 _____ - is a cone-shaped mound with a maximum height of about 75 metres. It is build around a spring by mud brought to the surface by slowly escaping natural gas.
O5 Fumarole - is a hole or vent from which fumes or vapour issue. These are usually in volcanic areas.	O5 _____ - is a hole or vent from which fumes or vapour issue. These are usually in volcanic areas.

O5 Boraciferous Fumarole - when the gaseous vapour of a fumarole is predominantly boracite ($Mg_6Cl_2B_{14}O_{26}$) it is known as a boraciferous fumarole.	O5 _____ - when the gaseous vapour of a fumarole is predominantly boracite ($Mg_6Cl_2B_{14}O_{26}$) it is known as a _____.
O5 A Geyser - is literally a roarer. Columns of water are thrown out at intervals with great force, often rising to 30 to 40 metres. After the jet of water ceases, a column of steam rushes out with a thundering roar, and the eruption then ceases for an interval.	O5 _____ - is literally a roarer. Columns of water are thrown out at intervals with great force, often rising to 30 to 40 metres. After the jet of water ceases, a column of steam rushes out with a thundering roar, and the eruption then ceases for an interval.
O5 A Thermal Spring - is a spring which discharges water heated by natural agencies. (from Greek: thermos - thermos)	O5 _____ - is a spring which discharges water heated by natural agencies. (from Greek: thermos - thermos)

O1 The Volcano - is a vent in the earth's crust from which highly heated materials erupt. On solidifying some of these materials accumulate around the opening to form a conical relief. (from Latin: Vulcanus - Roman god of fire)	O1 _____ - is a vent in the earth's crust from which highly heated materials erupt. On solidifying some of these materials accumulate around the opening to form a conical relief. (from Latin: Vulcanus - Roman god of fire)
The Cone - is the external mountainous relief which is usually conical in shape. It is formed as a result of the solidification of the materials ejected by the volcano. (from Latin: conus - cone)	_____ - is the external mountainous relief which is usually conical in shape. It is formed as a result of the solidification of the materials ejected by the volcano. (from Latin: conus - cone)
O1 The Crater - is the bowl-shaped or funnel-shaped pit at the top of the volcanic cone, and it is therefore the central or principal one. Out of this materials produced by the volcano are ejected. (from Greek: krater - a bowl for missing wine and water)	O1 _____ - is the bowl-shaped or funnel-shaped pit at the top of the volcanic cone, and it is therefore the central or principal one. Out of this materials produced by the volcano are ejected. (from Greek: krater - a bowl for missing wine and water)

O1 The Conduit - is a pipe-like vent in the earth's crust through which the volcanic materials rise to the surface. When a conduit is formed at the centre of the volcanic cone it is the central or principal one. (from Latin: conductus - past participle of conducere, to lead, to bring together)	O1 _____ - is a pipe-like vent in the earth's crust through which the volcanic materials rise to the surface. When a _____ is formed at the centre of the volcanic cone it is the central or principal one. (from Latin: conductus - past participle of conducere, to lead, to bring together)
O1 The Magma Basin - is the internal region of the earth from which the molten rock which is liquid or partly will erupt. (from Greek: massein: to knead; from Latin: bacchinon: water vessel)	O1 _____ - is the internal region of the earth from which the molten rock which is liquid or partly will erupt. (from Greek: massein: to knead; from Latin: bacchinon: water vessel)
O1 The Secondary Crater - is the bowl-shaped or funnel-shaped pit situated on the side of a volcanic cone instead of at its top. (from Greek: krater - a bowl for missing wine and water)	O1 _____ - is the bowl-shaped or funnel-shaped pit situated on the side of a volcanic cone instead of at its top. (from Greek: krater - a bowl for missing wine and water)

O1 The Secondary Conduit - is a pipe-like vent which branches off from the central conduit. It opens out on the side of the volcanic cone and ends at a secondary crater.	O1 _____ - is a pipe-like vent which branches off from the central conduit. It opens out on the side of the volcanic cone and ends at a _____.
O1 The Secondary Cone - is the external mountainous relief that is formed as a result of the solidification of the materials ejected by the secondary crater.	O1 _____ - is the external mountainous relief that is formed as a result of the solidification of the materials ejected by the secondary crater.

A1 The Earth	I1 A Vale
A2 The Atmosphere	I1 A Valley Head
A2 The Lithosphere	I1 The Walls
A2 The Hydrosphere	I1 The Floor or Bottom
A2 The Barysphere	I1 A Mouth
A2 The Biosphere	I1 A gorge
A3 Land and Water	I1 A Precipice
B1 The Troposphere	I1 A Ravine
B1 The Stratosphere	J1 An Ocean
B1 The Ionosphere	J1 A Sea

B1 The Exosphere	J1 A Glacier
B2 The Mantle	J1 A Watercourse
B2 The Core	J1 Pooled Water
C1 A Continent	J2 An Open Sea
C1 Parts of the World	J2 An Adjacent Sea
C1 An Island	J2 An Inland Sea
C2 Continental Islands	J2 An Interinsular Sea
C2 Oceanic Islands	J3 Alpine or Valley Glacier
C2 A Reef	J3 A Piedmont Glacier
C2 Emerging Bank	J3 A Continental Glacier

C2 A Group of Islands	J3 An Iceberg
C2 An Archipelago	J4 The Tongue
D1 The Coastline	J4 The Face
D1 A Low Coast	J4 A Crevasse
D1 A High Coast	J4 A Serac
D1 An Irregular Coast	K1 The Collective Basin
D1 A Regular Coast	K1 The Ablatory Basin
D2 A Low Irregular Coastline	K2 A Marginal Crevasse
D2 A Low Regular Coastline	K2 A Transversal Crevasse
D2 A Low Sandy Coastline	K2 A Longitudinal Crevasse

D2 A Low Rocky Coast	K2 A Radial Crevasse
D3 A High Irregular Coast	K3 A Frontal Moraine
D3 A High Regular Coast	K3 A Lateral Moraine
D4 A Peninsula	K3 A Medial Moraine
D4 A Promontory	L1 A Stream
D4 A Cape	L1 A Torrent
D4 A Point	L1 A River
D4 A Spit	L1 A Channel
D4 An Isthmus	L2 The Source
D5 A Peninsula	L2 A Course

D5 A Headland	L2 A Bed
D6 A Gulf	L2 A Bank
D6 A Fjord	M1 The Rapids
D6 A Bay	M1 A Cascade
D6 A Cove	M1 A Cataract
D6 A Harbour	M1 A Meander
D6 A Jetty	M2 A Simple Mouth
D6 A Channel	M2 A Delta
D6 A Strait	M2 A Bird's Foot Delta
D6 A Canal	M2 An Estuary

D6 A Lagoon	M3 A River Basin
E1 A Plain	M3 An Affluent
E1 A Mountain	M3 A Subtributary
E1 A Hill	M3 A Tributary
E1 A Valley	M3 The Confluence
E1 A Depression	N1 A Lake
F1 The Base	N1 A Pool or Pond
F1 The Slope	N1 A Swamp
F1 The Summit	N2 A Seepage Lake
F1 Culminating Point	N2 A Crater Lake

F1 *The Peak*	N2 *An Ox-bow Lake*
F1 *The Crest*	O2 *Active*
F1 *The Face: Right and Left*	O2 *Dormant*
G1 *A Mountain Chain*	O2 *Extinct*
G1 *A Mountain Massif*	O2 *Underwater*
G1 *A Mountain System*	O3 *Eruption*
G2 *A Mountain Group*	O3 *Explosions*
G2 *The Crest of a Chain*	O3 *Emanations*
G2 *The Watershed*	O3 *Extinction*
G2 *A Divide*	O4 *Magma*

G2 An Orographic Axis	O4 Lava, Scoria and Bombs
G2 The Longitudinal Valley	O4 Pumice
G2 A Pass	O4 Smoke, Gas and Vapour
G2 A Saddle	O5 Solfatara
G2 A Col	O5 Mofette
G3 A Primary Chain	O5 Mud-pot
G3 A Secondary Chain	O5 Mud-Volcano
G3 A Spur	O5 Fumerole
G3 An Escarpment	O5 Boraciferous Fumarole
G3 A Range	O5 A Geyser

G3 An Orographic Knot	O5 A Thermal Spring
H1 The Lowlands	O1 The volcano
H1 The Highland	O1 The Cone
H1 A Rise	O1 The Crater
H1 A Flatland	O1 The Conduit
H1 A Tableland	O1 The Magma Basin
H1 A Plateau	O1 The Secondary Crater
I1 A River Valley	O1 The Secondary Conduit
I1 A Glacial Valley	O1 The Secondary Cone
I1 A Canyon	

A1

The Earth

A1

The Earth - is the name of the planet upon which we live. It is a solid celestial body that follows a relatively fixed orbit around a star (our sun). It gives off only reflected light. The Earth is one of 8 planets that form our Solar System. It is 149 million km from the sun and thus is the third planet (after Mercury and Venus) in order of distance from the sun. The Earth's diameter is 11,675 km which makes it the fifth largest planet. Its shape is that of an oblate spheroid.
(from Greek: eraze - on the ground)

A2

The Atmosphere

A2

The Atmosphere - is the name given to the thin, gaseous 'envelope' of air surrounding the Earth. The atmosphere is made up of 78 % nitrogen, 21 % oxygen, 1% argon, carbon dioxide, and numerous lesser gases. It is believed that the atmosphere extends as high as 1120km above the Earth's surface. The atmosphere is divided into 4 strata: the troposphere, the stratosphere, the ionosphere, and the exosphere.
(from Greek: atmos - vapour, from Greek: sphaira - sphere)

A2



The Lithosphere

A2

The Lithosphere - is the name given to the upper, solid part of the Earth, i.e., the rocky, rigid outermost shell (crust) on which all the land and water rest.
The Lithosphere is estimated to be 64km thick. It is composed of igneous, sedimentary, and metamorphic rock.
(from Greek: lithos - stone, from Greek: sphaira - sphere)

A2

The Hydrosphere

A2

The Hydrosphere - is the name given to all the waters above, covering and penetrating the lithosphere. It is composed of all oceans, seas, lakes, rivers, ice sheets, streams, underground waters, and all water vapour in the atmosphere. (from Greek: hydor - water, from Greek: sphaira - sphere)

A2



The Barysphere

A2

The Barysphere - is the name given to the heavy, interior portion of the Earth below the lithosphere. It is composed of solid, heavy metal and minerals and liquid nickel-iron.
The barysphere is divided into 2 regions or layers: the mantle and the core.
(from Greek: barys - heavy from Greek: sphaira - sphere)

A2

The Biosphere

A2

The Biosphere - is the name given to the group of all things living in, on, or above the Earth's crust. Any life, plant or animal, on land, in air, or in water belongs to the biosphere.
(from Greek: bios - life from Greek: sphaira - sphere)

A3

Land and Water

A3

Land and Water - The surface of the globe is covered by land and water. Land is the upper layer of the lithosphere which is above the level of water. Land forms mountains, valleys and plains. The liquid compound of water, with the chemical formula H2O (2 particles of hydrogen, 1 particle oxygen) fills in the low places on the surface of the Earth.

B1



The Troposphere

B1

The Troposphere - is the dense layer of the atmosphere in which we live. It is about 16km thick at the equator and 8km thick at the poles. In this area the temperature decreases as the altitude increases. It is a turbulent region of dust, clouds, and water vapour, and gives us our changing weather.
(from Greek: tropos - to turn, change, from Greek: sphaira - sphere)

B1

The Stratosphere

B1

The Stratosphere - is the layer of air that extends upwards from the troposphere to about 80km above the surface of the Earth. In this area air is thin and clouds are few. Jet planes fly at high speeds because of the low air resistance. The stratosphere has almost no dust or water vapour and has major concentrations of ozone (O3 - three particles of oxygen)
(from Latin: stratus - layer, from Greek: sphaira - sphere)

B1

The Ionosphere

B1

The Ionosphere - is the layer of atmosphere above the stratosphere which stretches from 80 to 1289 km above the Earth's surface. It contains several layers of electrically charged particles which help block the sun's Ultra-Violet rays and aid in transmitting radio waves around the Earth. It also contains the northern (Aurora-Borealis) and southern (Aurora-Australis) lights, as well as the Van Allen Radiation Belts. Most of the manned satellite orbiting of the Earth has taken place in the ionosphere.
(from Greek: ion - to go, move from Greek: sphaira - sphere)

B1



The Exosphere

B1

The Exosphere - is the name given to the outermost layer or fringe of the Earth's atmosphere and is estimated to begin at an altitude of 960 - 1280km.
(from Greek: exo - outside of from Greek: sphaira - sphere)

B2

The Mantle

B2

The Mantle - is the layer of heavy rock under the crust. It begins at the bottom of the rust at an imaginary line known as the Moho. The mantle is 2880 km thick and is layered according to its density. The upper mantle is thought to be solid while the lower mantle is thought to be molten. Most of the rock in the mantle is rich in iron. Note: Pressure at the Moho is about 1055kg per 1 cm2.
(from Latin: mantellus - clock, outer coat)

B2



The Core

B2

The Core - is the innermost part of the Earth surrounded by the mantle. It is divided into parts: the outer core the inner core. The outer core is 2080km thick, and very hot. It is thought to be made mainly of molten iron and nickel. The inner core is 2880km in diameter and is made up of solid iron and nickel. Pressure is extremely high in the core and is estimated to be 1.4 million kg per 1cm2 at the outer core and 2.8 to 4 million kg per 1cm2 at the inner core.
(from Middle English: corn, from Latin: corn - horn or horny outer covering)

C1

A Continent

C1

A Continent - is the name given to one of the larger, unbroken land masses into which the Earth's surface is divided: Europe, Asia, Africa, North America, South America, Australia and Antarctica. Usually a continent is entirely surrounded by water.
(from Middle English: contenens - holding together)

C1

Parts of the World

C1

Parts of the World
The Earth's surface is composed of 2 distinct elements: land and water.
Land refers to all land uncovered by water, i.e., continents, peninsulas, isthmuses, islands, etc., and make up approximately 25% of the Earth's surface.
Water is usually at lower level than land (approximately 4.8km below the rest of the crust), and covers nearly 75% of the Earth's surface. it consists of oceans, seas, lakes, rivers, etc. Oceans are responsible for most of the water on Earth and are 5 in number: Atlantic, Pacific, Indian, Arctic and Antarctic.

C1

An Island

C1

An Island - is a body of land, smaller than a continent, that is completely surrounded by water. Islands range in size from tiny ones only a few feet across to Greenland with an area of over 12, 800, 000 km2. Islands may be found in oceans, seas, lakes, rivers, streams, etc. Islands are classified as continental or oceanic according to how they were formed.
(from Middle English: iland, yland)

C2



Continental Islands

C2

Continental Islands - are part of a continental mass yet are surrounded by water. For various reasons water has cut into the land mass to separate these islands yet has been unable to detach them completely from their continent. A famous example of continental islands are the British Isles.

C2



Oceanic Islands

C2

Oceanic Islands - rise to the surface from the floors of the ocean basis. These islands are volcanic. Lava accumulates to enormous thickness and height until it finally protrudes above the ocean surfaces. The Hawaiian Islands are the tops of volcanos that have been built up nearly 9.6km from the ocean bottom.

C2



A Reef

C2

A Reef - is a mound or ridge of limestone rocks formed by the skeletons of living and non-living marine animals which are capable of extracting calcium salts from the sea water. The most common type of reef is the coral reef built by the coral polyps. Beneath the living portion, at the top, the reef is composed of skeletons of dead corals together with the shells of other organisms compacted into the rock. The reef may be closely attached to the shore, or separated from it by a lagoon, i.e., Great Barrier Reef, Australia. It may also form far from land and take a circular shape, with a lagoon in the centre, i.e., Bikini Island, Pacific.
(from Dutch: riff - rib, reef)

C2



Emerging Bank

C2

Emerging Bank - is a portion of the sea floor raised above its surroundings, but covered with enough water to permit navigation.
The Doggie Bank in the North Sea is an example of an emerging bank.

C2



A Group of Islands

C2

A Group of Islands - is two or more islands in the formation either of an extended line of islands (island chain) or of and archipelago. An example is the Hawaiian Islands.

C2



An Archipelago

C2

An Archipelago - is a group of islands in large bodies of water that are many times arranged in island arcs. Archipelagos are some of the most active volcanic and earthquake areas in the world. They are areas of continental growth.
Examples of archipelagos are the Leeward and Windward Islands at the eastern end of the Caribbean, the Aleutians, the Japanese archipelago, and the Philippines.
(from Greek: archi - foremost, early, old. From Greek: pelagos - sea)

D1

The Coastline

D1

The Coastline - is where the sea and land meet. It is a line that often changes due to the direct influence of waves and the deposits carried by the water flowing to and from the land. There are four major types of coast lines. This classification is based on sea level and the shape of the coast: low coast, high coast, regular coast, irregular coast.
(from Latin: costa - ribs, side)

D1



A Low Coast

D1

A Low Coast - is a coast in which the land slopes gradually to the sea. This type of coast occurs when the level of both sea and land have remained constant over a long period of time.

D1



A High Coast

D1

A High Coast - is a coast in which the land descends abruptly and vertically (or almost vertically) to the sea. This type of coast occurs on the seaward margins of hilly land.

D1



An Irregular Coast

D1

An Irregular Coast - is a coast in which the line of the land is broken by many indentations. These indentations are caused by the action of the waves and the water flowing from the land. This coastline extends across the trend of mountains and valleys immediately inland.

D1

A Regular Coast

D1

A Regular Coast - is a coast in which the line of the land is smooth and even with few indentations. This kind of coastline runs roughly parallel to the mountain ranges immediately inland.

D2

A Low Irregular Coastline

D2

A Low Irregular Coastline - is a coastline whose land slopes gradually to the sea, with a shoreline broken by many indentations.

D2



A Low Regular Coastline

D2

A Low Regular Coastline - is a coastline whose land slopes gradually to the sea, having a shoreline that is smooth and even with few indentations.

D2



A Low Sandy Coastline

D2

A Low Sandy Coastline - is a coastline whose land slopes gradually to the sea and is composed chiefly of sand and other soft matter.

D2



A Low Rocky Coast

D2

A Low Rocky Coast - is a coast whose land slopes gradually to the sea and is composed chiefly of rocks and rocky matter.

D3



A High Irregular Coast

D3

A High Irregular Coast - is a coast whose land descends abruptly to the sea and is broken by many indentations.

D3



A High Regular Coast

D3

A High Regular Coast - is a coast whose land descends abruptly to the sea and has an even and smooth shoreline with few indentations.

D4



A Peninsula

D4

A Peninsula - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent.
(from Latin: paene - almost, from Latin: insula - island)

D4



A Promontory

D4

A Promontory - is a mountainous point of land protruding boldly into the sea. It is usually high, with a sheer drop, rocky cliffs, and offshore rocks.
(from Latin: pro - for, before, from Latin: mentum - chin)

D4



A Cape

D4

A Cape - is a coastal region, more or less pointed, that projects out into the water. It is smaller than a peninsula but larger than a point.
(from Latin: caput - head, a head of land)

D4



A Point

D4

A Point - is a tapering extension of land projecting into the water and smaller than a cape. It is often formed by the deposit of silt by ocean currents.

D4

A Spit

D4

A spit - is a narrow, low-lying tongue of land projecting into the sea, usually at the entrance to a bay or other indentation. It is usually formed by deposition of sand and gravel. A spit differs from a bar because it is attached to land at one end.

D4



An Isthmus

D4

An Isthmus - is a neck of land joining two large land areas such as two continents land masses, or joining a peninsula to the mainland. The main isthmi on the globe have been cut to aid navigation: - The isthmus of Suez was cut in 1869 by the Sues Canal which connects the Red Sea with the Easters Mediterranean. - The Isthmus of Panama was cut in 1914 by the Panama canal which connects the Atlantic and Pacific Ocean. (from Greek: isthmos - neck of land)

D5  A Peninsula	D5 A Peninsula - is an elongated projection of land which may be more or less wide stretching into the sea and joined from one part to a continent. (from Latin: paene - almost, from Latin: insula - island)
D5  A Headland	D5 A Headland - is a steep cliff jutting out into a large body of water such as a sea or a lake.
D6  A Gulf	D6 A gulf - is a large ocean area which is partially enclosed by land and larger than a bay. (from Greek: kolphos - fold, boson, bay)

D6



A Fjord

D6

A Fjord - is a long, deep, relatively narrow areas of the sea, bordered by steep cliffs, and is believed to be the result of a moving glacier. An example is the coast of Norway.
(from Old Norse: fjorthr - akin to the Anglo Saxon - ford)

D6

A Bay

D6

A Bay - is a recess or inlet in the shore of a sea or lake between two capes or headlands, not as large as a gulf but larger than a cove.

D6



A Cove

D6

A Cove - is a small indentation of recess in the shore-line of a sea, lake or river.
(from Middle English: cofa - small chamber)

D6



A Harbour

D6

A Harbour - is a small bay or other sheltered part of a considerable body of water usually well protected naturally or artificially, and deep enough to provide anchorage for ships and other craft.
(from Old English: here - army, from Old English: (ge)beorg)

D6

A Jetty

D6

A Jetty - is a pier or structure of stones or piles projecting into the sea or other body of water, which is used to influence the current tide or to protect a harbour.
(from French: jeter - To throw)

D6



A Channel

D6

A Channel - is a relatively large stretch of water, longer and more extensive than a strait, which connects two large bodies of water and is navigable.
(from Latin: canalis - canal)

D6



A Strait

D6

A strait - is a relatively short and very narrow waterway connecting two extensive areas of sea.
(from Old French: estrait - tight, narrow)

D6



A Canal

D6

A Canal - is an artificial waterway cut through the land to facilitate irrigation or, when constructed of more depth and width, to permit the passage of boats and ships.
(from Latin: canalis - canal)

D6



A Lagoon

D6

A Lagoon - is a shallow body of water which is partly or completely separated from a larger body of water by a narrow strip of land. It is often dotted with small islands.
(from Latin: lacuna - pool, pond)

E1  A Plain	E1 A Plain - is an extensive area of level or gently rolling land, usually of low altitude and covered with grasses. (from Latin: planus - flat, level plane)
E1  A Mountain	E1 A Mountain - is a natural elevation of the earth's surface rising more or less abruptly to a summit, and attaining an altitude greater than a hill. Usually mountains are arranged in groups or ranges. (from Latin mons - mountain)
E1  A Hill	E1 A Hill - is a natural elevation of the earth's surface that is lower in altitude than a mountain. (A small hill or a mound is called a hillock.) (from Middle English: hyll - hill)

E1



A Valley

E1

A Valley - is an elongated furrow carved out of the surface rock by a river or stress which usually still flows through it. It is often located between mountain ranges, hills or other uplands.
(from Latin: vallis - valley)

E1



A Depression

E1

A Depression - is any hollow ground relative to the surrounding terrain. In particular, a depression is the internal sinking of the continental mass where the ground comes to rest at a lower level than the sea, often the dried-up basin of a lake or sea.
(from Latin: depressio - low)

F1

The Base

F1

The Base - is the part of a mountain at which the land begins to rise. It is the lowest part and supports the whole mountain.
(from Latin: basis - pedestal or base)

F1



The Slope

F1

The Slope - Is the surface of the mountain which is inclined at a certain angle from the horizontal surface of the earth.

F1



The Summit

F1

The Summit - is the highest point of the mountain. (from Latin: summus - highest)

F1



Culminating Point

F1

Culminating Point - is the point, generally at right angles to the folds in a mountain chain, away from which the folds plunge. West of the great mountain chains we know are folded mountains.

F1



The Peak

F1

The Peak - is the highest part of the original crustal uplift that has not yet been lowered by erosion.

F1



The Crest

F1

The Crest - is the highest natural projection which crowns a mountain or those that crown a mountain range, from which the surface dips downward in opposite directions.
(from Latin: crista - tuft)

F1



The Face: Right and Left

F1

The Face: Right and Left - the two opposite slopes on a mountain are called the faces. They are termed right or left according to their relation to some outer land form.

G1 A Mountain Chain	G1 A Mountain Chain - is a long and continuous series of mountains which is connected at the base. A mountain chain rises sharply and is marked off clearly from the country on either side. Its breadth is small compared with its length. (from Latin: catena - chain)
G1  A Mountain Massif	G1 Mountain Massif - is an irregular group of mountains, having the same base, that form a group about a central summit. Often a massif is formed by the rising up of rock (igneous or metamorphic) from an area that once had been a mountain core. (from French: massif - massive)
G1  A Mountain System	G1 A Mountain System - consists of several more or less parallel mountain chains grouped together. (from Latin: systema - organised whole)

G2

A Mountain Group

G2

A Mountain Group - is made up of several or many mountain peaks, or of short ridges. The Catskill mountains and the Black Hills are examples.

G2



The Crest of a Chain

G2

The crest of a Chain - is the line connecting the highest points or summits or a mountain. (from Latin: crista - tuft high point)

G2



The Watershed

G2

The Watershed - is the area contained within a drainage divide above a specified point on the headstream of a mountain chain.

G2



A Divide

G2

A Divide - is the line of separation between drainage systems in a mountain chain. A divide is usually in the form of a ridge.
(from Latin: dividere - force under, cleave apart)

G2



An Orographic Axis

G2

An Orographic Axis - is the central or dominating region of a mountain chain, or the line of which follows the crest of a range and thus indicates the position of the most conspicuous part of the uplift. The orographic axis usually coincides with the watershed.
(from Greek: oros - mountain, from Greek: graphs - writing, from Latin: axle - axis)

G2



The Longitudinal Valley

G2

A Longitudinal Valley - is the deep depression which runs parallel to conspicuous mountain chains and determines the perimeter of these chains.

G2  A Pass	G2 A Pass - is a gap or other relatively low break in a mountain range through which a road or trail may pass. It is usually caused by erosion, either by glaciers or by two streams which rise close to each other on opposite sides of the mountain barrier. It is saddle shaped.
G2  A Saddle	G2 A Saddle - is a rather wide pass between valleys, concave, which crosses a mountain chain. (from German: sattel - saddle)
G2  A Col	G2 A Col - is a depression in a range of mountains, usually providing a pass through the range. It may be formed by 2 streams on opposite sides of the ridge, cutting back towards one another. (from Latin: collum - neck)

G3  A Primary Chain	G3 A Primary Chain - is the trunk or base among a set of chains joined together.
G3  A Secondary Chain	G3 A Secondary Chain - is a series of elevations which is broken off from primary chains.
G3 A Spur	G3 A Spur - is a subordinate ridge which extends itself from the crest of a mountain like a rib from the vertebral column. (from German: sporn - spur)

G3



An Escarpment

G3

An Escarpment - is a steep face that termintes high lands abruptly.
(from French: escarper - to cut steeply)

G3



A Range

G3

A Range - is a mountain chain having many peaks, summits and ridges.

G3



An Orographic Knot

G3

An Orographic Knot - is a place in which two or more series of mountainous reliefs, which have different directions. This is usually the highest point among the surrounding reliefs, or an elevated land region formed by the juncture of several mountain regions.
(from Greek: oros - mountain, from Greek: graphs - writing)

H1  The Lowlands	H1 The Lowlands - include the extended plains or country lying not far above tide level. In general they are less than 1000 km above the sea, but they are marked off rather by their contrast with the higher lands of the mountains regions than by any special altitude. The surface is usually undulating and often hilly.
H1  The Highland	H1 The Highland - is an elevated or mountainous land. Highlands usually include all mountains, the heights of the land which are greater than hills, plateaux and tablelands as well.
H1  A Rise	H1 A Rise - is a small hill or upward slope.

H1  A Flatland	H1 A Flatland - is a land that lacks significant variation in elevation.
H1  A Tableland	H1 A Tableland - is land elevated much above the level of the sea and generally offering no considerable irregularities of surface. Both plateaux and mesas are considered tableland.
H1  A Plateau	H1 A Plateau - is a relatively elevated area of comparatively flat land which is commonly limited on at least one side by an abrupt descent to lower land. It is lined underneath by essentially horizontal strata. Sometimes the plateau is bisected by rivers, canyons or mountains ranges. The plateaux eventually break down into mesas and then into buttes. (from French: plat - flat)

I1  A River Valley	I1 A River Valley - is a long, narrow depression in the earth's surface with a fairly regularly downward slope, having a river or stream flowing through it. The valley has been carved from the surface rocks by the river or stream. A young river valley is U-shaped, but broadens as it matures. (from Latin: ripa - bank; vallis - valley)
I1  A Glacial Valley	I1 A Glacial Valley - is a long narrow V-shaped river valley. The valley walls and floor are scratched, grooved and polished by the debris being carried in the glacial ice. The large erosive force of glacier changes the V to a U-shaped and also tends to straighten it. (from Latin: glacis - ice; vallis - valley)
I1  A Canyon	I1 A Canyon - is a steep-walled chasm, gorge or ravine that is narrow but of considerable size. It has often been formed by a river cutting through the soft rocks of an arid region; the scantness of rainfall prevents the erosion of the canyon walls, and thus maintains their steepness. (from Latin: canna - reed, tube)

I1  A Vale	I1 A Vale - is a broad level valley containing a brook or a stream. The Vale of Kashmir in Northwest India is an example. (from Latin: vallis - valley)
I1  A Valley Head	I1 A Valley Head - is the upper or higher end of the valley. If the valley has a river the source is often found here. The valley head would be erosive result of the action of the river on the valley.
I1  The Walls	I1 The walls - are the side boundaries of a valley. When the valley is young the walls are fairly steep, but they become gently sloping with age. (from Latin: vallum - walls)

I1  The Floor or Bottom	I1 The Floor or Bottom - is the horizontal ground surface of any type of valley. This surface is quite narrow when the valley is young, but becomes wider with age. An old valley has a floor resembling a plain.
I1  A Mouth	I1 A Mouth - is the part of a valley where the valley walls level out into a plain or meet a body of water. It is opposite the head.
I1  A gorge	I1 A Gorge - is a narrow, young valley with precipitous, rocky sides, enclosed among the mountains. As the gorge grows older the sides level off. (It is usually smaller than a canyon.)

I1  A Precipice	I1 A Precipice - is the brink or edge of a high and very steep cliff. (from Latin: preciptius - precipice)
I1  A Ravine	I1 A Ravine - is a depression in the earth's surface worn out by running water, larger than a gully and smaller than a valley. Several ravines often lead to a valley.
J1 An Ocean	J1 An Ocean - is a great body of salt water which occupies 2/3 of the surface of the earth. It is divided into five major oceans which touch or surround one or more continents: Atlantic, Pacific, Indian, Arctic and Antarctic. (from Greek: okeanos - ocean)

J1



A Sea

J1

A Sea - is a large body of water (usually salt water) smaller than an ocean and more or less definitely marked off by land boundaries. An example is the North Sea.
(from Old English: mare - sea)

J1

A Glacier

J1

A Glacier - is an extended mass of ice formed from snow falling and accumulating over the years and moving very slowly. The movement of a glacier is in a definite direction and originates from the compacting of snow by the pressure of its weight.
(from Latin: glacies - ice)

J1



A Watercourse

J1

A Watercourse - is a natural path for water which is travelling from one place to another such as a stream, a river, a torrent, a channel. Man-made canals are also considered watercourses.

J1



Pooled Water

J1

Pooled Water - is a body of water which is enclosed by land and which lies in a hollow in the earth's surface. Examples are lakes, ponds, swamps.

J2



An Open Sea

J2

An Open Sea - is a sea whose boundaries are determined more by latitude and longitude or special characteristics rather than by land boundaries. The Sargasso Sea in the Atlantic is an example.

J2



An Adjacent Sea

J2

An Adjacent Sea - is a sea that borders a body of land. It is termed an adjacent sea in relation to that land.
(from Latin: adjacent - close to, next to)

J2



An Inland Sea

J2

An Inland Sea - is an adjacent sea that is largely surrounded by land or shallow water so that communication with the open ocean is restricted to one or a few straits. An example is the Mediterranean Sea.

J2



An Interinsular Sea

J2

An Interinsular Sea - is a sea whose boundaries are defined by the islands surrounding it.
(from Latin: inter - between; insularis - of an island)

J3



Alpine or Valley Glacier

J3

Alpine or Valley Glacier - is a glacier occupying a depression within a mountainous terrain and moving downward through valleys previously cut by mountains streams. Large valleys glaciers are seen in the Southern Canadian Rockies, the Cascades, Alps and also in the Caucasus, Himalayas and Southern Andes.

J3

A Piedmont Glacier

J3

A Piedmont Glacier - is a glacier formed by the union of two or more valley glacier beyond the base of a steep slope. Usually it covers lowlands at the foot of a mountain range. Piedmont glacier are restricted to the Greenland, Antarctic and Alaskan coasts.

J3



A Continental Glacier

J3

A Continental Glacier - is an ice sheet that completely covers a large part of a continent, covering mountains and plains under an unbroken expanse of ice. The Antarctic ice sheet is an example. A continental glacier moves outward from centres of accumulation.

J3



An Iceberg

J3

An Iceberg - is a large mass of ice broken off from the lower ends of a huge glacier, which in high altitudes forces its way down to and into the sea. Icebergs float nine-tenths in the water and one-tenths out, so that for every foot of ice above water there are nine feet below. the ice in sources of icebergs are the great ice sheets that cover Greenland and Antarctica.
(from Danish: berg - mountain)

J4

The Tongue

J4

The Tongue - is the leading part of the glacier.
(from Latin: lingua - tongua)

J4



The Face

J4

The Face - refers to each side of the crevasses of a glacier.

J4



A Crevasse

J4

A Crevasse - is a deep and vertical fissure in a glacier. It may be formed when the slope down which the glacier is moving steepens, and the glacier moves more quickly. Or it may be formed simply because the deeper layers of the ice are plastic and the rigid upper crust breaks due to the quicker movement of the deeper layer.
(from Latin: crepare - to crack)

J4



A Serac

J4

A Serac - is formed when two or more sets of crevasses intersect and the surface of the glacier is torn into a broken mase of jagged ice pinnacles.

K1



The Collective Basin

K1

The Collective Basin - is the gathering ground in the hollow where the glacier is formed which becomes a motionless snowfield full of semi-crystalline ice or 'neve'.

K1



The Ablatory Basin

K1

The Ablatory Basin - Ablation is the melting that occurs on the surface of the glacial ice as a result of sun, rain and warm, dry winds. It includes evaporation. The basin that forms at the foot of the glacier because of this process is called the ablatory basin. it often is dome-shaped in the centre with reduced thickness along the edges where the melting occurs.
(from Latin: ab - from; latum - to carry)

K2



A Marginal Crevasse

K2

A Marginal Crevasse - A crevasse is a deep fissure or split in a glacier caused by forces that result from different rates of flow in various parts of the underlying ices. A Marginal crevasse is a crevasse occurring at the outer periphery of the glacier, often opening out into a fan shape.

K2



A Transversal Crevasse

K2

A Transversal Crevasse - is a crack in the glacier at right angles (approximately) to the direction of ice flow. This usually occurs when the glacier turns a sharp corner causing irregular groups of blocks. The blocks are called seracs, named after a white cheese made in the Chamonix Valley in France.

K2



A Longitudinal Crevasse

K2

A Longitudinal Crevasse - is a crevasse formed when the valley widens and the glacier spreads or when there are sudden changes of slopes across the valley floor. Generally the line follows the direction of ice flow.

K2



A Radial Crevasse

K2

A Radial Crevasse - is a crevasse that radiates from a central point, like a spoke from the centre of a wheel. Often many crevasses radiate from the same point. They develop due to the difference between the velocity in the middle of the glacier and that at the side.

K3

A Frontal Moraine

K3

A Frontal Moraine (or Terminal Moraine) - is a moraine formed across the course of a glacier at its farthest advance, at or near a relatively stationary edge, or at places marking the termination of important glacial advances.

K3



A Lateral Moraine

K3

A Lateral Moraine - is the talus that is moved along the sides of a valley glacier. When the ice melts, the moraine remains as a ridge along each side of the glaciated area. Talus is the rock material that falls from the face of a cliff or mountain, due to weathering forces. Ice wedging is the erosive force that creates most talus near glaciers. it is the expansion of water that freezes in the flaws of the thin rock next to the glacier. Pieces then break loose as talus.

K3



A Medial Moraine

K3

A Medial Moraine - is the material formerly carried on the edge of separate glaciers that combined to form a single glacier. Thus, their lateral moraines merged to form a medial moraine.
(from Latin: medialis - middle)

L1

A Stream

L1

A Stream - is any body of flowing water or other fluid whose course is influenced by gravity.
(from German: strom - stream)

L1



A Torrent

L1

A Torrent - is a stream flowing with great violence or turbulence due to an increase in velocity or increase in the roughness of the confining walls.
(from Latin: torrens - boiling)

L1



A River

L1

A River - is a stream of fresh water bearing the waste of the land from higher to lower ground, and as a rule to the sea. It flows by a natural channel being confined within banks.
(from Latin: ripa - bank)

L1



A Channel

L1

A Channel - is the deepest portion of a stream, bay or strait through which the main volume or current of water flows. It is usually the channel that is used for navigation as the other areas are too shallow. The term channel may also be applied to a large strait such as the English Channel.
(from Latin: canalis - canal)

L2



The Source

L2

The Source - is the point of origin of a river. The source of a river may be a number of rivulets, a spring, a lake, rainfall, snowfall or the melting of glacial ice.

L2



A Course

L2

A Course - is the path the river follows, it includes an upper, middle and lower part.
(from Latin: cursus - a running)

L2



A Bed

L2

A Bed - is the floor or bottom on which a river rests. The bed has been carved out by the river itself.
(from Old English: bedd - bed)

L2



A Bank

L2

A Bank - is the rising ground bordering a river that confines it to its natural channel. A bank is designated as right or left as it would appear facing downstream.
(from Old French: banc - bank)

M1  The Rapids	M1 The Rapids - are the section of a stream in which the velocity is notable greater than the sections immediately above or below it. Rapids may be caused by a sudden steepening of the slope or by unequal resistance in the successive rocks traversed by the river. (from Latin: rapidus - quickly)
M1  A Cascade	M1 A Cascade - is a waterfall, usually small, especially one of a series of small falls, formed by water in its descent over rocks. (from Italian: cascata, from Latin: cadere - fall)
M1  A Cataract	M1 A Cataract - is a large waterfall in which the vertical drop has been concentrated in one sheer drop or ever flow (usually over a precipice). (from Greek: kataraktes - down rushing)

M1  A Meander	M1 A Meander - is a curve in the course of a river which continually swings from side to side in wide loops as it crosses flat land. The name meander comes from the Meander River in Turkey.
M2  A Simple Mouth	M2 A Simple Mouth - is what a river is said to have when it enters another body of water directly through a single channel.
M2  A Delta	M2 A Delta - is a fan-shaped alluvial tract formed at the mouth of a river when it deposits more solid material than which can be removed by tidal or other currents. (from Greek: the capital letter delta is triangular shaped)

M2



A Bird's Foot Delta

M2

A Bird's Foot Delta - is a delta formed by the outgrowth of fingers or pairs of natural banks at the mouth of a river. The Mississippi River delta is an excellent example of this type.

M2



An Estuary

M2

An Estuary - is the mouth of a river where tidal effects are evident and where fresh water and sea water mix. Usually an estuary serves as a drainage channel because of the sinking of coastal lowlands. An arm or inlet of a sea is also called an estuary. (from Latin: sestus - heaving motion, surge, tide)

M3



A River Basin

M3

A River Basin - is the land from which a river gathers its water and rock waste.
(from Middle English: rivere and basin - water vessel)

M3



An Affluent

M3

An Affluent - is a stream or river flowing into a larger river or into a lake. It can also be called a tributary stream. It is usually quick-flowing and powerful.
(from Latin: affluens - flowing abundantly)

M3

A Subtributary

M3

A Subtributary - is a brook or creek that flows into a stream or river which flows into a larger one.
(from Latin: sub - under; tributum - to give, distribute)

M3



A Tributary

M3

A Tributary - is a river or stream which contributes its water to a main river by discharging it into the river, from either side, and at any point along its course.
(from Latin: tributum - to give, distribute)

M3  The Confluence	M3 The Confluence - is the point at which one stream flows into another, or where two streams converge and unite. (from Latin: confluentia - the act of flowing together)
N1  A Lake	N1 A Lake - is any standing body of inland water, generally of considerable size. (from Old English: lecu - stream, pool)
N1  A Pool or Pond	N1 A Pool or Pond - is a body of standing (possibly stagnant) water.

N1

A Swamp

N1

A Swamp - is a low, spongy land, generally saturated with moisture and unfit either for agricultural or pastoral purposes. It is frequently covered with grasses and aquatic vegetation and may support a few trees.
(from Greek: somphos - spongy, porous)

N2



A Seepage Lake

N2

A Seepage Lake - is a lake formed by the slow oozing out of the water into the earth's surface from the pores and crevices of the earth's mantle rock.

N2



A Crater Lake

N2

A Crater Lake - is a lake generally of fresh water, formed by the accumulation of rain and ground water in a volcanic crater or caldera with relatively impermeable floor and walls. A good example of this type of lake is Crater in Oregon.
(from Greek: krater - to mix)

N2  An Ox-bow Lake	N2 An Ox-bow Lake - is a crescent-shaped lake formed in an abandoned river bend which has become separated from the main stream by a change in the course of the river. These lakes are also know as bayous.
O2 Active	O2 Active - an active volcano is one that still erupts at times. Most geologists classify a volcano as active if it has erupted at least once in the past 50 years. (from Latin: activum - to act, do)
O2  Dormant	O2 Dormant - a dormant volcano is a volcano which has erupted in historical times but not in the past 50 years. (from Latin dormire - sleep, be inactive)

O2 Extinct	O2 Extinct - an extinct volcano is a volcano that is dead or has be inactive historically and displays badly gullied and dissected cones, with the form commonly so much modified that a crater no longer exists. In this case it seems activity has ceased for good. (from Latin: extinctus - destroyed, put out)
O2  Underwater	O2 Underwater - a volcano is considered an underwater volcano when its entire cone is submerged beneath the water level. A good example of an active underwater volcano is Myojin-sho, south of Tokyo near the Isu Islands.
O3 Eruption	O3 An Eruption - is the emission or ejection of volcanic materials (rocks, gases, etc.) at the earth's surface from a crater of pipe or from a fissure. (from Latin: eruption - to break forth)

O3  Explosions	O3 Explosions - are the maximum eruptions of a volcano. Whereas eruptions may be slow and issue only gas and molten rock, explosions are a more violent phase and usually eject enormous, hard rocks.
O3 Emanations	O3 Emanations - are volatile or nonvolatile materials emitted from volcanoes, usually consisting of a mixture of water vapour and one or more of the other volcanic gases. (from Latin: emantus - proceeded from)
O3  Extinction	O3 Extinction - a volcano is considered to be extinct (or to have reached extinction) when it has not erupted for over 3000 years. However, it is difficult to determine when a volcano may be called extinct since few records have been kept for over 5000 years.

O4  Magma	O4 Magma - is the molten rock material contained below the surface of a fissure in some kind of chamber or reservoir. If magma hardens underground it is known as granite. (from Greek: magma - a salve)
O4  Lava, Scoria and Bombs	O4 Lava, Scoria and Bombs - 1. If magma pours out onto the surface of a volcano it is known as lava in its molten state. 2. Cooled lava results in basalt. If gas bubbles escape while the rock cools, open spaces or pores result. This type of basalt is known as scoria. 3. Detached masses of lava shot out by volcanoes which, as they fall, assume rounded forms like bombshells are known as bombs.
O4  Pumice	O4 Pumice - is glassy lava in a spongy or porous form. It is lava that hardened while steam and other gases were still escaping. As it is light in weight, large chunks of pumice often float on ocean currents far from the place where they formed. Pumice is found in the same area as obsidian. (from Latin: pumex - stone)

O4  *Smoke, Gas and Vapour*	O4 Smoke, Gas and Vapour - the visible mist given off by a volcano, and usually a combination of grey, brown or blackish gases and suspended carbon particles, is known as volcanic smoke. Volcanic gas may escape through the lava. Usually the gas is made up primarily of water vapour, hydrogen, oxygen, nitrogen, sulphur, carbon, hydrochloric acid and helium. Any substance that erupts from a volcano in a gaseous state is known as vapour. (from Old English: smoka - smoke, from Greek: chaos - gas, from Middle English: vapour)
O5  *Solfatara*	O5 Solfatara - is a semi-extinct volcano, emitting only gaseous sulfurus exhalations and aqueous vapours. (from Solfatara, Italy)
O5 *Mofette*	O5 Mofette - is a fissure or other opening, occurring in a region of recent volcanic activity, from which water vapour and carbon dioxide are emitted. It is a type of fumerole. (from Latin: mephitis - pungent emission)

O5  Mud-pot	O5 Mud-pot - is a type of hot spring consisting of a shallow pit or cavity filled with hot, generally boiling, mud carrying very little water and large amounts of fine-grained mineral matter. Many such mud-pots may be seen in Yellowstone National Park.
O5  Mud-Volcano	O5 Mud-Volcano - is a cone-shaped mound with a maximum height of about 75 metres. It is build around a spring by mud brought to the surface by slowly escaping natural gas.
O5  Fumerole	O5 Fumarole - is a hole or vent from which fumes or vapour issue. These are usually in volcanic areas.

O5

Boraciferous Fumarole

O5

Boraciferous Fumarole - when the gaseous vapour of a fumarole is predominantly boracite (Mg6Cl2B14O26) it is known as a boraciferous fumarole.

O5



A Geyser

O5

A Geyser - is literally a roarer. Columns of water are thrown out at intervals with great force, often rising to 30 to 40 metres. After the jet of water ceases, a column of steam rushes out with a thundering roar, and the eruption then ceases for an interval.

O5

A Thermal Spring

O5

A Thermal Spring - is a spring which discharges water heated by natural agencies.
(from Greek: thermos - thermos)

O1 The volcano	O1 The Volcano - is a vent in the earth's crust from which highly heated materials erupt. On solidifying some of these materials accumulate around the opening to form a conical relief. (from Latin: Vulcanus - Roman god of fire)
 The Cone	The Cone - is the external mountainous relief which is usually conical in shape. It is formed as a result of the solidification of the materials ejected by the volcano. (from Latin: conus - cone)
O1  The Crater	O1 The Crater - is the bowl-shaped or funnel-shaped pit at the top of the volcanic cone, and it is therefore the central or principal one. Out of this materials produced by the volcano are ejected. (from Greek: krater - a bowl for missing wine and water)

O1  The Conduit	O1 The Conduit - is a pipe-like vent in the earth's crust through which the volcanic materials rise to the surface. When a conduit is formed at the centre of the volcanic cone it is the central or principal one. (from Latin: conductus - past participle of conducere, to lead, to bring together)
O1  The Magma Basin	O1 The Magma Basin - is the internal region of the earth from which the molten rock which is liquid or partly will erupt. (from Greek: massein: to knead; from Latin: bacchinon: water vessel)
O1  The Secondary Crater	O1 The Secondary Crater - is the bowl-shaped or funnel-shaped pit situated on the side of a volcanic cone instead of at its top. (from Greek: krater - a bowl for missing wine and water)

O1  The Secondary Conduit	O1 The Secondary Conduit - is a pipe-like vent which branches off from the central conduit. It opens out on the side of the volcanic cone and ends at a secondary crater.
O1  The Secondary Cone	O1 The Secondary Cone - is the external mountainous relief that is formed as a result of the solidification of the materials ejected by the secondary crater.