

ZINC ... Galvanizing CIF to Work with UNIX

“... the information we possess often has nothing to do with the information we need. It has to do with how the information is packaged and presented to us.”

From *Stats*, by Bill James

A Visit from a User

- **No understanding of the DDL discussion**
- **Overwhelmed by the size and complexity of the mmCIF dictionary**
- **Not confident that my software will solve their problem.**
- **Does not have time nor staff to devote to "serious" programming projects - seat of the pants operations**

Why CIF does not work with Unix tools

- **Line orientation of Unix tools**
 - **grep, (g)awk, sed, perl**
- **Field orientation of Unix tools**
 - **(g)awk, perl, sort**
- **Position orientation of Unix tools**
 - **diff, head, tail**
- **These are all piping tools - very different from many being developed for CIF.**

Which leads to ... ZINC

- A piping format
- `block <\t> name <\t> index <\t> value <\t> loop-id`
 - new-lines replaced by "`\n`"
 - comments are included
- This format is accessible to most Unix tools (long lines are sometimes a problem with the older tools)

Applications

- **zincGrep** - search a CIF for a regexp
- **cifZinc** - convert a CIF to a ZINC
- **zincCif** - convert a ZINC to a CIF
- **zincNI** - Create a namelist input from a ZINC
- **cifdiff** - find real differences in CIFs
- **zincSubset** - Extract a subset of a CIF.
- **zb** - A simple browser in tcl/tk. << 200 lines

SimpleCif - 1

```
data_bigloop
  _name      "lots of points"
  _author
;
  Dave Stampf
;
  loop_
    _x      _y      _color
    0       0       red
    1       1       red
    2       4       red
    3       9       orange
    4       16      orange
    5       25      orange
  _status complete
```

**Zinc - Galvanizing CIF to Work with UNIX
CIF Tools/Brussels**

zincGrep

```
bach 1% grep author simple1.cif
      _author
bach 2% zincGrep author simple1.cif
bigloop author          ;\n      Dave Stampf\n;
bach 3%
```

cifdiff - the "similar file"

```
data_bigloop
  _status complete

  loop_
    _y      _x      _color
      0      0      red
      1      1      red
      2      2      red
      9      3      orange
     16      4      orange
     25      5      orange
  _name      "lots of points"
  _author

;
  Dave Stampf
;
```


cifdiff - the result

```
bach 4% cifdiff simple1.cif simple2.cif
18c18
< bigloop      y      2      4
---
> bigloop      y      2      2
bach 5%
```

cifdiff - the program

```
#!/bin/csh
#
# @(#) cifdiff 1.1 9/24/94
#
# find difference in two cifs.
#

cifZinc $1 | sort -t\      +0 -1 +4 +1 -2 +2n -3 |\
    gawk -F\  -v OFS=\    '{print $1, $2, $3, $4}' > /tmp/$1.zinc
cifZinc $2 | sort -t\      +0 -1 +4 +1 -2 +2n -3 |\
    gawk -F\  -v OFS=\    '{print $1, $2, $3, $4}' > /tmp/$2.zinc

diff /tmp/$1.zinc /tmp/$2.zinc
rm /tmp/$1.zinc /tmp/$2.zinc
```

zincSubset - generating a cif subset

```
bach 1% zincSubset coords simple1.cif | zincCif
```

```
data_bigloop
  loop_ _x
      _y
```

0	0
1	1
2	4
3	9
4	16
5	25

```
bach 2%
```

zincSubset - the program

```
#!/bin/csh
#
# code to determine the values of the v and c switches removed
# for display purposes.

cifZinc $c $2 | egrep $v -f $1
```

zincNI - the application program

```
      program testnl
C
C      Get namelist to work.
C
      integer x(6), y(6)
      namelist /bigloop/ x, y

      read (5,nml=bigloop)
      write(6,600) (x(j), y(j), j=1,6)
600 format(12(1x,i12))
      stop
      end
```

zincNl - the result

```
bach 1% zincSubset coords simple1.cif | zincNl | testnl
      0      0      1      1      2      4      3      9      4     16      5     25
bach 2%
```

Gains and Losses

- **+**
 - **Huge number of potential application programmers**
 - **Huge base of existing software**
 - **Empowers the individual consumer**
- **-**
 - **Big change in size**
 - **Unreadable in a different way than CIF**