

Poultry Farm Admin, specified screen by screen.

JoliveAdmin is the back-office console for a poultry farm's storefront: an Admin or Super Admin signs in to list live birds, eggs, feed and equipment; confirm or reject customer orders; reconcile mobile-money payments; and, for Super Admins, manage the admin roster itself. This document specifies all seven screens at high fidelity — layout, components, copy, and every loading/empty/error state — reusing the product's own design tokens so it can be rebuilt in Figma frame-for-frame once file access is restored.

7 screens

2 roles – Admin / Super Admin

2 permissions – ManageProducts, ConfirmOrders

Currency – Le (Sierra Leonean Leone)

Login

Dashboard

Products

Categories

Orders

Transactions

Admins


01 • FOUNDATION

Design tokens


Pulled directly from the app's own `styles.css` — a deep farmhouse-green sidebar against warm paper, with an amber brand accent. These are the exact values to load as Figma variables before building any frame or component.

Brand & neutrals





Semantic



Each has a -Light tint (success #f0fdf4, warning #fffbeb, danger #fef2f2) used as badge and alert backgrounds — semantic color is kept separate from the amber brand accent throughout.

Type

Inter, loaded once for the whole app. One family, weight does the work.

h1 / 1.5rem / 700

Products

page-subtitle / 0.9rem / 400

24 products total — live birds, eggs, feed & supplies.

body / 0.875rem / 400

Le 95.00 — Broiler Chicken (Live, 2.2kg)

label / 0.85rem / 500

Category

uppercase label / 0.78rem / 600

PENDING ORDERS

mono data

ORD-2026-0143


Shape & spacing

Corner radius: 10px cards, 8px buttons/inputs/thumbnails, 999px pills. Page gutter 1.75rem/2rem, card padding 1.25rem, grid gaps 1rem.

02 • FOUNDATION

Components

The full kit every screen composes from. Build each as a Figma component with the states shown — most only need default/hover/disabled, a few need more.



e.g. Broiler Chicken (Live, 2kg)

Live Birds



Table row + hover/selected states

ORDER #	STATUS	TOTAL
ORD-2026-0143	Pending	Le 200.00
ORD-2026-0142	Confirmed	Le 96.00

BUILD ORDER IN FIGMA

- Color & spacing variables first, then type styles.
- Button → Badge → Input → Alert → Stat tile, each as a component set with a `state` variant property.
- Table row last, since it composes badges + buttons.

STATES EVERY INTERACTIVE COMPONENT NEEDS

- default / hover / focus-visible / disabled at minimum.
- Buttons additionally need a `loading` variant (spinner + label, e.g. "Saving...", "Confirming...", "Rejecting...").
- Focus ring is a 2px solid brand outline, 1px offset — keep it on every focusable element.

03 • SCREEN

Login

The only unauthenticated screen. A single centered card on a dark farmhouse-green radial gradient — the one place the deep navy/green tone appears outside the sidebar.

/login

guestGuard – redirects away if already signed in



poultryfarm.app/login



Poultry Farm

Sign in to the admin console with your Admin or Super Admin account

Username

e.g. Yayah.waritay

Password

.....

Sign in

Card is 380px max-width, centered in the viewport at any size.

STATE — SUBMITTING



Poultry Farm

○ Signing in...

VALIDATION

- Both fields required; touching a field and leaving it empty shows "Username is required." / "Password is required." in danger-red beneath it.

ERROR

- A failed login shows a danger alert above the fields: "Invalid username or password." (or the server's own message).
- On success, navigates straight to `/dashboard`.

- Submit is disabled while `submitting` is true — no double-submit.


04 • SCREEN

Dashboard

The landing screen after sign-in — a role-aware summary plus quick links. This is also where the full app shell (sidebar + content) is shown for the first time; every other screen renders inside the same shell.

/dashboard

authGuard only – every signed-in role lands here



Y Super Admin

Sign out

Reconcile payments against
provider statements.

Create Admin account
manage their permissions

Sidebar is a fixed 230–250px column, deep farmhouse-green (navy-950), full viewport height. Active nav item gets a solid amber fill.

ROLE-DRIVEN CONTENT

- Stat row only renders for admins with `ConfirmOrders` — an admin with only `ManageProducts` sees just the greeting and quick links.
- Subtitle copy itself changes by role: Super Admin gets "Here's an overview of the poultry farm store."; a regular Admin gets "Here's what needs your attention."
- Sidebar nav items and quick-link cards are filtered the same way — Admins is Super-Admin-only, Products/Categories need `ManageProducts`, Orders/Transactions need `ConfirmOrders`.

STATES

- Stat values show "—" while the pending-order count hasn't loaded yet.
- A load failure on either call surfaces one danger alert above the stat row, e.g. "Could not load transaction summary." — the rest of the page still renders.
- Quick-link cards lift 1px and their border turns amber on hover.

05 • SCREEN

Products

The catalog: a filterable, paginated table with an inline create/edit form that includes image upload. The busiest screen in the app.

/products

permission: `ManageProducts`

poultryfarm.app/products

Products

24 products total — live birds, eggs, feed & supplies.

Category

Search

All categories



Search by name...

Apply

	NAME	CATEGORY	PRICE	STOCK	STATUS	UPDATED
	Broiler Chicken (Live, 2.2kg)	Live Birds	Le 95.00	64	Active	Aug 14, 2026
	Layer Hen (Point-of-Lay)	Live Birds	Le 145.00	22	Active	Aug 12, 2026
	Day-Old Chick (Broiler)	Live Birds	Le 12.50	310	Active	Aug 10, 2026
	Crate of Eggs (30pcs, Large)	Table Eggs	Le 48.00	40	Active	Aug 15, 2026
	Broiler Starter Feed (25kg)	Poultry Feed	Le 320.00	8	Active	Aug 9, 2026
	Automatic Nipple Drinker (5L)	Equipment & Supplies	Le 65.00	0	Inactive	Jul 30, 2026

← Previous

Page 1 of 2

Next →

STATE — CREATE FORM OPEN

New product

Name

e.g. Broiler Chicken (Live, 2kg)

Category

Select a category



Price (Le)

0

Quantity in stock

0

Whole cents are stored server-side; enter the major-unit price.

Description

e.g. Farm-raised broiler, dressed and package

Save product

Cancel

Birds, crates of eggs, or feed bags — whatever unit this product sells in.

Photo

Choose File No file chosen

jpg/jpeg/png/webp/gif, up to 5 MB.

Same form re-used for edit — heading becomes "Edit product", an "Active (visible on storefront)" checkbox appears, and an image preview ($\leq 160\text{px}$) shows beneath the grid once a photo is selected or already on file.

FILTERING & PAGINATION

- Category dropdown + free-text name search, both applied together via the `Apply` button (search also triggers on Enter).
- 20 rows per page; pagination controls only appear when there's more than one page.

ROW ACTIONS

- "Deactivate" only shows for active products and asks to confirm: `Deactivate "Broiler Chicken (Live, 2.2kg)"`? It will be hidden from the storefront. — it's a soft delete, so inactive products stay listed with an Edit-only action.
- Thumbnails are 42×42 , rounded 8px; missing images show a flat tinted square, not a placeholder icon.

EMPTY / LOADING / ERROR

- Loading: single centered row, `"Loading products..."`
- No results: `"No products match these filters."`
- Load failure replaces the table body with the error message; a save/delete failure shows inline instead (form alert or a banner above the table).

Categories

A flat, un-paginated table for the category tree, with true inline row-editing — no modal, the row itself becomes the form.

Categories

Manage the poultry product category tree.

NAME	DESCRIPTION	PRODUCTS	STATUS	CREATED
Live Birds	Broilers, layers and day-old chicks	18	Active	Jan 6, 2026
Table Eggs	Crated and loose eggs	6	☒ Active	Jan 6, 2026
Poultry Feed	Starter, grower and layer mash	9	Active	Jan 6, 2026
Equipment & Supplies	Drinkers, feeders, incubators	5	Active	Feb 2, 2026
Veterinary	—	0	Inactive	Mar 18, 2026

Row 2 shown mid-edit: name/description become text inputs, status becomes a checkbox, and the action pair swaps to Save/Cancel — everything else on the row (product count, created date) stays read-only text.

CREATE

- "+ New category" toggles an inline card form above the table (name + description); the button label itself flips to "Cancel" while it's open.

DELETE

- This is a hard delete (unlike products' soft-deactivate) — confirm copy is blunt: Delete category "Table Eggs"? This can't be undone.
- A delete failure (e.g. category still has products) shows as a page-level danger alert above the table.

07 • SCREEN

Orders

A master-detail layout: order list on the left, a sticky detail panel on the right that opens on row click and carries the confirm/reject workflow.

/orders permission: ConfirmOrders

poultryfarm.app/orders

Orders

Review and confirm or reject customer orders.

Status

Pending

▼

Apply

ORDER #	CUSTOMER	STATUS	TOTAL	PLACED
ORD-2026-0143	Fatmata Sesay	Pending	Le 200.00	Aug 19, 2026, 9:14 AM
ORD-2026-0138	Abu Kanu	Pending	Le 145.00	Aug 18, 2026, 4:02 PM
ORD-2026-0136	Zainab Conteh	Pending	Le 380.00	Aug 18, 2026, 11:47 AM

ORD

Pen

Cust

Phor

Email

Deliv

Place

ITEM

Broil

Subt
Deliv
Tota
Adm
Op
C

Detail panel is sticky (stays in view while the list scrolls) and only appears once a row is selected — the list is full-width until then. Layout stacks to a single column below 900px.

STATUS FILTER

- Defaults to `Pending` on load — that's the actionable queue — with "All statuses" and the other four statuses also selectable.
- Badge color maps status to meaning: Confirmed/Completed → success green, Rejected/Cancelled → danger red, Pending → warning amber.

CONFIRM / REJECT

- The notes field + action buttons only appear while the selected order is `Pending`; once actioned the panel instead shows the read-only admin note (if any) and, for a Confirmed order, who confirmed it and when.
- Each action button shows its own spinner + verb while in flight ("Confirming..." / "Rejecting...") and both are disabled during either.

08 • SCREEN

Transactions

Payment monitoring and reconciliation — summary tiles generated dynamically from whatever statuses exist, then a filterable table with a reconcile panel that expands as an extra table row.

/transactions

permission: ConfirmOrders



poultryfarm.app/transactions

Transactions

Monitor payments and reconcile them against provider statements.

TOTAL TRANSACTIONS
4

TOTAL AMOUNT
Le 701.00

PENDING
1
Le 200.00

RECONCILED
1
Le 340.00

FAILED
1
Le 65.00

Status

Provider

From

To

All statuses

e.g. OrangeMoney

dd/mm/yyyy

dd/mm/yyyy

REFERENCE	ORDER #	PROVIDER	AMOUNT	STATUS	DATE
PMT-88213	ORD-2026-0142	OrangeMoney	Le 96.00	Success	Aug 18
New status Reconciled Notes e.g. Matched against prov SaveCancel					
PMT-88214	ORD-2026-0143	Afrimoney	Le 200.00	Pending	Aug 19
PMT-88190	ORD-2026-0140	Cash	Le 340.00	Reconciled	Aug 15
PMT-88180	ORD-2026-0139	QMoney	Le 65.00	Failed	Aug 14

Reconcile panel shown expanded under row PMT-88213 — it inserts as a full-width row directly beneath the transaction being reconciled, on a tinted (ink-100) background so it reads as a nested, temporary state.

SUMMARY TILES

- First two tiles are fixed (count, total amount); the rest are generated one-per-status from whatever

RECONCILE ACTION

- Only available on Pending or Success transactions; once reconciled or failed, the action column

statuses are actually present in the current filtered range — so this row grows or shrinks with the data.

- Tiles respect the date filter — narrowing From/To recomputes them, not just the table.

instead shows who reconciled it.

- Reconciling always sets a terminal status: *Reconciled* or *Failed*, with an optional note either way.

09 • SCREEN

Admins

Super-Admin-only user management: create Admin accounts and grant them either or both permissions. The most privilege-sensitive screen — every action here reads as consequential in its copy.

/admins

superAdminGuard — hidden entirely from regular Admins

● ● ● poultryfarm.app/admins

Admins

Create Admin accounts and manage their feature permissions.

USERNAME	ROLE	PERMISSIONS	STATUS	CREAT
yayah.waritay	Super Admin	—	Active	Jan 6,
admin.orders1	Admin	ConfirmOrders	Active	Feb 1
admin.stock1	Admin	ManageProducts	Active	Mar 3
admin.temp	Admin	ManageProducts ConfirmOrders	Inactive	Apr 2

STATE — CREATE FORM OPEN

Username

e.g. admin.orders2

Password

At least 6 characters

Permissions

- ☐ ManageProducts
- ☐ ConfirmOrders

Create admin

THE SUPER ADMIN ROW

- Super Admins render with no row actions at all and an empty permissions cell (—) — permissions are an Admin-only concept, a Super Admin implicitly has everything.

EDITING & DEACTIVATING

- Edit turns the Permissions and Status cells into checkboxes inline (same pattern as Categories); username and role stay read-only — usernames aren't renameable here.
- Deactivate confirms with `Deactivate admin "admin.orders1"?` They will no longer be able to sign in. and, once inactive, that row loses its Edit action too — reactivating isn't exposed by this screen.

10 • HANDOFF

Figma build plan

The concrete order of operations for once file access is back — this spec maps directly onto a three-page Figma file.

Page 1 — Foundations

1. Color variables from §01 (10 neutrals + brand + 3 semantic pairs).
2. Text styles: h1, page-subtitle, body, label, uppercase-label, mono-data.

Page 2 — Components

1. Button (variant: primary/secondary/danger/success × state: default/hover/disabled/loading).

3. Effect style for the card shadow / login-card shadow.

2. Badge (variant: success/warning/danger/neutral/brand).
3. Input, Select, Textarea, Checkbox row.
4. Stat tile, Alert, Table row, Detail-list row.

Page 3 — Screens

1. Build the Shell frame (sidebar + content slot) once; every other screen's frame nests it as an instance so nav updates propagate everywhere.
2. Login (standalone, no shell).
3. Dashboard → Products (incl. form) → Categories → Orders (incl. detail panel) → Transactions (incl. reconcile row) → Admins.
4. Duplicate each screen frame once per key state called out in this doc (empty / loading / error / form-open) and group as variants.

Poultry Farm Admin Blueprint · sourced from the JoliveAdmin Angular codebase (routes, component templates, and `styles.css`) · prepared for Figma handoff.