```
>Warning # 849 in column 23.  Text: en_PK
>The LOCALE subcommand of the SET command has an invalid parameter.  It could
>not be mapped to a valid backend locale.
GET
  FILE='C:\Users\HP\OneDrive\Ta`i liệu\Research\palliative data.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
ONEWAY PaCKS BY Gender
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

```
[DataSet1] C:\Users\HP\OneDrive\Ta`i liệu\Research\palliative data.sav
```

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
Female	161	9.9068	2.51197	.19797	9.5159	10.2978	.00
Male	85	9.3647	3.18795	.34578	8.6771	10.0523	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
Female	13.00
Male	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	16.350	1	16.350	2.141	.145
Within Groups	1863.297	244	7.636		
Total	1879.646	245			

```
ONEWAY PaCKS BY Institutionofstudy
  /STATISTICS DESCRIPTIVES
```

```
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
Private	158	9.9114	2.98911	.23780	9.4417	10.3811
Government	88	9.3750	2.30099	.24529	8.8875	9.8625
Total	246	9.7195	2.76984	.17660	9.3717	10.0674

Descriptives

PaCKS

	Minimum	Maximum
Private	.00	13.00
Government	3.00	13.00
Total	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	16.262	1	16.262	2.129	.146
Within Groups	1863.384	244	7.637		
Total	1879.646	245			

```
ONEWAY PaCKS BY Provinceofinstitution
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
Sindh	181	9.8674	2.68826	.19982	9.4731	10.2617
Punjab	44	9.3636	2.94990	.44471	8.4668	10.2605
KPK	13	9.0769	3.40249	.94368	7.0208	11.1330
Balochistan	8	9.3750	2.66927	.94373	7.1434	11.6066
Total	246	9.7195	2.76984	.17660	9.3717	10.0674

Descriptives

PaCKS

	Minimum	Maximum
Sindh	.00	13.00
Punjab	.00	13.00
KPK	1.00	13.00
Balochistan	5.00	13.00
Total	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	15.849	3	5.283	.686	.561
Within Groups	1863.798	242	7.702		
Total	1879.646	245			

```
ONEWAY PaCKS BY FamilyIncomestatus
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence ... Lower Bound
<50,000 PKR	16	8.7500	3.35659	.83915	6.9614
50,000-100,000 PKR	40	9.4500	2.69805	.42660	8.5871
100,000-200,000 PKR	57	9.5789	2.71864	.36009	8.8576
200,000-300,000 PKR	32	9.5938	2.69838	.47701	8.6209
300,000-400,000 PKR	18	10.2778	2.02355	.47696	9.2715
400,000-500,000 PKR	21	10.5714	3.09146	.67461	9.1642
>500,000 PKR	62	9.8871	2.81742	.35781	9.1716
Total	246	9.7195	2.76984	.17660	9.3717

Descriptives

PaCKS

	95% Confidence Interval for Mean Upper Bound	Minimum	Maximum
<50,000 PKR	10.5386	.00	12.00
50,000-100,000 PKR	10.3129	.00	13.00
100,000-200,000 PKR	10.3003	.00	13.00
200,000-300,000 PKR	10.5666	1.00	13.00
300,000-400,000 PKR	11.2841	7.00	13.00
400,000-500,000 PKR	11.9786	.00	13.00
>500,000 PKR	10.6026	.00	13.00
Total	10.0674	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	42.169	6	7.028	.914	.485
Within Groups	1837.477	239	7.688		
Total	1879.646	245			

```
ONEWAY PaCKS BY Beforecompletingthissurveyhadyouheardofpalliativecare
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
no	63	8.3968	3.32895	.41941	7.5584	9.2352	.00
yes	183	10.1749	2.39551	.17708	9.8255	10.5243	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	148.163	1	148.163	20.879	.000
Within Groups	1731.484	244	7.096		
Total	1879.646	245			

```
ONEWAY PaCKS BY Haveyouoranyoneclosetoyousuchasafriendorfamilymemberrequiredor
ha
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
no	155	9.5548	2.87656	.23105	9.0984	10.0113	.00
yes	91	10.0000	2.56905	.26931	9.4650	10.5350	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	11.362	1	11.362	1.484	.224
Within Groups	1868.284	244	7.657		
Total	1879.646	245			

```
ONEWAY PaCKS BY Haveyoucaredforsomeoneattheendoflife
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
no	149	9.8523	2.75430	.22564	9.4065	10.2982	.00
yes	97	9.5155	2.79551	.28384	8.9520	10.0789	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	6.668	1	6.668	.869	.352
Within Groups	1872.978	244	7.676		
Total	1879.646	245			

```
ONEWAY PaCKS BY Wouldyoueverconsidertakinguppalliativecareasaprofession
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
no	100	9.6500	2.75011	.27501	9.1043	10.1957	.00
yes	35	9.1714	3.59318	.60736	7.9371	10.4057	.00
maybe	111	9.9550	2.47676	.23508	9.4891	10.4208	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
maybe	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	17.150	2	8.575	1.119	.328
Within Groups	1862.496	243	7.665		
Total	1879.646	245			

```
ONEWAY PaCKS BY test
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
no	100	9.6500	2.75011	.27501	9.1043	10.1957	.00
yes	146	9.7671	2.79171	.23104	9.3105	10.2238	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	.814	1	.814	.106	.745
Within Groups	1878.832	244	7.700		
Total	1879.646	245			

```
ONEWAY PaCKS BY Yearofstudy
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS.
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
1st year	33	9.0606	3.04076	.52933	7.9824	10.1388
2nd year	25	9.6400	2.03879	.40776	8.7984	10.4816
3rd year	59	9.9831	2.41755	.31474	9.3530	10.6131
4th year	70	9.7857	2.78137	.33244	9.1225	10.4489
5th year	39	9.6923	3.34942	.53634	8.6066	10.7781
Total	226	9.6991	2.75966	.18357	9.3374	10.0609

Descriptives

PaCKS

	Minimum	Maximum
1st year	.00	13.00
2nd year	6.00	13.00
3rd year	1.00	13.00
4th year	.00	13.00
5th year	.00	13.00
Total	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	18.825	4	4.706	.614	.653
Within Groups	1694.715	221	7.668		
Total	1713.540	225			

```
RECODE Thinkingaboutpalliativecaremakesmefeeluncomfortable
    Palliativecareisataboosubjectinoursociety
    Mycolleagueswouldhavenointerestinfindingoutaboutpalliativecare
    IamafraidtofindoutmoreaboutpalliativecareincaseIendupneedingit
    Mycolleagueswouldthinkthatpalliativecareistoodepressingtodiscuss
    Ihaveneverheardthesubjectofpalliativecarediscussedinthemedia
    Icannotseehowpalliativecareisrelevanttomeasayoungperson
    IwouldonlywanttoknowmoreaboutpalliativecareifIwasterminallyill (100=0) (75
=25) (25=75) (0=100).
EXECUTE.
FREQUENCIES VARIABLES=Thinkingaboutpalliativecaremakesmefeeluncomfortable
    Palliativecareisataboosubjectinoursociety
    Mycolleagueswouldhavenointerestinfindingoutaboutpalliativecare
    IamafraidtofindoutmoreaboutpalliativecareincaseIendupneedingit
    Mycolleagueswouldthinkthatpalliativecareistoodepressingtodiscuss
    Ihaveneverheardthesubjectofpalliativecarediscussedinthemedia
    IfIneedinformationaboutpalliativecareforafamilymemberIknowwheret
    Icannotseehowpalliativecareisrelevanttomeasayoungperson Iwanttoknowmoreabo
utpalliativecare
    IwouldonlywanttoknowmoreaboutpalliativecareifIwasterminallyill
```

```
  Iwouldlookforinformationaboutpalliativecareontheinternet
  Palliativecareisasubjectmyimmediatefamilywoulddiscuss
  Iwouldattendaninformationsessiononpalliativecareattheuniversity
  Iwouldliketoknowwhatinitiativesaretakingplaceinmycommunityregard
  Iwouldliketoexplorepalliativecareasaprofession
  Empathyisthemostimportantqualityforapalliativecarephysician
  Excellentcommunicationskillsarethemostimportantskillsforapalliat
/ORDER=ANALYSIS.
```

Frequencies

Statistics

		Thinking about palliative care makes me feel uncomfortable	Palliative care is a taboo subject in our society	My colleagues would have no interest in finding out about palliative care	I am afraid to find out more about palliative care in case I end up needing it	My colleagues would think that palliative care is too depressing to discuss
N	Valid	246	246	246	246	246
	Missing	0	0	0	0	0

Statistics

		I have never heard the subject of palliative care discussed in the media	If I need information about palliative care for a family member, I know where to find that information	I cannot see how palliative care is relevant to me as a young person	I want to know more about palliative care	I would only want to know more about palliative care if I was terminally ill.
N	Valid	246	246	246	246	246
	Missing	0	0	0	0	0

Statistics

		I would look for information about palliative care on the internet	Palliative care is a subject my immediate family would discuss	I would attend an information session on palliative care at the university	I would like to know what initiatives are taking place in my community regarding palliative care	I would like to explore palliative care as a profession
N	Valid	246	246	246	246	246
	Missing	0	0	0	0	0

Statistics

		Empathy is the most important quality for a palliative care physician	Excellent communication skills are the most important skills for a palliative care physician
N	Valid	246	246
	Missing	0	0

Frequency Table

Thinking about palliative care makes me feel uncomfortable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	106	43.1	43.1	43.1
	25	46	18.7	18.7	61.8
	50	62	25.2	25.2	87.0
	75	20	8.1	8.1	95.1
	100	12	4.9	4.9	100.0
	Total	246	100.0	100.0	

Palliative care is a taboo subject in our society

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	43	17.5	17.5	17.5
	25	46	18.7	18.7	36.2
	50	79	32.1	32.1	68.3
	75	54	22.0	22.0	90.2
	100	24	9.8	9.8	100.0
	Total	246	100.0	100.0	

My colleagues would have no interest in finding out about palliative care

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	51	20.7	20.7	20.7
	25	82	33.3	33.3	54.1
	50	70	28.5	28.5	82.5
	75	28	11.4	11.4	93.9
	100	15	6.1	6.1	100.0
	Total	246	100.0	100.0	

I am afraid to find out more about palliative care in case I end up needing it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	116	47.2	47.2	47.2
	25	50	20.3	20.3	67.5
	50	44	17.9	17.9	85.4
	75	20	8.1	8.1	93.5
	100	16	6.5	6.5	100.0
	Total	246	100.0	100.0	

My colleagues would think that palliative care is too depressing to discuss

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	76	30.9	30.9	30.9
	25	43	17.5	17.5	48.4
	50	67	27.2	27.2	75.6
	75	43	17.5	17.5	93.1
	100	17	6.9	6.9	100.0
	Total	246	100.0	100.0	

I have never heard the subject of palliative care discussed in the media

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	10.6	10.6	10.6
	25	20	8.1	8.1	18.7
	50	37	15.0	15.0	33.7
	75	66	26.8	26.8	60.6
	100	97	39.4	39.4	100.0
	Total	246	100.0	100.0	

If I need information about palliative care for a family member, I know where to find that information

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	71	28.9	28.9	28.9
	25	57	23.2	23.2	52.0
	50	48	19.5	19.5	71.5
	75	41	16.7	16.7	88.2
	100	29	11.8	11.8	100.0
	Total	246	100.0	100.0	

I cannot see how palliative care is relevant to me as a young person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	71	28.9	28.9	28.9
	25	68	27.6	27.6	56.5
	50	58	23.6	23.6	80.1
	75	31	12.6	12.6	92.7
	100	18	7.3	7.3	100.0
	Total	246	100.0	100.0	

I want to know more about palliative care

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	2.0	2.0	2.0
	25	7	2.8	2.8	4.9
	50	46	18.7	18.7	23.6
	75	75	30.5	30.5	54.1
	100	113	45.9	45.9	100.0
	Total	246	100.0	100.0	

I would only want to know more about palliative care if I was terminally ill.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	102	41.5	41.5	41.5
	25	63	25.6	25.6	67.1
	50	35	14.2	14.2	81.3
	75	24	9.8	9.8	91.1
	100	22	8.9	8.9	100.0
	Total	246	100.0	100.0	

I would look for information about palliative care on the internet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	4.1	4.1	4.1
	25	17	6.9	6.9	11.0
	50	63	25.6	25.6	36.6
	75	81	32.9	32.9	69.5
	100	75	30.5	30.5	100.0
	Total	246	100.0	100.0	

Palliative care is a subject my immediate family would discuss

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	46	18.7	18.7	18.7
	25	61	24.8	24.8	43.5
	50	85	34.6	34.6	78.0
	75	37	15.0	15.0	93.1
	100	17	6.9	6.9	100.0
	Total	246	100.0	100.0	

I would attend an information session on palliative care at the university

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	13	5.3	5.3	5.3
	25	10	4.1	4.1	9.3
	50	66	26.8	26.8	36.2
	75	80	32.5	32.5	68.7
	100	77	31.3	31.3	100.0
	Total	246	100.0	100.0	

I would like to know what initiatives are taking place in my community regarding palliative care

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	4.1	4.1	4.1
	25	10	4.1	4.1	8.1
	50	50	20.3	20.3	28.5
	75	90	36.6	36.6	65.0
	100	86	35.0	35.0	100.0
	Total	246	100.0	100.0	

I would like to explore palliative care as a profession

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	39	15.9	15.9	15.9
	25	59	24.0	24.0	39.8
	50	80	32.5	32.5	72.4
	75	43	17.5	17.5	89.8
	100	25	10.2	10.2	100.0
	Total	246	100.0	100.0	

Empathy is the most important quality for a palliative care physician

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	1.2	1.2	1.2
	25	5	2.0	2.0	3.3
	50	30	12.2	12.2	15.4
	75	75	30.5	30.5	45.9
	100	133	54.1	54.1	100.0
	Total	246	100.0	100.0	

Excellent communication skills are the most important skills for a palliative care physician

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	1.6	1.6	1.6
	25	4	1.6	1.6	3.3
	50	28	11.4	11.4	14.6
	75	66	26.8	26.8	41.5
	100	144	58.5	58.5	100.0
	Total	246	100.0	100.0	

```
T-TEST GROUPS=Gender(0 1)
  /MISSING=ANALYSIS
  /VARIABLES=PaCKS
  /CRITERIA=CI(.95).
```

T-Test

Group Statistics

	Gender	N	Mean	Std. Deviation	Std. Error Mean
PaCKS	Female	161	9.9068	2.51197	.19797
	Male	85	9.3647	3.18795	.34578

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
PaCKS	Equal variances assumed	6.981	.009	1.463	244
	Equal variances not assumed			1.361	140.187

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
PaCKS	Equal variances assumed	.145	.54213	.37050	-.18767
	Equal variances not assumed	.176	.54213	.39844	-.24561

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the ...	
		Upper	
PaCKS	Equal variances assumed	1.27192	
	Equal variances not assumed	1.32986	

```
T-TEST GROUPS=Institutionofstudy(0 1)
  /MISSING=ANALYSIS
  /VARIABLES=PaCKS
  /CRITERIA=CI(.95).
```

T-Test

Group Statistics

	Institution of study	N	Mean	Std. Deviation	Std. Error Mean
PaCKS	Private	158	9.9114	2.98911	.23780
	Government	88	9.3750	2.30099	.24529

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
PaCKS	Equal variances assumed	.695	.405	1.459	244
	Equal variances not assumed			1.570	219.800

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
PaCKS	Equal variances assumed	.146	.53639	.36758	-.18765
	Equal variances not assumed	.118	.53639	.34163	-.13691

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the ...	
		Upper	
PaCKS	Equal variances assumed	1.26043	
	Equal variances not assumed	1.20969	

```
T-TEST GROUPS=Beforecompletingthissurveyhadyouheardofpalliativecare(0 1)
  /MISSING=ANALYSIS
  /VARIABLES=PaCKS
  /CRITERIA=CI(.95).
```

T-Test

Group Statistics

	Before completing this survey had you heard of palliative care?	N	Mean	Std. Deviation	Std. Error Mean
PaCKS	no	63	8.3968	3.32895	.41941
	yes	183	10.1749	2.39551	.17708

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
PaCKS	Equal variances assumed	7.881	.005	-4.569	244
	Equal variances not assumed			-3.906	85.154

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
PaCKS	Equal variances assumed	.000	-1.77804	.38912	-2.54451
	Equal variances not assumed	.000	-1.77804	.45526	-2.68319

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the ...	
		Upper	
PaCKS	Equal variances assumed	-1.01157	
	Equal variances not assumed	-.87288	

```
T-TEST GROUPS=Haveyouoranyoneclosetoyousuchasafriendorfamilymemberrequiredorha
(0 1)
  /MISSING=ANALYSIS
```

```
/VARIABLES=PaCKS
/CRITERIA=CI(.95).
```

T-Test

Group Statistics

	Have you, or anyone close to you, such as a friend or family member, required or had access to palliative care?	N	Mean	Std. Deviation	Std. Error Mean
PaCKS	no	155	9.5548	2.87656	.23105
	yes	91	10.0000	2.56905	.26931

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
PaCKS	Equal variances assumed	.725	.395	-1.218	244
	Equal variances not assumed			-1.255	206.020

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
PaCKS	Equal variances assumed	.224	-.44516	.36543	-1.16497
	Equal variances not assumed	.211	-.44516	.35484	-1.14475

Independent Samples Test

		t-test for Equality of Means: 95% Confidence Interval of the ... Upper
PaCKS	Equal variances assumed	.27464
	Equal variances not assumed	.25442

```
T-TEST GROUPS=Haveyoucaredforsomeoneattheendoflife(0 1)
  /MISSING=ANALYSIS
  /VARIABLES=PaCKS
  /CRITERIA=CI(.95).
```

T-Test

Group Statistics

	Have you cared for someone at the end of life?	N	Mean	Std. Deviation	Std. Error Mean
PaCKS	no	149	9.8523	2.75430	.22564
	yes	97	9.5155	2.79551	.28384

Independent Samples Test

		Levene's Test for Equality of Variances: F	Levene's Test for Equality of Variances: Sig.	t-test for Equality of Means: t	t-test for Equality of Means: df
PaCKS	Equal variances assumed	.081	.776	.932	244
	Equal variances not assumed			.929	203.070

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
PaCKS	Equal variances assumed	.352	.33689	.36146	-.37509
	Equal variances not assumed	.354	.33689	.36260	-.37806

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the ... Upper	
PaCKS	Equal variances assumed	1.04886	
	Equal variances not assumed	1.05183	

```
ONEWAY PaCKS BY Provinceofinstitution
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS
  /POSTHOC=TUKEY ALPHA(0.05).
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean	
					Lower Bound	Upper Bound
Sindh	181	9.8674	2.68826	.19982	9.4731	10.2617
Punjab	44	9.3636	2.94990	.44471	8.4668	10.2605
KPK	13	9.0769	3.40249	.94368	7.0208	11.1330
Balochistan	8	9.3750	2.66927	.94373	7.1434	11.6066
Total	246	9.7195	2.76984	.17660	9.3717	10.0674

Descriptives

PaCKS

	Minimum	Maximum
Sindh	.00	13.00
Punjab	.00	13.00
KPK	1.00	13.00
Balochistan	5.00	13.00
Total	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	15.849	3	5.283	.686	.561
Within Groups	1863.798	242	7.702		
Total	1879.646	245			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Province (of institution)	(J) Province (of institution)	Mean Difference (I-J)	Std. Error	Sig.
Sindh	Punjab	.50377	.46646	.702
	KPK	.79048	.79686	.754
	Balochistan	.49240	1.00262	.961
Punjab	Sindh	-.50377	.46646	.702
	KPK	.28671	.87605	.988
	Balochistan	-.01136	1.06665	1.000
KPK	Sindh	-.79048	.79686	.754
	Punjab	-.28671	.87605	.988
	Balochistan	-.29808	1.24705	.995
Balochistan	Sindh	-.49240	1.00262	.961
	Punjab	.01136	1.06665	1.000
	KPK	.29808	1.24705	.995

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Province (of institution)	(J) Province (of institution)	95% Confidence Interval	
		Lower Bound	Upper Bound
Sindh	Punjab	-.7030	1.7105
	KPK	-1.2710	2.8519
	Balochistan	-2.1014	3.0862
Punjab	Sindh	-1.7105	.7030
	KPK	-1.9796	2.5530
	Balochistan	-2.7708	2.7480
KPK	Sindh	-2.8519	1.2710
	Punjab	-2.5530	1.9796
	Balochistan	-3.5242	2.9280
Balochistan	Sindh	-3.0862	2.1014
	Punjab	-2.7480	2.7708
	KPK	-2.9280	3.5242

Homogeneous Subsets

PaCKS

Tukey HSD[a,b]

Province (of institution)	N	Subset for alpha = 0.05
		1
KPK	13	9.0769
Punjab	44	9.3636
Balochistan	8	9.3750
Sindh	181	9.8674
Sig.		.836

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 17.378.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

```
ONEWAY PaCKS BY FamilyIncomestatus
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS
  /POSTHOC=TUKEY ALPHA(0.05).
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence ... Lower Bound
<50,000 PKR	16	8.7500	3.35659	.83915	6.9614
50,000-100,000 PKR	40	9.4500	2.69805	.42660	8.5871
100,000-200,000 PKR	57	9.5789	2.71864	.36009	8.8576
200,000-300,000 PKR	32	9.5938	2.69838	.47701	8.6209
300,000-400,000 PKR	18	10.2778	2.02355	.47696	9.2715
400,000-500,000 PKR	21	10.5714	3.09146	.67461	9.1642
>500,000 PKR	62	9.8871	2.81742	.35781	9.1716
Total	246	9.7195	2.76984	.17660	9.3717

Descriptives

PaCKS

	95% Confidence Interval for Mean Upper Bound	Minimum	Maximum
<50,000 PKR	10.5386	.00	12.00
50,000-100,000 PKR	10.3129	.00	13.00
100,000-200,000 PKR	10.3003	.00	13.00
200,000-300,000 PKR	10.5666	1.00	13.00
300,000-400,000 PKR	11.2841	7.00	13.00
400,000-500,000 PKR	11.9786	.00	13.00
>500,000 PKR	10.6026	.00	13.00
Total	10.0674	.00	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	42.169	6	7.028	.914	.485
Within Groups	1837.477	239	7.688		
Total	1879.646	245			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Family Income status	(J) Family Income status	Mean Difference (I-J)	Std. Error	Sig.
<50,000 PKR	50,000-100,000 PKR	-.70000	.82019	.979
	100,000-200,000 PKR	-.82895	.78447	.940
	200,000-300,000 PKR	-.84375	.84898	.955
	300,000-400,000 PKR	-1.52778	.95270	.680
	400,000-500,000 PKR	-1.82143	.92012	.430
	>500,000 PKR	-1.13710	.77751	.767
50,000-100,000 PKR	<50,000 PKR	.70000	.82019	.979
	100,000-200,000 PKR	-.12895	.57191	1.000
	200,000-300,000 PKR	-.14375	.65762	1.000
	300,000-400,000 PKR	-.82778	.78697	.941
	400,000-500,000 PKR	-1.12143	.74720	.744
	>500,000 PKR	-.43710	.56232	.987
100,000-200,000 PKR	<50,000 PKR	.82895	.78447	.940
	50,000-100,000 PKR	.12895	.57191	1.000
	200,000-300,000 PKR	-.01480	.61248	1.000
	300,000-400,000 PKR	-.69883	.74967	.967
	400,000-500,000 PKR	-.99248	.70780	.800
	>500,000 PKR	-.30815	.50881	.997
200,000-300,000 PKR	<50,000 PKR	.84375	.84898	.955
	50,000-100,000 PKR	.14375	.65762	1.000

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Family Income status	(J) Family Income status	95% Confidence Interval	
		Lower Bound	Upper Bound
<50,000 PKR	50,000-100,000 PKR	-3.1390	1.7390
	100,000-200,000 PKR	-3.1617	1.5038
	200,000-300,000 PKR	-3.3683	1.6808
	300,000-400,000 PKR	-4.3608	1.3052
	400,000-500,000 PKR	-4.5575	.9147
	>500,000 PKR	-3.4491	1.1749
50,000-100,000 PKR	<50,000 PKR	-1.7390	3.1390
	100,000-200,000 PKR	-1.8296	1.5717
	200,000-300,000 PKR	-2.0993	1.8118
	300,000-400,000 PKR	-3.1679	1.5124
	400,000-500,000 PKR	-3.3433	1.1005
	>500,000 PKR	-2.1092	1.2350
100,000-200,000 PKR	<50,000 PKR	-1.5038	3.1617
	50,000-100,000 PKR	-1.5717	1.8296
	200,000-300,000 PKR	-1.8361	1.8065
	300,000-400,000 PKR	-2.9281	1.5304
	400,000-500,000 PKR	-3.0972	1.1123
	>500,000 PKR	-1.8212	1.2049
200,000-300,000 PKR	<50,000 PKR	-1.6808	3.3683
	50,000-100,000 PKR	-1.8118	2.0993

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Family Income status	(J) Family Income status	Mean Difference (I-J)	Std. Error	Sig.
	100,000-200,000 PKR	.01480	.61248	1.000
	300,000-400,000 PKR	-.68403	.81693	.981
	400,000-500,000 PKR	-.97768	.77869	.871
	>500,000 PKR	-.29335	.60354	.999
300,000-400,000 PKR	<50,000 PKR	1.52778	.95270	.680
	50,000-100,000 PKR	.82778	.78697	.941
	100,000-200,000 PKR	.69883	.74967	.967
	200,000-300,000 PKR	.68403	.81693	.981
	400,000-500,000 PKR	-.29365	.89063	1.000
	>500,000 PKR	.39068	.74238	.998
400,000-500,000 PKR	<50,000 PKR	1.82143	.92012	.430
	50,000-100,000 PKR	1.12143	.74720	.744
	100,000-200,000 PKR	.99248	.70780	.800
	200,000-300,000 PKR	.97768	.77869	.871
	300,000-400,000 PKR	.29365	.89063	1.000
	>500,000 PKR	.68433	.70008	.958
>500,000 PKR	<50,000 PKR	1.13710	.77751	.767
	50,000-100,000 PKR	.43710	.56232	.987
	100,000-200,000 PKR	.30815	.50881	.997
	200,000-300,000 PKR	.29335	.60354	.999
	300,000-400,000 PKR	-.39068	.74238	.998
	400,000-500,000 PKR	-.68433	.70008	.958

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Family Income status	(J) Family Income status	95% Confidence Interval	
		Lower Bound	Upper Bound
	100,000-200,000 PKR	-1.8065	1.8361
	300,000-400,000 PKR	-3.1133	1.7452
	400,000-500,000 PKR	-3.2932	1.3379
	>500,000 PKR	-2.0880	1.5014
300,000-400,000 PKR	<50,000 PKR	-1.3052	4.3608
	50,000-100,000 PKR	-1.5124	3.1679
	100,000-200,000 PKR	-1.5304	2.9281
	200,000-300,000 PKR	-1.7452	3.1133
	400,000-500,000 PKR	-2.9421	2.3548
	>500,000 PKR	-1.8169	2.5982
400,000-500,000 PKR	<50,000 PKR	-.9147	4.5575
	50,000-100,000 PKR	-1.1005	3.3433
	100,000-200,000 PKR	-1.1123	3.0972
	200,000-300,000 PKR	-1.3379	3.2932
	300,000-400,000 PKR	-2.3548	2.9421
	>500,000 PKR	-1.3974	2.7661
>500,000 PKR	<50,000 PKR	-1.1749	3.4491
	50,000-100,000 PKR	-1.2350	2.1092
	100,000-200,000 PKR	-1.2049	1.8212
	200,000-300,000 PKR	-1.5014	2.0880
	300,000-400,000 PKR	-2.5982	1.8169
	400,000-500,000 PKR	-2.7661	1.3974

Homogeneous Subsets

PaCKS

Tukey HSD[a,b]

Family Income status	N	Subset for alpha = 0.05 1
<50,000 PKR	16	8.7500
50,000-100,000 PKR	40	9.4500
100,000-200,000 PKR	57	9.5789
200,000-300,000 PKR	32	9.5938
>500,000 PKR	62	9.8871
300,000-400,000 PKR	18	10.2778
400,000-500,000 PKR	21	10.5714
Sig.		.190

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 27.387.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

```
ONEWAY PaCKS BY Wouldyoueverconsidertakinguppalliativecareasaprofession
  /STATISTICS DESCRIPTIVES
  /MISSING ANALYSIS
  /POSTHOC=TUKEY ALPHA(0.05).
```

Oneway

Descriptives

PaCKS

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean Lower Bound	 Upper Bound	Minimum
no	100	9.6500	2.75011	.27501	9.1043	10.1957	.00
yes	35	9.1714	3.59318	.60736	7.9371	10.4057	.00
maybe	111	9.9550	2.47676	.23508	9.4891	10.4208	.00
Total	246	9.7195	2.76984	.17660	9.3717	10.0674	.00

Descriptives

PaCKS

	Maximum
no	13.00
yes	13.00
maybe	13.00
Total	13.00

ANOVA

PaCKS

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	17.150	2	8.575	1.119	.328
Within Groups	1862.496	243	7.665		
Total	1879.646	245			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Would you ever consider taking up palliative care as a profession?	(J) Would you ever consider taking up palliative care as a profession?	Mean Difference (I-J)	Std. Error	Sig.
no	yes	.47857	.54372	.653
	maybe	-.30495	.38170	.704
yes	no	-.47857	.54372	.653
	maybe	-.78353	.53669	.312
maybe	no	.30495	.38170	.704
	yes	.78353	.53669	.312

Multiple Comparisons

Dependent Variable: PaCKS

Tukey HSD

(I) Would you ever consider taking up palliative care as a profession?	(J) Would you ever consider taking up palliative care as a profession?	95% Confidence Interval	
		Lower Bound	Upper Bound
no	yes	-.8036	1.7608
	maybe	-1.2051	.5952
yes	no	-1.7608	.8036
	maybe	-2.0491	.4821
maybe	no	-.5952	1.2051
	yes	-.4821	2.0491

Homogeneous Subsets

PaCKS

Tukey HSD[a,b]

Would you ever consider taking up palliative care as a profession?	N	Subset for alpha = 0.05
		1
yes	35	9.1714
no	100	9.6500
maybe	111	9.9550
Sig.		.252

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 63.051.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Gender.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Gender[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.093[a]	.009	.005	2.76341

a. Predictors: (Constant), Gender

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	16.350	1	16.350	2.141	.145[b]
	Residual	1863.297	244	7.636		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Gender

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.907	.218		45.489	.000
	Gender	-.542	.371	-.093	-1.463	.145

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
```

```
  /METHOD=ENTER Institutionofstudy.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Institution of study[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.093[a]	.009	.005	2.76348

a. Predictors: (Constant), Institution of study

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	16.262	1	16.262	2.129	.146[b]
	Residual	1863.384	244	7.637		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Institution of study

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.911	.220		45.082	.000
	Institution of study	-.536	.368	-.093	-1.459	.146

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
```

```
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT PaCKS
/METHOD=ENTER Provinceofinstitution.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Province (of institution)[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.082[a]	.007	.003	2.76627

a. Predictors: (Constant), Province (of institution)

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	12.501	1	12.501	1.634	.202[b]
	Residual	1867.145	244	7.652		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Province (of institution)

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.837	.199		49.454	.000
	Province (of institution)	-.308	.241	-.082	-1.278	.202

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER FamilyIncomestatus.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Family Income status[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.111[a]	.012	.008	2.75825

a. Predictors: (Constant), Family Income status

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23.306	1	23.306	3.063	.081[b]
	Residual	1856.341	244	7.608		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Family Income status

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9.073	.409		22.174	.000
	Family Income status	.152	.087	.111	1.750	.081

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Beforecompletingthissurveyhadyouheardofpalliativecare.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Before completing this survey had you heard of palliative care?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.281[a]	.079	.075	2.66388

a. Predictors: (Constant), Before completing this survey had you heard of palliative care?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	148.163	1	148.163	20.879	.000[b]
	Residual	1731.484	244	7.096		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Before completing this survey had you heard of palliative care?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	8.397	.336		25.019	.000
	Before completing this survey had you heard of palliative care?	1.778	.389	.281	4.569	.000

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Haveyouoranyoneclosetoyousuchasafriendorfamilymemberrequiredor
ha.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Have you, or anyone close to you, such as a friend or family member, required or had access to palliative care?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.078[a]	.006	.002	2.76711

a. Predictors: (Constant), Have you, or anyone close to you, such as a friend or family member, required or had access to palliative care?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	11.362	1	11.362	1.484	.224[b]
	Residual	1868.284	244	7.657		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Have you, or anyone close to you, such as a friend or family member, required or had access to palliative care?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.555	.222		42.990	.000
	Have you, or anyone close to you, such as a friend or family member, required or had access to palliative care?	.445	.365	.078	1.218	.224

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Haveyoucaredforsomeoneattheendoflife.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Have you cared for someone at the end of life?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.060[a]	.004	-.001	2.77059

a. Predictors: (Constant), Have you cared for someone at the end of life?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6.668	1	6.668	.869	.352[b]
	Residual	1872.978	244	7.676		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Have you cared for someone at the end of life?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9.852	.227		43.407	.000
	Have you cared for someone at the end of life?	-.337	.361	-.060	-.932	.352

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Wouldyoueverconsidertakinguppalliativecareasaprofession.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Would you ever consider taking up palliative care as a profession?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.053[a]	.003	-.001	2.77167

a. Predictors: (Constant), Would you ever consider taking up palliative care as a profession?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5.200	1	5.200	.677	.411[b]
	Residual	1874.446	244	7.682		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Would you ever consider taking up palliative care as a profession?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9.555	.267		35.846	.000
	Would you ever consider taking up palliative care as a profession?	.157	.191	.053	.823	.411

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER test.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Would you ever consider taking up palliative care as a profession?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.021[a]	.000	-.004	2.77491

a. Predictors: (Constant), Would you ever consider taking up palliative care as a profession?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.814	1	.814	.106	.745[b]
	Residual	1878.832	244	7.700		
	Total	1879.646	245			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Would you ever consider taking up palliative care as a profession?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.650	.277		34.776	.000
	Would you ever consider taking up palliative care as a profession?	.117	.360	.021	.325	.745

a. Dependent Variable: PaCKS

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT PaCKS
  /METHOD=ENTER Yearofstudy.
```

Regression

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	Year of study?[b]	.	Enter

a. Dependent Variable: PaCKS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.062[a]	.004	-.001	2.76052

a. Predictors: (Constant), Year of study?

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6.553	1	6.553	.860	.355[b]
	Residual	1706.986	224	7.620		
	Total	1713.540	225			

a. Dependent Variable: PaCKS

b. Predictors: (Constant), Year of study?

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	9.265	.502		18.444	.000
	Year of study?	.133	.144	.062	.927	.355

a. Dependent Variable: PaCKS