# hospital_matricula
## Data Dictionary

Server: Hospital
Author: Administrator
Date: 2026-04-23 22:32:09
Version: 1.0

Generated with Navicat

# Table of Contents

1. Introduction ..... 1
2. Server: Hospital (MySQL) ..... 2
2.1. Database: hospital_matricula ..... 2
2.1.1. Tables ..... 2
2.1.1.1. Table: tbd_ph_lotes_medicamentos ..... 2

# 1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
Hospital (MySQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

# 2. Server: Hospital (MySQL)

Version: 8.0.37

1 database is listed below.

## 2.1. Database: hospital_matricula

Database objects to be listed: 1 table

### 2.1.1. Tables

#### 2.1.1.1. Table: tbd_ph_lotes_medicamentos

Entidad: Lotes de Medicamentos\nJerarquía: Débil\nPercepción: Transaccional\nAprobado: Si

Fields

| Pos | Name | Type | Not Null | Others |
|---|---|---|---|---|
| 1 | Id<br>Identificador del lote. | int<br>Auto Increment | ✓ | |
| 2 | Medicamento_Id<br>Referencia al medicamento. | int | ✓ | Index: unique_lote |
| 3 | Proveedor_Id<br>Referencia al proveedor. | int | | Index: fk_lote_proveedor |
| 4 | Numero_Lote<br>Número de lote. | varchar(100) | ✓ | Index: unique_lote |
| 5 | Fecha_Fabricacion<br>Fecha de fabricación. | date | ✓ | |
| 6 | Fecha_Caducidad<br>Fecha de caducidad. | date | ✓ | |
| 7 | Cantidad_Inicial<br>Cantidad inicial. | int | ✓ | |
| 8 | Cantidad_Actual<br>Cantidad actual disponible. | int | ✓ | |
| 9 | Estado_Lote<br>Estado del lote. | enum | | Default: 'Disponible' |
| 10 | Observaciones<br>Observaciones del lote. | text | | |

| | | | | |
|---|---|---|---|---|
| 11 | Fecha_Registro<br>Fecha de registro. | datetime | ✓ | Default: CURRENT_TIMESTAMP |
| 12 | Fecha_Actualizacion<br>Fecha de actualización. | datetime | | Default: CURRENT_TIMESTAMP |
| 13 | Estatus<br>Estado del registro | bit(1) | | Default: b'1' |

## Indexes

| Name | Type | Method | Fields |
|---|---|---|---|
| unique_lote | UNIQUE | BTREE | Medicamento_Id, Numero_Lote |
| fk_lote_proveedor | NORMAL | BTREE | Proveedor_Id |

## Foreign Keys

| Name | Fields | Referenced Table | Referenced Fields | On Delete | On Update |
|---|---|---|---|---|---|
| fk_lote_medicamento | Medicamento_Id | hospital_matricula.tbc_ph_medicamentos | Id | RESTRICT | RESTRICT |
| fk_lote_proveedor | Proveedor_Id | hospital_matricula.tbb_mr_proveedores | ID | RESTRICT | RESTRICT |

## Triggers

| Name | Time | Insert | Update | Delete |
|---|---|---|---|---|
| tbd_ph_lotes_BEFORE_UPDATE | BEFORE | | ✓ | |
| tbd_ph_lotes_AFTER_INSERT | AFTER | ✓ | | |
| tbd_ph_lotes_AFTER_UPDATE | AFTER | | ✓ | |
| tbd_ph_lotes_AFTER_DELETE | AFTER | | | ✓ |