

Stations	Radius	Load	PktSize	UseTCP	RateCtrl	MaxAmpdu	RtsCtsTh	Utilization(%)	Throughput	LossRate(%)	AvgDelay(ms)	CollisionRate	AggRatio
1	5	5	1500	UDP	Auto	65535	65535	4.20	4.94	0.00	0.08	0.00	0.98
2	5	10	1500	UDP	Auto	65535	65535	17.21	9.88	0.00	0.58	50.44	0.99
5	5	25	1500	UDP	Auto	65535	65535	34.96	24.68	0.07	1.05	52.16	1.01
10	5	50	1500	UDP	Auto	65535	65535	64.93	47.45	3.96	27.46	50.83	1.45
20	5	100	1500	UDP	Auto	65535	65535	93.63	29.72	69.93	272.02	34.70	6.72
30	5	150	1500	UDP	Auto	65535	65535	93.58	17.76	88.02	349.21	21.40	4.04
40	5	200	1500	UDP	Auto	65535	65535	93.51	13.43	93.20	374.85	15.26	3.04
50	5	250	1500	UDP	Auto	65535	65535	93.39	17.85	92.77	347.48	18.48	3.89

1	10	5	1500	UDP	Auto	65535	65535	4.20	4.94	0.00	0.08	0.02	0.98
2	10	10	1500	UDP	Auto	65535	65535	17.14	9.88	0.00	0.59	50.50	0.99
5	10	25	1500	UDP	Auto	65535	65535	37.81	24.69	0.06	1.04	53.37	1.01
10	10	50	1500	UDP	Auto	65535	65535	60.27	48.26	2.33	19.43	50.42	1.29
20	10	100	1500	UDP	Auto	65535	65535	93.70	28.49	71.16	278.46	32.92	6.57
30	10	150	1500	UDP	Auto	65535	65535	93.50	20.74	86.00	313.34	22.52	4.59
40	10	200	1500	UDP	Auto	65535	65535	93.53	17.69	91.05	352.28	17.54	3.96
50	10	250	1500	UDP	Auto	65535	65535	93.55	13.74	94.44	371.77	14.01	3.12

Stations	Radius	Load	PktSize	UseTCP	RateCtrl	MaxAmpdu	RtsCtsTh	Utilization(%)	Throughput	LossRate(%)	AvgDelay(ms)	CollisionRate	AggRatio
1	15	5	1500	UDP	Auto	65535	65535	4.61	4.94	0.00	0.10	3.27	0.98
2	15	10	1500	UDP	Auto	65535	65535	24.57	9.88	0.00	0.73	50.36	0.99
5	15	25	1500	UDP	Auto	65535	65535	40.34	24.69	0.06	1.16	52.02	1.01
10	15	50	1500	UDP	Auto	65535	65535	68.74	45.79	7.32	42.96	50.15	1.52
20	15	100	1500	UDP	Auto	65535	65535	93.71	25.74	73.95	292.36	32.55	5.96
30	15	150	1500	UDP	Auto	65535	65535	93.70	17.48	88.21	333.41	19.79	4.11
40	15	200	1500	UDP	Auto	65535	65535	93.61	18.10	90.84	339.56	20.81	4.12
50	15	250	1500	UDP	Auto	65535	65535	93.41	12.38	94.99	386.19	13.58	2.77

1	5	5	1500	UDP	Auto	65535	0	6.31	4.94	0.00	0.17	0.00	0.49
2	5	10	1500	UDP	Auto	65535	0	13.40	9.88	0.00	0.56	0.00	0.50
5	5	25	1500	UDP	Auto	65535	0	31.79	24.69	0.04	1.01	0.00	0.50
10	5	50	1500	UDP	Auto	65535	0	52.51	49.30	0.22	3.17	0.00	0.65
20	5	100	1500	UDP	Auto	65535	0	62.83	97.85	0.97	30.24	0.00	1.61
30	5	150	1500	UDP	Auto	65535	0	76.72	138.85	6.32	89.90	0.00	3.87
40	5	200	1500	UDP	Auto	65535	0	84.38	159.84	19.12	137.08	0.00	7.14
50	5	250	1500	UDP	Auto	65535	0	88.77	157.48	36.25	182.91	0.00	10.70

Stations	Radius	Load	PktSize	UseTCP	RateCtrl	MaxAmpdu	RtsCtsTh	Utilization(%)	Throughput	LossRate(%)	AvgDelay(ms)	CollisionRate	AggRatio
1	10	5	1500	UDP	Auto	65535	0	6.31	4.94	0.00	0.17	0.05	0.49
2	10	10	1500	UDP	Auto	65535	0	13.40	9.88	0.00	0.56	0.05	0.50
5	10	25	1500	UDP	Auto	65535	0	31.80	24.69	0.04	1.01	0.06	0.50
10	10	50	1500	UDP	Auto	65535	0	52.50	49.30	0.21	3.22	0.05	0.65
20	10	100	1500	UDP	Auto	65535	0	62.58	98.08	0.74	30.32	0.03	1.60
30	10	150	1500	UDP	Auto	65535	0	74.05	141.71	4.39	79.58	0.02	3.47
40	10	200	1500	UDP	Auto	65535	0	84.05	161.20	18.43	142.72	0.02	7.03
50	10	250	1500	UDP	Auto	65535	0	88.75	159.78	35.32	186.77	0.01	10.84

1	15	5	1500	UDP	Auto	65535	0	6.78	4.94	0.00	0.20	3.32	0.49
2	15	10	1500	UDP	Auto	65535	0	14.34	9.88	0.00	0.59	3.30	0.49
5	15	25	1500	UDP	Auto	65535	0	34.06	24.69	0.04	1.08	3.26	0.49
10	15	50	1500	UDP	Auto	65535	0	54.67	49.31	0.20	3.89	3.86	0.69
20	15	100	1500	UDP	Auto	65535	0	69.25	97.42	1.41	42.57	3.04	1.99
30	15	150	1500	UDP	Auto	65535	0	77.27	135.90	8.31	86.66	1.24	3.87
40	15	200	1500	UDP	Auto	65535	0	89.78	132.47	32.97	179.97	0.86	10.23
50	15	250	1500	UDP	Auto	65535	0	89.74	140.57	43.10	201.42	1.21	10.84