



Dor — visitor queue system

Dor User Manual

Dor Administrator Guide

Edition October 2026 · version 0.1.0

Dor Administrator Guide

1. Who this guide is for

This guide is for the people who set up and run Dor: the **Super admin** of the whole organization and the **City admin** of one city. You decide how many cities, branches and desks exist, which services visitors can ask for, who works where, how tickets reach agents, and how the system looks and behaves.

There are two administrator roles. They use the same screens, but they do not see the same things.

	Super admin	City admin
Scope	The whole organization: every city and branch	Only the city (or branches) the role was given for
Cities	Creates, edits and archives cities	Cannot open the Cities page
Roles	Creates, edits and clones roles	Can view roles only
Settings app	Has it. Every section, at organization, city and branch level	Has no Settings app. Asks a super admin to change a setting
Users	Can give any role, including organization-wide ones	Can only give roles and scopes they hold themselves
Backup status	Sees the Database backup card on the Overview	Does not see it

Your sidebar only shows the pages your role allows. If a page described here is missing, your role does not include it.

Settings is not part of Administration. It is a separate app, **Settings**, in the top bar next to **Administration**. Only super admins see it. Wherever this guide says to open a setting, a super admin does it there. A city admin asks a super admin.


Note: Every change an administrator makes takes effect immediately and is written to the **Audit log** (in the **Settings** app, super admins only). There is nothing to restart.

2. Before you start

1. Open Dor in your browser and enter your **Email** and **Password**, then press **Sign in**. If the sign-in page asks for an **Organization code**, enter it too.

2. If two-step verification is on for your account, type the 6-digit code from your authenticator app and press **Verify**.
3. Press your name at the top of the page to open **My profile**, then follow the link **Password, two-step verification and language**. There you can **Change password**, set the **Interface language** (Arabic or English) and turn on two-step verification with an authenticator app. The light or dark theme can be switched from the top bar.
4. If your account has several workspaces, the top bar shows them as links. Pick **Administration**.


Tip: Turn on two-step verification for every administrator account. In the **Settings** app, under **Security**, a super admin can make it compulsory for whole roles.



The Overview page of the super admin

3. Know your screen

The **Overview** is the first page. It greets you and shows five counters: **Branches**, **Desks**, **Users**, **Visit reasons** and **Roles**. For a city admin the counters count only their own city.



The Overview page of a city admin: fewer pages in the sidebar

Under the counters you may see warning cards:

- A **coverage** card appears when some branches have no way to issue tickets (no receptionist, agent walk-in issuing off and no kiosk paired). It has an **Open branches** button.
- A second card appears when a branch has services served in halls but nobody can serve them. It has an **Open settings** button, which opens the **Settings** app (super admins only).
- The card **Visitor ratings by agent** (if your role may view reports) lists the ratings visitors gave, with the visitor, the agent, the stars and the comment. It has its own **From** and **To** dates and an **Agent** filter. See 4.15.
- The **Database backup** card (super admin only) shows **Backed up**, **Backup is overdue**, **Last backup failed** or **No backup recorded**.

The sidebar lists the admin pages:

Page	What it is for
Overview	Counters and warnings
Users	People who sign in, Invitations and account Requests
Roles & permissions	What each role may do
Cities	Cities and their configuration (super admin)
Branches & desks	Branches, floors, desks and halls

Page	What it is for
Visit reasons	The services visitors come for
Agent groups	Teams of agents
Distribution rules	How tickets reach agents
Simulate	Test rules on a replayed day
Screens	Waiting-room screens, kiosks, announcements, voice (see the screens guide)
Privacy requests	Export or erase a visitor's data

Settings, Reports and the live wallboard are separate workspaces in the top bar, not part of the Administration sidebar. **Settings** appears there only for super admins. The **Audit log** is not an Administration page either: it is in the **Settings** app (see 4.17).

4. Everyday tasks

4.1 First-time setup: the right order

Set things up in this order, because each step needs the one before it.

1. **Branding** (super admin, in the **Settings** app): **Settings > Branding**. Set the **Company name**, upload the **Logo**, choose colours.
2. **Cities** (super admin): add each city.
3. **Branches and desks**: add branches, floors and desks. Add halls if you use them.
4. **Visit reasons**: define each service, its ticket prefix, the data to collect, and who serves it.
5. **Users and agents**: create the people, give them roles, set up agents.
6. **Agent groups** (optional): put agents in teams.
7. **Shifts** (super admin, in the **Settings** app): **Settings > Agents**.
8. **Distribution rules**: choose how tickets reach agents, and test with **Simulate**.
9. **Settings review** (super admin, in the **Settings** app): numbering, reception, wait estimate, security and privacy.
10. **Screens, voice and kiosks**: follow the screens guide.

The **Going live checklist** at the end of this guide repeats the essentials.

4.2 Add a city (super admin)

1. Open **Cities** and press **Add city**.

2. Enter the name in Arabic and English and a **Code** (letters A-Z, digits, hyphen and underscore, for example **DAM**).
3. Save. The city appears as a card showing how many branches it has.


Each city card has a **Configuration** area. It shows how many settings the city overrides, how many branch overrides exist and how many visit reasons are hidden. Use **Open city settings** to change them. Use **Copy from another city** and **Copy configuration** to start a new city from an existing one. This replaces the new city's setting overrides and hidden reasons; branch overrides, shifts and message templates are not copied.

You can archive a city only when it has no active branches.

4.3 Add a branch, floors and desks

1. Open **Branches & desks** and press **Add branch**.
2. Choose the **City**, enter the **Branch code**, **Address** and **Time zone**. The time zone matters: the ticket numbering reset and the reports follow the branch's own time.
3. Tick **Default branch** if it should be the default. Save.
4. On the branch card, press **Add floor** if the building has several floors.
5. Press **Add desk**. Enter the **Number** (it is shown on screens and spoken, for example "Desk 3"), choose the **Floor** and, if you use multi-zone screens, a **Zone**.

Use the city filter at the top to narrow the list. If you use halls (rooms where one host receives several visitors together), add them in the branch's **Halls** block with **Add hall: Hall number**, **Capacity** (at least 2) and **Services accepted**. Halls only work once a super admin switches them on in the **Settings** app, under **Halls**.



Branches and desks

4.4 Create visit reasons and intake fields

A visit reason is a service, such as "Contract renewal". Every ticket belongs to one.

1. Open **Visit reasons** and press **Add reason**.
2. In **Basics**, enter the names, a **Code** (lowercase, used in reports) and the **Ticket prefix** (1 to 3 letters, Latin or Arabic, for example **A**). Choose the **Default priority**.
3. Under **Service targets**, set **Expected service time (min)** and **Target waiting time (SLA, min)**. The SLA is used by reports and ordering, and the expected time by the wait estimate.
4. Tick **Show first at reception** to make it a large button for two-tap issuing.
5. Under **Visitor information to collect**, tick only the fields you really need (visitor name, mobile number, company, last 4 digits of ID, email, notes). Press **Add custom field** for others. Fields you do not tick are not shown.
6. Under **Where it is served**, choose **Desk** (one visitor at a time) or **Hall** (several visitors together).
7. Under **Appointments**, tick **Allow appointments** if needed. Under **Self check-in kiosk**, choose whether visitors may type this service themselves or whether it **Needs a member of staff**.
8. Under **Who serves this reason**, press **Add agent** or **Add group**. For each, set the **Proficiency** (1 to 5) and mark them **Primary** or **Backup**. Backups receive tickets when primary agents are busy.
9. Save.

Warning: A reason with nobody assigned shows **Nobody assigned** in red: its tickets cannot be served until you assign someone.

You can archive a reason you no longer use. It disappears from reception, but history and reports keep it.

Visit reasons

Services visitors come for. Each reason has its own ticket prefix, targets, intake fields and agents.

☐ Show archived

Name	Ticket prefix	SLA	Expected service time (min)	Who serves this reason
General inquiry ★ general	A	10 min	5 min	3 assigned
Contract signing ★ contract	B	20 min	20 min	3 assigned
Complaint complaint	C	15 min	15 min	2 assigned
Document pickup ★ documents	D	10 min	5 min	2 assigned
Meeting with account manager account_manager	E	5 min	30 min	1 assigned

Visit reasons

4.5 Create users and agents

1. Open **Users** and press **Add user**.
2. Enter **Email**, **Full name**, **Mobile** and **Preferred language**.
3. Under **Roles**, press **Add role**. For each row choose the **Role** and the **Scope: Whole organization**, a city (all its branches) or a single branch. A city admin cannot choose the whole organization.
4. For people who serve visitors, switch on **Serves visitors** and set **Works at branch**, **Default desk** (or **Default hall** for a host), **Max tickets at once**, **Distribution weight**, **Groups** and **Shift**.
5. **Initial password**: type one, or leave it empty. If you leave it empty, Dor creates a set-password link, valid for 72 hours, and shows it on screen so you can copy it and send it to the user. If your server is set up to send email, Dor also emails the link to the user as an activation email.
6. Save.

Note: The account emails Dor can send (activation, password link, approval) use built-in wording in Arabic and English. You do not need to write them, and they are sent only if your server is set up for email.

Open any user from the list to edit them. The dialog also has these actions:

Action	Effect
Reset password	Signs the user out everywhere and creates a new single-use link valid for 24 hours. Also send by email sends it too.
Reset 2FA	Turns off two-step verification, for example when a phone is lost.
Sign out everywhere	Ends all of the user's sessions.
Deactivate / Activate	Blocks or restores sign-in. History is kept. You cannot deactivate yourself or the last administrator.
Anonymize	Permanently removes name, email, phone and picture. The account stays in history as a deleted user. Cannot be undone.

A padlock next to a user means the account is locked after too many failed sign-ins; **Activate** also clears a lock.

The screenshot displays the 'Users' management page. At the top, there's a navigation bar with 'Administration' selected. Below it, a sidebar lists various system functions. The main content area is titled 'Users' and includes a search bar and filters for 'Any role' and 'Any status'. A table lists the following users:

Name	Roles	Status	Last sign-in
Abdullah Al-Daraawi (abdullah@dor.local)	Agent - Main Branch - Damascus	Active	Evening
Super Admin (admin@dor.local)	Super admin	Active	9 seconds ago
Aleppo City Admin (aleppo.admin@dor.local)	City admin - Aleppo	Active	Never
Damascus City Admin (damascus.admin@dor.local)	City admin - Damascus	Active	60 seconds ago
Faisal Al-Idlib (faisal@dor.local)	Agent - Aleppo Branch	Active	Morning
Khalid Al-Dimashqi (khalid@dor.local)	Agent - Main Branch - Damascus	Active	Morning
Mohammed Al-Hamwi (mohammed@dor.local)	Agent - Main Branch - Damascus	Active	Morning
Noura Al-Homsi (noura@dor.local)	Agent - Main Branch - Damascus	Active	Morning
Hind Al-Halabi (reception@dor.local)	Receptionist - Main Branch - Damascus	Active	41 seconds ago
Sara Al-Lathqani (sara@dor.local)	Agent - Main Branch - Damascus	Active	Evening
Reem Al-Shami			

Users list

4.6 Invite people

An invitation lets a person choose their own password. Invitations are link-only: Dor creates a link and you give it to the person yourself, for example in your own chat or email. Dor does not send it for you.


1. In **Users**, press **Invite**.
2. Enter the person's name, **Email** and/or **Mobile** (at least one of them is needed).
3. Choose the **Role** and the branch, and the **Invitation language**.
4. Press **Create invitation**.
5. Dor shows "Invitation created. Share this link:" with a copy button. Copy the link and send it to the person.

Open the **Invitations** tab to follow each invitation: **Pending**, **Accepted**, **Expired** or **Revoked**. **Resend** creates a new link (which you copy again) and the old one stops working. **Revoke** cancels a pending invitation. An invitation stays valid for the number of hours set by a super admin in the **Settings** app, under **Security > Invitation validity (hours)**.

4.7 Approve or reject sign-up requests

If a super admin switches on **Let people request an account on the sign-up page (an administrator approves each request)** in the **Settings** app, under **Security**, a **Request an account** link appears on the sign-in page. People fill in their name, email, phone and a password.

1. Open **Users** and then the **Requests** tab. A number badge shows how many are waiting.



The Requests tab with pending account requests

2. Press **Approve** on a request. Choose the **Role** and branch, then confirm. The person can sign in immediately with the password they chose.
3. Or press **Reject**. The person is told the request was not approved, and may apply again.

Nobody gets access before you approve. Turn the setting off when you no longer want requests.


4.8 Roles and permissions

Open **Roles & permissions**. There are four built-in roles: **Super admin**, **City admin**, **Receptionist** and **Agent**. They are marked **Built-in** and cannot be changed or deleted. Your organization may also have custom roles marked **Custom**.

To make a custom role (super admin only):

1. Press **Clone** on a built-in role, or **New role**.
2. Enter the name and tick the **Permissions** you want. They are grouped (Administration, Users & roles, Organization, Services & distribution, Tickets & appointments, Agent, Reports & monitoring, Data protection, Integrations).3. Save.

Escalation rule: nobody can give a role, or put a permission in a role, that they do not hold themselves. A city admin therefore cannot give someone a role that contains organization-level permissions such as managing cities, settings or roles.



Roles and permissions

4.9 Agent groups

A group is a team, such as "Customer service". Assign a group to a visit reason instead of listing every agent.

1. Open **Agent groups** and press **Add group**.
2. Enter the name, choose the **Supervisor**, and add **Members**.
3. Save.

4.10 Shifts and breaks

- **Shifts:** in the **Settings** app (super admin), open **Agents**, press **Add shift**. Give it a **Code**, a start and an end. If the end is earlier than the start, the shift runs past midnight. A city has its own shifts as well as the organization's. Then assign shifts to agents in the user dialog.
- **How shifts are used** has three choices. **Ignored:** shifts are only labels. **Guide (recommended):** used in reports, and agents outside their shift get no automatic assignments but can still be called manually. **Strict:** an agent cannot become available outside their shift and is signed out after it ends (with a grace period in minutes).
- **Break types:** in the **Settings** app, under **Break types** (super admin). Add types with a **Maximum minutes** and whether they **Count as productive time**.
- **Break limit:** in the **Settings** app, **Break limit** limits how many agents of a branch may be on a break at once.

4.11 Distribution rules

Open **Distribution rules**. Use **Applies to** at the top to choose **All branches (default)**, one branch, or one visit reason in a branch. A narrower scope can override the default.

1. Choose the **Mode**:

- **Pull (bank style):** tickets wait in the queue; an agent presses **Call next**.
- **Auto-assign:** each ticket is reserved for one agent at once, chosen by the strategy steps you set. Steps apply in order, each one breaking ties left by the previous one: **Least recently assigned**, **Fewest waiting tickets**, **Longest idle agent**, **Highest proficiency first**, **Weighted (agent weight)**, **Random**, **Strict rotation**.
- **Hybrid:** auto-assign, but if the agent does not call the ticket within the minutes you set, it is released to everyone and a supervisor can be alerted.
- **Manual:** the receptionist or a supervisor chooses the agent.
- **Round robin:** a fixed rotation; absent or full agents are skipped.

2. Tune **Order inside the queue** (weights for waiting time, priority and SLA pressure, appointment boost, priority lanes, a **Maximum wait guarantee**, **Aging steps**).

3. Set **Agent capacity**, **Overflow to backup agents**, **Returning visitors** (prefer the agent who served the visitor last time) and the **No-show policy** (automatic recall, then close the ticket or send it to the end of the queue).

4. Save. The message **Rules saved. They apply from the next ticket.** appears.

When a branch or reason has its own rules, the page says **This scope overrides the inherited rules**. Use **Remove override** to go back to the default.

AI Office Services Group Administration | Description | Agent workspace | Reports | Live dashboard | [Help](#) | [Super Admin](#) | [Log out](#)

Overview

- Users
- Roles & permissions
- Cities
- Branches & desks
- Visit reasons
- Agent groups
- Distribution rules**
- Screens
- Notifications
- Settings
- Privacy requests
- Audit log

Distribution rules

How tickets reach agents. Rules can be set for all branches, overridden per branch, or per visit reason. Changes apply to the very next decision, with no restart.

Try these rules in the simulator

Applies to: All branches (Default)

Mode

- Pull (Bank style)**
Tickets wait in the reason's queue; any eligible agent presses "Take next" and gets the head of the queue.
- Auto-assign**
Each new ticket is reassigned for a specific agent immediately, chosen by the strategy below.
- Round robin**
Each new ticket goes to the next agent in a fixed rotation. An agent who is away or fully occupied will be skipped over.
- Hybrid**
Auto-assign to the preferred agent; if they don't call it in time, release for everyone and pass to supervisor.
- Manual**
The supervisor or a supervisor chooses the agent for every ticket.

Returning tickets

After this ticket is closed, other tickets from this branch will be available to be called.

Order inside the queue

The score decides who is called next. Waiting time above = pure first come, first served.

Weight of waiting time (per release)	Weight of priority level	Weight of SLA pressure
1	1	1

Appointment limit: 100 | Repeat appointments into many minutes before that time: 10 | Maximum wait guarantee (min, 0 = off): 60

☒ Serve priority lanes (e.g. VIP) before the regular line

Agent rules

After a ticket is closed, how long it takes to be forgotten.

After (min)	After (min)	After (min)
20	30	40

Agent capacity

☒ Resolved (not yet called) tickets count toward an agent's maximum

Overflow to backup agents

☒ Let backup agents help when the queue is over the limits

Queue longer than: 10 | Or oldest wait longer than (min): 20

☒ Backup also help whenever no primary agent is free

No-show policy

☐ Recall automatically

Time to no-show after (min, 0 = only recall): 10 | Close for ticket as no-show: [Close for ticket as no-show](#)

Auto-assign to backup agent (second): 120

Distribution rules

4.12 Test rules with the simulator

Before changing live rules, try them on a pretend day.

1. Open **Simulate**.
2. Choose the **Branch**. For **Visitors**, choose **Generated day** (set the **Number of visitors**, **VIP share**, **Elderly share**) or **Replay a real day** (pick the **Day to replay**).
3. Select the **Agents**. Use **Extra generic agents (what-if)** to see the effect of more staff.
4. Under **Rules to compare**, keep **Current rules** and press **Add candidate** to add alternatives.
5. Press **Run simulation**. The **Results** table compares average, median and 90th percentile wait, longest wait, **Within SLA (%)** and **Fairness**, and marks the **Best** value. Charts show people waiting over the day and visitors per agent.

The simulator uses the same engine as the live system but changes no real ticket. From **Distribution rules**, the button **Try these rules in the simulator** takes you straight there.

4.13 Settings

Settings is its own app, separate from Administration. Only super admins have it: press **Settings** in the top bar, next to **Administration**. City admins and other administrators do not see it. They still use Administration for users, branches and desks, visit reasons, agent groups, distribution rules, screens and privacy requests, as their permissions allow, and they ask a super admin to change a setting. They cannot open the audit log either (see 4.17). The old address `/admin/settings` redirects to the Settings app.

In the Settings app the left menu lists the sections, grouped as General, Visitors & tickets, Agents & service, Screens & reports, Security & privacy. Choose one to open it. A **Search settings...** box at the top of the page finds any option.

The **Applies to** switcher decides the level you are editing. Values are inherited from the organization, then the city, then the branch. For a section that allows it, switch on **Override for this city** (or branch) to give that level its own value. **Reset to default** removes the override. Each section shows where its current value comes from. A bar shows **You have unsaved changes**; press **Save** or **Discard**.


Section	What you set	Level
Branding	Company name, Logo (PNG, JPEG, WebP or still GIF up to 5 MB) and a separate Logo for dark backgrounds , primary and accent colours, font, welcome text, ticket footer	Organization
Help center	Show the Help center : the book icon in the top bar and the Help center page (the manuals). When it is off they are hidden for everyone	Organization
Language & calendar	Digits on screens, tickets and voice (Western or Arabic-Indic), time format (12 or 24 hours), phone country code, Show Hijri date	City
Tickets	Number digits (3 gives A-007), Separator , Daily numbering reset time , Print QR code on tickets	City
Reception	One-tap issuing, automatic printing, priority and language choices, what happens after issuing, whether agents can issue walk-in tickets	Branch
Self check-in	Kiosk on or off, printing, limits, services offered, welcome text	Branch
Wi-Fi	Guest Wi-Fi details printed on the ticket	Branch
Waiting time	How the estimate shown to visitors is worked out (fixed, per reason, or learned from real visits), rounding, safety margin, wording	Branch
Visitor page	The page opened from the ticket QR code: turn it on or off	City
Feedback	Ask visitors to rate the visit (faces or stars), comment, recommend question, what counts as a low score	Branch
Priority lanes	Priority levels, their weight and whether they form a separate lane	Organization
Agents	Several visitors at once, shifts	City
Halls	Switch halls on, grouping, announcing	Branch
Break limit, Break types	Breaks	City / Organization

Section	What you set	Level
Wallboard	Look of the live wallboard and the waiting-room screens' default look	Branch
Reports	Service level minutes and target, target utilisation, forecast history	City
Alerts	Thresholds for long wait, queue size, idle agent, no-show spike, low satisfaction, and Email recipients	Branch
Security	See 4.14	Organization
Data retention, Data protection	See 4.16	Organization

The **service day**: the **Daily numbering reset time** (in **Tickets**) is the branch-local time at which ticket numbers start again from 1.

Two more options in **Tickets**:

- **Restart numbers after**: during the day, after this ticket number the next one starts again at 1 (set 100 and the line goes A-100 , then A-001). **0** keeps counting until the daily reset. A number still held by a waiting visitor is skipped, so two visitors never share a number.
- **Call visitors by the last digits of their phone number** (with **Digits called**, 3 by default): for desks without a printer. Reception types the visitor's phone number and the screens and the voice call its last digits instead of the ticket number. Only the last digits are stored. Two visitors in the line cannot have the same digits.



Settings

4.14 Security settings (super admin)

In the **Settings** app, under **Security**:

- **Password policy: Minimum length**, and whether to require an uppercase letter, lowercase letter, number or symbol.
- **Lock after failed sign-ins** and **Lock duration (min)**.
- **Invitation validity (hours)**.
- **Let people request an account on the sign-up page....**: see 4.7.
- **Roles that must use 2FA**: tick the roles. People in those roles must use two-step verification.

4.15 Reports, visitor ratings and scheduled reports

Open **Reports** from the top bar (it needs the report permissions, which both administrator roles have). Choose a period (**Today**, **Yesterday**, **Last 7 days**, **Last 30 days**, **This month** or custom dates) and filters (branch, visit reason, agent, hall, hours, weekdays). The filters and the **Download** button stay above the tabs. The page has eight tabs:

Tab	What it shows
Overview	Key figures in four groups (Waiting , Service , Visitors , Satisfaction) and peak hours
Volume & queue	Visitors per day, hour, weekday, branch and reason, ticket sources, queue length and throughput
Staff	Agents, shifts and halls

Tab	What it shows
Reasons	Waits, service times and SLA per visit reason
Satisfaction	Scores and comments on low scores
Visitor ratings	Every rating with the visitor, desk, agent, stars and comment
Repeat visitors	Visitors who came back
Forecast	Expected visitors and suggested agents

- **Visitor ratings** lists each rating with the ticket and time, the visitor's name and phone as recorded by reception or the kiosk (and where it was entered), the agent and desk, the stars and the comment. In this tab the dates follow the page filters and you can also pick an **Agent**. The same list, with its own dates, is the card **Visitor ratings by agent** on the **Overview** of Administration. The newest 500 are shown. The phone number shows only its last 3 digits unless your role has the visitor privacy (personal data) permission. On a phone each rating is a card.
- **Download** exports **Excel (.xlsx)**, **CSV** or **PDF**, with the sections you pick.
- Open **Scheduled reports** at the bottom and press **Add scheduled report** to email a report automatically. Choose the **Frequency** (**Every day** covers the previous day; **Every week** covers the seven days ending yesterday), **Send at**, **File format**, **Report language**, branch, **Recipients** (one email per line) and sections. **Send now** tests it. If email is not configured nothing is sent.

4.16 Privacy tools and data retention

Privacy requests handles a visitor asking for their data.

1. Open **Privacy requests**. Type a phone number, name or ticket number and press **Search**.
2. Select the visitor. You see what is held (tickets, appointments, feedback, notifications).
3. **Export JSON** or **Export CSV** gives the person their data.
4. To erase, press **Erase now**, write a **Reason** (no names or numbers), tick **I confirm the identity of the person and want to erase their data**. and confirm. Name, phone and company are removed and notes and comments are cleared. Tickets and scores stay in reports. This cannot be undone.

Every request is listed under **Request history** without the person's details. To remove a staff member's personal data, use **Anonymize** in the user dialog.

Retention (**Settings** app, **Data retention**, super admin): set the number of days after which visitor data is anonymized, ticket notes and intake answers are cleared, feedback comments are cleared, notification details are cleared, audit entries are deleted and expired sign-in records are deleted. **0** keeps that data until you erase it by

hand. The job runs by itself about once a day. **Preview** shows what it would change without changing anything. **Run now** applies it for good. **Data protection**, in the same app, holds the **Consent text on the reception form** and **Require consent before issuing a ticket**.

4.17 Audit log

Open the **Settings** app and press **Audit log** at the bottom of its left menu (address `/settings/audit`). Only super admins can open it. City admins and other administrators have no **Audit log** in Administration and cannot open it, and the old address `/admin/audit` redirects to the new one. Each row shows **When**, **Who**, **Action**, **Item** and **Details**, with **Before** and **After** values for changes. Filter by item type with **All items** and press **Load more** for older entries. Use it to answer "who changed this setting?"

AI Ofiq Services Group

Administration

Reception

Agent workspace

Reports

Live wallboard

العربية

SA Super Admin

Sign out

Overview

Users

Roles & permissions

Cities

Branches & desks

Visit reasons

Agent groups

Distribution rules

Simulate

Screens

Notifications

Settings

Privacy requests

Audit log

Audit log

Who changed what, and when.

All items

Oct 4, 2026, 10:46 AM	System	privacy.retention_run	retention	
Oct 4, 2026, 10:45 AM	Super Admin	auth.login	User	
Oct 4, 2026, 10:45 AM	Reem Al-Shami	auth.login	User	
Oct 4, 2026, 10:45 AM	Hind Al-Halabi	auth.login	User	
Oct 4, 2026, 10:45 AM	Khalid Al-Dimashqi	auth.login	User	
Oct 4, 2026, 10:45 AM	Damascus City Admin	auth.login	User	
Oct 4, 2026, 10:44 AM	Super Admin	auth.login	User	

Audit log

4.18 Backups

Backups are taken by scripts on the server, not from this application. Ask whoever runs the server to schedule them, and read the file `docs/backup-restore.md` . The **Database backup** card on the Overview shows whether the last backup succeeded.

5. Good practice and tips

- Give each person the smallest role they need. Use a custom role such as a supervisor (reports, wallboard, reassign tickets) instead of making someone an administrator.
- Keep at least two administrators so you are never locked out.

- Set each branch's time zone correctly before the first ticket.
- Use **Simulate** before you change distribution rules on a busy branch.
- Have a super admin review the **Audit log (Settings app)** regularly, especially roles, users and settings.
- Collect only the visitor data you need and set retention periods.
- Make sure every visit reason has at least one primary agent and a branch has a way to issue tickets.

6. Common questions and troubleshooting

Problem	What to do
A page in this guide is not in my sidebar	Your role does not include it. A city admin has no Cities page and no Settings app. Ask a super admin.
"Access denied"	Your role lacks the permission. Ask a super admin to change your role.
I cannot give a role to someone	You can only give roles whose permissions you hold, and only within your own scope.
Tickets for a service are never called	Open the visit reason: nobody is assigned, or the assigned agents are not signed in or are outside their shift (Settings app, Agents).
A branch cannot issue tickets	The Overview warning card tells you why. Add a receptionist, enable agent walk-in issuing, or pair a kiosk.
New user did not get an email	Email may not be set up on the server. Copy the link from the dialog and send it yourself. Invitation links are never sent by Dor.
The invitation link stopped working	It expired or was replaced by Resend . Resend it.
A user is locked out	Open the user and press Activate , or wait for the lock duration. Use Reset password if needed.
A user lost their phone	Open the user and press Reset 2FA .
A setting change does not show at one branch	That branch may have its own override. A super admin can use the Applies to switcher in the Settings app and check the source badge.
Ticket numbers restarted at an odd moment	Check Daily numbering reset time and the branch time zone.

7. Quick reference

I want to...	Go to
Add a city	Cities > Add city
Add a branch, floor or desk	Branches & desks
Add a service	Visit reasons > Add reason
Assign agents to a service	Visit reason > Who serves this reason
Create a user	Users > Add user
Invite a person (copy the link)	Users > Invite
Approve an account request	Users > Requests > Approve
Reset a password or 2FA	Open the user > Reset password / Reset 2FA
Make a custom role	Roles & permissions > Clone or New role
Change how tickets are assigned	Distribution rules
Test rules safely	Simulate > Run simulation
Change logo, colours, numbering	Settings app (super admin)
Set password rules and 2FA	Settings app > Security (super admin)
See visitor ratings by agent	Overview card, or Reports > Visitor ratings
Schedule a report email	Reports > Scheduled reports
Erase a visitor's data	Privacy requests
See who changed something	Settings app > Audit log (super admin)
Pair screens and kiosks, set voice	Screens (see the screens guide)

8. Going live checklist

Before the first day, make sure:

1. The **Company name** and **Logo** are set, and a test ticket looks right.
2. Every branch has the correct **Time zone**, desks with numbers, and a way to issue tickets (receptionist, agent walk-in issuing or a kiosk).

3. Every visit reason has a **Ticket prefix**, expected time, SLA and at least one primary agent.
4. All staff have accounts, the right role and scope, and agents have a **Default desk** and **Shift**.
5. **Distribution rules** are set and tried in **Simulate**.
6. **Daily numbering reset time**, digits and wait estimate are set.
7. **Settings** app, **Security**: password policy, 2FA for administrators, invitation validity, and the sign-up setting decided.
8. If you use scheduled reports or account emails, email is set up on the server and a test arrived.
9. Consent text and retention periods are set.
10. Screens, voice and kiosks are paired and checked (see the screens guide).
11. Backups are scheduled and the **Database backup** card is green.
12. At least two administrators exist, each with two-step verification.