



Dor — visitor queue system

Dor User Manual

Dor Administrator Guide

Edition October 2026 · version 0.1.0

Dor Administrator Guide

1. Who this guide is for

This guide is for the people who set up and run Dor: the **Super admin** of the whole organization and the **City admin** of one city. You decide how many cities, branches and desks exist, which services visitors can ask for, who works where, how tickets reach agents, and how the system looks and behaves.

There are two administrator roles. They use the same screens, but they do not see the same things.

	Super admin	City admin
Scope	The whole organization: every city and branch	Only the city (or branches) the role was given for
Cities	Creates, edits and archives cities	Cannot open the Cities page
Roles	Creates, edits and clones roles	Can view roles only
Settings	Every section, at organization, city and branch level	Only the sections a city or branch may override, for their own city and branches
Notifications	Channel status, test messages, limits, message wording	Branch-level event choices and the delivery log
Users	Can give any role, including organization-wide ones	Can only give roles and scopes they hold themselves
Backup status	Sees the Database backup card on the Overview	Does not see it

Your sidebar only shows the pages your role allows. If a page described here is missing, your role does not include it.


Note: Every change an administrator makes takes effect immediately and is written to the **Audit log**. There is nothing to restart.

2. Before you start

1. Open Dor in your browser and enter your **Email** and **Password**, then press **Sign in**. If the sign-in page asks for an **Organization code**, enter it too.

2. If two-step verification is on for your account, type the 6-digit code from your authenticator app and press **Verify**.
3. Press your name at the top of the page to open **My profile**, then follow the link **Password, two-step verification and language**. There you can **Change password**, set the **Interface language** (Arabic or English) and turn on two-step verification with an authenticator app. The light or dark theme can be switched from the top bar.
4. If your account has several workspaces, the top bar shows them as links. Pick **Administration**.


Tip: Turn on two-step verification for every administrator account. In **Settings > Security** you can make it compulsory for whole roles.



The Overview page of the super admin

3. Know your screen

The **Overview** is the first page. It greets you and shows five counters: **Branches**, **Desks**, **Users**, **Visit reasons** and **Roles**. For a city admin the counters count only their own city.



The Overview page of a city admin: fewer pages in the sidebar

Under the counters you may see warning cards:

- A **coverage** card appears when some branches have no way to issue tickets (no receptionist, agent walk-in issuing off and no kiosk paired). It has an **Open branches** button.
- A second card appears when a branch has services served in halls but nobody can serve them. It has an **Open settings** button.
- The **Database backup** card (super admin only) shows **Backed up**, **Backup is overdue**, **Last backup failed** or **No backup recorded**.

The sidebar lists the admin pages:

Page	What it is for
Overview	Counters and warnings
Users	People who sign in, Invitations and account Requests
Roles & permissions	What each role may do
Cities	Cities and their configuration (super admin)
Branches & desks	Branches, floors, desks and halls
Visit reasons	The services visitors come for

Page	What it is for
Agent groups	Teams of agents
Distribution rules	How tickets reach agents
Simulate	Test rules on a replayed day
Screens	Waiting-room screens, kiosks, announcements, voice (see the screens guide)
Notifications	WhatsApp, SMS and email to visitors
Settings	All options
Privacy requests	Export or erase a visitor's data
Audit log	Who changed what, and when

Reports and the live wallboard are separate workspaces in the top bar, not part of the Administration sidebar.

4. Everyday tasks

4.1 First-time setup: the right order

Set things up in this order, because each step needs the one before it.

1. **Branding: Settings > Branding.** Set the **Company name**, upload the **Logo**, choose colours.
2. **Cities** (super admin): add each city.
3. **Branches and desks:** add branches, floors and desks. Add halls if you use them.
4. **Visit reasons:** define each service, its ticket prefix, the data to collect, and who serves it.
5. **Users and agents:** create the people, give them roles, set up agents.
6. **Agent groups** (optional): put agents in teams.
7. **Shifts: Settings > Agents.**
8. **Distribution rules:** choose how tickets reach agents, and test with **Simulate**.
9. **Settings review:** numbering, reception, wait estimate, security, privacy, notifications.
10. **Screens, voice and kiosks:** follow the screens guide.

The **Going live checklist** at the end of this guide repeats the essentials.

4.2 Add a city (super admin)

1. Open **Cities** and press **Add city**.

2. Enter the name in Arabic and English and a **Code** (letters A-Z, digits, hyphen and underscore, for example **DAM**).
3. Save. The city appears as a card showing how many branches it has.


Each city card has a **Configuration** area. It shows how many settings the city overrides, how many branch overrides exist and how many visit reasons are hidden. Use **Open city settings** to change them. Use **Copy from another city** and **Copy configuration** to start a new city from an existing one. This replaces the new city's setting overrides and hidden reasons; branch overrides, shifts and message templates are not copied.

You can archive a city only when it has no active branches.

4.3 Add a branch, floors and desks

1. Open **Branches & desks** and press **Add branch**.
2. Choose the **City**, enter the **Branch code**, **Address** and **Time zone**. The time zone matters: the ticket numbering reset and the reports follow the branch's own time.
3. Tick **Default branch** if it should be the default. Save.
4. On the branch card, press **Add floor** if the building has several floors.
5. Press **Add desk**. Enter the **Number** (it is shown on screens and spoken, for example "Desk 3"), choose the **Floor** and, if you use multi-zone screens, a **Zone**.

Use the city filter at the top to narrow the list. If you use halls (rooms where one host receives several visitors together), add them in the branch's **Halls** block with **Add hall: Hall number**, **Capacity** (at least 2) and **Services accepted**. Halls only work once you switch them on in **Settings > Halls**.



Branches and desks

4.4 Create visit reasons and intake fields

A visit reason is a service, such as "Contract renewal". Every ticket belongs to one.

1. Open **Visit reasons** and press **Add reason**.
2. In **Basics**, enter the names, a **Code** (lowercase, used in reports) and the **Ticket prefix** (1 to 3 letters, Latin or Arabic, for example **A**). Choose the **Default priority**.
3. Under **Service targets**, set **Expected service time (min)** and **Target waiting time (SLA, min)**. The SLA is used by reports and ordering, and the expected time by the wait estimate.
4. Tick **Show first at reception** to make it a large button for two-tap issuing.
5. Under **Visitor information to collect**, tick only the fields you really need (visitor name, mobile number, company, last 4 digits of ID, email, notes). Press **Add custom field** for others. Fields you do not tick are not shown.
6. Under **Where it is served**, choose **Desk** (one visitor at a time) or **Hall** (several visitors together).
7. Under **Appointments**, tick **Allow appointments** if needed. Under **Self check-in kiosk**, choose whether visitors may type this service themselves or whether it **Needs a member of staff**.
8. Under **Who serves this reason**, press **Add agent** or **Add group**. For each, set the **Proficiency** (1 to 5) and mark them **Primary** or **Backup**. Backups receive tickets when primary agents are busy.
9. Save.

Warning: A reason with nobody assigned shows **Nobody assigned** in red: its tickets cannot be served until you assign someone.

You can archive a reason you no longer use. It disappears from reception, but history and reports keep it.

Visit reasons

Services visitors come for. Each reason has its own ticket prefix, targets, intake fields and agents.

☐ Show archived

Name	Ticket prefix	SLA	Expected service time (min)	Who serves this reason
General inquiry ★ general	A	10 min	5 min	3 assigned
Contract signing ★ contract	B	20 min	20 min	3 assigned
Complaint complaint	C	15 min	15 min	2 assigned
Document pickup ★ documents	D	10 min	5 min	2 assigned
Meeting with account manager account_manager	E	5 min	30 min	1 assigned

Visit reasons

4.5 Create users and agents

1. Open **Users** and press **Add user**.
2. Enter **Email**, **Full name**, **Mobile** and **Preferred language**.
3. Under **Roles**, press **Add role**. For each row choose the **Role** and the **Scope: Whole organization**, a city (all its branches) or a single branch. A city admin cannot choose the whole organization.
4. For people who serve visitors, switch on **Serves visitors** and set **Works at branch**, **Default desk** (or **Default hall** for a host), **Max tickets at once**, **Distribution weight**, **Groups** and **Shift**.
5. **Initial password**: type one, or leave it empty. If you leave it empty, Dor creates a set-password link, valid for 72 hours, and emails it to the user as an activation email (when email is configured). The link is also shown on screen so you can copy it if email is not set up.
6. Save.

Note: The activation, invitation and approval emails use built-in wording in Arabic and English. You do not need to write them.

Open any user from the list to edit them. The dialog also has these actions:

Action	Effect
Reset password	Signs the user out everywhere and creates a new single-use link valid for 24 hours. Also send by email sends it too.
Reset 2FA	Turns off two-step verification, for example when a phone is lost.
Sign out everywhere	Ends all of the user's sessions.
Deactivate / Activate	Blocks or restores sign-in. History is kept. You cannot deactivate yourself or the last administrator.
Anonymize	Permanently removes name, email, phone and picture. The account stays in history as a deleted user. Cannot be undone.

A padlock next to a user means the account is locked after too many failed sign-ins; **Activate** also clears a lock.

Users
People who sign in: administrators, supervisors, receptionists and agents.

Users Invitations Requests

Search by name or email... Any role Any status

Name	Roles	Status	Last sign-in
AA Abdullah Al-Daraawi abdullah@dor.local	Agent - Main Branch - Damascus	Active Evening	Never
SA Super Admin admin@dor.local	Super admin	Active	9 seconds ago
AA Aleppo City Admin aleppo.admin@dor.local	City admin - Aleppo	Active	Never
DA Damascus City Admin damascus.admin@dor.local	City admin - Damascus	Active	60 seconds ago
FA Faisal Al-Idlibi faisal@dor.local	Agent - Aleppo Branch	Active Morning	Never
KA Khalid Al-Dimashqi khalid@dor.local	Agent - Main Branch - Damascus	Active Morning	57 seconds ago
MA Mohammed Al-Hamwi mohammed@dor.local	Agent - Main Branch - Damascus	Active Morning	Never
NA Noura Al-Homsi noura@dor.local	Agent - Main Branch - Damascus	Active Morning	Never
HA Hind Al-Halabi reception@dor.local	Receptionist - Main Branch - Damascus	Active	41 seconds ago
SA Sara Al-Lathqani sara@dor.local	Agent - Main Branch - Damascus	Active Evening	Never
Reem Al-Shami			

Users list

4.6 Invite people

An invitation lets a person choose their own password.

1. In **Users**, press **Invite**.


2. Enter the **Recipient** details (**Email** and/or **Mobile**) and the name.
3. Choose the **Role** and the branch, and the **Invitation language**.
4. Under **Send via** tick **Email**, **WhatsApp** or **SMS**, or choose **Copy link only**. Press **Create invitation**.
5. Dor shows the link. If a channel is not set up it says "is not configured. Copy the link and send it yourself."

Open the **Invitations** tab to follow each invitation: **Pending**, **Accepted**, **Expired** or **Revoked**. **Resend** creates a new link and the old one stops working. **Revoke** cancels a pending invitation. An invitation stays valid for the number of hours set in **Settings > Security > Invitation validity (hours)**.

4.7 Approve or reject sign-up requests

If you switch on **Let people request an account on the sign-up page (an administrator approves each request)** in **Settings > Security**, a **Request an account** link appears on the sign-in page. People fill in their name, email, phone and a password.

1. Open **Users** and then the **Requests** tab. A number badge shows how many are waiting.



The Requests tab with pending account requests

2. Press **Approve** on a request. Choose the **Role** and branch, then confirm. The person can sign in immediately with the password they chose and receives an email.
3. Or press **Reject**. The person is told the request was not approved, and may apply again.

Nobody gets access before you approve. Turn the setting off when you no longer want requests.


4.8 Roles and permissions

Open **Roles & permissions**. There are four built-in roles: **Super admin**, **City admin**, **Receptionist** and **Agent**. They are marked **Built-in** and cannot be changed or deleted. Your organization may also have custom roles marked **Custom**.

To make a custom role (super admin only):

1. Press **Clone** on a built-in role, or **New role**.
2. Enter the name and tick the **Permissions** you want. They are grouped (Administration, Users & roles, Organization, Services & distribution, Tickets & appointments, Agent, Reports & monitoring, Data protection, Integrations).3. Save.

Escalation rule: nobody can give a role, or put a permission in a role, that they do not hold themselves. A city admin therefore cannot give someone a role that contains organization-level permissions such as managing cities, settings or roles.



Roles and permissions

4.9 Agent groups

A group is a team, such as "Customer service". Assign a group to a visit reason instead of listing every agent.

1. Open **Agent groups** and press **Add group**.
2. Enter the name, choose the **Supervisor**, and add **Members**.
3. Save.

4.10 Shifts and breaks

- **Shifts:** **Settings > Agents**, press **Add shift**. Give it a **Code**, a start and an end. If the end is earlier than the start, the shift runs past midnight. A city has its own shifts as well as the organization's. Then assign shifts to agents in the user dialog.
- **How shifts are used** has three choices. **Ignored**: shifts are only labels. **Guide (recommended)**: used in reports, and agents outside their shift get no automatic assignments but can still be called manually. **Strict**: an agent cannot become available outside their shift and is signed out after it ends (with a grace period in minutes).
- **Break types:** **Settings > Break types** (super admin). Add types with a **Maximum minutes** and whether they **Count as productive time**.
- **Break limit:** **Settings > Break limit** limits how many agents of a branch may be on a break at once.

4.11 Distribution rules

Open **Distribution rules**. Use **Applies to** at the top to choose **All branches (default)**, one branch, or one visit reason in a branch. A narrower scope can override the default.

1. Choose the **Mode**:

- **Pull (bank style)**: tickets wait in the queue; an agent presses **Call next**.
- **Auto-assign**: each ticket is reserved for one agent at once, chosen by the strategy steps you set. Steps apply in order, each one breaking ties left by the previous one: **Least recently assigned**, **Fewest waiting tickets**, **Longest idle agent**, **Highest proficiency first**, **Weighted (agent weight)**, **Random**, **Strict rotation**.
- **Hybrid**: auto-assign, but if the agent does not call the ticket within the minutes you set, it is released to everyone and a supervisor can be alerted.
- **Manual**: the receptionist or a supervisor chooses the agent.
- **Round robin**: a fixed rotation; absent or full agents are skipped.

2. Tune **Order inside the queue** (weights for waiting time, priority and SLA pressure, appointment boost, priority lanes, a **Maximum wait guarantee**, **Aging steps**).

3. Set **Agent capacity**, **Overflow to backup agents**, **Returning visitors** (prefer the agent who served the visitor last time) and the **No-show policy** (automatic recall, then close the ticket or send it to the end of the queue).

4. Save. The message **Rules saved. They apply from the next ticket.** appears.

When a branch or reason has its own rules, the page says **This scope overrides the inherited rules**. Use **Remove override** to go back to the default.

AI Office Services Group Administration | Description | Agent workspace | Reports | Live dashboard | Super Admin | Sign out

Overview
 Users
 Roles & permissions
 Cities
 Branches & desks
 Visit reasons
 Agent groups
Distribution rules
 Circulate
 Screens
 Notifications
 Settings
 Privacy requests
 Audit log

Distribution rules
 How tickets reach agents. Rules can be set for all branches, overridden per branch, or per visit reason. Changes apply to the very next decision, with no restart.
[Try these rules in the simulator](#)

Applies to: All branches (default)

Mode

- Pull (Bank style)**
Tickets wait in the nearest queue; any eligible agent presses "Take next" and gets the head of the queue.
- Auto-assign**
Each new ticket is reassigned for a specific agent immediately, chosen by the strategy below.
- Round robin**
Each new ticket goes to the next agent in a fixed rotation. An agent who is away or fully occupied will be later come on.
- Hybrid**
Auto-assign to the preferred agent; if they don't call it in time, release for everyone and pass to supervisor.
- Manual**
The dispatcher or a supervisor chooses the agent for every ticket.

Returning tickets
 (?) Release this ticket when agent and this ticket have shared feedback by usability, workload.

Order inside the queue
 The score decides who is called next. Waiting time above = pure first come, first served.

Weight of waiting time (per release)	Weight of priority level	Weight of SLA pressure
1	1	1

Appointment limit: 200 | Repeat appointments into many minutes before that time: 10 | Maximum wait guarantee (min, 0 = off): 60

☒ Serve priority lanes (e.g. VIP) before the regular line

Agent rules
 After a long time, no one has visited this long, so nobody is forgotten.

After (min)	After (min)	After (min)
20	30	40
40	60	80

Agent capacity
☒ Resolved (not yet called) tickets count toward an agent's maximum

Overflow to backup agents
☒ Let backup agents help when the queue is over the limits
 Queue longer than: 10 | Or oldest wait longer than (min): 20
☒ Backups also help whenever no primary agent is free

No-show policy
☐ Recall automatically
 Tolerate no-show after (min, 0 = only missed): 10 | Close for ticket as no-show:
 Auto-withdraw for accidental no-show / complete (seconds): 120

Distribution rules

4.12 Test rules with the simulator

Before changing live rules, try them on a pretend day.

1. Open **Simulate**.
2. Choose the **Branch**. For **Visitors**, choose **Generated day** (set the **Number of visitors**, **VIP share**, **Elderly share**) or **Replay a real day** (pick the **Day to replay**).
3. Select the **Agents**. Use **Extra generic agents (what-if)** to see the effect of more staff.
4. Under **Rules to compare**, keep **Current rules** and press **Add candidate** to add alternatives.
5. Press **Run simulation**. The **Results** table compares average, median and 90th percentile wait, longest wait, **Within SLA (%)** and **Fairness**, and marks the **Best** value. Charts show people waiting over the day and visitors per agent.

The simulator uses the same engine as the live system but changes no real ticket. From **Distribution rules**, the button **Try these rules in the simulator** takes you straight there.

4.13 Settings

Open **Settings** in the left menu: its sections appear as a dropdown list underneath, grouped as General, Visitors & tickets, Agents & service, Screens & reports, Security & privacy. Choose one to open it. A **Search settings...** box at the top of the page finds any option.

The **Applies to** switcher decides the level you are editing. Values are inherited from the organization, then the city, then the branch. For a section that allows it, switch on **Override for this city** (or branch) to give that level its own value. **Reset to default** removes the override. Each section shows where its current value comes from. A bar shows **You have unsaved changes**; press **Save** or **Discard**.

Section	What you set	Level
Branding	Company name, Logo (PNG, JPEG, WebP or still GIF up to 5 MB) and a separate Logo for dark backgrounds , primary and accent colours, font, welcome text, ticket footer	Organization
Language & calendar	Digits on screens, tickets and voice (Western or Arabic-Indic), time format (12 or 24 hours), phone country code, Show Hijri date	City
Tickets	Number digits (3 gives A-007), Separator , Daily numbering reset time , Print QR code on tickets	City
Reception	One-tap issuing, automatic printing, priority and language choices, what happens after issuing, whether agents can issue walk-in tickets	Branch
Self check-in	Kiosk on or off, printing, limits, services offered, welcome text	Branch
Wi-Fi	Guest Wi-Fi details printed on the ticket	Branch
Waiting time	How the estimate shown to visitors is worked out (fixed, per reason, or learned from real visits), rounding, safety margin, wording	Branch
Visitor page	The page opened from the ticket QR code, and when to notify the visitor	City
Feedback	Ask visitors to rate the visit (faces or stars), comment, recommend question, what counts as a low score	Branch
Priority lanes	Priority levels, their weight and whether they form a separate lane	Organization
Agents	Several visitors at once, shifts	City
Halls	Switch halls on, grouping, announcing	Branch
Break limit, Break types	Breaks	City / Organization
Wallboard	Look of the live wallboard and the waiting-room screens' default look	Branch
Reports	Service level minutes and target, target utilisation, forecast history	City
Alerts	Thresholds for long wait, queue size, idle agent, no-show spike, low satisfaction, and Email recipients	Branch

Section	What you set	Level
Security	See 4.15	Organization
Data retention, Data protection	See 4.17	Organization

The **service day**: the **Daily numbering reset time** (in **Tickets**) is the branch-local time at which ticket numbers start again from 1.

Two more options in **Tickets**:

- **Restart numbers after**: during the day, after this ticket number the next one starts again at 1 (set 100 and the line goes A-100 , then A-001). 0 keeps counting until the daily reset. A number still held by a waiting visitor is skipped, so two visitors never share a number.
- **Call visitors by the last digits of their phone number** (with **Digits called**, 3 by default): for desks without a printer. Reception types the visitor's phone number and the screens and the voice call its last digits instead of the ticket number. Only the last digits are stored. Two visitors in the line cannot have the same digits.

Settings
Organization-wide options. Changes apply immediately.

Applies to: **Organization** City: Choose a city

Search settings...

Branding
Company name, logo, colours and the texts on tickets and screens.
Applies to: Organization only

Preview
Updates as you edit, before you save.

Al Ofoq Services Group

Welcome, please have a seat
Sample text 0123
Thank you for your visit

A-007
IBM Plex Sans Arabic

Identity

Company name
مجموعة الأوفق للخدمات Al Ofoq Services Group

Logo (light backgrounds)

Settings

4.14 Notifications and message templates

Open **Notifications**. It tells visitors their number, their turn and their call. It has four tabs:

- **Channels:** shows **WhatsApp**, **SMS** and **Email** as **Configured**, **Not configured** or **Test mode (nothing is sent)**. Provider keys and passwords are set by whoever installs the server (for email, the SMTP settings; for WhatsApp, the WhatsApp Cloud API token; for SMS, an SMS gateway or Twilio). They are never shown here. Use **Send a test message** to send a sample to your own phone or email (super admin).
- **Events and limits:** choose which events are sent (**Number issued**, **Turn is near**, **Called to the desk**, **Missed the call**, **Thank you after the visit**) on which channel, and the **Channel order**. Limits protect visitors from too many messages. Keep the **Opt-out footer**. Messages are sent only if the visitor agreed at reception and left a phone number or email. Branches can follow the default or have their own choice.
- **Messages** (super admin): edit the wording per event and channel, with values you can insert (ticket number, desk, wait and so on). **Restore the default wording** goes back to the original. For WhatsApp you can enter the **WhatsApp approved template name**.
- **Delivery log:** every message with its status (**Queued**, **Sending**, **Sent**, **Failed**, **Not sent**) and the reason when it was not sent. Use **Send again** on a failed one.

The screenshot displays the 'Notifications' settings page. The top navigation bar includes 'Administration', 'Reception', 'Agent workspace', 'Reports', and 'Live wallboard'. The user is logged in as 'Super Admin' with a 'Sign out' option. The left sidebar lists various system components, with 'Notifications' highlighted. The main content area is titled 'Notifications' and includes a sub-header: 'Tell visitors about their number, their turn and their call by WhatsApp, SMS or email.' Below this, there are four tabs: 'Channels', 'Events and limits', 'Messages', and 'Delivery log'. The 'Channels' tab is active, showing three channel configurations: WhatsApp, SMS, and Email. Each channel has a 'Test mode (nothing is sent)' status and a 'mock' value. A note states: 'Keys and passwords are kept in the server environment, never in the database, and are not shown here. A message is only sent when the visitor agreed at reception and left a phone number or email.' Below the channels, there is a 'Send a test message' section with a description: 'Sends the "number issued" message to your own number or email through the selected channel.' This section contains a form with three fields: 'Channel' (set to 'Email'), 'Email address' (empty), and 'Language' (set to 'العربية'). A 'Send test' button is located at the bottom of the form.

Notifications

4.15 Security settings (super admin)

In **Settings > Security**:

- **Password policy:** **Minimum length**, and whether to require an uppercase letter, lowercase letter, number or symbol.
- **Lock after failed sign-ins** and **Lock duration (min)**.
- **Invitation validity (hours)**.

- **Let people request an account on the sign-up page....**: see 4.7.
- **Roles that must use 2FA**: tick the roles. People in those roles must use two-step verification.

4.16 Reports and scheduled reports

Open **Reports** from the top bar (it needs the report permissions, which both administrator roles have). Choose a period (**Today**, **Yesterday**, **Last 7 days**, **Last 30 days**, **This month** or custom dates) and filters (branch, visit reason, agent, hall, hours, weekdays). The page shows key figures, peak hours, queue length, agents, visit reasons, forecast, repeat visits, shifts, ticket sources, halls and visitor satisfaction.

- **Download** exports **Excel (.xlsx)**, **CSV** or **PDF**, with the sections you pick.
- Open **Scheduled reports** at the bottom and press **Add scheduled report** to email a report automatically. Choose the **Frequency** (**Every day** covers the previous day; **Every week** covers the seven days ending yesterday), **Send at**, **File format**, **Report language**, branch, **Recipients** (one email per line) and sections. **Send now** tests it. If email is not configured nothing is sent.

4.17 Privacy tools and data retention

Privacy requests handles a visitor asking for their data.


1. Open **Privacy requests**. Type a phone number, name or ticket number and press **Search**.
2. Select the visitor. You see what is held (tickets, appointments, feedback, notifications).
3. **Export JSON** or **Export CSV** gives the person their data.
4. To erase, press **Erase now**, write a **Reason** (no names or numbers), tick **I confirm the identity of the person and want to erase their data.** and confirm. Name, phone and company are removed and notes and comments are cleared. Tickets and scores stay in reports. This cannot be undone.

Every request is listed under **Request history** without the person's details. To remove a staff member's personal data, use **Anonymize** in the user dialog.

Retention (**Settings > Data retention**, super admin): set the number of days after which visitor data is anonymized, ticket notes and intake answers are cleared, feedback comments are cleared, notification details are cleared, audit entries are deleted and expired sign-in records are deleted. **0** keeps that data until you erase it by hand. The job runs by itself about once a day. **Preview** shows what it would change without changing anything. **Run now** applies it for good. **Settings > Data protection** holds the **Consent text on the reception form** and **Require consent before issuing a ticket**.

4.18 Audit log

Open **Audit log**. Each row shows **When**, **Who**, **Action**, **Item** and **Details**, with **Before** and **After** values for changes. Filter by item type with **All items** and press **Load more** for older entries. Use it to answer "who changed this setting?"



Audit log

4.19 Backups

Backups are taken by scripts on the server, not from this application. Ask whoever runs the server to schedule them, and read the file `docs/backup-restore.md`. The **Database backup** card on the Overview shows whether the last backup succeeded.

5. Good practice and tips

- Give each person the smallest role they need. Use a custom role such as a supervisor (reports, wallboard, reassign tickets) instead of making someone an administrator.
- Keep at least two administrators so you are never locked out.
- Set each branch's time zone correctly before the first ticket.
- Use **Simulate** before you change distribution rules on a busy branch.
- Check the **Delivery log** after you configure a channel, and send yourself a test message.
- Review the **Audit log** regularly, especially roles, users and settings.
- Collect only the visitor data you need and set retention periods.
- Make sure every visit reason has at least one primary agent and a branch has a way to issue tickets.

6. Common questions and troubleshooting

Problem	What to do
A page in this guide is not in my sidebar	Your role does not include it. A city admin has no Cities page and sees fewer Settings sections. Ask a super admin.
"Access denied"	Your role lacks the permission. Ask a super admin to change your role.
I cannot give a role to someone	You can only give roles whose permissions you hold, and only within your own scope.
Tickets for a service are never called	Open the visit reason: nobody is assigned, or the assigned agents are not signed in or are outside their shift (Settings > Agents).
A branch cannot issue tickets	The Overview warning card tells you why. Add a receptionist, enable agent walk-in issuing, or pair a kiosk.
New user did not get an email	Email may not be configured (Notifications > Channels). Copy the link from the dialog and send it yourself.
The invitation link stopped working	It expired or was replaced by Resend . Resend it.
A user is locked out	Open the user and press Activate , or wait for the lock duration. Use Reset password if needed.
A user lost their phone	Open the user and press Reset 2FA .
A setting change does not show at one branch	That branch may have its own override. Use the Applies to switcher and check the source badge.
Visitors do not get messages	Check the channel status, that the event is on, that the visitor agreed at reception, and the Delivery log reason.
Ticket numbers restarted at an odd moment	Check Daily numbering reset time and the branch time zone.

7. Quick reference

I want to...	Go to
Add a city	Cities > Add city
Add a branch, floor or desk	Branches & desks

I want to...	Go to
Add a service	Visit reasons > Add reason
Assign agents to a service	Visit reason > Who serves this reason
Create a user	Users > Add user
Invite by email, WhatsApp or SMS	Users > Invite
Approve an account request	Users > Requests > Approve
Reset a password or 2FA	Open the user > Reset password / Reset 2FA
Make a custom role	Roles & permissions > Clone or New role
Change how tickets are assigned	Distribution rules
Test rules safely	Simulate > Run simulation
Change logo, colours, numbering	Settings
Set password rules and 2FA	Settings > Security
Connect email, WhatsApp, SMS	Notifications > Channels (keys set on the server)
Edit visitor message wording	Notifications > Messages
Schedule a report email	Reports > Scheduled reports
Erase a visitor's data	Privacy requests
See who changed something	Audit log
Pair screens and kiosks, set voice	Screens (see the screens guide)

8. Going live checklist

Before the first day, make sure:

1. The **Company name** and **Logo** are set, and a test ticket looks right.
2. Every branch has the correct **Time zone**, desks with numbers, and a way to issue tickets (receptionist, agent walk-in issuing or a kiosk).
3. Every visit reason has a **Ticket prefix**, expected time, SLA and at least one primary agent.
4. All staff have accounts, the right role and scope, and agents have a **Default desk** and **Shift**.
5. **Distribution rules** are set and tried in **Simulate**.

6. **Daily numbering reset time**, digits and wait estimate are set.
7. **Settings > Security**: password policy, 2FA for administrators, invitation validity, and the sign-up setting decided.
8. Email is configured; WhatsApp and SMS if you use them. A test message arrived. Visitor message wording is reviewed.
9. Consent text and retention periods are set.
10. Screens, voice and kiosks are paired and checked (see the screens guide).
11. Backups are scheduled and the **Database backup** card is green.
12. At least two administrators exist, each with two-step verification.