## Persian MNIST in 5 Minutes

Shahriar Yazdipour Dr. Borna

# Agenda


Quick Intro to ML
What is MNIST
What is Tensorflow?
MNIST on Android.Kotlin
Building MNIST Model
Models Differences
ML On All Platform




 Machine learning: A facet of AI that focuses on algorithms, allowing machines to learn without being programmed and change when exposed to new data.

 Deep learning: The ability for machines to autonomously mimic human thought patterns through artificial neural networks composed of cascading layers of information.

- Supervised Learning:
  - Prediction based on Labelled Data
  - Goal: A program that performs a task as good as humans.
  - o TASK: well defined
  - EXPERIENCE: training data provided
  - PERFORMANCE: error/accuracy on the task




- Unsupervised Learning:
  - Analyze Unlabelled Data
  - GOAL: To find structure in the data
  - TASK: vaguely defined (approximate)
  - No EXPERIENCE
  - No PERFORMANCE



Regression (Supervised Learning):
 a set of statistical processes for estimating
 the relationships among variables.
 (Linear/Polynomial Regression)

Classification (Supervised Learning):
 Algorithms that let machines assign a category to a data point based on training data.
 (KNN, Trees, ...)


Clustering (Supervised Learning):
 Algorithms that let machines group data points or items into groups with similar characteristics.
 (KMeans, SVD, PCA) + Dimensionality Reduction




Decision tree (Supervised Learning):

A tree and branch-based model used to map decisions and their possible consequences, similar to a flow chart.

And So Much More ...




 (Artificial) Neural Networks: are computing systems vaguely inspired by the biological neural networks that constitute animal brains. Such systems "learn" to perform tasks by considering examples, generally without being programmed with any task-specific rules.




• Convolutional neural network (CNN): A type of neural networks that identifies and makes sense of images.

### **Neural Networks**



### Convolutional neural network



# What is Tensorflow?



An open source machine learning framework for large-scale projects.

Created by the Google Brain team.

TensorFlow bundles together a slew of machine learning and deep learning (aka neural networking) models and algorithms and makes them useful by way of a common metaphor.

#### Biggest benefit of TensorFlow:

- Python for a convenient front-end API
- Executing in high-performance C++
- Instead of dealing with the nitty-gritty details of implementing algorithms, or figuring out proper ways to hitch the output of one function to the input of another, the developer can focus on the overall logic of the application.
- TensorFlow takes care of the details behind the scenes.

### Competitors

TensorFlow competes with a slew of other machine learning frameworks. PyTorch, CNTK, and MXNet are three major frameworks that address many of the same needs.

Lets see where they stand out and come up short against TensorFlow.

#### PyTorch (Facebook)

- Python
- Hardware-accelerated components under the hood
- A highly interactive development model that allows for design-as-you-go work
- a better choice for fast development of projects that need to be up and running in a short time, but TensorFlow wins out for larger projects and more complex workflows.

#### **CNTK** (Microsoft Cognitive Toolkit)

- Like TensorFlow uses a graph structure to describe dataflow
- but focuses most on creating deep learning neural networks.
- handles many neural network jobs faster
- Has a broader set of APIs: Python, C++, C#, Java, ...

#### Apache MXNet (Adopted by Amazon)

- As the premier deep learning framework on AWS
- Can scale almost linearly across multiple GPUs and multiple machines.
- Broad range of language APIs: Python, C++, Scala, ...

## What is MNIST

### **MNIST**

- (0, 1, ... 9)
- 28x28 pixels
- 784D space
- Grayscale levels
- 70,000 images
- 60,000 training
- 10,000 testing

The MNIST database is a large database of handwritten digits that is commonly used for training various image processing systems.

A standard benchmark for neural network classification is the MNIST digits dataset, a set of 70,000 28×28 images of handwritten digits. Each MNIST digit is labeled with the correct digit class (0, 1, ... 9).

# English MNIST on Android With Kotlin

### DEMO: MNIST Android App

- Using Kotlin Language Programming
- Tensorflow Dependency
- Tensorflow MNIST Model
- Custom Drawing Canvas 28x28
- Use Tensorflow Light Magic to detect the drawing




# Building a Persian MNIST Model Using CustomVision.Ai





The **Custom Vision**Service is a Microsoft
Cognitive Service that lets
you build custom image
classifiers. It makes it easy
and fast to build, deploy,
and improve an image
classifier.


### CustomVision

- Part of Azure Cloud Services
- Free and Paid Services
- REST API
- Training API
- Prediction API
- A web interface to upload your images and train the classifier.
- 50 images per class are enough to start your prototype.
- Model export to ONNX ,Dockerfile, TensorFlow, CoreML
- SDK and Complete sample and Tutorial Videos for cross platform scenarios









#### A Database of Persian HSF from Prof. Javad Sadri (Concordia University)

A novel comprehensive database for offline Persian handwriting recognition <a href="https://www.sciencedirect.com/science/article/pii/S0031320316300097">https://www.sciencedirect.com/science/article/pii/S0031320316300097</a>
Comprehensive Database for Offline Persian Handwritten Recognition <a href="https://users.encs.concordia.ca/~i\_sadri/PersianDatabase.htm">https://users.encs.concordia.ca/~i\_sadri/PersianDatabase.htm</a>

- 250 men+250 women
- 7 different pages of handwritten sample forms (HSFs).
- 3 color formats: true color, gray level, and binary
- 250 Digit Sample Available for Free

Item	Total	Training Set	Validation Set	Testing Set
Dates	4500	2700	1800	1800
Digits	97124	60000	17124	20000
Numeral Strings	19500	11700	3900	3900
Alphabet Letters	43000	25800	8600	8600
Punctuation and Symbols	16000	9600	3200	3200
Words	70000	42000	14000	14000
Texts	500	300	100	100
Writer	500 (250 Male+250 Female)		) <del></del>	
HSF *	3500			

<sup>\*</sup> HSF stands for Handwritten Sample Form


# Models

### Models

With your own data, you can train custom models to perform tasks like recognizing images, extracting meaning from text, or finding relationships between numerical values.

Pre-trained models are deep learning model weights that you can download and use without training.

Simply give some input and get a result.



### Popular Models

Tensorflow Model (pb):

Platforms: Cloud, Android, IoT

Frameworks: Mostly Every ML framework

Big Difference: The .pb file always comes with a label.txt file

\* Easy to find open source models for specific needs.

CoreML Model (mlmodel):

Platforms: iOS >11, macOS

Frameworks: CoreML, Caffe, Keras

Open Neural Network Exchange (onnx):

Platforms: Cloud, WinML, IoT, Android (Xamarin)

**Frameworks**: Mostly Every ML framework

\* Same as CoreML but more open and convertible

\* Easy to find open source models for specific needs.








# ML On All Platforms

### **UWP** Example

- Using a Ink Canvas
- Using CustomVision
   REST API with its
   prediction key
- Make a POST Request with your Image in the request BODY
- Parse JSON result



#### SENDING THE REQUEST

```
static byte[] GetImageAsByteArray(string imageFilePath)
            FileStream fileStream = new FileStream(imageFilePath, FileMode.Open, FileAccess.R);
            BinaryReader binaryReader = new BinaryReader(fileStream);
            return binaryReader.ReadBytes((int)fileStream.Length);
        static async Task MakePredictionRequest(string imageFilePath)
           var client = new HttpClient();
            // Request headers - replace this example key with your valid subscription key.
            client.DefaultRequestHeaders.Add(
                 "Prediction-Key", "13hc777xxx7e4b19b5fcdd72a8df7156");
            // Prediction URL - replace this example URL with your valid prediction URL.
            string url =
"http://southcentralus.api.cognitive.microsoft.com/customvision/v1.0/prediction/d16e136c-xxx-4b
84-9341-6a3fff8fa7fe/image?iterationId=f4e573f6-xxxx-46db-8018-b01d034fd0f2";
            HttpResponseMessage response;
            // Request body. Try this sample with a locally stored image.
            byte[] byteData = GetImageAsByteArray(imageFilePath);
            using (var content = new ByteArrayContent(byteData))
            content.Headers.ContentType = new MediaTypeHeaderValue("application/octet-stream");
                response = await client.PostAsync(url, content);
                Console.WriteLine(await response.Content.ReadAsStringAsync());
```

#### **GETTING THE JSON RESULT**

# "The Future of Cloud Computing Will Blow Your Mind"

- Everywhere
- ML Everywhere
- ML-as-a-Service
- Always Update ML Models
  - Distributed Computing
- Power of Quantum Computing

### Thanks!

#### Contact:

☐ https://yazdipour.github.io/☑ yazdipour@outlook.com

Source Code:

https://github.com/yazdipour/Simple\_Persian\_MNIST

