YAZHI · BUBBLE UI · V0.1

One interface. Five landscapes.

Bubble UI is the surface every Yazhi app lives in: a conversation, a tray of bubbles and Mission Control. This page is the whole library — design system, components, modules, page templates and agents — live, in light and dark, and in each of the five Sangam landscapes.

Browse components | Open Yazhi Chat


Palai | Mullai | Kurinji | Marutham | Neytal

Mist on the ridge. The mist parts where the pointer passes and closes behind it.

அ நி கு கு க ச யா

Avai

peak 01



reach

Move over the figure. Hairline figures after Hairline by Lucas Marques (MIT).

START

Principles

The interface is where Yazhi's Aram rules become visible. Each rule has a component that enforces it, so following this library is following the rules.

No claim without a source

Every answer carries its citations inline. With no source, the bubble says "I don't know" and offers where to look.

Data stays home

A runtime badge always shows where the model runs. On-device is the default; the cloud is a visible choice.

Think, then act

Nothing changes a system without a confirm gate that names exactly what will happen, in words, before it happens.

Children first

Child-facing screens are held until counsel signs off. Parents see everything a child's bubble does.

Ship what we said

Drafts are marked as drafts — including Tamil copy awaiting a native reviewer. Nothing pretends to be finished.

Tamil is first-class

Tamil gets its own line height, is never letter-spaced and is never cut mid-letter.

The hairline doctrine

Figures and motion follow the ten rules of Hairline by Lucas Marques: isometric line drawings that answer the pointer. We vendor its MIT-licensed kernel and draw our own figures to its rules. The same rules govern every animated surface in Bubble UI.

01 Hit areas never move: test against the rest pose.

02 Stagger by distance from where the change started.

03 Clamp reach; let falloff keep a floor.

04 Stroke is the only highlight: no fills, no glows.

05 Design the rest pose; one bright mark.

06 Honest construction, painted back to front.

07 Loops sleep offscreen.

08 Two clocks: a tween for choices, springs for the pointer.

09 Rounded solids are a silhouette and one crease.

10 No words in the figure; the read-out names the part.

START

Mission Control

The Yazhi mark — three bubbles — held inside a bubble. It leads every composer and header, and it is the one place a person controls Yazhi from: their Circle account, the theme, the landscape a chat wears and where its replies run. It wakes once a Circle account is signed in; until then it sleeps, and pressing it asks you to sign in or join.



Asleep
No account · opens sign-in



Awake
Signed in · opens the panel

Try the wake



Account

Who is signed in with Circle, and sign out. The browser never sees a token.

Theme


Light, dark or the system's choice — also always available beside it, signed in or not.

Chat

In Yazhi Chat it adds the room's landscape and where replies come from: yazhi-api or this device.

Places

The way between Yazhi Chat and this library.



USE IT

```
<Composer
  leading={<MissionControl active={signedIn} who={name} onPress={open} />}
  onSend={send}
/>
```

DESIGN

Themes

Sangam poetry sorts the world into five tinai, each a landscape with its own mood. Each is a whole theme here: a ground and an ink in light and dark, a way of moving, a living background, a figure and a persona with its own voice. Wrap any subtree in `<TinaiScope tinai="…">` and everything inside takes the landscape; change it and every surface cross-fades. Choosing a theme below dresses this whole page in it.

Palai · Mullai · Kurinji · Marutham · Neytal

MOUNTAINS

Kurinji

Mist on the ridge.

First meetings — curiosity and discovery, where a story starts.

LIGHT


High, cool and clear; violet ink, ridgelines layered into distance.

POINTER

The mist parts where the pointer passes and closes behind it.

USE FOR

Launches and first releases. Default home of Avai and onboarding.



PERSONA

The Seeker

A curious guide at first meetings, who opens one door at a time and shows where each thing comes from.

Bright and curious. One clear first step, then the next; names its sources as it goes.

curious · light · inviting

EMPTY	Where shall we begin?
LOADING	Looking for the source…
SUCCESS	Found it — here is where it comes from.
ERROR	I couldn't find a source, so I won't guess — I don't know.
CONFIRM	Start here?

DO	Give one clear first step
DO	Reveal a little at a time
DO	Credit every source
DON'T	Front-load every feature
DON'T	Guess
DON'T	Hide where an answer came from

The persona and its copy are drafts; the Tamil versions in the theme files await native review.

PALETTE · DARK · CLICK TO COPY

ground	surface	hi	edge	mid	lo	accent	text	text-dim
#0A0912	#14121F	#E6E1FB	#7A70B3	#3D3760	#221F36	#8B7AE0	#F2F0FB	#C4BFDC

PALETTE · LIGHT · CLICK TO COPY

ground	surface	hi	edge	mid	lo	accent	text	text-dim
#F4F2FB	#FCFBFF	#291F66	#7D72B6	#BCB5DE	#E4E0F4	#5A47B8	#17142B	#4C4769

IN BUBBLE UI · DARK AND LIGHT

DARK

Avai · sample · on device

Where do I start?

Pick one landscape and build one bubble [1].

— 1 · source shown with every claim

Ask Avai… ↑

LIGHT

Avai · sample · on device

Where do I start?


Pick one landscape and build one bubble [1].

— 1 · source shown with every claim

Ask Avai… ↑

MOTION

Buoyant. A little lift, a small overshoot, then still.



Send it

settle 700ms · ambient pace ×0.7

k 120 c 15 ζ 0.68 overshoot 5%

KARUPPORUL — NATIVE THINGS

the full atlas

BIRD	BEAST	FLOWER
parrot, peacock	tiger, elephant, bear	kurinji, glory lily
TREE	DRUM	YAZH
sandalwood, venkai, bamboo	tondagam drum	kurinji yazh

Midnight, autumn, early dew; the feeling is union.

Pick by purpose

Choose the landscape from what the screen is for, never from a colour you like, and change it across whole sections, never inside one card.

THEME	PERSONA	USE FOR	APPS
Palai	The Wayfarer	Security, infrastructure and hard engineering	Kural Desk, yazhi-api console
Mullai	The Keeper	Community, Dev Spaces and Yazhi Academy	Guru, Dev Spaces

THEME	PERSONA	USE FOR	APPS
Kurinji	The Seeker	Launches and first releases	Avai, onboarding
Marutham	The Arbiter	Civic and legal: Nyaya, Sezhi; everyday commerce	Nyaya, Kadai
Neytal	The Voyager	Diaspora, Yazh, and language loss	Open Sangam, Yazh (parents)

DESIGN

Foundations

Small set, strictly used. Everything on this page is built from these and nothing else.

Light and dark

Every colour is a pair, written once with CSS `light-dark()`. Bubble surfaces sit in `.bubble-root` and follow the system; `data-mode="light"` or `"dark"` on `<html>` pins a choice, and `<TinaiScope scheme="light">` pins one subtree. By night the ground is ink and the text is cream; by day the ground is paper and the landscape's ink becomes the text. Text stays at 15:1 or more, secondary text at 6.9:1 or more and accents at 5:1 or more on every ground, in both modes.

Tokens

`--env-ground`	Page ground: five near-blacks by night, five papers by day, each tinted toward its landscape.
`--env-surface`	Raised surfaces: panels, composer, the tray. One step from ground; never a shadow.
`--env-hi`	The one bright stroke. One per view at rest: the active bubble, the chosen part.
`--env-edge`	Silhouettes and rules. The .hair and .hair-lo borders mix it down.
`--env-mid / --env-lo`	Ordinary and receding strokes, for depth without fills.
`--env-accent`	The tinai hue, also exposed as --accent.
`--env-text / --env-text-dim`	Text, warmed or cooled toward the landscape.
`--night / --ivory / --gold`	The brand: ground, text and gold. Inside a TinaiScope they follow the landscape.

Type

Display, for names and moments

யாமறிந்த மொழிகளிலே

Body, for reading. Latin leading 1.55; Tamil 1.75 in text and 1.35 in display, because kombu and the vowel signs need the room.

`Mono, for tokens, read-outs and numbers · 0123456789`

Line and shape



Bubbles come in three sizes, 1 : 0.74 : 0.55, sized by how much work lives behind them. One stroke weight everywhere: a 1px hairline in the landscape's edge colour. No drop shadows, no glows — depth comes from ground, surface and stroke.

DESIGN

Motion

Two clocks, and a landscape to set their character.

A tween for choices

Anything you choose — a tab, a bubble, a step — moves on one 700ms curve, cubic-bezier(.32,.72,0,1). Calm, decisive, the same everywhere.


Springs for the pointer

Anything that follows the hand rides a spring, and the spring belongs to the tinai: heavy in Palai, buoyant in Kurinji, exact in Marutham, loose in Neytal.

Stagger by distance

When one change spreads, it starts where you acted and reaches neighbours in order of distance, 30–60ms apart. Try the tray on the cover.


Palai



k 70 c 17 ζ 1.02

overshoot 0%

Mullai



k 85 c 18 ζ 0.98

overshoot 0%


Kurinji



k 120 c 15 ζ 0.68

overshoot 5%

Marutham



k 100 c 20 ζ 1.00

overshoot 0%

Neytal



k 55 c 10 ζ 0.67

overshoot 6%

With reduced motion, springs and tweens jump to their end, ambient fields draw one still frame and colour changes are instant.
Nothing is lost: every state is still reachable and labelled.

DESIGN

Access

Hit areas stay put

Only the drawing moves. A bubble that swells keeps its button exactly where it was, so the pointer never chases a target.

Everything has a name

Figures are role=img with a sentence of meaning; ambient canvases are aria-hidden. Tabs, menus and panels follow the WAI-ARIA patterns.

Keyboard is a pointer

Focus lifts a bubble the way hover does. Focus rings use the bright stroke, never colour alone. Escape closes panels.

Targets

At least 44px. The composer never sends while an input method is composing — Tamil keyboards confirm letters with Enter.

Tamil, whole

Never letter-spaced. Text is cut by grapheme (Intl.Segmenter), so தி is never torn into த and ி.

Light, dark, system

Both themes meet WCAG AA everywhere; the choice is always one press away, signed in or not.

Announce once

A streaming reply is announced when it finishes, not token by token.

Sleep

Every animated surface sleeps when offscreen or when the tab is hidden.

DESIGN

Sangam atlas

The things native to each landscape — its god, birds and beasts, flowers and trees, food, water, drum, yazh and melody, work and settlement — are the raw material for each theme's icons, sounds and illustrations. Choose a landscape in the table to dress the page in it. Below, Sangam objects drawn as Hairline figures: they take whatever ink they are placed in.

Draft — compiled from Tolkāppiyam and its standard teaching summaries; awaiting a Tamil scholar's review.

KARU	Palai Drylands	Mullai Forest	Kurinji Mountains	Marutham Farmland	Neytal Coast
LAND	parched wasteland	forest and pasture	mountains	farmland	seashore
SEASON	summer, late dew	rains	autumn, early dew	every season	every season
HOUR	midday	evening	midnight	before dawn	late afternoon
FEELING	separation	patient waiting	union	lovers' quarrel	lament
DEITY	Korravai	Mayon	Seyon (Murugan)	Vendan (Indra)	Varunan
BIRD	dove kite	jungle fowl	parrot peacock	stork heron	sea crow

KARU					
BEAST	wild dog worn-out elephant	deer hare	tiger elephant bear	buffalo otter	shark crocodile
FLOWER	kuravam trumpet flower	jasmine glory lily	kurinji glory lily	lotus blue water lily	water lily screwpine
TREE	mahua palai tree	golden shower kaya wild lime	sandalwood venkai bamboo	arjuna kanji	punnai mangrove
FOOD	spoils of the road	kodo millet little millet	foxtail millet bamboo rice	red paddy white paddy	fish goods bartered for salt
WATER	dried spring dug pit	forest stream	waterfall mountain spring	river pond	sea brackish pit
DRUM	tudi, the hourglass drum	bull-taming drum	tondagam drum	harvest drum wedding drum	fish-catch drum
YAZH	palai yazh	mullai yazh	kurinji yazh	marutha yazh	vilari yazh
MELODY	panchuram	sadari	kurinji pann	marutham pann	sevvazhi
WORK	raiding travellers cattle raids	herding cattle	gathering honey guarding millet	weeding reaping paddy	fishing making salt
SETTLEMENT	fort-hamlet	herders' camp	hill hamlet	village	port town fishing hamlet

தெய்வம் உணாவே மாமரம் புள் பறை
செய்தி யாழின் பகுதியொடு தொகைஇ
அவ்வகை பிறவும் கருவென மொழிப

Tolkāppiyam, Akattiṇaiyiyal — deity, food, beast, tree, bird, drum, occupation and the yazh: these, and things of their kind, are called karu.

CHECKED AGAINST

Tolkāppiyam, Poruḷatikāram, Akattiṇaiyiyal (the karu sūtra quoted above)

Sangam landscape — Wikipedia

Eco-regions during the Sangam age — Rau's IAS

Landscape in Sangam literature — P. Aruna Devi


How Sangam literature imagined a coastal world — The Wire

Also exported as data, with every Tamil name: `import { KARUPPORUL } from "@yazhi/bubble"`

Yazh

karu · yazh

rest




sympathy

The bow harp of the poems, and the instrument Yazhi is named for. Tolkāppiyam counts the yazh among the karu, so each landscape has its own.

Parai

karu · drum

rest




ring speed

The frame drum. Each tinai has its own parai in the karu, beaten for its own occasions — harvest, the catch, the bull-taming.


Vilakku


rest



Olai chuvadi


rest





catch delay

The standing oil lamp of the Tamil home and temple: a turned brass solid with wicks round its bowl.



fan spread

A palm-leaf manuscript. The Sangam anthologies came down to us on leaves like these, copied by hand until they were printed in the nineteenth century.

LIBRARY · LAYER 1

Components

The primitives every Yazhi app shares. Several exist to enforce a rule in the interface itself: a citation for every claim, an honest “I don’t know”, a person in front of every system change. Compose them into modules.

```
import { Bubble, Pill, Panel, CitationMark, IDontKnow,
ConfirmGate, Composer } from "@yazhi/bubble";
```

Bubble · Pill · Panel · CitationMark · IDontKnow · Disclaimer · ConfirmGate · MessageBubble · Composer · KuralQuote · Stepper

Bubble

All apps

An app, agent or tool as a lit sphere with its first glyph. Button when given onSelect.

அ நி ச

▶ Usage

Pill · RuntimeBadge · DraftTag

All apps

Status labels. RuntimeBadge says where an answer ran; DraftTag marks unreviewed Tamil.

Enforces: Ship what we said — drafts are marked as drafts

PUBLISHED IN REVIEW BLOCKED BETA ON-DEVICE YAZHI-API OFFLINE DRAFT · NATIVE REVIEW

▶ Usage

Panel · EmptyState

All apps

The raised surface every module sits on, and the empty view for lists.

Queue
Open tickets
3
Panel body.

No bubbles yet
Bubbles you install appear here.

▶ Usage

`CitationMark · SourceCard`

Avai · Nyaya · Guru

Numbered inline citation and the card it points to, with a verified / unverified state.

Enforces: No claim without a source

Wisdom is finding the truth in what you hear, whoever says it. [1]

[1] **Thirukkural** — unverified

Couplet 423

> எப்பொருள் யார்யார்வாய்க் கேட்பினும் அப்பொருள் மெய்ப்பொருள் காண்பது அறிவு.

▶ Usage

`IDontKnow`

Avai · Nyaya · Kural · Guru

The honest decline — தெரியவில்லை — with why, and what would help.

Enforces: No claim without a source

I don't know

Scholars propose different dates, and no stored source settles a single year.

I can show what each dating argument rests on.

▶ Usage

`Disclaimer`

Nyaya · Yazh · All apps

Standard notices worded once: legal information, sample data, children.

Legal information, not legal advice

This explains what the law says; it cannot advise you on your situation. For advice, contact your District Legal Services Authority (DLSA) — legal aid is free for many people — or a lawyer.

Sample data

Everything on this screen is illustrative. It shows the layout, not real answers, citations, prices or people.

For parents and guardians

Children use Yazh only after a parent gives verified consent. We keep a first name and an age band — nothing else.

▶ Usage

`ConfirmGate`

Kural

A person confirms any system-changing action; impact and rollback are stated first.

Enforces: Think, then act — runbook and human confirm

NEEDS A HUMAN CONFIRM

Re-assign the printer a fixed address on the office router

Affects	Router configuration for the front office
Rollback	Restore the router config saved before the change

Type ROUTER · Confirm and run · Don't run

▶ Usage

`MessageBubble · TypingDots`

Bubble UI · Avai · Kadai

One conversation turn with its runtime badge and footer.

What does couplet 423 say?

Wisdom is finding the truth in what you hear, whoever says it.

YAZHI-API · 1

● ● ●

▶ Usage

`Composer`

Bubble UI · Avai · Nyaya

The message bar from the sketch: Mission Control, input, ▷ send / ■ stop.

Message Avai...

▶ Usage

KuralQuote

Avai · Open Sangam

A couplet with its number and an English gloss marked as a draft until reviewed.

எப்பொருள் யார்யார்வாய்க் கேட்பினும் அப்பொருள்
மெய்ப்பொருள் காண்பது அறிவு.

Thirukkural 423

“Whatever is heard, from whomever, wisdom is seeing the truth within it.” (draft gloss)

▶ Usage

Stepper

Guru · Yazh

Numbered steps with the current position — lessons, onboarding, wizards.

✓ Read — ✓ Try — 3 Hints — 4 Check

▶ Usage

LIBRARY · LAYER 2

Modules

App blocks built only from components: cited answers, runbooks, the hint ladder, the verse reader, orders and consent. Reach for a component only when no module fits.

```
import { CitedAnswer, HintLadder, RunbookPanel, VerseReader,
ConsentGate } from "@yazhi/bubble";
```

BubbleTray · ChatThread · CitedAnswer · LegalAnswerCard · HintLadder · RunbookPanel · VerseReader · ProductCard · FivePostureTrace · ConsentGate

BubbleTray

Bubble UI

The packed column of bubbles that never touch; a scrolling row on phones.



▶ Usage

ChatThread

Bubble UI · Avai · Kadai

A scrolling conversation whose turns can hold any node — answers, cards, gates.

அரிசி ஒரு மூட்டை வேணும்

Here's what the shop has — add what you need.

YAZHI-API

...

▶ Usage

`CitedAnswer · SourcesPanel`

Avai · Nyaya · Guru

An answer where every sentence carries a citation — or IDontKnow when nothing supports it.

Enforces: No claim without a source

Couplet 423 says wisdom is finding the truth in what you hear. 1

I don't know

No stored source supports an answer to this question.

Try naming the text, verse or section you mean.

1 cited

Sources

[1] **Thirukkural** unverified

Couplet 423

> எப்பொருள்
> யார்யார்வாய்க்
> கேட்பினும் அப்பொருள்
> மெய்ப்பொருள்
> காண்பது அறிவு.

▶ Usage

`LegalAnswerCard`

Nyaya

Nyaya's answer: question, cited explanation, the provisions, match score and the legal notice.

Enforces: Information, never advice; citation validity ≥95%

Nyaya

[Sample question]

97% MATCHED

[Plain-language explanation of the provision.] 1

[1] **[Sample Act name], [year]** ✓ verified

Section [n] — [section heading]

> [Exact text of the section, quoted from the stored India Code copy, appears here.]

Legal information, not legal advice

This explains what the law says; it cannot advise you on your situation. For advice, contact your District Legal Services Authority (DLSA) — legal aid is free for many people — or a lawyer.

▶ Usage

`HintLadder`

Guru

Hints one rung at a time; the last rung hands the work back. Never the answer.

Enforces: Hint ladder — never hand over homework

Guru

Solve for x: 3x + 5 = 20

I'm stuck — give me a hint

Guru gives hints, not answers. Your teacher sees which hints you used.

▶ Usage

`RunbookPanel · TicketCard`

Kural

Help-desk tickets and runbooks; system-changing steps sit behind ConfirmGates.

Enforces: Think, then act — runbook and human confirm

KD-1042 NORMAL TRIAGED

Front-office printer shows offline

Reception desk · 09:12

KD-1043 HIGH NEW

Staff member locked out after password reset

Accounts team · 09:40

Kural runbook

Printer unreachable

1 ☐ Look up the printer's address in the asset list and ping it from the help-desk machine.

2

NEEDS A HUMAN CONFIRM

Restart the print spooler service on the office print server.

Affects — Print jobs queued right now will be cancelled.

Rollback — Start the service again; ask staff to resend jobs.

Confirm and run | Don't run

▶ Usage

VerseReader

Open Sangam | Avai

Line-numbered classical text with glosses and the scholar review state.

Enforces: Scholar-verified text only

Open Sangam

Thirukkural — sample

AWAITING SCHOLAR REVIEW

34 மனத்துக்க…

423 எப்பொருள் …

467 எண்ணித் து…

664 சொல்லுதல் …

1 மனத்துக்கண் மாசிலன் ஆதல் அனைத்தறன்

2 ஆகுல நீர பிற.

Gloss · draft, pending scholar review

To be spotless in mind is the whole of virtue; all else is empty noise.

▶ Usage

ProductCard · PaymentIntentCard

Kadai

Bilingual products and an order that records a payment intent — no money moves.

Enforces: Payment intent only in v1

Sample rice
5 kg bag · ₹ —
IN STOCK | Add

Sample gingelly oil
1 litre · ₹ —
LOW | Add

Sample jaggery
1 kg · ₹ —
OUT | Add

Order

Nothing added yet.

Total ₹ —

Payment intent only — the shop confirms and collects payment directly. No money moves through Yazhi.

▶ Usage

FivePostureTrace

All apps

One turn graded against the Five-Posture kernel; failures become training pairs.

Five-Posture kernel

Reasoning trace

2 FAILED

√ Context
Tamil question; reply Tamil-first.

× Reason
Claimed a date with no stored source.

√ Plan
No step needs a human.

√ Respond
Register matched.

× Reflect
Should have declined — becomes a training pair.

▶ Usage

`ConsentGate`

Yazh

The parent-facing gate in front of Yazh. Reflects a server-side consent check.

Enforces: Children first — verified parental consent

Yazh

A parent's consent comes first

For parents and guardians

Children use Yazh only after a parent gives verified consent. We keep a first name and an age band — nothing else.

- We keep your child's first name and age band. Nothing else.
- A person reviews flagged conversations every day.
- You can see, pause or delete everything at any time.

I'm the parent — verify me

▶ Usage

LIBRARY · LAYER 3

Templates

Complete screens for each Yazhi app, composed from modules inside one `AppFrame`, running on sample data. Start a new app by copying the closest one.

Avai · Nyaya · Kural Desk · Guru · Kadai · Open Sangam · Yazh — for parents

Cited Q&A over Tamil literature, with the sources column and the reasoning trace. Runs on yazhi-api. `ChatThread · CitedAnswer · SourcesPanel · FivePostureTrace · KuralQuote · IDontKnow · Composer`

அ

Avai

Tamil literature, grammar and usage — every claim with its source

YAZHI-API

Sample data

Everything on this screen is illustrative. It shows the layout, not real answers, citations, prices or people.

What does the Kural say about listening to others?

Couplet 423 says wisdom is finding the truth in what you hear, whoever says it. 1

எப்பொருள் யார்யார்வாய்க் கேட்பினும் அப்பொருள்
மெய்ப்பொருள் காண்பது அறிவு.

Thirukkural 423

"Whatever is heard, from whomever, wisdom is seeing the truth within it." (draft gloss)

YAZHI-API

In which year was the Thirukkural written?

I don't know

Scholars propose different dates, and no stored source settles a single year.

I can show what each dating argument rests on, with its sources.

YAZHI-API

Ask Avai about a verse, a word, a rule...

1 cited

Sources

[1] **Thirukkural** unverified

Couplet 423

> எப்பொருள் யார்யார்வாய்க்
> கேட்பினும் அப்பொருள்
> மெய்ப்பொருள் காண்பது அறிவு.

Five-Posture kernel

Reasoning trace

ALL PASSED

- ✓ **Context** — English question about a Tamil text; answer bilingual.
- ✓ **Reason** — One stored source matched: Thirukkural 423.
- ✓ **Plan** — Quote, gloss, cite. No step needs a human.
- ✓ **Respond** — Every sentence cited.
- ✓ **Reflect** — Second question had no source — declined.

LIBRARY

Agents

Yazhi's own agents, from the Aram harness. They run on Adhan through yazhi-api, and every turn passes the Five-Posture Reasoning Kernel. Each lives in one landscape and keeps one rule it never breaks. Samples are illustrative, and their Tamil is a draft.

Pulavar

Avai · Kurinji

A patient Tamil scholar who reads the text before speaking. Quotes the line, names where it comes from, explains plainly, and says "தெரியவில்லை" rather than guess.

RULE A source for every claim, else "தெரியவில்லை".

Public beta from 21 Nov

▶ See a sample

Talk to Pulavar in Yazhi Chat →

Nyaya

Nyaya · Marutham

A careful paralegal voice. Asks the facts first, matches them to the Act's text, and shows the section — information, never advice, and always the way to free legal aid.

RULE Information, never advice; refer to legal aid.

Closed beta from 12 Dec

▶ See a sample

Talk to Nyaya in Yazhi Chat →

Kural

Kural Desk · Palai

A calm on-call engineer. Searches the knowledge base, triages, drafts the runbook — and never touches a system until a person has confirmed it.

RULE No system change without a runbook and a human confirm.

Internal from 30 Nov · paid pilot 15 Dec

▶ See a sample

Talk to Kural in Yazhi Chat →

Guru

Guru · Mullai

A teacher who asks before telling. Climbs the hint ladder one rung at a time, checks understanding, and lets the learner make the last step.

RULE The hint ladder — never hand over the answer.

Paid pilot from 28 Nov

▶ See a sample

Talk to Guru in Yazhi Chat →

Annachi

Kadai · Marutham

The friendly shopkeeper's assistant. Takes orders as people say them, keeps the counts straight, and prepares a payment request — but never moves money itself.

RULE Payment intent only — no money moves.

In development

▶ See a sample

Talk to Annachi in Yazhi Chat →

Held back on purpose: the Orchestrator and Reflection agents work behind yazhi-api, not in a chat; Guard-kid and the Yazh agents for children stay out of every public screen until counsel sign-off and verified parental consent.

LIBRARY

Do and don't

DO Pick the theme from what the app is for.

DON'T Pick a theme because you like its colour.

DO One bright mark at rest.


DON'T Light up everything that is interactive.


DO Let the landscape move the ambient field.	DON'T Put text or controls on the ambient field.
DO Check every screen in light and in dark.	DON'T Hard-code a colour that only works on one ground.
DO Mark a draft as a draft.	DON'T Ship Tamil copy no native speaker has read as final.
DO Change landscape across whole sections.	DON'T Mix two themes inside one card.

BUILD

Playground

The Bubble UI host, live: a conversation canvas, a tray of bubbles and the composer led by Mission Control. Pick a bubble in the tray. On-device bubbles need a local model server (see Runtimes); yazhi-api bubbles need a Circle account.





Redrawn from the founding notebook sketch. Capitol and the insider-risk line sit outside the frame on purpose: they are what the host answers to, not what the user sees.

Part	What it does
Canvas	The active bubble's conversation. Markdown replies; each notes which runtime produced it.
Tray	Every installed bubble, packed as circles that never touch. Size (s, m, l) is set by the manifest.

Part	What it does
Composer	Message input and send `▷`. Enter sends; the square stops a stream.
Mission Control	Bottom left, the Yazhi mark in a bubble. Asleep until a Circle account is signed in; awake, it opens the account, theme and places.
Status	Header chips: `online` / `offline` and the runtime in use.

BUILD

Quickstart

1. **Create a Circle account.** Press Mission Control. New builders join with an email and password (18+, code of conduct); Mission Control wakes once the account exists. The account lives in yazhi-api, not on this site.
2. **Start from the closest template.** Keep its `AppFrame` and swap the sample data for your app's.
3. **Compose from modules.** Reach for a component only when no module fits — and keep the guardrails (`IDontKnow`, `ConfirmGate`, `Disclaimer`) where the template has them.
4. **Pick its theme** from what the app is for, and check it in light and dark.
5. **Describe the bubble** in a `bubble.json` manifest: name, persona, runtime, permissions. Test it in the playground, then share it in Discord or a pull request.

BUILD

Manifest

Schema `yazhi.bubble/v0`. v0 means the shape may still change; breaking changes will bump the version and the host will keep reading v0. `taName` is the bubble's Tamil name, a draft until a native speaker reviews it.

BUBBLE.JSON

```
{
  "schema": "yazhi.bubble/v0",
  "id": "circle.4f2c.tamil-tutor",
  "version": "0.1.0",
  "name": "Tamil Tutor",
  "taName": "தமிழ் ஆசான்",
  "description": "Explains Tamil grammar with one example per rule.",
  "accent": "#4f9d6b",
  "size": "m",
  "agent": {
    "systemPrompt": "You explain Tamil grammar…",
    "greeting": "Which rule shall we look at?",
    "fivePosture": true
  },
  "runtime": { "prefer": "device", "model": "adhan", "deviceModel": "adhan-kutty" },
  "permissions": ["yazhi-api", "clipboard"],
  "author": { "circleAccountId": "4f2c…", "name": "Your Name" },
  "createdAt": "2026-10-03T09:00:00Z",
  "updatedAt": "2026-10-03T09:00:00Z"
}
```

Field	Type	Rules
`id`	string	Lowercase letters, digits, dots, dashes; ≤120. Convention: circle.<account>.<name>.
`name`	string	Required, ≤60.
`taName`	string?	Tamil name, ≤60. Draft until a native speaker reviews it.
`description`	string	≤280. Shown under the name and in the tray tooltip.

Field	Type	Rules
`accent`	#rrggbb	Bubble colour in the tray.
`size`	"s" | "m" | "l"	Tray size. Use l sparingly — it's a promise of importance.
`agent.systemPrompt`	string	Required, ≤8,000 characters.
`agent.greeting`	string	First message in a fresh thread, ≤1,000.
`agent.fivePosture`	boolean	Wraps the prompt in Context → Reason → Plan → Respond → Reflect.
`runtime.prefer`	"device" | "yazhi-api"	Tried first when online. Offline always means device.
`runtime.model`	string	Model on yazhi-api; must be on the server allow-list (default `adhan`).
`runtime.deviceModel`	string	Model name your local server knows, e.g. a GGUF alias or an Ollama tag.
`permissions`	string[]	`yazhi-api`, `clipboard`. Nothing undeclared is granted.
`author`	object?	The publishing builder's Circle account. Absent on unsigned manifests.

BUILD

Runtimes and offline

Runtime	On-device	yazhi-api
Path	Browser → model server on this machine or LAN	Browser → yazhi.dev /api/bubble/run → chat endpoint at YAZHI_API_URL
Internet needed	No	Yes (or a LAN route to yazhi-api)
Sign-in needed	No	Yes — a Circle session
Model	`runtime.deviceModel` on your server	`runtime.model`, allow-listed
Data leaves the device	No	To the configured Yazhi endpoint only; the allow-list keeps foreign models off this path

The host chooses: if the browser is offline, or the bubble didn't declare `yazhi-api`, it runs on-device. Otherwise it follows `runtime.prefer`. Today the yazhi-api runtime streams from the OpenAI-compatible endpoint configured as `YAZHI_API_URL`, the same path Yazhi Chat uses; moving it onto yazhi-api's own streaming is part of the v3 plan.

The on-device endpoint is any OpenAI-compatible server. The default is `http://localhost:8080/v1`, llama.cpp's `llama-server` port. Your server must allow this site's origin (CORS). Adhan Kutty is the intended default on-device model once it ships (scheduled 26 December 2026).

RUN A LOCAL MODEL

```
# llama.cpp — any GGUF model you have rights to run
llama-server -m ./models/your-model.gguf --port 8080

# or Ollama — allow the site's origin, then set the endpoint
# to http://localhost:11434/v1 in Mission Control
OLLAMA_ORIGINS=https://yazhi.dev ollama serve
```

BUILD

Circle sign-in

A Circle account is a person in the yazhi-api IAM directory, and creating one is what wakes Mission Control. yazhi.dev never keeps your password, and the browser never sees a token — only your name and email.

SIGN-IN FLOW

```
browser ── POST /api/circle/signin {email, password} ──▶ yazhi.dev server
yazhi.dev ── gRPC yazhi.circle.v1.YazhiCircle/SignIn ──▶ yazhi-api
yazhi-api ◀── checks password + account and company are active
yazhi.dev ◀── { account, access_token (15 min), refresh_token (7 days) }
browser   ◀── Set-Cookie: yz_circle_at, yz_circle_rt (httpOnly, SameSite=Lax)
            + { account }   ← the only thing page code ever sees
```

Route	Does
`GET /api/circle/session`	Who is signed in. Refreshes an expired access token in place.
`POST /api/circle/signin`	Email + password → session cookies.
`POST /api/circle/signup`	Creates a Circle account on yazhi-api (18+, code of conduct), then signs in.
`POST /api/circle/signout`	Clears the session cookies.
`POST /api/bubble/run`	Runs a bubble on yazhi-api. Requires a session; validates the manifest.

Session tokens (RS256, `typ=circle_session`) authenticate ordinary calls but are not admin credentials. Sign-in allows 5 failed attempts per email every 15 minutes. Deploying yazhi.dev? Set `YAZHI_GRPC_TARGET` (and `YAZHI_GRPC_TLS=1` off-loopback); sign-up also needs `YAZHI_CIRCLE_APP_KEY` and `YAZHI_CIRCLE_COMPANY_ID` — see `.env.example`. Personal API keys are not issued yet: yazhi-api creates one with every account, but until keys are scoped per person yazhi.dev discards it, and builders act through their session.

BUILD

Permissions and insider risk

Most harm to a platform like this comes from inside. The host is built so that a bubble cannot reach further than it said, quietly.

- A bubble declares its permissions; the server refuses a yazhi-api run without `yazhi-api`.
- Session tokens live in httpOnly cookies — no bubble, script or extension on the page can read them.
- Every yazhi-api run carries the builder's Circle account id, so it can be traced to a person.
- The server allow-lists models. A manifest cannot point yazhi.dev at a foreign provider.
- Session tokens stop working the moment an account or its company is deactivated.

Share bubbles today in Discord or as a pull request; new components and modules come in as pull requests to `packages/bubble`. Next: a shared registry on yazhi-api, Circle-signed publishing and reviews — see the Yazhi Dev v3 proposal.

BUILD

Code of conduct

Draft — pending review before Dev Spaces opens.

1. Build for the people who will use it. Say plainly what your bubble does and doesn't do.
2. No claim without a source. A bubble that can't support an answer says it doesn't know.
3. Data stays home. Don't route users' words to services outside India or outside their device.
4. Children are not your users here. Nothing for under-18s without the Yazh family flow and its safeguards.
5. No content that demeans any caste, religion, region, language or gender.
6. Credit others. Keep the author of anything you fork, and say what you changed.

7. Report problems — in a bubble or in a person's conduct — to the moderators in Discord.

BUILD

What's built, what's next

Piece	State
Bubble UI host — canvas, packed tray, composer, Mission Control	Built
Light and dark themes for every landscape	Built
On-device runtime (OpenAI-compatible, browser → localhost)	Built
yazhi-api runtime via /api/bubble/run, Circle-gated, model allow-list	Built — streams from YAZHI_API_URL
Streaming chat served by yazhi-api itself (gRPC)	Proposed — Yazhi Dev v3
Circle sign-in / join / sign-out on yazhi.dev	Built — needs YAZHI_GRPC_TARGET
UI library — 11 components, 10 modules, 7 templates	Built — sample data only
Child-facing Yazh screens in the library	Held — until counsel sign-off (Aram rule 4)
Shared bubble registry, publishing, reviews	Proposed — Yazhi Dev v3
Personal API keys for builders	Blocked — needs per-person key scoping on yazhi-api

Use it

```
import "@yazhi/bubble/styles/bubble.css";
import { TinaiScope, MissionControl,
  CitedAnswer, AppFrame } from "@yazhi/bubble";
```

In the repository

Everything on this page lives in `packages/bubble`: source, theme files with their personas, design PDFs and docs.

Credits

Hairline kernel and rules © Lucas Marques, MIT licence. Tinai moods from the Sangam landscape tradition as written up on yazhi.dev.