

## PROGRAM:

```
statuses = ("DELIVERED", "PENDING", "DELIVERED", "CANCELLED", "DELIVERED")
```

```
count = statuses.count("DELIVERED")
```

```
print("DELIVERD count=", count)
```

```
S=("A","B","A")
```

```
print(S.count("A"))
```

```
d=("pass","fail","pass")
```

```
print(d.count("pass"))
```

```
f=("new","new","new")
```

```
print(f.count("new"))
```

```
print("pass,fail count=",count)
```

## OUTPUT:

```
DELIVERD count= 3
```

```
2
```

```
2
```

```
3
```

```
pass,fail count= 3
```

## PROGRAM 2:

```
subjects=("pyhon","java","mysql","html")
```

```
print("OUTPUT-subject =",subjects[2])
```

```
print("Index=",subjects.index("mysql"))
```

```
S=("A","B","C")
```

```
print(S.index("A"))
```

## OUTPUT:

```
OUTPUT-subject = mysql
```

```
Index= 2
```

```
0
```

## PROGRAM 3:

```
student_id=13
```

```
name="yazhsan"
```

```
department="IT"
```

```
year=2
```

```
student=student_id,name,department,year
```

```
print("student Tuple=",student)
```

```
student_id=137
```

```
name="santhosh"
department="IT"
year=3
student=student_id,name,department,year
print("student Tuple=",student)
```

```
student_id=102
name="arun"
department="AI&DS"
year=3
student=student_id,name,department,year
print("student Tuple=",student)
```

```
student_id=201
name="ravi"
department="ECE"
year=2
student=student_id,name,department,year
print("student Tuple=",student)
```

```
student_id=202
name="sadhana"
department="EEE"
year=2
student=student_id,name,department,year
print("student Tuple=",student)
```

### **OUTPUT:**

```
student Tuple= (13, 'yazhsan', 'IT', 2)
student Tuple= (137, 'santhosh', 'IT', 3)
student Tuple= (102, 'arun', 'AI&DS', 3)
student Tuple= (201, 'ravi', 'ECE', 2)
student Tuple= (202, 'sadhana', 'EEE', 2)
```

### **PROGRAM 4:**

```
#unpack
student=(104,"bala","AI",1)
studentid,name,department,year=student
print("ID=",studentid)
print("name=",name)
print("department=",department)
print("year=",year)
```

### **OUTPUT:**

ID= 104  
name= bala  
department= AI  
year= 1