

PROGRAM:1

```
class Dog:
    def __init__(self,name,breed):
        self.name =name
        self.breed =breed

    def speak(self):
        print(f"{self.name} says woof!")

    def bread(self):
        print(f"{self.breed} is the breed name!")

dog1=Dog("buddy","golden retriver")
dog1.speak()
dog1.bread()
```

OUTPUT:

buddy says woof!

golden retriever is the breed name!

PROGRAM 2:

```
class student:
    def displaydetails(self):
        print("name:",self.name)
        print("age:",self.age)
```

```
print("marks:",self.marks)
```

```
student1=student()
```

```
student1.name="yazhu"
```

```
student1.age=18
```

```
student1.marks=99
```

```
student1.displaydetails()
```

OUTPUT:

name: yazhu

age: 18

marks: 99

PROGRAM 3:

```
class Employee:
```

```
def __init__(self, name, age, salary, gender):
```

```
    self.name = name
```

```
    self.age = age
```

```
    self.salary = salary
```

```
    self.gender = gender
```

```
def employee_details(self):
```

```
    print("Name of the employee is:", self.name)
```

```
    print("Age of the employee is:", self.age)
```

```
print("Salary of the employee is:", self.salary)
print("Gender of the employee is:", self.gender)
```

```
emp = Employee("yazhu", 20, 100000, "female")
emp.employee_details()
```

OUTPUT:

name: yazhu

age: 18

marks: 99

Name of the employee is: yazhu

Age of the employee is: 20

Salary of the employee is: 100000

Gender of the employee is: female