

```
#append()
my_list=["yazhsan","malini","selvi"]
my_list.append("saravana")
print(my_list)
```

```
#extend()
a=["python","java"]
b=["mysql","html","css"]
a.extend(b)
print(a)
```

```
#insert()
students=["arun","bala","kavin","ravi"]
students.insert(3,"mohan")
print(students)
```

```
#remove()
item=["laptop","mouse","keyboard","monitor"]
print(item)
```

```
#pop()
courses=["pyhon","java","sql","spring"]
courses.pop()
print(courses)
```

```
#index()
s=["arun","bala","kavin","ravi"]
position=s.index("kavin")
print(position)
```

```
#count()

marks=[80,75,90,65,80]

n=marks.count(80)

print("countof 80:",n)
```

```
#sort()

d=[90,98,97,96,93]

d.sort()

print(d)
```

```
#reverse()

students=["arun","bala","kain","ravi"]

students.reverse()

print(students)
```

```
#copy()

student=["arun","bala","kavin"]

new_student=student.copy()

print(student)

print(new_student)
```

```
#clear()

cart=["laptop","mouse","keyboard"]

cart.clear()

print(cart)
```

```
#min(), max(), sum(), len()

marks=[66,78,98,97,89]

print(min(marks))

print(max(marks))

print(sum(marks))
```

```
print(len(marks))
```

output:

```
['yazhsan', 'malini', 'selvi', 'saravana']
```

```
['python', 'java', 'mysql', 'html', 'css']
```

```
['arun', 'bala', 'kavin', 'mohan', 'ravi']
```

```
['laptop', 'mouse', 'keyboard', 'monitor']
```

```
['pyhon', 'java', 'sql']
```

2

countof 80: 2

```
[90, 93, 96, 97, 98]
```

```
['ravi', 'kain', 'bala', 'arun']
```

```
['arun', 'bala', 'kavin']
```

```
['arun', 'bala', 'kavin']
```

```
[]
```

66

98

428

5