## Front End Engineering-II

Project Report
Semester-IV (Batch-2022)

## ITALIAN FOOD WEBSITE



**Supervised By:** 

**Submitted By:** 

RAVEESH SAMKARIA

Yazvi Balooni 2210990985 ( G-14 )

Department of Computer Science and Engineering Chitkara University Institute of Engineering & Technology, Chitkara University, Punjab

# **ABSTRACT**

This project is a responsive website for an Italian restaurant, showcasing its diverse menu offerings and inviting ambiance. Developed using HTML, CSS, JavaScript and React, the website delivers an immersive experience across devices, ensuring accessibility and ease of navigation. With captivating background images and carefully selected typography, the design reflects the elegance and authenticity of Italian cuisine. The menu section showcases a variety of traditional Italian dishes, accompanied by enticing visuals and detailed descriptions. Interactive features such as toggle buttons enable users to explore the menu effortlessly. The tech stack behind the project comprises robust web technologies, including HTML for structuring content, CSS for styling and layout, and JavaScript for interactivity and dynamic content rendering. the project leverages React for building user interfaces, in combination with Vite, a next-generation build tool that excels in development speed and efficiency.

Overall, this project aims to capture the essence of Italian dining while offering a seamless and enjoyable browsing experience for visitors.

# **Table Of Contents**

S.no	Title	Page No.
INTRODUCTION		
1.	Background	Page 4 – 5
2.	Objectives	Page 5 – 6
3.	Significance	Page 6 – 7
PROBLEM DEFINITION & REQUIREMENTS		
4.	Problem Definition	Page 8
5.	Software Requirements	Page 8 - 9
6.	Hardware Requirements	Page 9
PROPOSED DESIGN / METHODOLOGY		
7.	Project Overview	Page 10
8.	File Structure	Page 10
9.	Content & Functionality	Page 11
10.	Responsive Design	Page 11
11.	UI Design	Page 12
12.	Conclusion	Page 12
RESULTS		
13.	Code Snippets	Page 13 - 23
14.	Visual Outputs	Page 24 – 32

# INTRODUCTION

The Italian Food Website project endeavors to leverage modern web development technologies to create an immersive and user- friendly online platform for a fictional Italian restaurant. In today's digitally-driven era, establishing a robust online presence is crucial for businesses to remain competitive and relevant. This project aims to address this need by combining cutting-edge web development techniques with the timeless appeal of Italian cuisine.

### Background

Italian cuisine has long been celebrated for its rich flavors, diverse ingredients, and cultural heritage. As the restaurant industry evolves to meet the demands of a digital age, the importance of a captivating and functional website cannot be overstated. The Italian Food Website project seeks to fill this gap by providing a dynamic platform where users can explore the restaurant's offerings, make reservations, and engage with the brand from any device or location.

The Italian Food Website project endeavors to leverage modern web development technologies to create an immersive and user- friendly online platform for a fictional Italian restaurant. In today's digitally-driven era, establishing a robust online presence is crucial for businesses to remain competitive and relevant. This project aims to address this need by combining cutting-edge web development techniques with the timeless appeal of Italian cuisine.

## Objectives

The objective of this project was to design a user-friendly and visually appealing landing page for a website selling food. The design aimed to achieve the following:

- 1. Develop a responsive website utilizing HTML5, CSS3, and JavaScript to ensure compatibility across various devices and screen sizes.
- 2. Increase website traffic and user engagement through a visually appealing and informative landing page.

- 3. Simplify the ordering process for improved user experience and conversion rates.
- 4. Leverage React with Vite for a streamlined development process and a performant website.
  - 3. Employ modern web development practices, including efficient code organization, optimized asset delivery, and browser compatibility testing, to enhance site performance and user experience.

## Significance

- 1. Increased sales and conversions: The user-friendly interface and clear calls to action will guide customers through the ordering process seamlessly. High-quality food images will showcase your offerings enticingly, leading to increased product sales.
- 2. Enhanced Brand Awareness: The design incorporates a consistent visual identity, establishing a strong brand presence in the user's mind. This fosters recognition and memorability,

building brand loyalty for future purchases.

- 3. Improved User Experience: A clean and simple layout with intuitive navigation allows users to easily find the information they need, browse your menu, and complete orders effortlessly. This positive user experience increases customer satisfaction and encourages repeat visits.
- 4. Enhanced Brand Storytelling: The website design can be used to not only showcase your food offerings but also tell your brand story. You can use high-quality visuals, customer testimonials, or a dedicated "About Us" section to connect with your target audience on an emotional level. This brand storytelling can foster brand loyalty and create a sense of community around your food business.
- 5. Streamlined Operations: A well-designed website can streamline internal operations by simplifying order management and potentially reducing customer service inquiries.

# **Problem definition & Requirements**

### Problem Definition

While there are numerous websites showcasing Italian food, many lack a focus on user experience for mobile devices. Traditional website designs can be cluttered and difficult to navigate on smaller screens, making it frustrating for users seeking information about Italian cuisine.

There is a need for a website dedicated to Italian food that offers a **mobile-friendly and engaging experience**. This website should be **easy to navigate** and present information about Italian food in a compelling way, regardless of the device used to access it.

## Software Requirements

### 1. Functional Requirements:-

• The website uses **HTML** to structure content and **CSS** for visual presentation.

- The website layout adapts (responds) to different screen sizes (desktop, mobile).
- Users can easily access information about Italian food (e.g., popular dishes, regional specialties, ingredients).
- High-quality images of Italian cuisine should be included and optimized for display on different devices.

#### 2. Non-Functional Requirements:-

- The website should be visually appealing and evoke the essence of Italian food culture.
- The website should load quickly and efficiently, ensuring a smooth user experience.
- The website code should be well-organized, commented, and maintainable for future updates.

## Hardware Requirements

1. The website leverages HTML for structure, CSS for styling, JavaScript for interactivity, and React with Vite for modular UI and efficient development.

# **Proposed Design / Methodology**


#### Project Overview

This project strives to create a responsive website celebrating Italian cuisine. Leveraging HTML for structure, CSS for styling, and JavaScript with React and Vite, the website promises a user-friendly and engaging experience across all devices (desktop, mobile) with the added benefit of modular UI development and a swift development workflow.

#### File Structure

The project will utilize a well-organized folder structure for

efficient management and future updates.



#### Content and Functionality

The website will offer informative and engaging content about Italian food:

- 1. Homepage: A visually appealing introduction featuring highquality images of Italian dishes, a brief overview of Italian cuisine
- **2. About Italian Food:** A dedicated section with informative text about Italian food culture, regional specialties, and key ingredients.
- **3. Popular Dishes:** A section showcasing various popular Italian dishes with descriptions, high-resolution images.

#### Responsive Design Techniques

The website will utilize various techniques to ensure responsiveness across devices:

- Media Queries: CSS media queries will be used to adapt the layout, font sizes, and image scaling based on screen size.
- Flexbox & Grid Layout: Flexible CSS techniques will ensure the layout adjusts to various screens.

#### • User Interface (UI) Design

The UI will prioritize a clean and intuitive design:

- 1. Clear Navigation: A simple navigation bar or menu will be implemented for easy access to different sections of the website.
- **2. Readability:** A legible and user-friendly font will be chosen for all text content.
- **3. High-Quality Images:** Visually appealing and high-resolution images will be used throughout the website.
- **4. Minimalistic Design:** A clutter-free and visually balanced design will enhance user experience on smaller screens.

#### Conclusion

By following this design methodology and best practices for responsive web development, this project will create a user-friendly and engaging website dedicated to Italian food. The website's content and functionalities will be accessible and visually appealing across various devices

## **CODE**

```
import React from 'react';
import './App.css';
import './Css/responsive.css'; // Ensure the correct path
import Div1 from './Components/Div1';
import Div2 from './Components/Div2';
import Div3 from './Components/Div3';
import Div4 from './Components/Div4';
import Div5 from './Components/Div5';
import Div6 from './Components/Div6';
import Div7 from './Components/Div7';
import Footer from './Components/Footer';
function App() {
  const items = [
      imgSrc: 'Images/pasta-small-1.png',
     title: 'lorem ipsum',
      description: 'Lorem ipsum, dolor sit amet consectetur',
    },
      imgSrc: 'Images/pasta-small-2.png',
     title: 'lorem ipsum',
      description: 'Lorem ipsum, dolor sit amet consectetur',
    },
      imgSrc: 'Images/pasta-small-3.png',
      title: 'lorem ipsum',
      description: 'Lorem ipsum, dolor sit amet consectetur',
   },
  ];
  const paragraphs = [
    'Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud
exercitation ullamco laboris nisi ut aliquip ex quia voluptas sit aspernatur.',
    'Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud
exercitation ullamco laboris nisi ut aliquip.',
  ];
```

```
const data = [
      imgSrc: 'Images/page-six-title.png',
      text: 'Lorem ipsum dolor sit amet, consecte sectetur adipisicing elit, tation omne
ullamco laboris nisi ut aliqolore',
    },
      imgSrc: 'Images/page-six-title.png',
      text: 'Lorem ipsum dolor sit amet, consecte sectetur adipisicing elit, tation omne
ullamco laboris nisi ut aliqolore',
    },
      imgSrc: 'Images/page-six-title.png',
      text: 'Lorem ipsum dolor sit amet, consecte sectetur adipisicing elit, tation omne
ullamco laboris nisi ut aliqolore',
    },
  ];
  return (
      <Div1 />
      <Div2 items={items} />
      <Div3 paragraphs={paragraphs} />
      <Div4 />
      <Div5 />
      <Div6 data={data} />
      <Div7 />
      <Footer />
  );
export default App;
import React from 'react'
import ReactDOM from 'react-dom/client'
import App from './App.jsx'
import './index.css'
ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
```

<App />

</React.StrictMode>,

```
margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: sans-serif;
 color: white;
html{
 font-size: 16px;
.flex{
 display: flex;
 justify-content: space-between;
 padding: 0 0;
.inner{
 padding: 10px 50px;
body{
 overflow-x: hidden;
html {
 scroll-behavior: smooth;
```

```
import { useState } from 'react'
import "../Css/Div1.css"
const Div1 = ({ images, sections }) => {
 const [isOpen, setIsOpen] = useState(false);
 const toggleMenu = () => {
   setIsOpen(!isOpen);
 };
 return (
   <div className="first-page">
   <div className="nav flex">
     {/* Navbar links */}
     <div className={`navbar-div ${isOpen ? 'open' : ''}`} id="menus">
       <a href="#home">HOME</a>
         <a href="#menu">MENU</a>
         <a href="#stry">OUR STORY</a>
         <a href="#contact">CONTACT</a>
         {/* Search input and icon */}
         <1i>>
           <div>
             <input type="text" className="nav-btn" />
             <img src="Images/magnifying_glass.png" className="search-icon" alt="Search"</pre>
           </div>
         </div>
     {/* Hamburger menu */}
     <span className="toggle-btn" onClick={toggleMenu}>
       \equiv
     </span>
   </div>
<div className="banner inner flex">
     <div className="left">
       <img src="Images/logo.png" className="logo" />
       <img src="Images/Title.png" className="title" />
       <h2>Loremipsum dolor</h2>
       <button className="btn">Read More</button>
```

```
import React from 'react'
import { useState } from 'react'
import '../Css/Div2.css'
const Div2 = ({ items }) => {
 return (
   <div id='menu' className="second-page">
   <div className="heading">
     <img src="Images/second-title.png" className="second-title" />
       Lorem, ipsum dolor sit amet, consectetur adipisicing elit. Vivamus
       lacinia odio vitae vestibulum vestibulum.
     </div>
   <div className="three-box inner flex">
     {items.map((item, index) => (
       <div className="small-div" key={index}>
         <img src={item.imgSrc} className="img1" id={\image${index + 1}\implies}</pre>
alt={item.title} />
         <h2 id={`title-${index + 1}-small`}>{item.title}</h2>
         {item.description}
       </div>
     ))}
   </div>
   <div className="bottom-button-div">
     <button className="bottom-button">Show More</button>
   </div>
```

```
import React from 'react'
import { useState } from 'react'
import '../Css/Div3.css'
const Div3 = ({ paragraphs }) => {
  return (
   <div className="third-page">
    <div className="third-page-title">
      <img src="Images/ThirdPageTitle.png" className="third-page-image" />
      <div>
      {paragraphs.map((paragraph, index) => (
        <div className={`para${index + 1}`} key={index}>
          {paragraph}
        </div>
      ))}
    </div>
    </div>
    <div className="third-page-btn-div">
      <button className="third-page-btn">MORE INFO</button>
    </div>
  </div>
export default Div3
```

```
</div>
     <div className="fourth-page-btn-div">
        <button className="fourth-page-btn">READ MORE</button>
     </div>
   </div>
  </div>
  <div className="fourth-page-two">
    <div className="page-4-title-div-2">
      January's Promo: Buy 1 Get 1 Free!
      <div className="page-4-para-2">
          Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam
          nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat
       </div>
      <div className="fourth-page-btn-div-2">
        <button className="fourth-page-btn-2">READ MORE</button>
      </div>
   </div>
   <div className="img-div-fourth-page">
      <img src="Images/page-4 pasta-2.png" className="page-4-pasta-2" />
   </div>
  </div>
 );
};
export default Div4;
```

```
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do
         eiusmod tempor incididunt ut labore et dolore
       <img
         src="Images/fifth-page-rectangle.png"
         className="fifth-page-rectangle"
     </div>
     <div>
         src="Images/fifth-page-leaf-right.png"
         className="fifth-page-leaf-right"
     </div>
   </div>
   <img src="Images/big-pizza.png" className="big-pizza" />
   <img src="Images/small-pizza.png" className="small-pizza" />
 </div>
 );
};
export default Div5;
```

```
import React from 'react'
import { useState } from 'react'
import '../Css/Div6.css'
const Div6 = ({ data }) => {
 return (
   <div className="sixth-page">
   <div className="container-sixth">
     {data.map((item, index) => (
       <div className={`div-${index + 1}`} key={index}>
         <img src={item.imgSrc} className="six-image1" alt={`Image ${index + 1}`} />
         {item.text}
       </div>
     ))}
   </div>
   <div>
     Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod
       tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim
       veniam, quis
```

```
import React from 'react'
import { useState } from 'react'
import '../Css/Div7.css'
const Div7 = () => {
  return (
   <div className="seventh-page">
     <img src="Images/page-7-right-leaf.png" className="page-7-right-leaf" />
   </div>
   <div>
     <div className="blank-space" />
     Title Here
     Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus lacinia
       odio vitae vestibulum vestibulum
     <input</pre>
       type="text"
       className="text-box-seventh"
       placeholder="Your Email"
     <button className="seventh-button">SUBSCRIBE</button>
   </div>
   <div>
     <img src="Images/page-7-left-leaf.png" className="page-7-left-leaf" />
   </div>
  </div>
export default Div7
```

```
import { useState } from 'react'
import '../Css/Footer.css'
const Footer = () => {
 return (
 <footer id='contact' className="footer">
   <div className="container-last">
     <div className="row">
       <div className="footer-col" id="first-column">
         <h4>Title Here</h4>
           Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam at
           dignissim nunc, id maximus ex. Etiam nec dignissim elit, at
           dignissim enim.{" "}
         <div className="social-links">
     <div className="div-icons-last">
       <a href="#" aria-label="Instagram">
         <i className="bx bxl-instagram" id="insta"></i></i>
       </a>
     </div>
     <div className="div-icons-last">
       <a href="#" aria-label="Facebook">
          <i className="bx bxl-facebook" id="fb"></i></i>
       </a>
     </div>
<div className="div-icons-last">
       <a href="#" aria-label="Twitter">
         <i className="bx bxl-twitter" id="twi"></i></i>
       </a>
     </div>
     <div className="div-icons-last">
       <a href="#" aria-label="WhatsApp">
         <i className="bx bxl-whatsapp" id="wsp"></i></i>
       </a>
     </div>
    </div>
       </div>
       <div className="footer-col">
         <h4 className="about-last">About</h4>
         <
             <a href="#">History</a>
           <1i>>
             <a href="#">Our Team</a>
```

```
<1i>>
           <a href="#">Brand Guidelines</a>
         <
           <a href="#">Terms & Conditions</a>
         <
          <a href="#">Privacy Policy</a>
         </div>
      <div className="footer-col" id="third-column">
       <h4 className="services-last">Services</h4>
       <
          <a href="#">How to Order</a>
         <1i>>
          <a href="#">Our Product</a>
         <
          <a href="#">Order Status</a>
         <1i>>
          <a href="#">Promo</a>
         <
          <a href="#">Payment Method</a>
         </div>
      <div className="footer-col" id="fourth-column">
       <h4 className="others-last">Other</h4>
       <1i>>
          <a href="#">Contact Us</a>
         <1i>>
          <a href="#">Help</a>
         <a href="#">Privacy</a>
         </div>
```

```
</div>
</div>
</div>
</footer>

<//>

export default Footer
```

```
.first-page{
 background-image: url(Images/bg1.png);
 background-repeat: no-repeat;
 background-position: center;
 background-size: cover;
 background-attachment: fixed;
 position: relative;
.navbar-div ul li a {
 text-decoration: none; /* Remove underline */
 color: inherit; /* Inherit text color */
.nav{
 align-items: center;
 position: relative;
 justify-content: flex-end;
 padding: 0 30px;
.search-icon{
 position: absolute;
 top : 25px;
 right: 60px;
.navbar-div{
 width: 50%;
 padding: 15px 0;
```

```
ul{
 list-style: none;
  align-items: center;
ul li{
 font-size: 12px;
 letter-spacing: 3px;
 font-weight: 700;
.nav-btn{
 border: none;
 border-radius: 25px;
 color: black;
 height: 51px;
 width: 183px;
  background-color: white;
li:hover{
  cursor: pointer;
.toggle-btn{
 display: none;
 font-size: 30px;
  background-color: transparent;
  position: absolute;
  top: 0;
  right: 10px;
  border: none;
  outline: none;
  color: white;
.logo{
 width: 140px;
 height: 100px;
 margin-top: 100px;
 margin-bottom: 20px;
 margin-left: 30px;
.banner .left{
 width: 48%;
```

```
.banner .left{
  width: 48%;
  display: flex;
 flex-wrap: wrap;
  justify-content: flex-start;
  align-items: flex-start;
  flex-direction: column;
.title{
 margin-bottom: 80px;
.banner .left h2{
 font-size: 25px;
 width: 469px;
 height: 65px;
 color: white;
 text-align: center;
  text-transform: uppercase;
  font-style: italic;
  font-weight: 700;
  letter-spacing: 5px;
  margin-bottom: 20px;
.left .btn{
 width: 218px;
 height: 47px;
  border-radius: 21px;
 font-size: 25px;
  font-weight: 800;
  text-transform: uppercase;
  border: none;
  color: black;
  background-color: white;
  margin-left: 60px;
  margin-bottom: 30px;
 text-align: center;
  opacity: 0.902;
  cursor: pointer;
.left .btn:hover{
  background-color: rgb(202, 195, 0);
 color: rgb(233, 255, 227);
```

```
.left .btn:hover{
  background-color: rgb(202, 195, 0);
  color: rgb(233, 255, 227);
  transition: all 0.2s;
.banner .left p{
 width: 500px;
 height: 130px;
 font-size: 21px;
  font-weight: 400;
  font-style: italic;
 letter-spacing: 1px;
 color: white;
 margin-left: 60px;
.banner .right{
 width: 48%;
 text-align: right;
.big{
 width: 85%;
 margin-top: 120px;
.small{
 display: flex;
 margin-top: -120px;
 margin-left: -80px;
.leaf{
  position: absolute;
 bottom: -14%;
 right: -4%;
```

```
responsive.css */
@media only screen and (max-width: 700px) {
    .toggle-btn {
      display: block;
      cursor: pointer;
     margin-right: 10px;
     margin-top: 10px;
   ul {
     flex-direction: column;
      text-align: center;
    .nav {
     width: 100%;
    .navbar-div {
     width: 100%;
     display: none;
ul li,
    .nav-btn {
      font-size: 1rem;
      margin: 15px 0;
    .navbar-div.open {
      display: block; /* Show the navbar when open */
    .logo {
      margin-top: 15px;
     width: 80px;
     height: 60px;
     margin-left: -19px;
    .title {
     width: 350px;
     margin-bottom: 20px;
     margin-left: 15px;
    .left h2 {
     margin-ton: 500nx:
```

```
<.left h2 {
      margin-top: 500px;
    .big {
     width: 350px;
     margin-top: 200px;
     margin-left: -167px;
     margin-right: 40px;
    .small {
     width: 180px;
     margin-left: -240px;
     padding-top: 45px;
    .leaf {
     width: 350px;
     padding-bottom: 400px;
    .left h2 {
     margin-left: -35px;
    .left .btn {
     margin-top: -30px;
     margin-left: 80px;
    .banner .left p {
     font-size: 16px;
     margin-left: 3px;
     width: 420px;
    .second-title {
     width: 350px;
     margin-top: -40px;
    .heading p {
     margin-left: 20px;
     width: 420px;
      font-size: 16px;
```

```
.img1 {
   width: 300px;
 #image1 {
   margin-left: 35px;
   margin-top: -40px;
 #image2 {
   padding-top: 350px;
   margin-left: -90px;
   width: 290px;
 #image3 {
   padding-top: 750px;
   margin-left: -230px;
   width: 310px;
  .small-div h2 {
   font-size: 20px;
   width: 200px;
   margin-left: 130px;
   margin-top: -10px;
 .small-div p {
   font-size: 18px;
   width: 400px;
   margin-left: 30px;
 #title-second-small {
   margin-left: 5px;
   margin-top: 1px;
 #para-second-small {
   margin-left: -100px;
 #title-third-small {
   margin-left: -124px;
```

```
#title-third-small {
      margin-left: -124px;
    #para-third-small {
      margin-left: -230px;
      margin-bottom: -80px;
    .bottom-button {
      width: 270px;
      font-size: 20px;
      padding-left: 0;
      padding-right: 0;
      margin-bottom: -20px;
    .third-page-image {
      width: 350px;
      margin-left: 60px;
    .para1 {
      width: 350px;
      margin-left: 62px;
      margin-bottom: 30px;
   .para2 {
      width: 350px;
      margin-left: 62px;
      margin-bottom: -20px;
    .third-page-btn {
      width: 200px;
      font-size: 24px;
    .page-4-pasta-1 {
      width: 350px;
      margin-left: 70px;
```

```
.page-4-title-div {
     margin-left: -300px;
     padding-top: 230px;
     font-size: 25px;
     width: 240px;
     text-align: center;
    .page-4-para p {
     font-size: 18px;
     margin-left: -50px;
     width: 350px;
     margin-bottom: -50px;
    .fourth-page-btn {
     font-size: 20px;
     width: 240px;
   .page-4-pasta-2 {
     width: 350px;
     margin-left: -290px;
     margin-top: 40px;
page-4-title-div-2 {
     font-size: 25px;
     width: 240px;
     padding-top: 280px;
   .page-4-para-2 p {
     font-size: 18px;
     width: 350px;
     margin-left: -42px;
     margin-bottom: -50px;
   .fourth-page-btn-2 {
     font-size: 20px;
     width: 240px;
     margin-bottom: 50px;
    .fifth-page-left-leaf {
     width: 80px;
     margin-ton: 26px:
```

```
.fifth-page-left-leaf {
      width: 80px;
      margin-top: 26px;
      margin-left: 10px;
    .fifth-page-title {
      width: 380px;
      margin-top: 40px;
      margin-left: -30px;
    .fifth-page-para {
      width: 350px;
      font-size: 20px;
     margin-left: -20px;
      margin-bottom: 60px;
    .fifth-page-rectangle {
      width: 200px;
      margin-left: 50px;
    fifth-page-leaf-right {
      width: 100px;
      margin-top: -50px;
     margin-left: -120px;
    .big-pizza {
      width: 400px;
      margin-left: 50px;
      margin-top: 50px;
     margin-bottom: -95px;
    .small-pizza {
      width: 170px;
      margin-left: 30px;
      margin-bottom: -40px;
   .first-div .six-image1 {
      width: 230px;
      margin-left: 120px;
      margin-top: -110px;
```

```
.first-div .sixth-para {
    font-size: 18px;
    width: 350px;
    margin-left: 100px;
  .second-div .six-image1 {
    width: 230px;
    margin-left: -335px;
    margin-top: 150px;
  .second-div .sixth-para {
    font-size: 18px;
    width: 350px;
    margin-left: -350px;
  .third-div .six-image1 {
    width: 230px;
    margin-left: -335px;
    margin-top: 360px;
  .third-div .sixth-para {
    font-size: 18px;
    width: 350px;
    margin-left: -350px;
    margin-bottom: -120px;
 .sixth-text {
    width: 350px;
    font-size: 20px;
    text-align: justify;
  .sixth-text-small {
    margin-bottom: 50px;
  .page-7-right-leaf {
    width: 150px;
    margin-top: -50px;
  .seventh-title {
    font-size: 50nx:
```

```
.seventh-para {
   width: 350px;
   margin-left: 65px;
   font-size: 20px;
  .text-box-seventh {
   height: 35px;
   width: 320px;
   font-size: 12px;
   margin-left: 80px;
 .seventh-button {
   width: 111px;
   height: 37px;
   font-size: 12px;
   font-weight: 700;
   margin-bottom: -10px;
   margin-left: -100px;
 .page-7-left-leaf {
   width: 130px;
   margin-left: 10px;
   margin-top: 10px;
   padding-bottom: 40px;
 .footer-col h4 {
   width: 300px;
   margin-top: -230px;
   margin-left: -30px;
.footer-col p {
   width: 350px;
   margin-left: -25px;
   text-align: justify;
 .social-links {
   display: flex;
   margin-left: 18px;
  .footer-col .about-last {
   margin-ton: 130nx:
```

```
.footer-col .about-last {
     margin-top: 130px;
     margin-left: -140px;
   .footer-col .first-ul li a {
     font-size: 16px;
     margin-left: -270px;
   .footer-col .services-last {
     margin-top: 30px;
     margin-left: 50px;
   .footer-col .second-ul li a {
     font-size: 16px;
     margin-left: -36px;
     width: 300px;
   .footer-col .others-last {
     margin-top: 430px;
.footer-col .third-ul li a {
     font-size: 16px;
     margin-left: -134px;
     width: 300px;
   .container-last {
     margin-bottom: -230px;
```

```
.second-title{
  margin-bottom: 20px;
.second-page{
  max-width: 1500px;
 margin: 0 auto;
  padding: 100px 10px;
.second-page h2 , .second-page p{
  color: black;
.heading{
 width: 100%;
 text-align: center;
  padding-bottom: 50px;
.heading p{
 text-align: center;
 font-size: 1.4rem;
 margin-top: 25px;
  letter-spacing: 2px;
  padding-left: 20px;
  margin-left: 340px;
  margin-right: 340px;
  line-height: 31px;
.img1{
  width: 100%;
#image1{
 margin-top: 15px;
#image3{
 margin-top: 5px;
.small-div{
 width: 28%;
  margin-top: 30px;
```

```
.small-div h2{
  font-size: 2rem;
  margin: 15px 0;
.small-div p{
 font-size: 1.4rem;
.bottom-button-div{
 width: 100%;
 text-align: center;
  padding-top: 100px;
.bottom-button{
  border: none;
  background-color: black;
  color: white;
 text-transform: uppercase;
  font-size: 23px;
  font-weight: 800;
  padding: 15px 45px;
  border-radius: 40px;
  letter-spacing: 5px;
/* responsive.css */
@media only screen and (max-width: 700px) {
  .toggle-btn {
    display: block;
   cursor: pointer;
   margin-right: 10px;
    margin-top: 10px;
  ul {
    flex-direction: column;
   text-align: center;
  .nav {
   width: 100%;
   navhar-div
```

```
ul li,
  .nav-btn {
    font-size: 1rem;
    margin: 15px 0;
  .logo {
    margin-top: 15px;
    width: 80px;
    height: 60px;
    margin-left: -19px;
  .title {
    width: 350px;
    margin-bottom: 20px;
    margin-left: 15px;
  .left h2 {
   margin-top: 500px;
  .big {
    width: 350px;
    margin-top: 200px;
    margin-left: -167px;
    margin-right: 40px;
  .small {
    width: 180px;
    margin-left: -240px;
    padding-top: 45px;
  .leaf {
    width: 350px;
    padding-bottom: 400px;
  .left h2 {
    margin-left: -35px;
  .left .btn {
```

```
.left .btn {
  margin-top: -30px;
  margin-left: 80px;
.banner .left p {
  font-size: 16px;
  margin-left: 3px;
  width: 420px;
.second-title {
  width: 350px;
  margin-top: -40px;
.heading p {
  margin-left: 20px;
  width: 420px;
  font-size: 16px;
.img1 {
  width: 300px;
#image1 {
  margin-left: 35px;
  margin-top: -40px;
#image2 {
  padding-top: 350px;
  margin-left: -90px;
  width: 290px;
#image3 {
  padding-top: 750px;
  margin-left: -230px;
  width: 310px;
.small-div h2 {
  font-size: 20px;
  width: 200px;
  margin-left: 100px;
  margin-ton: -10nx:
```

```
.small-div p {
    font-size: 18px;
    width: 400px;
    margin-left: 30px;
  #title-2-small{
    position: relative;
    right: 150%;
  #para-2-small{
    position: relative;
    right: 120px;
  #title-3-small{
    position: relative;
    right: 290%;
  #title-second-small {
    margin-left: 5px;
   margin-top: 1px;
  #para-second-small {
    margin-left: -100px;
  #title-third-small {
    margin-left: -124px;
  #para-3-small {
    position: relative;
    right: 250px;
    /* margin-left: 30px; */
  .bottom-button {
    width: 270px;
    font-size: 20px;
    padding-left: 0;
    padding-right: 0;
    margin-bottom: -20px;
  .third-page-image {
    width: 350nv:
```

```
.third-page-image {
  width: 350px;
  margin-left: 60px;
.para1 {
  width: 350px;
  margin-left: 62px;
  margin-bottom: 30px;
.para2 {
  width: 350px;
  margin-left: 62px;
  margin-bottom: -20px;
.third-page-btn {
  width: 200px;
  font-size: 24px;
.page-4-pasta-1 {
  width: 350px;
  margin-left: 70px;
.page-4-title-div {
  margin-left: -300px;
  padding-top: 230px;
  font-size: 25px;
  width: 240px;
  text-align: center;
.page-4-para p {
  font-size: 18px;
  margin-left: -50px;
  width: 350px;
  margin-bottom: -50px;
.fourth-page-btn {
  font-size: 20px;
  width: 240px;
```

```
.fifth-page-left-leaf {
  width: 80px;
  margin-top: 26px;
 margin-left: 10px;
.fifth-page-title {
 width: 380px;
 margin-top: 40px;
 margin-left: -30px;
.fifth-page-para {
 width: 350px;
  font-size: 20px;
 margin-left: -20px;
 margin-bottom: 60px;
.fifth-page-rectangle {
 width: 200px;
  margin-left: 50px;
.fifth-page-leaf-right {
 width: 100px;
 margin-top: -50px;
 margin-left: -120px;
.big-pizza {
  width: 400px;
  margin-left: 50px;
 margin-top: 50px;
 margin-bottom: -95px;
.small-pizza {
 width: 170px;
 margin-left: 30px;
 margin-bottom: -40px;
.first-div .six-image1 {
 width: 230px;
  margin-left: 120px;
  margin-ton: -110nv:
```

```
.first-div .sixth-para {
   font-size: 18px;
   width: 350px;
   margin-left: 80px;
 .second-div .six-image1 {
   width: 230px;
   margin-left: -335px;
   margin-top: 150px;
 .second-div .sixth-para {
   font-size: 18px;
   width: 350px;
   margin-left: -350px;
 .third-div .six-image1 {
   width: 230px;
   margin-left: -335px;
   margin-top: 360px;
 .third-div .sixth-para {
   font-size: 18px;
   width: 350px;
   margin-left: -350px;
   margin-bottom: -120px;
 .sixth-text {
   width: 350px;
   font-size: 20px;
   text-align: justify;
 .sixth-text-small {
   margin-bottom: 50px;
 .page-7-right-leaf {
   width: 150px;
   margin-top: -50px;
   seventh-title
```

```
.page-7-right-leaf {
   width: 150px;
   margin-top: -50px;
  .seventh-title {
    font-size: 50px;
   margin-left: 120px;
   margin-top: -70px;
  .seventh-para {
   width: 350px;
   margin-left: 65px;
    font-size: 20px;
  .text-box-seventh {
    height: 35px;
   width: 320px;
    font-size: 12px;
   margin-left: 80px;
  .seventh-button {
    width: 111px;
    height: 37px;
    font-size: 12px;
    font-weight: 700;
    margin-bottom: -10px;
   margin-left: -100px;
  .page-7-left-leaf {
    width: 130px;
   margin-left: 10px;
   margin-top: 10px;
   padding-bottom: 40px;
  .footer-col h4 {
   width: 300px;
   margin-top: -230px;
   margin-left: -30px;
```

```
.footer-col p {
 width: 350px;
 margin-left: -25px;
 text-align: justify;
.social-links {
 display: flex;
 margin-left: 18px;
.footer-col .about-last {
 margin-top: 130px;
 margin-left: -140px;
.footer-col .first-ul li a {
 font-size: 16px;
 margin-left: -270px;
.footer-col .services-last {
 margin-top: 30px;
 margin-left: 50px;
.footer-col .second-ul li a {
 font-size: 16px;
 margin-left: -36px;
 width: 300px;
.footer-col .others-last {
 margin-top: 430px;
.footer-col .third-ul li a {
 font-size: 16px;
 margin-left: -134px;
 width: 300px;
.container-last {
 margin-bottom: -230px;
```

```
.third-page-btn{
  background-color: white;
  opacity: 0.902;
  width: 270px;
  height: 58px;
  border-radius: 22px;
  color: black;
  font-size: 26px;
  font-weight: 700;
  text-align: center;
  margin-bottom: 60px;
/* responsive.css */
@media only screen and (max-width: 700px) {
  .toggle-btn {
   display: block;
   cursor: pointer;
    margin-right: 10px;
   margin-top: 10px;
  ul {
    flex-direction: column;
    text-align: center;
  .nav {
   width: 100%;
  .navbar-div {
   width: 100%;
    display: none;
  ul li,
  .nav-btn {
    font-size: 1rem;
    margin: 15px 0;
  .logo {
    margin-top: 15px;
   width: 80px;
    height: 60px;
```

```
.title {
  width: 350px;
  margin-bottom: 20px;
  margin-left: 15px;
.left h2 {
  margin-top: 500px;
.big {
  width: 350px;
  margin-top: 200px;
  margin-left: -167px;
  margin-right: 40px;
.small {
  width: 180px;
  margin-left: -240px;
  padding-top: 45px;
.leaf {
  width: 350px;
  padding-bottom: 400px;
.left h2 {
  margin-left: -35px;
.left .btn {
  margin-top: -30px;
  margin-left: 80px;
.banner .left p {
  font-size: 16px;
  margin-left: 3px;
  width: 420px;
.second-title {
  width: 350px;
  margin-ton: -40nx:
```

```
.second-title {
   width: 350px;
   margin-top: -40px;
 .heading p {
   margin-left: 20px;
   width: 420px;
   font-size: 16px;
 .img1 {
   width: 300px;
 #image1 {
   margin-left: 35px;
   margin-top: -40px;
 #image2 {
   padding-top: 350px;
   margin-left: -90px;
   width: 290px;
 #image3 {
   padding-top: 750px;
   margin-left: -230px;
   width: 310px;
.small-div h2 {
   font-size: 20px;
   width: 200px;
   margin-left: 130px;
   margin-top: -10px;
 .small-div p {
   font-size: 18px;
   width: 400px;
   margin-left: 30px;
 #title-second-small {
   margin-left: 5px;
   margin-ton: 1nx:
```

## Page – 2

```
#title-second-small {
   margin-left: 5px;
  margin-top: 1px;
 #para-second-small {
   margin-left: -100px;
 #title-third-small {
  margin-left: -124px;
 #para-third-small {
   margin-left: -230px;
  margin-bottom: -80px;
 .bottom-button {
   width: 270px;
  font-size: 20px;
   padding-left: 0;
   padding-right: 0;
  margin-bottom: -20px;
 .third-page-image {
  width: 350px;
  margin-left: 60px;
 .para1 {
  width: 350px;
  margin-left: 62px;
  margin-bottom: 30px;
 .para2 {
  width: 350px;
  margin-left: 62px;
  margin-bottom: -20px;
 .third-page-btn {
   width: 200px;
   font-size: 24px;
```

```
.third-page-btn {
  width: 200px;
 font-size: 24px;
.page-4-pasta-1 {
 width: 350px;
 margin-left: 70px;
.page-4-title-div {
  margin-left: -300px;
  padding-top: 230px;
 font-size: 25px;
 width: 240px;
 text-align: center;
.page-4-para p {
  font-size: 18px;
 margin-left: -50px;
 width: 350px;
 margin-bottom: -50px;
.fourth-page-btn {
 font-size: 20px;
 width: 240px;
.page-4-pasta-2 {
  width: 350px;
 margin-left: -290px;
 margin-top: 40px;
.page-4-title-div-2 {
  font-size: 25px;
 width: 240px;
 padding-top: 280px;
.page-4-para-2 p {
  font-size: 18px;
 width: 350px;
  margin-left: -42px;
  margin-bottom: -50nx:
```

## Page – 2

```
.fourth-page-btn-2 {
  font-size: 20px;
  width: 240px;
  margin-bottom: 50px;
.fifth-page-left-leaf {
  width: 80px;
  margin-top: 26px;
  margin-left: 10px;
.fifth-page-title {
  width: 380px;
  margin-top: 40px;
  margin-left: -30px;
 .fifth-page-para {
  width: 350px;
  font-size: 20px;
  margin-left: -20px;
  margin-bottom: 60px;
.fifth-page-rectangle {
  width: 200px;
  margin-left: 50px;
.fifth-page-leaf-right {
  width: 100px;
  margin-top: -50px;
  margin-left: -120px;
.big-pizza {
  width: 400px;
  margin-left: 50px;
  margin-top: 50px;
  margin-bottom: -95px;
.small-pizza {
  width: 170px;
  margin-left: 30px;
  margin-bottom: -40nx:
```

```
.first-div .six-image1 {
  width: 230px;
  margin-left: 120px;
  margin-top: -110px;
.first-div .sixth-para {
  font-size: 18px;
  width: 350px;
  margin-left: 100px;
.second-div .six-image1 {
  width: 230px;
  margin-left: -335px;
  margin-top: 150px;
.second-div .sixth-para {
  font-size: 18px;
  width: 350px;
  margin-left: -350px;
.third-div .six-image1 {
  width: 230px;
  margin-left: -335px;
  margin-top: 360px;
.third-div .sixth-para {
  font-size: 18px;
  width: 350px;
  margin-left: -350px;
  margin-bottom: -120px;
.sixth-text {
  width: 350px;
  font-size: 20px;
  text-align: justify;
.sixth-text-small {
  margin-bottom: 50px;
```

```
.page-7-right-leaf {
   width: 150px;
   margin-top: -50px;
 .seventh-title {
   font-size: 50px;
   margin-left: 120px;
   margin-top: -70px;
 .seventh-para {
   width: 350px;
   margin-left: 65px;
   font-size: 20px;
 .text-box-seventh {
   height: 35px;
   width: 320px;
   font-size: 12px;
   margin-left: 80px;
 .seventh-button {
   width: 111px;
   height: 37px;
   font-size: 12px;
   font-weight: 700;
   margin-bottom: -10px;
   margin-left: -100px;
 .page-7-left-leaf {
   width: 130px;
   margin-left: 10px;
   margin-top: 10px;
   padding-bottom: 40px;
 .footer-col h4 {
   width: 300px;
   margin-top: -230px;
   margin-left: -30px;
```

```
.footer-col p {
 width: 350px;
 margin-left: -25px;
 text-align: justify;
.social-links {
 display: flex;
 margin-left: 18px;
.footer-col .about-last {
 margin-top: 130px;
 margin-left: -140px;
.footer-col .first-ul li a {
 font-size: 16px;
 margin-left: -270px;
.footer-col .services-last {
 margin-top: 30px;
 margin-left: 50px;
.footer-col .second-ul li a {
 font-size: 16px;
 margin-left: -36px;
 width: 300px;
.footer-col .others-last {
 margin-top: 430px;
.footer-col .third-ul li a {
 font-size: 16px;
 margin-left: -134px;
 width: 300px;
.container-last {
 margin-bottom: -230px;
```

```
<.page-4-pasta-1{</pre>
 margin-top: 60px;
 margin-left: 30px
.image{
 margin-left: 50px;
.page-4-title-div{
 color: black;
 font-size: 58px;
 font-weight: 700;
 width: 540px;
 margin-top: 160px;
 margin-left: 130px;
.fourth-page{
  display: flex;
.page-4-para p{
 margin-top: 30px;
 color: black;
 width: 500px;
 font-weight: 400;
 font-size: 29px;
 height: 175px;
.fourth-page-btn-div{
 width: 100%;
 text-align: center;
.fourth-page-btn{
 opacity: 0.902;
 width: 334px;
 height: 75px;
 border-radius: 37px;
 color: white;
 background-color: black;
 font-size: 29px;
 letter-spacing: 6px;
 line-height: 21px;
 font-weight: 700;
  margin-right: 240px;
```

```
.fourth-page-two{
 display: flex;
page-4-title-div-2{
 font-size: 58px;
 color: black;
 font-weight: 700;
 width: 540px;
 margin-top: 120px;
 margin-left: 120px;
.page-4-para-2 p{
 width: 500px;
 height: 175px;
 color: black;
 font-size: 29px;
 font-weight: 400;
 margin-top: 30px;
.fourth-page-btn-div-2{
 width: 100%;
 text-align: center;
.fourth-page-btn-2{
 opacity: 0.902;
 width: 334px;
 height: 75px;
 border-radius: 37px;
 color: white;
 background-color: black;
 font-size: 29px;
 letter-spacing: 6px;
 line-height: 21px;
 font-weight: 700;
 margin-right: 240px;
.page-4-pasta-2{
 margin-left: 70px;
 margin-top: 15px;
 margin-bottom: -40px;
```

```
@media only screen and (max-width: 700px) {
  .toggle-btn {
    display: block;
    cursor: pointer;
   margin-right: 10px;
   margin-top: 10px;
  ul {
    flex-direction: column;
   text-align: center;
  .nav {
   width: 100%;
  .navbar-div {
   width: 100%;
   display: none;
  ul li,
  .nav-btn {
   font-size: 1rem;
   margin: 15px 0;
  .logo {
    margin-top: 15px;
   width: 80px;
   height: 60px;
   margin-left: -19px;
  .title {
   width: 350px;
   margin-bottom: 20px;
   margin-left: 15px;
  .left h2 {
   margin-top: 500px;
  .big {
    width: 350nx:
```

```
.big {
  width: 350px;
  margin-top: 200px;
  margin-left: -167px;
  margin-right: 40px;
.small {
  width: 180px;
  margin-left: -240px;
  padding-top: 45px;
.leaf {
  width: 350px;
  padding-bottom: 400px;
.left h2 {
  margin-left: -35px;
.left .btn {
  margin-top: -30px;
  margin-left: 80px;
.banner .left p {
  font-size: 16px;
  margin-left: 3px;
  width: 420px;
.second-title {
  width: 350px;
  margin-top: -40px;
.heading p {
  margin-left: 20px;
  width: 420px;
  font-size: 16px;
.img1 {
  width: 300px;
```

```
#image1 {
    margin-left: 35px;
   margin-top: -40px;
  #image2 {
    padding-top: 350px;
   margin-left: -90px;
   width: 290px;
  #image3 {
    padding-top: 750px;
   margin-left: -230px;
   width: 310px;
  .small-div h2 {
    font-size: 20px;
   width: 200px;
    margin-left: 130px;
    margin-top: -10px;
  .small-div p {
    font-size: 18px;
   width: 400px;
   margin-left: 30px;
  #title-second-small {
    margin-left: 5px;
   margin-top: 1px;
  #para-second-small {
    margin-left: -100px;
  #title-third-small {
   margin-left: -124px;
  #para-third-small {
    margin-left: -230px;
   margin-bottom: -80px;
```

```
<.left h2 {
      margin-top: 500px;
    .big {
     width: 350px;
     margin-top: 200px;
     margin-left: -167px;
     margin-right: 40px;
    .small {
     width: 180px;
     margin-left: -240px;
     padding-top: 45px;
    .leaf {
     width: 350px;
     padding-bottom: 400px;
    .left h2 {
     margin-left: -35px;
    .left .btn {
     margin-top: -30px;
     margin-left: 80px;
    .banner .left p {
     font-size: 16px;
     margin-left: 3px;
     width: 420px;
    .second-title {
     width: 350px;
     margin-top: -40px;
    .heading p {
     margin-left: 20px;
     width: 420px;
      font-size: 16px;
```

```
<.left h2 {
      margin-top: 500px;
    .big {
     width: 350px;
     margin-top: 200px;
     margin-left: -167px;
     margin-right: 40px;
    .small {
     width: 180px;
     margin-left: -240px;
     padding-top: 45px;
    .leaf {
     width: 350px;
     padding-bottom: 400px;
    .left h2 {
     margin-left: -35px;
    .left .btn {
     margin-top: -30px;
     margin-left: 80px;
    .banner .left p {
     font-size: 16px;
     margin-left: 3px;
     width: 420px;
    .second-title {
     width: 350px;
     margin-top: -40px;
    .heading p {
     margin-left: 20px;
     width: 420px;
      font-size: 16px;
```

```
<.left h2 {
      margin-top: 500px;
    .big {
     width: 350px;
     margin-top: 200px;
     margin-left: -167px;
     margin-right: 40px;
    .small {
     width: 180px;
     margin-left: -240px;
     padding-top: 45px;
    .leaf {
     width: 350px;
     padding-bottom: 400px;
    .left h2 {
     margin-left: -35px;
    .left .btn {
     margin-top: -30px;
     margin-left: 80px;
    .banner .left p {
     font-size: 16px;
     margin-left: 3px;
     width: 420px;
    .second-title {
     width: 350px;
     margin-top: -40px;
    .heading p {
     margin-left: 20px;
     width: 420px;
      font-size: 16px;
```

```
<.left h2 {
      margin-top: 500px;
    .big {
     width: 350px;
     margin-top: 200px;
     margin-left: -167px;
     margin-right: 40px;
    .small {
     width: 180px;
     margin-left: -240px;
     padding-top: 45px;
    .leaf {
     width: 350px;
     padding-bottom: 400px;
    .left h2 {
     margin-left: -35px;
    .left .btn {
     margin-top: -30px;
     margin-left: 80px;
    .banner .left p {
     font-size: 16px;
     margin-left: 3px;
     width: 420px;
    .second-title {
     width: 350px;
     margin-top: -40px;
    .heading p {
     margin-left: 20px;
     width: 420px;
      font-size: 16px;
```

```
.bottom-button {
    width: 270px;
    font-size: 20px;
    padding-left: 0;
    padding-right: 0;
    margin-bottom: -20px;
  .third-page-image {
    width: 350px;
   margin-left: 60px;
  .para1 {
    width: 350px;
   margin-left: 62px;
   margin-bottom: 30px;
  .para2 {
    width: 350px;
    margin-left: 62px;
   margin-bottom: -20px;
  .third-page-btn {
    width: 200px;
    font-size: 24px;
  .page-4-pasta-1 {
   width: 350px;
   margin-left: 70px;
  .page-4-title-div {
    margin-left: -300px;
    padding-top: 230px;
    font-size: 25px;
   width: 240px;
    text-align: center;
  .page-4-para p {
    font-size: 18px;
    margin-left: -50px;
    width: 350nx:
```

```
.page-4-para-2 p {
   font-size: 18px;
   width: 350px;
   margin-left: -42px;
   margin-bottom: -50px;
 .fourth-page-btn-2 {
   font-size: 20px;
   width: 240px;
   margin-bottom: 50px;
 .fifth-page-left-leaf {
   width: 80px;
   margin-top: 26px;
   margin-left: 10px;
 .fifth-page-title {
   width: 380px;
   margin-top: 40px;
   margin-left: -30px;
 .fifth-page-para {
   width: 350px;
   font-size: 20px;
   margin-left: -20px;
   margin-bottom: 60px;
 .fifth-page-rectangle {
   width: 200px;
   margin-left: 50px;
 .fifth-page-leaf-right {
   width: 100px;
   margin-top: -50px;
   margin-left: -120px;
 .big-pizza {
   width: 400px;
   margin-left: 50px;
   margin-ton: 50nx:
```

## Page - 2

```
.big-pizza {
    width: 400px;
    margin-left: 50px;
    margin-top: 50px;
   margin-bottom: -95px;
  .small-pizza {
    width: 170px;
    margin-left: 30px;
   margin-bottom: -40px;
  .first-div .six-image1 {
   width: 230px;
   margin-left: 120px;
   margin-top: -110px;
  .first-div .sixth-para {
    font-size: 18px;
   width: 350px;
    margin-left: 100px;
  .second-div .six-image1 {
    width: 230px;
    margin-left: -335px;
   margin-top: 150px;
  .second-div .sixth-para {
    font-size: 18px;
   width: 350px;
    margin-left: -350px;
  .third-div .six-image1 {
   width: 230px;
    margin-left: -335px;
    margin-top: 360px;
 .third-div .sixth-para {
    font-size: 18px;
    width: 350px;
    margin-left: -350nx:
```

```
.sixth-text {
    width: 350px;
   font-size: 20px;
    text-align: justify;
  .sixth-text-small {
   margin-bottom: 50px;
  .page-7-right-leaf {
   width: 150px;
    margin-top: -50px;
  .seventh-title {
   font-size: 50px;
   margin-left: 120px;
   margin-top: -70px;
  .seventh-para {
   width: 350px;
   margin-left: 65px;
    font-size: 20px;
  .text-box-seventh {
    height: 35px;
   width: 320px;
   font-size: 12px;
   margin-left: 80px;
  .seventh-button {
   width: 111px;
    height: 37px;
    font-size: 12px;
   font-weight: 700;
    margin-bottom: -10px;
   margin-left: -100px;
  .page-7-left-leaf {
    width: 130px;
    margin-left: 10px;
    margin-ton: 10nx:
```

```
.sixth-text {
   width: 350px;
   font-size: 20px;
   text-align: justify;
 .sixth-text-small {
   margin-bottom: 50px;
  .page-7-right-leaf {
   width: 150px;
   margin-top: -50px;
 .seventh-title {
   font-size: 50px;
   margin-left: 120px;
   margin-top: -70px;
  .seventh-para {
   width: 350px;
   margin-left: 65px;
   font-size: 20px;
  .text-box-seventh {
   height: 35px;
   width: 320px;
   font-size: 12px;
   margin-left: 80px;
  .seventh-button {
   width: 111px;
   height: 37px;
   font-size: 12px;
   font-weight: 700;
   margin-bottom: -10px;
   margin-left: -100px;
  .page-7-left-leaf {
   width: 130px;
   margin-left: 10px;
   margin-ton: 10nx:
```

```
.footer-col .about-last {
 margin-top: 130px;
 margin-left: -140px;
.footer-col .first-ul li a {
 font-size: 16px;
 margin-left: -270px;
.footer-col .services-last {
 margin-top: 30px;
 margin-left: 50px;
.footer-col .second-ul li a {
 font-size: 16px;
 margin-left: -36px;
 width: 300px;
.footer-col .others-last {
 margin-top: 430px;
.footer-col .third-ul li a {
 font-size: 16px;
 margin-left: -134px;
 width: 300px;
.container-last {
 margin-bottom: -230px;
```

```
.container-2{
    display: inline-block;
    width: 100%;
    background-image: url(Images/bg-5.png);
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    background-attachment: fixed;
    position: relative;
}
```

```
. .outer-container{
 display: flex;
 flex-direction: row;
.fifth-page-left-leaf{
 margin-left: 70px;
 margin-top: 90px;
.fifth-page-leaf-right{
 margin-top: -170px;
.fifth-page-title{
 margin-top: 120px;
.fifth-page-para{
 width: 650px;
 height: 74px;
 font-size: 25px;
 line-height: 33px;
 font-weight: 400;
 text-align: center;
 margin-left: 100px;
 margin-right: 100px;
.fifth-page-rectangle{
 margin-top: 25px;
 margin-left: 350px;
.big-pizza{
 margin-left: 570px;
 margin-top: -250px;
 margin-bottom: -172px;
.small-pizza{
 margin-left: 390px;
 margin-top: -180px;
 margin-bottom: -198px;
   responsive.css */
```

```
responsive.css */
@media only screen and (max-width: 700px) {
  .toggle-btn {
   display: block;
   cursor: pointer;
   margin-right: 10px;
   margin-top: 10px;
  ul {
    flex-direction: column;
   text-align: center;
  .nav {
   width: 100%;
  .navbar-div {
   width: 100%;
   display: none;
  ul li,
  .nav-btn {
   font-size: 1rem;
   margin: 15px 0;
  .logo {
    margin-top: 15px;
   width: 80px;
   height: 60px;
    margin-left: -19px;
  .title {
   width: 350px;
    margin-bottom: 20px;
   margin-left: 15px;
  .left h2 {
    margin-top: 500px;
```

```
. .big {
   width: 350px;
   margin-top: 200px;
   margin-left: -167px;
   margin-right: 40px;
 .small {
   width: 180px;
   margin-left: -240px;
   padding-top: 45px;
 .leaf {
   width: 350px;
   padding-bottom: 400px;
 .left h2 {
   margin-left: -35px;
 .left .btn {
   margin-top: -30px;
   margin-left: 80px;
 .banner .left p {
   font-size: 16px;
   margin-left: 3px;
  width: 420px;
 .second-title {
   width: 350px;
   margin-top: -40px;
.heading p {
   margin-left: 20px;
   width: 420px;
   font-size: 16px;
 .img1 {
   width: 300px;
```

```
#image1 {
   margin-left: 35px;
   margin-top: -40px;
  #image2 {
   padding-top: 350px;
   margin-left: -90px;
   width: 290px;
  #image3 {
   padding-top: 750px;
   margin-left: -230px;
   width: 310px;
  .small-div h2 {
   font-size: 20px;
   width: 200px;
   margin-left: 130px;
   margin-top: -10px;
  .small-div p {
   font-size: 18px;
   width: 400px;
   margin-left: 30px;
  #title-second-small {
   margin-left: 5px;
   margin-top: 1px;
  #para-second-small {
   margin-left: -100px;
 #title-third-small {
   margin-left: -124px;
  #para-third-small {
   margin-left: -230px;
    margin-bottom: -80px;
```

```
#para-third-small {
   margin-left: -230px;
   margin-bottom: -80px;
  .bottom-button {
   width: 270px;
   font-size: 20px;
   padding-left: 0;
   padding-right: 0;
   margin-bottom: -20px;
  .third-page-image {
   width: 350px;
   margin-left: 60px;
  .para1 {
   width: 350px;
   margin-left: 62px;
   margin-bottom: 30px;
  .para2 {
   width: 350px;
   margin-left: 62px;
   margin-bottom: -20px;
  .third-page-btn {
   width: 200px;
   font-size: 24px;
  .page-4-pasta-1 {
   width: 350px;
   margin-left: 70px;
  .page-4-title-div {
   margin-left: -300px;
   padding-top: 230px;
   font-size: 25px;
   width: 240px;
   text-align: center;
```

```
.page-4-para-2 p {
   font-size: 18px;
   width: 350px;
   margin-left: -42px;
   margin-bottom: -50px;
 .fourth-page-btn-2 {
   font-size: 20px;
   width: 240px;
   margin-bottom: 50px;
 .fifth-page-left-leaf {
   width: 80px;
   margin-top: 26px;
   margin-left: 10px;
 .fifth-page-title {
   width: 380px;
   margin-top: 40px;
   margin-left: -30px;
 .fifth-page-para {
   width: 350px;
   font-size: 20px;
   margin-left: -20px;
   margin-bottom: 60px;
 .fifth-page-rectangle {
   width: 200px;
   margin-left: 50px;
 .fifth-page-leaf-right {
   width: 100px;
   margin-top: -50px;
   margin-left: -120px;
.big-pizza {
   width: 400px;
   margin-left: 50px;
   margin-top: 50px;
```

```
.small-pizza {
 width: 170px;
 margin-left: 30px;
 margin-bottom: -40px;
.first-div .six-image1 {
 width: 230px;
 margin-left: 120px;
 margin-top: -110px;
.first-div .sixth-para {
 font-size: 18px;
 width: 350px;
 margin-left: 100px;
.second-div .six-image1 {
 width: 230px;
 margin-left: -335px;
 margin-top: 150px;
.second-div .sixth-para {
 font-size: 18px;
 width: 350px;
 margin-left: -350px;
.third-div .six-image1 {
 width: 230px;
 margin-left: -335px;
 margin-top: 360px;
.third-div .sixth-para {
 font-size: 18px;
 width: 350px;
 margin-left: -350px;
 margin-bottom: -120px;
.sixth-text {
 width: 350px;
 font-size: 20px;
 text-align: justify;
```

```
.sixth-text-small {
   margin-bottom: 50px;
 .page-7-right-leaf {
   width: 150px;
   margin-top: -50px;
 .seventh-title {
   font-size: 50px;
   margin-left: 120px;
   margin-top: -70px;
 .seventh-para {
   width: 350px;
   margin-left: 65px;
   font-size: 20px;
 .text-box-seventh {
   height: 35px;
   width: 320px;
   font-size: 12px;
   margin-left: 80px;
 .seventh-button {
   width: 111px;
   height: 37px;
   font-size: 12px;
   font-weight: 700;
   margin-bottom: -10px;
   margin-left: -100px;
 .page-7-left-leaf {
   width: 130px;
   margin-left: 10px;
   margin-top: 10px;
   padding-bottom: 40px;
 .footer-col h4 {
   width: 300px;
   margin-top: -230px;
   margin-left: -30nx:
```

```
.footer-col p {
  width: 350px;
  margin-left: -25px;
  text-align: justify;
 .social-links {
  display: flex;
  margin-left: 18px;
 .footer-col .about-last {
  margin-top: 130px;
  margin-left: -140px;
 .footer-col .first-ul li a {
  font-size: 16px;
  margin-left: -270px;
 .footer-col .services-last {
  margin-top: 30px;
  margin-left: 50px;
 .footer-col .second-ul li a {
  font-size: 16px;
  margin-left: -36px;
  width: 300px;
.footer-col .others-last {
  margin-top: 430px;
 .footer-col .third-ul li a {
  font-size: 16px;
  margin-left: -134px;
  width: 300px;
.container-last {
  margin-bottom: -230px;
```

```
.container-sixth{
  display: flex;
 flex-direction: row;
 margin-top: 180px;
.sixth-para{
 color: black;
 font-size: 19px;
 line-height: 25px;
 font-weight: 400;
 margin-top: 20px;
 width: 350px;
 margin-left: 130px;
.six-image1{
 margin-left: 140px;
.sixth-text{
 margin-top: 210px;
 color: black;
 text-align: center;
 width: 817px;
 height: 161px;
 font-size: 25px;
 font-weight: 600;
 margin-left: auto;
 margin-right: auto;
.sixth-text-small{
 font-size: 21px;
 line-height: 33px;
 font-weight: 700;
 text-align: center;
 color: black;
 margin-bottom: 170px;
```


```
responsive.css */
@media only screen and (max-width: 700px) {
  .toggle-btn {
   display: block;
   cursor: pointer;
   margin-right: 10px;
   margin-top: 10px;
  ul {
    flex-direction: column;
   text-align: center;
  .nav {
    width: 100%;
  .navbar-div {
   width: 100%;
   display: none;
  ul li,
  .nav-btn {
    font-size: 1rem;
    margin: 15px 0;
  .logo {
    margin-top: 15px;
    width: 80px;
   height: 60px;
   margin-left: -19px;
  .title {
   width: 350px;
    margin-bottom: 20px;
    margin-left: 15px;
  .left h2 {
    margin-top: 500px;
```

```
.big {
   width: 350px;
   margin-top: 200px;
   margin-left: -167px;
   margin-right: 40px;
  .small {
   width: 180px;
   margin-left: -240px;
   padding-top: 45px;
  .leaf {
   width: 350px;
   padding-bottom: 400px;
  .left h2 {
   margin-left: -35px;
  .left .btn {
   margin-top: -30px;
   margin-left: 80px;
  .banner .left p {
   font-size: 16px;
   margin-left: 3px;
   width: 420px;
  .second-title {
   width: 350px;
   margin-top: -40px;
  .heading p {
   margin-left: 20px;
   width: 420px;
   font-size: 16px;
  .img1 {
    width: 300px;
```

## **OUTPUT**

**Unwrapping Our Digital Trattoria :-** A Sneak Peek at the Website Through Mockup Photos

**First Look:** A Welcoming Homepage for the Italian Food Website.





Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus lacinia odio vitae vestibulum vestibulum.



Lorem ipsum

Lorem ipsum dolor sit amet, consectetur adipisicing...



Lorem ipsum

Lorem ipsum dolor sit amet, consectetur adipisicing...



Lorem ipsum

Lorem ipsum dolor sit amet, consectetur adipisicing...

SHOW MORE

# Beyond the Banner: Explore Our Second Page's Visual Pasta Symphony

Unveil a world of flavors and textures, where each image sings a delicious aria in this celebration of all things pasta.

## Discounted Discovery: A Third-Page Mockup Beckons You to Explore



# Discount up to 50% All Excursions

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat

READ MORE

### January's Promo: Buy 1 Get 1 Free!

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat

READ MORE






# Calling All Pizza Lovers: A Fourth-Page Mockup to Fuel Your Cravings

Dive into a visual feast on this page, showcasing a selection of our mouthwatering pizzas.

# Green Thumbs Up: Fifth-Page Mockup with Fresh Content and a Subscription Invitation

This leafy green design extends a warm welcome, inviting you to explore our fresh content and stay connected. Sign up below to receive updates, promotions, and a taste of what we have to offer!



Title Here

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam at dignissim nunc, id maximus ex. Etiam nec dignissim elit, at dignissim enim.









About

Services

Other

History

How to Order

Contact Us

Our Team

Our Product

Help

Brand Guidelines

Privacy Policy

Order Status

Privacy

Terms & Condition

Promo

Payment Method

**Hungry for Connection? Sixth-Page Mockup Serves Up** Social Media and Contact Info.

Craving a taste of community and Italian goodness? Look no further! This page offers all the ingredients for connection, from following our social media buzz to finding our contact information. Dig in and discover new ways to connect with us!

## **Shrinking Screens, Big Impact:**

### The Mobile Website Experience



Lorem Tpsum Todor

Lorem, ipsum dolor sit amet, consectetur adipisicing elit. Vivamus lacinia odio vitae vestibulum vestibulum.

lorem ipsum

Lorem ipsum, dolor sit amet consectetur

This mobile view snippet showcases the website's adaptation for smaller screens.


**Savory Delights at Your Fingertips** 

# Responsive Design in Action: A Slice of Pizza Perfection on Mobile

This code snippet brings the delicious world of pizza to life on mobile devices. Utilizing responsive design principles, the code ensures the website adapts seamlessly to smaller screens. Imagine browsing mouthwatering pizza options with ease, even on your smartphone.







### Title Here

Lorem ipsum dolor sit amet, adipiscing consectetur Aliquam at dignissim nunc, id maximus ex. Etiam dignissim elit, at dignissim enim.









### **About**

History

Our Team

**Brand Guidelines** 

Terms & Conditions

Privacy Policy



## REFERENCES

### WEBSITES

### 1. W3SCHOOLS

https://www.w3schools.com/html/

### 2. MDN WEB

https://developer.mozilla.org/en-US/docs/Web/HTML/

### **BOOKS**

- 1. HTML & CSS: Design and Build Web Sites
- 2. Learning Web Design: A Beginner's Guide to HTML, CSS, JavaScript, and Web Graphics