

JAVASCRIPT FUNDAMENTALS



ZYRAH A. YBAY | ITM 206 | MARCH , 2026



What is JavaScript?

- JavaScript is a programming language for the web that allows you to:
 - Make websites interactive
 - Respond to user actions
 - Modify HTML & CSS dynamically
- It works together with:
 - HTML (design)
 - CSS (design)
 - JavaScript (behavior)


Method x

The Browser Console

- Goal: Run JS instantly without creating any files.
- Steps:
 1. Open any browser (Chrome or Edge).
 2. Right-click and select Inspect or press F12.
 3. Click the Console tab.
 4. Type: `console.log("Hello Batanes");` and press Enter.
- Key Tip: Use the Console to test logic quickly or debug errors.



Example:





Method x



Linking **HTML & JS**

- Goal: **Create** a permanent project using two separate files.

- **Steps:**

1. Create 2 Files: Name them index.html and script.js in the same folder.

2. In HTML: Add `<script src="script.js"></script>` right before the `</body>` tag.


3. In JS: Write `alert("Successfully Linked!");`.

4. Run: Open index.html in your browser to see the pop-up.





Example:





Method x

Node.js

- Goal: Run JavaScript outside the browser using your computer's terminal.
- Steps:
 1. Install Node.js from nodejs.org.
 2. Open your Terminal or Command Prompt.
 3. Navigate to your folder.
 4. Type: `node script.js` and press Enter.
- Key Tips: This is how modern backend development is done!.





Example:

DevTools - arstechnica.com/

Elements Console Sources Network Performance >> 1 3

top Filter All levels

[DOM] Input elements should have autocomplete attributes (suggested: (index):1 "current-password"): (More info: <https://goo.gl/9p2vKq>)

```
<input type="password" name="password" id="password" placeholder="Password" aria-label="Password">
```

▶ 6 [Violation] 'setTimeout' handler took <N>ms

▶ Network quality values are overridden using a holdback experiment, and so [gpt.js:1](#) may be inaccurate

▶ CNE Player: no interlude for "" ("Availability: unsupported [arstechnica.js:2](#) template") Error: Availability: unsupported template

```
at new t (arstechnica.js:2)
at H (arstechnica.js:2)
```

[Violation] 'setInterval' handler took 55ms [services.min.js?1555014600:1](#)

✖ ▶ GET https://mid.rkdms.com/ids?ptk=17c1789b-e660-493b-aa74-3c8fb990_dc5f&pubid=CONDENAST [htw-condenast.js:1](#) 404

Evidon -- evidon-notice-link not found on page, cant [evidon-sitenotice-tag.js:1](#) display the consent link.

▶ 18 [Violation] Avoid using document.write(). <URL>

Console



Name	Select	Option	Size	T_Area	Button	F_L	D_List	Password	Reset	Date	Email	File	Number	Placeholder x
------	--------	--------	------	--------	--------	-----	--------	----------	-------	------	-------	------	--------	---------------

SUMMARY

- Browser Console is a built-in tool in web browsers (Chrome, Edge, Firefox) used for debugging.
- `console.log()` is used to print messages or data to this panel so developers can see what is happening in the background.
- Linking JS to HTML, the standard way to build websites by connecting a logic file (.js) to a structure file (.html).
- Node.js is a “runtime environment” that lets JavaScript run directly on your computer’s hardware, not just inside a browser.



THANK YOU

