

COLLABORATORS							
	TITLE : AsciiDoc Markup Synta	ax Summary					
ACTION	NAME	DATE	SIGNATURE				
WRITTEN BY		June 10, 2013					

REVISION HISTORY						
NUMBER	DATE	DESCRIPTION	NAME			

# **Contents**

1	Text formatting	1
2	Document links	1
3	URLs	1
4	Images	1
5	Document header	1
6	Section title underlines	1
7	Paragraphs	2
8	Delimited blocks	2
9	More block elements	3
10	Tables	3
11	Bulleted lists	4
12	Numbered lists	4
13	Labeled lists	4
14	More inline elements	4

A summary of the most commonly used markup. For a complete reference see the AsciiDoc User Guide.

## 1 Text formatting

### 2 Document links

### 3 URLs

Use normal URL and email addess syntax or:

## 4 Images

image:filename[caption] (inline image)
image::filename[caption] (block image)

### 5 Document header

author, email, revision and date are optional.

### 6 Section title underlines

Underlined:

```
Level 0
                             (document title)
======
Level 1
Level 2
Level 3
^^^^^
Level 4
                             (bottom level)
++++++
Single line:
= Level 0 =
                            (document title)
== Level 1 ==
=== Level 2 ===
==== Level 3 ====
==== Level 4 =====
                            (bottom level)
```

# 7 Paragraphs

A normal paragraph. (styles: literal,verse,quote,listing, NOTE,TIP,WARNING,IMPORTANT,CAUTION) An indented literal paragraph.

## 8 Delimited blocks

Delimiters must begin at left margin.

```
(styles: source, music, graphviz)
listing block
                          (styles: listing, verse)
. . . . . . . . . . . . . . . . . . .
literal block
******
sidebar block
******
[style, author, cite]
                          (styles: quote, verse)
quote block
                          (styles: NOTE, TIP, WARNING,
                                   IMPORTANT, CAUTION)
example block
==============
```

#### 9 More block elements

```
[attributes list]
.Block title
// Comment line
include::filename[]
```

### 10 Tables

```
.An example table
[width="40%",cols="^,2m",frame="topbot",options="header,footer"]
|Column 1 |Column 2
| 1
         |Item 1
12
         |Item 2
13
         |Item 3
         |Three items
16
|-----
Common attributes:
grid:
       none, cols, rows, all
frame: topbot, none, sides, all
options: header, footer
format: psv,csv,dsv
valign: top, bottom, middle
width:
        1%..100%
cols:
       colspec[,colspec,...]
           [multiplier*][align][width][style]
colspec:
multiplier: 1...
width:
           1... or 1%...100%
align:
           [horiz][.vert]
           horiz: < (left), ^ (center), > (right)
            vert: < (top), ^ (middle), > (bottom)
           d[efault], e[mphasis], m[onospaced], a[sciidoc],
style:
           s[trong], l[iteral], v[erse], h[eader]
```

### 11 Bulleted lists

- item text
  - item text
    - \* item text
      - · item text

[Error: itemizedlist too deeply nested]

### 12 Numbered lists

- 1. arabic (decimal) numbering
  - a. loweralpha numbering
    - A. upperalpha numbering
      - i. lowerroman numbering [Error: orderedlist too deeply nested]

### 13 Labeled lists

```
label item text
    label item text
    label item text
    label item text
        (styles: horizontal, vertical, glossary, qanda, bibliograpy)
```

### 14 More inline elements

```
footnote:[footnote text] (document footnote)
```