

in between blades of long grass

project proposal,
prototyping
& plan

Yew Brown

Creative Computing Project 2
BSc Creative Computing
Goldsmiths, University of London

12.01.2026

contents

- contents ... 2
- abstract ... 3
- project aims, evaluation & scope ... 4
- contextual review ... 5
- early stage ideation & prototyping ... 7
- methodology ... 10
- project plan ... 11
- references ... 16
- appendices ... 18



image by sakurambo, sourced from wikipedia¹.

abstract

in between blades of long grass is a work-in-progress generative audiovisual composition and creative coding project. It is comprised of distinct musical, visual and structural elements that will coalesce into a symbiotic whole; aesthetically and conceptually reflecting self-similar and fractal patterns found in nature. Also seeking to express themes of ephemerality, dependent arising and non-self. Creating an experience that enables attention towards phenomena and thoughts that often go unnoticed or are cast away into the verge.

The project explores boundaries through a focus on thresholds, in particular at the borders of recognition between iterations of generative patterns over time. How individual instances of sound and image may be perceived as both distinct and interconnected expressions of the same underlying generative processes. This approach mirrors natural phenomena, for example, in how wind might be seen through its effects on grass and leaves simultaneously, or how branching patterns can manifest in trees, rivers and cracking earth.

in between blades of long grass emerges from the ongoing development of my practice as a musician and creative programmer. It is situated within a practice-based research context, using the process of making as a means of developing both the work itself and gaining deeper understanding of generative audiovisual systems. Through this project, I seek to consolidate and extend my creative and technical practice within an academic research and structured project development setting.

The research and development of this project will be guided by answering the answering the following question:

How can structures and generative processes based on fractal and self-similar patterns, be used to create an expressive audiovisual composition that explores boundaries of recognition across time and iteration?

The project adopts an exploratory, practice-based, mixed-methods research methodology. Development progresses through iterative prototyping, with each version functioning as both a creative product and a tool for further research. At key stages of development, qualitative feedback will be gathered through semi-structured interviews alongside quantifiable questionnaire-based feedback. These methods will inform reflective evaluation of the work's aesthetic, experiential and technical qualities.

The project anticipates to gain insight into audience perception of how effectively the work communicates its intended emotional and thematic concerns and of generative audiovisual systems. These insights will inform ongoing iterative development, contributing to both the final composition and reflective understanding of generative, practice-based creative processes.

project aims, evaluation and scope

The creative aims of this project are to develop an expressive generative audiovisual composition that builds upon and extends my practice as a musician and creative programmer.

The project will integrate self-similar and fractal patterns within generative compositional processes, drawing on advanced music theory and the incorporation of moving image.

Through practice-based research and iterative development, the work will explore perceptual thresholds in pattern recognition - contributing to an engaging and immersive experience, alongside conveying themes of nature, impermanence and emotional qualities such as calmness, reflection, and bittersweetness.

In technically aspects, the project aims to feature clear, well structured, professional code and project architecture. The programmes written as part of the work will be reusable, extensible and deployed by potential users without unnecessary difficulty. Individual components of the project should also be sufficiently modular and decoupled, to avoid error and avoidable dependence.

The research aim is to apply an exploratory, practice-based, mixed-method approach in order to support systematic and reflective development. Peer interviews and audience feedback will provide external perspectives that inform iterative refinement, enabling assessment of how effectively the project meets its stated creative and technical aims.

The project aims to appeal primarily to an audience interested in experimental music and audiovisual work, and to be presented through both installation and availability to watch and listen to it online.

The following objectives will be used as evaluation criteria to assess the project's progress towards its aims:

1. To design and implement a generative audiovisual system employing stochastic, multi-layered self-similar and fractal structures that explore thresholds of recognition and communicate intended emotional qualities.
2. To develop technically robust programmes and clean, readable code. Demonstrating clear structure, modularity and coherent project architecture; supporting creative expression, future reusability and extensibility.
3. To present the project as a polished, complete work, with attention given to clarity of artistic expression and minimisation of technical or execution errors.
4. To use research gathered through the project's established methodology to inform and support iterative development, guiding progression towards the achievement of the above objectives.
5. To use the project and research outcomes to answer the research question, contributing new understanding and progression to my creative practice.

To outline the scope of the project, it will be limited to the technical and artistic creation of the audiovisual composition, necessary hardware requirements and supporting research.

Its technical software domains consisting of creative coding utilising Supercollider, openFrameworks and Open Sound Control(OSC).

Its conceptual domains will be limited to fractal and self similar patterns in nature and in application to sonic and visual art - in particular Lindenmeyer Systems (L-Systems), music and artistic theory - where necessary, for further research or discussion, as well as Buddhist concepts in the work's themes.

Further practical scoping details are included in the *project plan* section of this document.

contextual review

This project is situated within the ongoing development of my practice as a musician and creative programmer, and is informed by indeterminate composition, generative systems and audiovisual art. It builds on previous work while addressing limitations encountered in earlier approaches to variation across multiple versions, dynamics and expressive depth.

An early influence on my approach to generative composition is the work of John Cage, particularly *Music of Changes*², in which chance operations are used to separate compositional intent from specific outcomes. Cage's conception of the composer as a designer of systems rather than fixed works continues to inform my practice. His later reframing of silence and environmental sound, most notably in *4'33"*³, also underpins my inclusion of non-musical sound, silence and duration as meaningful compositional elements.

More recent influence has come from noise music, particularly pioneering artists such as Merzbow⁴, whose works employs inherently unpredictable and chaotic sound design within compositional forms.

A lot of noise music has developed from underground, do-it-yourself (DIY) contexts. This DIY approach is accessible and connected to my own artistic background. In comparison, the art music context of Cage's work, can be more alienating and limiting in access and exposure. As such, noise music provides a relevant reference point for indeterminate forms of composition and performance that utilise typically non-musical sound, arising from accessible and DIY contexts, closer to what I am working with materially.

Early experiments with indeterminacy in my own work employed chance-based decision making through manually executed processes⁵. While these approaches allowed variation, they remained constrained by intensive labour and therefore typically resulted in fixed outcomes. This led to a growing interest in computational methods as a means of achieving greater systematic depth, variation and iterative complexity.

While this shift has been explored through practice, such as in my 2025 work *summerleaf*⁶, and to some extent through listening, for example to the music of Domin⁷, it remains an area that could be researched in much greater depth. Doing so may provide useful insight into how this project can be approached and developed.

Progression onto more direct influences on this project, my interest in fractals as a means of generating coherent complexity across multiple scales and iterations, developed through early encounters with the Mandelbrot and Julia sets⁸ and through Dmitry Kormann's writing on fractal musical structures⁹.

Approaching this project, I have found that L-systems, originally developed to model plant growth¹⁰, offer a particularly compelling model due to their capacity to produce complex forms from simple rules. Their application in this project supports both structural organisation and conceptual alignment with natural phenomena.

Sonic aesthetic influences on the project include sound practices characterised by restraint, subtle variation and attention to texture, such as those found in the work of sawako¹¹ and artists working primarily with field recording, including Yohei Miyata¹².

Many conceptual visual influences have emerged through proximity to people in my life and immersion in their creative activities around artist short films, in particular *If Splash As Your Whistle*, curated by Yuqing Lin and Xinyu Xu¹³. These encounters have prompted me to consider how visual elements can contribute to my own practice alongside sound and music.

Subsequent investigation into moving image led me to works such as those shown in the nature and healing inspired 16mm short film screening *Biophilia*, curated by GP Surgery¹⁴. Beyond aesthetic direction, these influences offer multiple avenues for research and reflection in the implementation of moving image within the project.

Underlying the above influences is a relationship with Buddhist concepts such as impermanence, dependent arising and non-self, as exemplified in *The Diamond Sutra*¹⁵ and *The Teachings of Ajahn Chah*¹⁶. These ideas are significant in my worldview and how I interpret life experiences, naturally leaving a direct impression on my work.

I highlight these concepts because they have been consciously integrated into the development of this project. Although, I acknowledge that many other influences, both recognised and unrecognised, may also be present.

Together, the covered contexts position *in between blades of long grass* as a practice based exploration of generative audiovisual composition. The project combines indeterminacy, fractal and self-similar structures, iterative variation and sound-image relationships to investigate perceptual thresholds and expressive potential within generative systems.

early stage ideation and prototyping

The ideation process for this project grew from reflection on the creative practice that produced many of my previous generative musical works, alongside a desire to express my experiential responses to natural and semi-urban environments. In particular, the project draws on a sense of atmosphere and perceptual qualities encountered during regular walks through a meadow during early summertime, using these experiences as a conceptual starting point.

Due to exposure in recent years to artists creating and curating moving image projects¹⁷, alongside my own engagement with field recording practices¹⁸, I began to conceptualise a project that incorporated visual and non-musical sound components. This approach was intended to enhance my ability to express and capture the atmosphere of a particular time and place in ways that I felt were less accessible through music alone.

This initial seed of an idea developed through a series of ideation documents and notes¹⁹, which accompanied the exploration of tuning systems and sketched out how musical, visual and structural elements might take shape, alongside the piece's expressive and thematic qualities.

Following this initial ideation stage, work began on prototyping an L-system generator using the web editor of the JavaScript library p5.js²⁰, adapted from code by Barney Codes²¹, and using SuperCollider. Having established in ideation that an L-system-based structure would be central to many of the project's generative processes.



Output of the 2D L-system generator prototype in p5.js.

Development then progressed to a series of additional prototypes, including in chronological order: a fractal melody generation system, a chordal texture generator, a moving image prototype and a noise-based mockup of a field-recording element.

Throughout this early prototyping stage, particular focus was placed on the fractal melody prototype. This reflected a decision to follow the creative process organically, rather than distributing development efforts evenly across all elements and potentially stifling it. During this stage, I periodically returned to the ideation documents to note down new ideas and developments. Continued ideation and note taking was also done through multi-line comments in the prototypes' code.

This process has resulted in the current set of prototypes for each element of the project. While these components are not yet interconnected through the central generative structure, they collectively provide an impression of the intended sonic, visual and structural qualities of the final work, as well as its potential behaviours.

prototypes

*L-System Generator*²²

A mid-fi prototype, adapted from C++ openFrameworks code sourced from user irvang on GitHub²³.

It iterates and draws a stochastic three dimensional (3D) L-system, visualised representing a tree or plant-like structure. Based on the earlier p5js L-system generator²⁴.

It is the element that will generate the core structure of the piece to be interpreted by other elements.

Future stages of development will add ways of generating needed data and communicating it to other elements via OSC, for their interpretation.

The controls for running the entire composition will also be built into this element.

*field*²⁵

A lo-fi prototype of a sound element that will handle the arranging of field recordings.

It currently mimics the intended sound by using chance to arrange several voices of pink noise with long, gentle envelopes throughout the stereo field. The arrangement simulates how field recordings will be arranged using panning, amplitude and filtering through interpretation of the core L-system structure as data to dynamically change said parameters of the sub-piece.

Further developments will involve connecting with the core structure by OSC, basic interpretation of the structure and replacing generated noise with field recordings.

*willow branch blessing*²⁶

A lo-fi prototype of a music element that will handle the arrangement of static harmonic voices similarly to the arrangement of field recordings in *field*.

It uses the same method as the prototype of *field* to approximate the intended arrangement of harmonic voices through interpretation of the core L-system structure.

Further developments will include use of the core structure via OSC, more detailed arrangement, filtering, dynamic envelope changes and dynamic sound design.

*leaves fluttering in the breeze*²⁷

A medium-high fidelity prototype of a music element producing an emergent cloud of voices resembling leaves on a tree, comprised of layers of fractally generated melodic phrase pairs interwoven with one another.

Its code is made up of processes that determine microtonal tuning systems and musical scales from various equal divisions of the octave and bright, sharp of major tunings; build melodic question and answer phrases, weaving those phrases together fractally in embedded iterations of the pattern: X X X Y X X Y Y X Y Y Y; and play melodic patterns in polymetres made up of polyrhythms formed into irrational metres layered on top of one another, in effect similar to organised use of multiple tempi for each layer of melodic patterns.

The polyrhythmic relationships in these metres reflect a self-similar image of the harmonic ratios of the just intervals approximated by the tuning systems in use.

In further iterations of this prototype, the core L-system structure will be interpreted using OSC to arrange layers of melodic patterns dynamically by adjusting panning, amplitude, filtering, timbre and sound design.

This prototype provides an example of how each element will have sub-processes utilising unique fractal and self-similar patterns and properties, matching its own concept. These unique patterns and properties can then be used in the interpretation of the overall core structure.

*in the grove*²⁸

A lo-fi prototype of the moving image element. It makes use of handcam footage of foliage, shot in the location that inspired this piece during the summer of 2025. Zooming in to small, heavily pixelated sections of the videos, abstracting them impressionistically into colour, shape and light. It also randomises the playback speed, size and location of the video sections, re-randomising them when the mouse is clicked. The presented prototype serves to give an impression of the atmosphere and style that the final version aims to have.

The randomised properties demonstrate and access video properties that will be utilised in interpreting data from the core L-system structure.

Further development for this element will include interpreting the core structure via OSC, refining the use of footage, improving aesthetics - for example, stylising the shape video sections are cropped into, and engaging more deeply with art theory and references to create the desired effects.

*mockup*²⁹

This lo-fi prototype is a video, simply aiming to convey a sense of how all elements appear in combination, and clearly show what the project does through demonstration.

At each stage, a mockup may be necessary to present the whole in a controlled manner. However, as it is more for demonstration of the current stage and overall concept, therefore this particular prototype will have no future developments.

methodology

methodological approach

in between blades of long grass uses exploratory, practice-based research alongside mixed-methods approaches to inform future development. Iterative prototyping forms the core of both creative development and research, allowing outcomes to emerge through experimentation while incorporating external feedback. Mixed-methods research provides additional data on user experience to further support development.

exploratory development & iterative prototyping

Practical exploration allows concepts and processes to be evaluated within the creative context of the project. Low-fidelity (lo-fi) and paper prototyping processes quickly identify what contributes effectively toward project goals, while medium- (mid-fi) and high-fidelity (hi-fi) prototypes will refine and extend the most successful ideas.

Research data is generated through practical work and documented via ideation notes, code comments, Git commits and README files. This data then also being used in the cyclical process of acquiring feedback through user testing and interviews, to inform further practical development.

research through user testing

At key stages, prototypes will be evaluated through peer interviews and questionnaires. Semi-structured interviews with trusted peers, tutors and supervisors will provide qualitative insight, while questionnaires given to a broader voluntary participant group provide quantitative feedback. These methods offer external perspectives, reduce the limitations of solo authorship, and may suggest alternative solutions to creative challenges. All of which may provide useful information to feed into further development stages.

anticipated research data

Qualitative data will include subjective descriptions, impressions and suggestions from peer interviews. Quantitative data from questionnaires will assess the effectiveness of specific prototype elements. Practice-based research will generate additional qualitative records, all of which will be preserved, annotated and presented alongside user feedback in the final project documentation. All research evaluates prototypes against established project aims or criteria devised for specific tests.

ethical & practical considerations

Research limitations may arise from participant backgrounds, sample size, or the researcher's dual role as artist and evaluator. These will be mitigated by acknowledging biases and seeking supervisory guidance where appropriate. Participants will be informed of data usage, storage, rights to anonymity, and their right to withdraw data or request deletion of data. All data handling will comply with GDPR regulations.

project plan

overview & timeframe

The prior section *early stage ideation & prototyping* covers project development from May 2025 to January 2026. This section plans for further development over a four month period from January 2026 to May 2026. Through a series of iterative prototypes, from the current lo-fi versions to a polished final work.s

Target deadlines for project development and testing stages:

- *12 January 2026:*
 - Submission of lo-fi stage prototypes, project proposal and project plan.
- *01 February 2026:*
 - Mid-fi stage research conducted as semi-formalised feedback through interviews.
- *01 March 2026:*
 - Mid-fi stage prototypes complete.
- *01 April 2026:*
 - Hi-fi stage prototypes complete and full hi-fi stage testing round conducted.
 - Beginning to source hardware and determine installation solutions.
- *01 May 2026:*
 - Presentation stage outcome complete, preparing to present publicly, conducting evaluation and testing.
 - Hardware and installation resolved, given that the installation space has been determined.

development stages

This plan has been broken down into stages of development, represented by incrementation of set project version numbers. Below, each stage is outlined with criteria to determine when it has been reached.

Lo-fi Stage: Versions 0.0.0 ++

- Rough representation of each project element, acting as the starting point for development and proof of concept.
- Functional but messy code is acceptable; comments and basic tidying are desirable where necessary.

Mid-fi Stage: Versions 0.1.0 ++

- Elements communicate effectively via OSC.
- Elements contain their own unique generative processes, patterns and properties.
- Minimal sound design for music and sound, using correct sound sources generated in SuperCollider and from field recordings.
- Minimal dynamics introduced.
- Rough but effective visual design, with focus on underlying visual processes.
- Basic controls for operation of the whole piece.
- The project may not yet run seamlessly as a whole, or indefinitely.
- Code refactored to be clean and readable.

Hi-fi Stage: Versions 0.2.0 ++

- More detailed interactions between elements communicating via OSC. Introduction of clear dynamic changes across all sections.
- Greater nuance and dynamic variation in elements' own processes, patterns and properties.
- Timbre and sound design developed beyond purely functional implementation, while remaining correctly sourced.
- Visual aesthetics developed intentionally, with deeper focus on atmosphere, mood and feeling.
- Clear and functional controls, with the piece easily usable by others.
- Runs well for a limited time or indefinitely, with minimal errors.
- Code refactored for clarity, efficiency, modularity and decoupling.

Presentation Stage: Versions 1.0.0 ++

- The piece runs smoothly as a whole, with nuanced, dynamic and symbiotic relationships between elements via OSC, maintaining clean separation where possible.
- Dynamics are engaging across all elements, with multilayered influence shared through interconnectivity.
 - Responsive to sensor input, if included.
- Sound design and visuals are subtle, detailed, polished and professional, clearly expressing atmosphere, mood and theme.
- Controls are clear and easily understandable for any user.
- The piece runs indefinitely or for specified periods cleanly and without error, and is able to run across multiple hardware setups.
 - Beginning and end sequences ease the experience in and out appropriately; dynamic changes map appropriately to duration.
- Clear specifications for running the project, either as standalone software or as an installation.
- Code refactored to be clean, readable, reusable, extensible and professional, with dependencies managed where possible.
- The project is suitable for public presentation and satisfactorily meets the main evaluation criteria.

testing & evaluation stages

Three research and testing stages are planned:

Mid-fi Stage Research:

- Qualitative feedback used to guide further development.
- Conducted through documented, directed, semi-formal interviews with at least one trusted peer, supervisor or tutor.

Hi-fi Stage Testing:

- Core testing process as established in the methodology.
- Includes qualitative interviews with trusted peers, supervisors or tutors, and quantitative user testing via questionnaires completed by anonymised volunteers.
- Serves as the primary source of research data.

Presentation Stage Research & Testing:

- Repetition of semi-formal interviews conducted at the mid-fi research stage, ideally with the same interviewee.
- Supports reflection on development and evaluation against the main success criteria.

These testing stages act as the primary means of gathering research data on external user and audience experience, while also guiding development through practice-based exploration and iterative prototyping.

technical architecture

The technical architecture of the project consists of three major elements: structural systems using openFrameworks, moving image using openFrameworks, and sound using SuperCollider.

Sound is further broken down into three modular elements forming the overall composition: *field*, *willow branch blessing* and *leaves fluttering in the breeze*. The structural and moving image elements correspond respectively to the prototyped elements *L-System Generator* and *in the grove*.

Interconnectivity between all elements, most significantly the interpretation of the structural element by the others, is handled using OSC.

development scope & prioritisation

The development scope defines the essential, achievable and ideal versions of the project at the point of final presentation. These are framed as the *minimum viable project (MinVP)*, *achievable viable project (AVP)* and *maximum viable project (MaxVP)*. While the *MaxVP* represents the ideal outcome, the *AVP* is both realistic and desirable, and the *MinVP* represents the minimum requirements for the project to be presentable.

Maximum Viable Project:

- Complete version 1.0.X of the project.
- Multiple displays for both moving image and structural visualisation elements, surrounding the listening space with visuals.
- High-quality octophonic audio.
- A quiet, still space with full environmental control, suitable for the intended atmosphere.
- A spacious area for the audience, including comfortable and appropriate seating such as beanbags, cushions, mats, stools or chairs.

Achievable Viable Project:

- Polished version 0.2.X hi-fi project.
- Two displays or projections showing moving image and structural visuals separately.
- High-quality quadraphonic audio.
- A quiet and still space, sufficiently dark if projecting visuals.
- Adequate space for the audience to stand or sit.

Minimum Viable Project:

- Version 0.2.X hi-fi project.
- Single display or projector showing both visual elements.
- High-quality stereo audio.
- A sufficiently still and quiet exhibition space.

The following categorisation of project features by necessity supports scoping development within these viability levels. Together, these approaches help focus exploratory development, keeping the project on track toward a promising and achievable outcome.

Essential, Achievable & Reach project features:

- *Essential:*
 - Evenly developed project elements, with all components reaching at least the hi-fi stage.
 - Hardware and spatial requirements of the MinVP.
 - Ability for the project to run indefinitely in an installation setting without noticeable errors.
 - Minimal audio production issues.
- *Achievable:*
 - Polished, well-produced audio and visuals.
 - Interesting and engaging dynamics, avoiding a static experience.
 - Hardware and spatial requirements of the AVP.
- *Reach:*
 - A complete, fully polished piece of professional standard.
 - Hardware and spatial requirements of the MaxVP.
 - Extensive fine and subtle detail across dynamics and all layers of the work.
 - Creative extension of the *L-System Generator* structural concept into four spatial dimensions, introducing dynamic structural change over time.

risk management & mitigation

Key anticipated risks:

- Time allocation challenges due to underestimation, unexpected technical problems, or unpredictable exploratory development.
- Dependency, library or framework failures arising from tightly interconnected architecture, reliance on OSC communication between SuperCollider and openFrameworks or deprecation caused by updates.
- Creative intentions failing to resonate with audiences due to the abstract and experimental nature of the work.

Mitigation strategies will include maintaining a secure fallback version of the project, ensuring all project elements reach key development stages before advancing further, and using peer feedback and user testing to assess audience perception.

presentation & final outcome

The final outcome aims to be a professional, well-polished and expressive generative audiovisual composition, suitable for public presentation in an installation context. It will be accompanied by documentation of process, evaluation and reflective analysis aligned with the project's aims and methodology.

Presentation of the project is expected to take place at Goldsmiths, University of London, as part of the Creative Computing degree show in May 2026.

references

1. L-System Image, sakurambo.
image: <https://commons.wikimedia.org/wiki/File:Fractal-plant.svg>
2. *Music of Changes*, John Cage, 1951.
 - Audio: https://www.youtube.com/watch?v=B_8-B2rNw7s&t=205s
 - Information: https://en.wikipedia.org/wiki/Music_of_Changes
3. *4'33"*, John Cage, 1952.
 - Audio: <https://www.youtube.com/watch?v=AWVUp12XPpU>
 - Information: <https://en.wikipedia.org/wiki/4%E2%80%B2233%E2%80%B3>
4. *Matehnas*, Merzbow, 1987.
 - Audio at 7:26:12:
<https://www.youtube.com/watch?v=81nAgOZfsP8&t=22794s>
5. *wolcnuonpærelyfte*, alfthrith, 2024.
 - <https://soundcloud.com/alfthrith/wolcnuonaerelyfte>
6. *summerleaf*, Yew Brown, 2025.
 - No resource currently available.
 - *summerleaf* utilised computational chance operations to quickly generate unique and dynamically varied iterations of an indeterminate composition.
7. *Xguotiq*, Domin, 2025.
 - Audio: <https://www.youtube.com/watch?v=eUHH6OJXJXs>
8. Information on the Mandelbrot and Julia sets.
 - Mandelbrot Set: https://en.wikipedia.org/wiki/Mandelbrot_set
 - Julia Set: https://en.wikipedia.org/wiki/Julia_set
9. *Fractal music*, Dmitry Kormann, 2010.
 - Web Article:
<https://plus.maths.org/content/os/issue55/features/kormann/index>
10. Information about Lindenmeyer Systems.
 - Wikipedia: <https://en.wikipedia.org/wiki/L-system>
11. sawako
 - 08, sawako: <https://sawako.bandcamp.com/album/sounds>
 - Tsumobi Saku, sawako:
<https://sawako.bandcamp.com/album/bitter-sweet>
12. *Tokyo Station (Shinkansen Platform)*, Yohei Miyata, 2025
 - <https://soundcloud.com/yohei-miyata/tokyo-station-shinkansen-platform>
13. ★ *(un)Imaginary Swords* ☆, Curated by If Splash As Your Whistle, 2025.
 - <https://queereast.org.uk/programme/unimaginary-swords/>

14. *Biophilia*, Curated by GP Surgery, 2025.
 - <https://www.thegardencinema.co.uk/film/gp-surgery-presents-biophilia-experimental-shorts-on-16mm/>
15. The Diamond of Perfect Wisdom Sutra, Chung Tai Translation Committee, 2009.
 - <https://sunnyvale.ctzen.org/wp-content/uploads/2019/07/diamond-sutra-v1.9.17-201312011.pdf>
 - Page 4, 5. Physical Attributes of Buddhahood, "All appearances are illusory. To see that appearances are not appearances is to see the Tathagata."
 - Demonstrating non-self in the appearance of the Buddha himself.
- 16 *The Collected Teachings of Ajahn Chah*, Podcast by Amaravati Monastery.
 - <https://amaravati.org/series/the-collected-teachings-of-ajahn-chah/>
17. See Reference 10.
18. *250430-the_warren-st_leonards-the_meads*, alfthrith, 2025.
 - https://soundcloud.com/alfthrith/250430-the_warren-st_leonards?in=alfthrith/sets/250429and250430
19. See Appendix 1 - Ideation Documents.
20. p5.js L-System Generators
 - <https://editor.p5js.org/yew/sketches/9jNVGPuxc>
 - <https://editor.p5js.org/yew/sketches/1NweUtR8l>
21. Original p5.js L-System Generator by BarneyCodes.
 - <https://www.youtube.com/watch?v=TOPxalxIG5Q>
 - <https://editor.p5js.org/BarneyCodes/sketches/4y0dLXw6Z>
22. See Appendix 2 - L-System Generator.
23. openFrameworks L-system generator, by GitHub user irvang.
 - <https://github.com/irvang/L-system-generator>
24. See Reference 17.
25. See Appendix 3 - field.
26. See Appendix 4 - willow branch blessing.
27. See Appendix 5 - leaves fluttering in the breeze.
28. See Appendix 6 - in the grove.
29. See Appendix 7 - mockup.

appendices

Appendix 0 - *in between blades of long grass* external resources:

- GitHub:
- <https://github.com/ybrow001/in-between-blades-of-long-grass>
- OneDrive:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgBiHb62EwmSSJloVu2oaAMPAV8nt_As-C_7ReSquyeoqdI?e=cfszBK

Appendix 1 - *Ideation Documents*

- GitHub: https://github.com/ybrow001/in-between-blades-of-long-grass/tree/main/ideation_documents

Appendix 2 - *L-System Generator*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z
- Github, SuperCollider:
https://github.com/ybrow001/in-between-blades-of-long-grass/blob/main/supercollider/l-system_field_171125-0.0.0.scd
- OneDrive, openFrameworks:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgBM7Mn9MBcLSqNYa12V7JX9AXwh2nW5_k5bJs-mqihc2NM?e=Uw04ha
 - OneDrive, oF or viewing code, may need setup as large files were not included.

Appendix 3 - *field*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z
- Github:
<https://github.com/ybrow001/in-between-blades-of-long-grass/blob/main/supercollider/field-0.0.1.scd>

Appendix 4 - *willow branch blessing*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z
- Github:
https://github.com/ybrow001/in-between-blades-of-long-grass/blob/main/supercollider/willow_branch_blessing-0.0.1.scd

Appendix 5 - *leaves fluttering in the breeze*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z
- Github:
[https://github.com/ybrow001/in-between-blades-of-long-grass/blob/main/supercollider/leaves fluttering in the breeze-121025-0.0.2.scd](https://github.com/ybrow001/in-between-blades-of-long-grass/blob/main/supercollider/leaves%20fluttering%20in%20the%20breeze-121025-0.0.2.scd)

Appendix 6 - *in the grove*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z
- OneDrive:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDaJpfxtuABR6H8lkJjEoAmATjJY7TTLmCLm3_WECnHeF4?e=quCrcr
 - OneDrive for viewing code, large files and videos not included.

Appendix 7 - *mockup*

- Demo:
https://goldsmithscollege-my.sharepoint.com/:f:/g/personal/ybrow001_campus_goldsmiths_ac_uk/IgDCErH0s4HUR6KlefCF3-ubAQzTktOo2IZISiaBQR757gs?e=gSuC0z