

Before adding a new medicine

Confirm the label. Understand selected warnings.
Bring a clear question to the pharmacist.

Hong Kong medicine data · Cantonese access · Sources beside the warning

The Hong Kong use case

A common decision point

“I already take these medicines.
Can I add this cold medicine?”

The user has

A pharmacy bag, medicine packs,
and instructions that may differ
from general packaging.

The app prepares

Confirmed product identities,
selected warnings, and questions
for a professional to resolve.

Data scope is visible

14,269

Hong Kong registered products
Official snapshot: 25 September 2026

23,835

product–ingredient rows

2,081

original ingredient strings

14 ingredient profiles · 14 rule drafts · 22 lexicon entries

Catalogue size and ingredient mapping do not establish clinical coverage.
All clinical rules still await professional review.

How a medicine check works

01 Confirm identity and route

A candidate from OCR or a name is not a confirmed medicine.

02 Map ingredients explicitly

Unmapped ingredients stay visible; no guessed equivalence.

03 Check every distinct pair

Up to 12 medicines, 66 pairs. Rules retain their sources.

04 Show warnings and unresolved items

A missing rule cannot establish that a combination is safe.

Personal doses and the combined effect of three or more medicines are outside this check.

A warning with a source

Two products can share an ingredient

The warning keeps its source and review status visible.

Synthetic labels
Actual browser output

1 Add medicines

Photo or manual search

你手上的 / What do you have?

☒ 藥盒 / Pack

☐ 藥袋 / Pharmacy bag

Include the full name, ingredients and HK number; one brand can have different formulations.

Include the full name and HK registration number

Use an evenly lit, front-facing photo. Up to two packs per image. Avoid personal details.

Open camera

Choose a photo

Try a synthetic label image

Photos are read in this browser, without upload. OCR resources download on first use.

Candidates found. Add each one, then confirm it against the pack.

► See detected text and candidates

or search manually

HK registration number, English name or ingredient

e.g. HK-53362, PANADOL, paracetamol

Find

Demo cases

Duplicate ingredient

Interaction

Contraindication

Unknown medicine

2 Confirm against the pack

Clear

Similar names can mean different formulations. Check the full name, registration number and dosage form.

2 added · 2 confirmed

PANADOL CAPLET 500MG

HK-53362

Active ingredients : paracetamol

Medicine details and precautions ↗

How is it used? Check the label

×

3 Check results

Professional review is needed

Pairs examined: 1 pairs

Prepared ingredient and route rules only. Dose, the overall prescription and higher-order effects of three or more medicines are not assessed.

► See every medicine pair and evidence gaps

Catalogue ingredient comparison

Duplicate ingredient

paracetamol + paracetamol

Both products contain paracetamol. Taking both can duplicate this ingredient. Check with a pharmacist or prescriber before combining them.

R01 · Clinical review pending

View source

Prepare for a pharmacist

Take the full medicine list and source warnings to a pharmacist before adding a medicine. Ask them to verify the exact formulations and your personal situation.

Show questions to bring

This rule set is incomplete and awaits clinical review. Other risks may exist. Do not stop, change or adjust medicines on your own.

English

Read aloud

Download summary

Print

Leave PDF

Both contain paracetamol. The sourced warning does not calculate a personal dose.

Med Safe / HackKU 2026 / Prototype · 3 October 2026

05

Unknowns do not erase a warning

A third medicine cannot be identified

The check remains incomplete. Existing warnings stay visible.

Synthetic scenario
Professional review pending

☒ 藥盒 / Pack

☐ 藥袋 / Pharmacy bag

Include the full name, ingredients and HK number; one brand can have different formulations.

Include the full name and HK registration number
Use an evenly lit, front-facing photo. Up to two packs per image. Avoid personal details.

Open camera

Choose a photo

Try a synthetic label image

Photos are read in this browser, without upload. OCR resources download on first use.

or search manually

HK registration number, English name or ingredient

Q UNKNOWN DEMO MEDICINE

Find

No exact match. Check the HK-xxxxx number, or try an English name or ingredient.

Mark as unidentified for the demo

Demo cases

Duplicate ingredient

Interaction

Contraindication

Unknown medicine

2 Confirm against the pack

Clear

ZOCOR TAB 10MG
HK-34337
Active ingredients : simvastatin
Medicine details and precautions ↗

How is it used? Check the label
Swallowed / oral

Pairs examined: 3 pairs

Prepared ingredient and route rules only. Dose, the overall prescription and higher-order effects of three or more medicines are not assessed.

► See every medicine pair and evidence gaps

Unidentified products, unmapped ingredients or missing routes:

UNKNOWN DEMO MEDICINE

This prototype cannot assess all selected medicines.

LABELLED CONTRAINDICATION

simvastatin + clarithromycin

The cited label contraindicates simvastatin with clarithromycin because of muscle injury and rhabdomyolysis risk. Contact the prescriber or pharmacist promptly for advice.

ROS - Clinical review pending

[View source](#)

Other pairs have no matching rule and still need professional review.

Prepare for a pharmacist

Take the full medicine list and source warnings to a pharmacist before adding a medicine. Ask them to verify the exact formulations and your personal situation.

Show questions to bring

This rule set is incomplete and awaits clinical review. Other risks may exist. Do not stop, change or adjust medicines on your own.

Three medicines, three pairs. An unknown stays unresolved while an existing warning remains.

Phone access and offline boundaries

Phone browser

Photo recognition on the device
Search, details and rule checks
Large text and a pharmacist card

Offline use

Download app assets first.
Check offline readiness before use.
Original source links need internet.

Voice has a separate boundary

Phone recognition may use the browser provider after consent.
The optional Mac model can transcribe locally. Device voices vary.

Evidence and the next review

Demonstrated in software

Label OCR with synthetic input
Confirmation and source gates
Pair enumeration and unknowns
Readable mobile layouts

Evidence still needed

Real medicine packs and devices
Professional and Cantonese review
Timed manual-method comparison
Observed user errors and recovery

Working prototype, with limits available to the reviewer

github.com/yc-eagle/med-safe