

ASSIGNMENT 1 COMPUTER NETWORK

NAME :- YELLAPRAGADA CHARAN KRISHNA

REG NO :- CH.EN.U4ECE20053

HTTP

Hypertext Transfer Protocol (HTTP) is an application-layer protocol for transmitting hypermedia documents, such as HTML. It was designed for communication between web browsers and web servers, but it can also be used for other purposes. HTTP follows a classical client-server model, with a client opening a connection to make a request, then waiting until it receives a response. HTTP is a stateless protocol, meaning that the server does not keep any data (state) between two requests.

FTP

Although transferring files from one system to another is very simple and straightforward, but sometimes it can cause problems. For example, two systems may have different file conventions. Two systems may have different ways to represent text and data. Two systems may have different directory structures. FTP protocol overcomes these problems by establishing two connections between hosts. One connection is used for data transfer, and another connection is used for the control connection.

FTP stands for File transfer protocol.

FTP is a standard internet protocol provided by TCP/IP used for transmitting the files from one host to another.

It is mainly used for transferring the web page files from their creator to the computer that acts as a server for other computers on the internet.

It is also used for downloading the files to computer from other servers.

SMTP

Email is emerging as one of the most valuable services on the internet today. Most internet systems use SMTP as a method to transfer mail from one user to another. SMTP is a push protocol and is used to send the mail whereas POP (post office protocol) or IMAP (internet message access protocol) are used to retrieve those emails at the receiver's side.

SMTP Fundamentals

SMTP is an application layer protocol. The client who wants to send the mail opens a TCP connection to the SMTP server and then sends the mail across the connection. The SMTP server is an always-on listening mode. As soon as it listens for a TCP connection from any client, the SMTP process initiates a connection through port 25. After successfully establishing a TCP connection the client process sends the mail instantly.

DNS

The Domain Name System (DNS) is the phonebook of the Internet. Humans access information online through domain names, like nytimes.com or espn.com. Web browsers interact through Internet Protocol (IP) addresses. DNS translates domain names to IP addresses so browsers can load Internet resources.

Each device connected to the Internet has a unique IP address which other machines use to find the device. DNS servers eliminate the need for humans to memorize IP addresses such as 192.168.1.1 (in IPv4), or more complex newer alphanumeric IP addresses such as 2400:cb00:2048:1::c629:d7a2 (in IPv6).

The process of DNS resolution involves converting a hostname (such as www.example.com) into a computer-friendly IP address (such as 192.168.1.1). An IP address is given to each device on the Internet, and that address is necessary to find the appropriate Internet device - like a street address is used to find a particular home. When a user wants to load a webpage, a translation must occur between what a user types into their web browser (example.com) and the machine-friendly address necessary to locate the example.com webpage.

CISCO PACKET TRACER SIMULATIONS




Fig 1. HTTP




Fig 2. FTP




Fig 3. SMTP




Fig 4. DNS




Fig 5. HTTP,SMTP,DNS,FTP

Results :- In this assignment we have simulated the four protocols and we have successfully tested using cisco packet tracer.

GitHub link :- <https://github.com/ycharankrishna/Computer-Networks-Assignment.git>