


Welcome to the course!

INTRODUCTION TO IMPORTING DATA IN PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp


Import data

- Flat files, e.g. .txts, .csvs
- Files from other software




Import data

- Flat files, e.g. .txts, .csvs
- Files from other software
- Relational databases



Plain text files



Source: Project Gutenberg

Table data

titanic.csv				
	Name	Sex	Cabin	Survived
Braund, Mr. Owen Harris	male	Nan	0	
Cumings, Mrs. John Bradley	female	C85	1	
Heikkinen, Miss. Laina	female	Nan	1	
Futrelle, Mrs. Jacques Heath	female	C123	1	
Allen, Mr. William Henry	male	Nan	0	

¹ Source: Kaggle

Table data

titanic.csv

row

Name	Sex	Cabin	Survived
Braund, Mr. Owen Harris	male	NaN	0
Cumings, Mrs. John Bradley	female	C85	1
Heikkinen, Miss. Laina	female	NaN	1
Futrelle, Mrs. Jacques Heath	female	C123	1
Allen, Mr. William Henry	male	NaN	0

Table data

titanic.csv

The diagram illustrates a portion of the titanic.csv dataset. It shows a table with five rows of passenger data. The columns are labeled Name, Sex, Cabin, and Survived. The first row is highlighted in light blue and has a blue arrow pointing down to it labeled 'row'. A blue arrow pointing up to the Sex column is labeled 'column'.

Name	Sex	Cabin	Survived
Braund, Mr. Owen Harris	male	NaN	0
Cumings, Mrs. John Bradley	female	C85	1
Heikkinen, Miss. Laina	female	NaN	1
Futrelle, Mrs. Jacques Heath	female	C123	1
Allen, Mr. William Henry	male	NaN	0

- Flat file

Reading a text file

```
filename = 'huck_finn.txt'

file = open(filename, mode='r') # 'r' is to read

text = file.read()

file.close()
```

Printing a text file

```
print(text)
```

YOU don't know about me without you have read a book by the name of The Adventures of Tom Sawyer; but that ain't no matter. That book was made by Mr. Mark Twain, and he told the truth, mainly. There was things which he stretched, but mainly he told the truth. That is nothing. never seen anybody but lied one time or another, without it was Aunt Polly, or the widow, or maybe Mary. Aunt Polly--Tom's Aunt Polly, she is--and Mary, and the Widow Douglas is all told about in that book, which is mostly a true book, with some stretchers, as I said before.

Writing to a file

```
filename = 'huck_finn.txt'  
file = open(filename, mode='w') # 'w' is to write  
file.close()
```

Context manager with

```
with open('huck_finn.txt', 'r') as file:  
    print(file.read())
```

YOU don't know about me without you have read a book by
the name of The Adventures of Tom Sawyer; but that
ain't no matter. That book was made by Mr. Mark Twain,
and he told the truth, mainly. There was things which
he stretched, but mainly he told the truth. That is
nothing. never seen anybody but lied one time or
another, without it was Aunt Polly, or the widow, or
maybe Mary. Aunt Polly--Tom's Aunt Polly, she is--and
Mary, and the Widow Douglas is all told about in that
book, which is mostly a true book, with some
stretchers, as I said before.

In the exercises, you'll:

- Print files to the console
- Print specific lines
- Discuss flat files

Let's practice!

INTRODUCTION TO IMPORTING DATA IN PYTHON

The importance of flat files in data science

INTRODUCTION TO IMPORTING DATA IN PYTHON

Hugo Bowne-Anderson
Data Scientist at DataCamp



Flat files

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fa  
re,Cabin,Embarked  
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S  
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs  
Thayer)",female,38,1,0,PC 17599,71.2833,C85,C  
3,1,3,"Heikkinen, Miss. Laina",female,26,0,0,STON/O2.  
3101282,7.925,,S
```

Flat files

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fa  
re,Cabin,Embarked  
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S  
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs  
Thayer)",female,38,1,0,PC 17599,71.2833,C85,C  
3,1,3,"Heikkinen, Miss. Laina",female,26,0,0,STON/O2.  
3101282,7.925,,S
```



	Name	Gender	Cabin	Survived
Braund, Mr. Owen Harris	male	NaN	0	
Cumings, Mrs. John Bradley	female	C85	1	
Heikkinen, Miss. Laina	female	NaN	1	
Futrelle, Mrs. Jacques Heath	female	C123	1	
Allen, Mr. William Henry	male	NaN	0	

Flat files


titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fa  
re,Cabin,Embarked  
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S  
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs  
Thayer)",female,38,1,0,PC 17599,71.2833,C85,C  
3,1,3,"Heikkinen, Miss. Laina",female,26,0,0,STON/O2.  
3101282,7.925,,S
```

↑
row

	Name	Gender	Cabin	Survived
Braund, Mr. Owen Harris	male	Nan	0	
Cumings, Mrs. John Bradley	female	C85	1	
Heikkinen, Miss. Laina	female	Nan	1	
Futrelle, Mrs. Jacques Heath	female	C123	1	
Allen, Mr. William Henry	male	Nan	0	

Flat files



Flat files

- Text files containing records
- That is, table data
- Record: row of fields or attributes

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fa  
re,Cabin,Embarked  
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S  
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs  
Thayer)",female,38,1,0,PC 17599,71.2833,C85,C
```

Flat files

- Text files containing records
- That is, table data
- Record: row of fields or attributes
- Column: feature or attribute

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fare,Cabin,Embarked
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs Thayer)",female,38,1,0,PC 17599,71.2833,C85,C
```

Flat files

- Text files containing records
- That is, table data
- Record: row of fields or attributes
- Column: feature or attribute

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fare,Cabin,Embarked
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs Thayer)",female,38,1,0,PC 17599,71.2833,C85,C
```

Header

titanic.csv

```
PassengerId,Survived,Pclass,Name,Gender,Age,SibSp,Parch,Ticket,Fare,Cabin,Embarked
1,0,3,"Braund, Mr. Owen Harris",male,22,1,0,A/5 21171,7.25,,S
2,1,1,"Cumings, Mrs. John Bradley (Florence Briggs Thayer)",female,38,1,0,PC
17599,71.2833,C85,C
3,1,3,"Heikkinen, Miss. Laina",female,26,0,0,STON/O2. 3101282,7.925,,S
4,1,1,"Futrelle, Mrs. Jacques Heath (Lily May Peel)",female,
35,1,0,113803,53.1,C123,S
5,0,3,"Allen, Mr. William Henry",male,35,0,0,373450,8.05,,S
6,0,3,"Moran, Mr. James",male,,0,0,330877,8.4583,,Q
7,0,1,"McCarthy, Mr. Timothy J",male,54,0,0,17463,51.8625,E46,S
8,0,3,"Palsson, Master. Gosta Leonard",male,2,3,1,349909,21.075,,S
9,1,3,"Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)",female,
27,0,2,347742,11.1333,,S
```

Header

titanic.csv

PassengerId	Survived	Pclass	Name	Gender	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
1	0	3	"Braund, Mr. Owen Harris"	male	22	1	0	A/5 21171	7.25	, , S	
2	1	1	"Cumings, Mrs. John Bradley (Florence Briggs Thayer)"	female	38	1	0	PC 17599	71.2833	C85	C
3	1	3	"Heikkinen, Miss. Laina"	female	26	0	0	STON/O2. 3101282	7.925	, , S	
4	1	1	"Futrelle, Mrs. Jacques Heath (Lily May Peel)"	female							
35	1	0	113803	53.1	C123	S					
5	0	3	"Allen, Mr. William Henry"	male	35	0	0	373450	8.05	, , S	
6	0	3	"Moran, Mr. James"	male		0	0	330877	8.4583	, , Q	
7	0	1	"McCarthy, Mr. Timothy J"	male	54	0	0	17463	51.8625	E46	S
8	0	3	"Palsson, Master. Gosta Leonard"	male	2	3	1	349909	21.075	, , S	
9	1	3	"Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)"	female							
27	0	2	347742	11.1333	, , S						


File extension

- .csv - Comma separated values
- .txt - Text file
- commas, tabs - Delimiters

Tab-delimited file


MNIST.txt				
pixel149	pixel150	pixel151	pixel152	pixel153
0	0	0	0	0
86	250	254	254	254
0	0	0	9	254
0	0	0	0	0
103	253	253	253	253
0	0	5	165	254
0	0	0	0	0
0	0	0	0	0
0	0	0	0	41
253	253	253	253	253

Tab-delimited file



How do you import flat files?

- Two main packages: NumPy, pandas




- Here, you'll learn to import:
 - Flat files with numerical data (MNIST)
 - Flat files with numerical data and strings (titanic.csv)

Let's practice!

INTRODUCTION TO IMPORTING DATA IN PYTHON

Importing flat files using NumPy

INTRODUCTION TO IMPORTING DATA IN PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp

Why NumPy?

- NumPy arrays: standard for storing numerical data



Why NumPy?

- NumPy arrays: standard for storing numerical data
- Essential for other packages: e.g. scikit-learn



- `loadtxt()`
- `genfromtxt()`

Importing flat files using NumPy

```
import numpy as np  
filename = 'MNIST.txt'  
data = np.loadtxt(filename, delimiter=',')  
data
```

```
[ [ 0.  0.  0.  0.  0.]  
[ 86. 250. 254. 254. 254.]  
[ 0.  0.  0.  9.  254.]  
...,  
[ 0.  0.  0.  0.  0.]  
[ 0.  0.  0.  0.  0.]  
[ 0.  0.  0.  0.  0.] ]
```

Customizing your NumPy import

```
import numpy as np  
filename = 'MNIST_header.txt'  
data = np.loadtxt(filename, delimiter=',', skiprows=1)  
print(data)
```

```
[ [  0.   0.   0.   0.   0.]  
[  86.  250.  254.  254.  254.]  
[  0.   0.   0.   9.  254.]  
...,  
[  0.   0.   0.   0.   0.]  
[  0.   0.   0.   0.   0.]  
[  0.   0.   0.   0.   0.] ]
```

Customizing your NumPy import

```
import numpy as np
filename = 'MNIST_header.txt'
data = np.loadtxt(filename, delimiter=',', skiprows=1, usecols=[0, 2])
print(data)
```

```
[[ 0.  0.]
 [ 86. 254.]
 [ 0.  0.]
 ...,
 [ 0.  0.]
 [ 0.  0.]
 [ 0.  0.]]
```

Customizing your NumPy import

```
data = np.loadtxt(filename, delimiter=',', dtype=str)
```

Mixed datatypes

titanic.csv

	Name	Gender	Cabin	Fare
Braund, Mr. Owen Harris	male	NaN	7.3	
Cumings, Mrs. John Bradley	female	C85	71.3	
Heikkinen, Miss. Laina	female	NaN	8.0	
Futrelle, Mrs. Jacques Heath	female	C123	53.1	
Allen, Mr. William Henry	male	NaN	8.05	

¹ Source: Kaggle

Mixed datatypes

titanic.csv

	Name	Gender	Cabin	Fare
Braund, Mr. Owen Harris	male	NaN	7.3	
Cumings, Mrs. John Bradley	female	C85	71.3	
Heikkinen, Miss. Laina	female	NaN	8.0	
Futrelle, Mrs. Jacques Heath	female	C123	53.1	
Allen, Mr. William Henry	male	NaN	8.05	

↑ ↑


strings floats

Let's practice!

INTRODUCTION TO IMPORTING DATA IN PYTHON

Importing flat files using pandas

INTRODUCTION TO IMPORTING DATA IN PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp

What a data scientist needs

- Two-dimensional labeled data structure(s)
- Columns of potentially different types
- Manipulate, slice, reshape, groupby, join, merge
- Perform statistics
- Work with time series data

Pandas and the DataFrame




Wes McKinney

Pandas and the DataFrame



pandas

$$y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$$



Wes McKinney

Pandas and the DataFrame

What problem does *pandas* solve?

Python has long been great for data munging and preparation, but less so for data analysis and modeling. *pandas* helps fill this gap, enabling you to carry out your entire data analysis workflow in Python without having to switch to a more domain specific language like R.

- DataFrame = pythonic analog of R's data frame

Pandas and the DataFrame



Hadley Wickham

@hadleywickham



Following

A matrix has rows and columns. A data frame
has observations and variables. [#rstats](#) [#tidydata](#)

RETWEETS
128

LIKES
233



Manipulating pandas DataFrames

- Exploratory data analysis
- Data wrangling
- Data preprocessing
- Building models
- Visualization
- Standard and best practice to use pandas

Importing using pandas

```
import pandas as pd  
filename = 'winequality-red.csv'  
data = pd.read_csv(filename)  
data.head()
```

```
  volatile acidity  citric acid  residual sugar  
0            0.70        0.00          1.9  
1            0.88        0.00          2.6  
2            0.76        0.04          2.3  
3            0.28        0.56          1.9  
4            0.70        0.00          1.9
```

```
data_array = data.values
```

You'll experience:


- Importing flat files in a straightforward manner
- Importing flat files with issues such as comments and missing values

Let's practice!

INTRODUCTION TO IMPORTING DATA IN PYTHON

Final thoughts on data import

INTRODUCTION TO IMPORTING DATA IN PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp

Next chapters:

- Import other file types:
 - Excel, SAS, Stata
- Feather



Wes McKinney
@wesmckinn



Following

Announcing Feather: A fast, language-agnostic
data frame file format, by
[@hadleywickham](#) and [@wesmckinn](#)

- Interact with relational databases

Next course:

- Scrape data from the web
- Interact with APIs

Let's practice!

INTRODUCTION TO IMPORTING DATA IN PYTHON