

HACKBARNA · AI SUMMIT 2026

# Recover IA

Find the similar patient. Learn from their recovery.

RAG-based search for similar cases to support orthopedic recovery planning.

Yassine Chibani · Javier Urrutia · Yago Rodríguez-Martos



## THE PROBLEM

# Recovery depends on individual judgment



### Inconsistent judgment

Orthopedics decides case by case, without comparing to similar histories.



### Scattered data

X-rays, diagnoses and outcomes stay scattered and disconnected.



### Clinical variability

Two nearly identical patients can end up with very different plans.

## THE SOLUTION

# From the patient's answers to a dated plan



### Ask the patient

Age, BMI, fracture type, activity level



### Search similar cases

300 cases indexed by clinical similarity



### Generate the plan

What to do and how long recovery will take

## THE RESULT

# This is what the clinician gets

### SAMPLE CASE

## Finger fracture (hand)

Male, 45 years old  
BMI 26 · moderately active

**Confidence: high**

### ESTIMATED RECOVERY

# 6 wks

5–7 week range, adjusted for exercise and diet adherence

### CITED EVIDENCE

CASE-0142 — 6 wks · similarity 0.91




CASE-0198 — 5 wks · similarity 0.88

CASE-0233 — 7 wks · similarity 0.85

No case is invented: only real retrieved evidence is cited.


THE TOOL

This is what the clinical team sees



## UNDER THE HOOD

# From patient data to an evidence-backed report



BUILT WITH

# Three partners, one clinical agent

**SLNG//**

Converts the clinician's voice into text to fill in the case.

**NEBIUS**

The embeddings and model that compare cases and draft the response.

**V VONAGE**

Sends the appointment and reminders to the patient via SMS.

## WHY IT HELPS

# It doesn't treat the patient. It improves how decisions decisions are made



### **Faster decisions**

Seconds to find comparable cases, instead of reviewing histories by hand.



### **Less variability**

Nearly identical cases stop getting different plans depending on who treats them.



### **Detects deviations**

If a patient falls behind similar cases, it's possible to step in earlier.



### **Better adherence**

Patient reminders via SMS (Vonage) throughout the recovery plan.

These four factors are linked to better outcomes in the clinical literature. Showing that Recover IA moves them in practice is the next step.

RECOVER IA

**From individual judgment to an evidence-evidence-backed decision.**

HackBarna · AI Summit 2026