## **Sprint 1: HTML & CSS Format**

```
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Bootstrap Example</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css">
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
 <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"></script>
 <style>
  /* Remove the navbar's default margin-bottom and rounded borders */
  .navbar {
   margin-bottom: 0;
   border-radius: 0;
  /* Set height of the grid so .sidenav can be 100% (adjust as needed) */
  .row.content {height: 450px}
  /* Set gray background color and 100% height */
  .sidenav {
   padding-top: 20px;
   background-color: #f1f1f1;
   height: 100%;
  }
  /* Set black background color, white text and some padding */
  footer {
   background-color: #555;
   color: white;
   padding: 15px;
  /* On small screens, set height to 'auto' for sidenay and grid */
  @media screen and (max-width: 767px) {
   .sidenav {
    height: auto;
    padding: 15px;
   .row.content {height:auto;}
 </style>
</head>
<body>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
```

```
<div class="navbar-header">
   <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
   </button>
   <a class="navbar-brand" href="#">Logo</a>
  <div class="collapse navbar-collapse" id="myNavbar">
  ul class="nav navbar-nav">
    class="active"><a href="#">Home</a>
    <a href="#">History</a>
    <a href="#">Dashboard</a>
    <a href="#">Statistics</a>
    <a href="#">Payment</a>
    <a href="#">Contact</a>
   </11]>
   ul class="nav navbar-nav navbar-right">
    <a href="#"><span class="glyphicon glyphicon-log-in"></span> Login</a>
   </div>
</div>
</nav>
<div class="container-fluid text-center">
 <div class="row content">
  <div class="col-sm-2 sidenav">
   <a href="#">Link</a>
   <a href="#">Link</a>
  <a href="#">Link</a>
   <a href="#">Link</a>
  <a href="#">Link</a>
   <a href="#">Link</a>
  </div>
  <div class="col-sm-8 text-left">
  <h1>Welcome</h1>
  SUMMARY HISTORY OF LOTTERY
   <hr>
  <h3>Test</h3>
  Lorem ipsum...
  </div>
  <div class="col-sm-2 sidenay">
  <div class="well">
    Additional Info
   </div>
   <div class="well">
    Additional Info
  </div>
  </div>
```

```
</div>
</div>
<footer class="container-fluid text-center">
Footer Text
</footer>
</body>
</html>
```