

Track 5 | Session 2

多重帳戶安全策略與方針

Young Yang

Machine Learning Specialist SA

Amazon Web Services

Agenda

- Multi-Account Strategy and Guidance
- Architecting Multi-Account
- Control Tower Overview


Why one account isn't enough




Many teams



Billing



Isolation




Security/compliance
controls




Business process

Architecting AWS accounts

Isolation




Environment Lifecycle
Account Structure



Project-Based
Account Structure

Architecting AWS accounts

Hybrid architecture: Project + Environment



Segmentation reasons

There are multiple reasons for segmenting by accounts or Amazon VPCs; these generally include:

Environmental

Separation among development, test, and production for security, governance, or regulatory reasons, e.g., PCI workloads

Segmentation reasons

There are multiple reasons for segmenting by accounts or Amazon VPCs; these generally include:

Environmental

Separation among development, test, and production for security, governance, or regulatory reasons, e.g., PCI workloads

Financial

Provide cost visibility, accountability, or control on a per account basis; this may also be related to a line of business

Segmentation reasons

There are multiple reasons for segmenting by accounts or Amazon VPCs; these generally include:

Environmental

Separation among development, test, and production for security, governance, or regulatory reasons, e.g., PCI workloads

Financial

Provide cost visibility, accountability, or control on a per account basis; this may also be related to a line of business

Business

Delegated control to particular business unit to be able to leverage AWS environment within pre-defined governance framework

Segmentation reasons

There are multiple reasons for segmenting by accounts or Amazon VPCs; these generally include:

| Environmental | Financial | Business | Workload |
|---|--|--|---|
| Separation among development, test, and production for security, governance, or regulatory reasons, e.g., PCI workloads | Provide cost visibility, accountability, or control on a per account basis; this may also be related to a line of business | Delegated control to particular business unit to be able to leverage AWS environment within pre-defined governance framework | Segregation of public or private-facing services, differing risk profiles, data classification, consumer of service, etc. |

Architecting Multi-Account

What Accounts Should I Create?




Organizations Account




Log Archive



Security



Network



Shared Services



Billing



Sandbox



Dev



Pre-Prod



Prod



Other

AWS Organizations



AWS Organizations



Data Center



No connection to DC

Service control policies

Consolidated billing

Volume discount

Minimal resources

Limited access

Restrict Orgs role!

Log Archive Account



AWS Organizations

Core Accounts



Data Center



Versioned Amazon S3
bucket

Restricted
MFA delete


CloudTrail logs

Security logs

Single source of truth

Limited access

Security Account




Optional data center connectivity

Security tools and audit

Cross-account read/write

Limited access




AWS CloudTrail



AWS Config

Shared Services Account



Connected to DC
DNS
LDAP/Active Directory
Shared Services VPC
Deployment tools
Golden AMI
Pipeline
Scanning infrastructure
Inactive instances
Improper tags
Snapshot lifecycle
Monitoring
Limited access

Developer Accounts



No connection to DC


Innovation space

Fixed spending limit

Autonomous

Experimentation


Team/Group Accounts



Based on level of
needed isolation

Match your
development lifecycle

Multi-Account Recommended Approach



Orgs: Account management

Log Archive: Security logs

Security: Security tools, AWS Config rules

Shared services: Directory, limit monitoring

Network: AWS Direct Connect

Dev Sandbox: Experiments, learning

Dev: Development

Pre-Prod: Staging

Prod: Production

Team SS: Team shared services, data lake


Control Tower Overview

Customers end up with Multi-account Challenges



Paradox of Choice

Too many design
decisions



Setup Complexity

Granular AWS policies
across multiple accounts
& services



Ongoing management

Centrally managing
compliance and security of
multiple accounts

AWS Control Tower: Easiest way to set up and govern AWS at scale



Enable




Provision



Operate


Business agility + governance control

Set up an AWS landing zone



- Landing zone—a preconfigured, secure, scalable, multi-account AWS environment based on best practice blueprints
- Multi-account management using Organizations
- Identity and federated access management using AWS SSO
- Centralized log archive using CloudTrail and AWS Config
- Cross-account audit access using AWS SSO and IAM
- End-user account provisioning through AWS Service Catalog
- Centralized monitoring and notifications using Amazon CloudWatch and Amazon SNS

Multi-account architecture




- **Master account:** Designation of your existing account to create a new organization. Also your master payer account.
- **Organization** consists of 2 OUs with pre-configured accounts—
 - **Core OU:** AWS Control Tower–created accounts, i.e., audit account and log archive account
 - **Custom OU:** Your provisioned accounts

Centralize identity and access



- AWS SSO provides default directory for identity
- AWS SSO also enables federated access management across all accounts in your organization
- Preconfigured groups (e.g., AWS Control Tower administrators, auditors, AWS Service Catalog end users)
- Preconfigured permission sets (e.g., admin, read-only, write)
- Option to integrate with your managed or on-premises Active Directory (AD)

Establish guardrails




- Guardrails are preconfigured governance rules for security, compliance, and operations
- Expressed in plain English to provide abstraction over granular AWS policies
- Preventive guardrails: prevent policy violations through enforcement; implemented using AWS CloudFormation and SCPs
- Detective guardrails: detect policy violations and alert in the dashboard; implemented using AWS Config rules
- Mandatory and strongly recommended guardrails for prescriptive guidance
- Easy selection and enablement on organizational units

Guardrail examples

| Goal/category | Example |
|------------------|--|
| IAM security | Require MFA for root user |
| Data security | Disallow public read access to Amazon S3 buckets |
| Network security | Disallow internet connection via Remote Desktop Protocol (RDP) |
| Audit logs | Enable AWS CloudTrail and AWS Config |
| Monitoring | Enable AWS CloudTrail integration with Amazon CloudWatch |
| Encryption | Ensure encryption of Amazon EBS volumes attached to Amazon EC2 instances |
| Drift | Disallow changes to AWS Config rules set up by AWS Control Tower |


Self-service account provisioning in AWS Service Catalog



Enable governance



Enable



Dashboard for oversight

AWS

Services

Resource Groups

Admin/0490293 @ 423...OregonSupport

AWS Control Tower

X

Dashboard

Accounts

Organizational units

Guardrails

Users and access

Account factory

Shared accounts

AWS Control Tower > Dashboard

Recommended actions

Environment summary

3

Organizational units

34

Accounts

Guardrail summary

28

Preventive guardrails

12

Detective guardrails

Noncompliant resources Info

| Resource ID | Resource type | Service | Region | Account name | OU | Guardrail |
|-----------------------|----------------|---------|-----------|-------------------|-----------|--------------------------------------|
| vol-842jhdksj83821234 | Volume | EC2 | us-west-2 | db-uswest-1-gamma | Custom | Enable encryption for EBS volumes at |
| vol-05flia830kd209897 | Volume | EC2 | us-east-1 | testing-beta-1 | Project 1 | Enable encryption for EBS volumes at |
| sg-031234b83bac98765 | Security Group | EC2 | eu-west-1 | ops-test-4 | Project 1 | Disallow internet connection through |

Organizational units Info

| Name | Parent OU | Compliance |
|-----------|-----------|----------------|
| Core | Root | ✔ Compliant |
| Project 1 | Root | ✘ Noncompliant |
| Custom | Root | ✘ Noncompliant |

Accounts

< 1 ... >

| Account name | Account email | Organizational unit | Owner | Compliance status |
|--------------|---------------|---------------------|-------|-------------------|
|--------------|---------------|---------------------|-------|-------------------|

Summary of key features



Automated landing zone
with best practice blueprints



Built-in identity and access
management



Guardrails for policy
management



Preconfigured log archive and
audit access to accounts



Account factory for
account provisioning



Built-in monitoring and
notifications



Dashboard for visibility
and actions



Automatic updates

Learn security with AWS Training and Certification

Resources created by the experts at AWS to help you build and validate cloud security skills



30+ free digital courses cover topics related to cloud security, including Introduction to Amazon GuardDuty and Deep Dive on Container Security



Classroom offerings, such as Security Engineering on AWS, feature AWS expert instructors and hands-on activities



Validate expertise with the AWS Certified Security – Specialty exam

Visit the security learning path at <https://aws.training/security>