

File Edit Selection View Go Run Terminal Help admin.component.html - KitchenStory - Visual Studio Code

EXPLORER

- KITCHENSTORY
 - > aboutus
 - > additems
 - > admin
 - # admin.component.css
 - < admin.component.html**
 - TS admin.component.spec.ts
 - TS admin.component.ts
 - > app
 - > assets
 - > cart
 - > changepswd
 - > contactus
 - > e2e
 - > environments
 - > home
 - > kichenitemsdupli
 - > kitchendetail
 - > kitchenitems
 - > node_modules
 - { angular.json
 - karma.conf.js

admin > < admin.component.html > html

```
1 <html>
2   <head>
3
4   </head>
5   <body>
6     <!--Navbar-->
7     <nav class="navbar navbar-expand-lg navbar-light ">
8       <div class="container-fluid">
9         
10        <button class="navbar-toggler " type="button" data-toggle="collapse" data-target="#collapseExample" aria-label="Toggle navigation">
11          <span class="navbar-toggler-icon"></span>
12        </button>
13        <div class="collapse navbar-collapse" id="navbarNav">
14          <ul class="navbar-nav">
15            <li class="nav-item active">
16              <a class="nav-link" id="anch" [routerLink]="['/changepwd']"><i class="fa fa-leaf" ></i> Change Password</a>
17            </li>
18            <li class="nav-item active">
19              <a class="nav-link" id="anch" [routerLink]="['/view']"><i class="fa fa-leaf" ></i> View Items</a>
20            </li>
21          </ul>
22        </div>
23      </div>
24    </nav>
```

File Edit Selection View Go Run Terminal Help cart.component.html - KitchenStory - Visual Studio Code

EXPLORER

- KITCHENSTORY
 - > aboutus
 - > additems
 - > admin
 - > app
 - > assets\images
 - > cart
 - # cart.component.css
 - < cart.component.html
 - TS cart.component.spec.ts
 - TS cart.component.ts
 - > changepswd
 - > contactus
 - > e2e
 - > environments
 - > home
 - > kichenitemsdupli
 - > kitchendetail
 - > kitchenitems
 - > node_modules
 - { angular.json
 - karma.conf.js

cart > < cart.component.html > html

```
1 <html>
2
3
4 <head>
5
6   <meta name="viewport" content="width=device-width, initial-scale=1">
7   <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
8   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
9   <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
10  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
11 </head>
12
13 <body>
14   <!--Navbar-->
15   <div>
16     <nav class="navbar navbar-expand-lg navbar-light ">
17       <div class="container-fluid">
18         
19         <button class="navbar-toggler " type="button" data-toggle="collapse" data-target="#collapseExample" aria-controls="n
20         <span class="navbar-toggler-icon"></span>
21       </button>
22       <div class="collapse navbar-collapse" id="navbarNav">
23         <ul class="navbar-nav">
24
```

File Edit Selection View Go Run Terminal Help changepswd.component.html - KitchenStory - Visual Studio Code

EXPLORER


- KITCHENSTORY
 - aboutus
 - additems
 - admin
 - app
 - assets \ images
 - cart
 - changepswd
 - changepswd.component.css
 - changepswd.component.html
 - changepswd.component.spe...
 - changepswd.component.ts
 - changepswd.ts
 - contactus
 - e2e
 - environments
 - home
 - kichenitemsdupli
 - kitchendetail
 - kitchenitems
 - node_modules
 - angularicon

```
1 <html>
2   <head>
3
4   </head>
5   <body style="background-color: # seashell;">
6     <nav class="navbar navbar-expand-lg navbar-light ">
7       <div class="container-fluid">
8         
9         <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-
10          <span class="navbar-toggler-icon"></span>
11        </button>
12        <div class="collapse navbar-collapse" id="navbarNav">
13          <ul class="navbar-nav">
14
15
16            <li class="nav-item active">
17              <a class="nav-link" id="anch" [routerLink]="['/view']"><i class="fa fa-leaf" ></i> View Items</a>
18            </li>
19
20          </ul>
21          <ul class="navbar-nav ml-auto topnav">
22
23            <li class="nav-item active">
24              <a class="nav-link" id="anch" [routerLink]="['/']"><i class="fa fa-sign-in" aria-hidden="true">
```

contactus.component.html - KitchenStory - Visual Studio Code

contactus > contactus.component.html > html

```
1 <html>
2   <head>
3
4     <meta name="viewport" content="width=device-width, initial-scale=1">
5     <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
6     <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
7     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
8     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
9   </head>
10
11   <body>
12     <!--Navbar-->
13     <nav class="navbar navbar-expand-lg navbar-light ">
14       <div class="container-fluid">
15         
16         <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-contr
17           <span class="navbar-toggler-icon"></span>
18         </button>
19         <div class="collapse navbar-collapse" id="navbarNav">
20           <ul class="navbar-nav">
21             <li class="nav-item active">
22               <a class="nav-link" id="anch" [routerLink]="['/home']" ><i class="fa fa-home"></i> Home</a>
23             </li>
24             <li class="nav-item active">
```



File Edit Selection View Go Run Terminal Help

protractor.conf.js - KitchenStory - Visual Studio Code

EXPLORER

- KITCHENSTORY
 - > aboutus
 - > additems
 - > admin
 - > app
 - > assets\images
 - > cart
 - > changepswd
 - > contactus
 - > e2e
 - > src
 - JS protractor.conf.js**
 - tsconfig.json
 - > environments
 - > home
 - > kichenitemsdupli
 - > kitchendetail
 - > kitchenitems
 - > node_modules
 - { angular.json
 - K karma.conf.js
 - TS main.ts

JS protractor.conf.js X

```
e2e > JS protractor.conf.js > ...
1 // @ts-check
2 // Protractor configuration file, see link for more information
3 // https://github.com/angular/protractor/blob/master/lib/config.ts
4
5 const { SpecReporter, StacktraceOption } = require('jasmine-spec-reporter');
6
7 /**
8  * @type { import("protractor").Config }
9  */
10 exports.config = {
11   allScriptsTimeout: 11000,
12   specs: [
13     './src/**/*.e2e-spec.ts'
14   ],
15   capabilities: {
16     browserName: 'chrome'
17   },
18   directConnect: true,
19   SELENIUM_PROMISE_MANAGER: false,
20   baseUrl: 'http://localhost:4200/',
21   framework: 'jasmine',
22   jasmineNodeOpts: {
23     showColors: true,
24     defaultTimeoutInterval: 30000,
```

File Edit Selection View Go Run Terminal Help home.component.html - KitchenStory - Visual Studio Code

EXPLORER

- KITCHENSTORY
 - aboutus
 - additems
 - admin
 - app
 - assets\images
 - cart
 - changepswd
 - contactus
 - e2e
 - environments
 - home
 - home.component.css
 - home.component.html
 - home.component.spec.ts
 - home.component.ts
 - kichenitemsdupli
 - kitchendetail
 - kitchenitems
 - node_modules
 - angular.json
 - karma.conf.js

home > home.component.html > html

```
1 <html>
2   <head>
3
4     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
5
6     <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965DzO0rT7abK41JStQIA
7
8     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" integrity="sha384-UO
9
10    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmV
11
12    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js" integrity="
13
14    <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.6.0/dist/umd/popper.min.js" integrity="sha384-Ksv
15
16    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.min.js" integrity="sha384-
17
18  </head>
19  <nav class="navbar navbar-expand-lg navbar-light ">
20    <div class="container-fluid">
21      
22      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapseExample" aria-contr
23      <span class="navbar-toggler-icon"></span>
24    </button>
25    <div class="collapse navbar-collapse" id="navbarNav">
26      <ul class="navbar-nav">
27        <li class="nav-item active">
28          <a class="nav-link" id="anch" [routerLink]='["/home"]' ><i class="fa fa-home"></i> Home</a>
29        </li>
30        <li class="nav-item active">
31          <a class="nav-link" id="anch" [routerLink]='["/items1"]'><i class="fa fa-leaf" ></i> Kitchen Items</a>
```



File Edit Selection View Go Run Terminal Help kitchenitemsdupli.component.html - KitchenStory - Visual Studio Code


EXPLORER


- KITCHENSTORY
 - aboutus
 - additems
 - admin
 - app
 - assets\images
 - cart
 - changepswd
 - contactus
 - e2e
 - environments
 - home
 - kitchenitemsdupli
 - # kitchenitemsdupli.component.css
 - < kitchenitemsdupli.component.html
 - TS kitchenitemsdupli.component.spe...
 - TS kitchenitemsdupli.component.ts
 - TS kitchenitem.dupliservice.ts
 - TS kitchenitemsdupli.ts
 - kitchendetail
 - kitchenitems
 - node_modules

kitchenitemsdupli > kitchenitemsdupli.component.html > ...

```
1
2 <html>
3   <head>
4
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
7     <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
8     <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
9     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
10  </head>
11
12  <body>
13    <nav class="navbar navbar-expand-lg navbar-light ">
14      <div class="container-fluid">
15        
16        <button class="navbar-toggler " type="button" data-toggle="collapse" data-target="#collapseExample" aria-control
17          <span class="navbar-toggler-icon"></span>
18        </button>
19        <div class="collapse navbar-collapse" id="navbarNav">
20          <ul class="navbar-nav">
21            <li class=" nav-item active">
22              <a class="nav-link " id="anch" [routerLink]='["/home"]' ><i class="fa fa-home"></i> Home</a>
23            </li>
24            <li class="nav-item active">
```







The screenshot shows the Visual Studio Code interface with the 'karma.conf.js' file open in the editor. The Explorer sidebar on the left shows the project structure for 'KitchenStory', with 'karma.conf.js' selected. The editor displays the following code:

```
1 // Karma configuration file, see link for more information
2 // https://karma-runner.github.io/1.0/config/configuration-file.html
3
4 module.exports = function (config) {
5   config.set({
6     basePath: '',
7     frameworks: ['jasmine', '@angular-devkit/build-angular'],
8     plugins: [
9       require('karma-jasmine'),
10      require('karma-chrome-launcher'),
11      require('karma-jasmine-html-reporter'),
12      require('karma-coverage'),
13      require('@angular-devkit/build-angular/plugins/karma')
14    ],
15    client: {
16      jasmine: {
17        // you can add configuration options for Jasmine here
18        // the possible options are listed at https://jasmine.github.io/api/edge/Configuration.html
19        // for example, you can disable the random execution with `random: false`
20        // or set a specific seed with `seed: 4321`
21      },
22      clearContext: false // leave Jasmine Spec Runner output visible in browser
23    },
24    jasmineHtmlReporter: {
```

