

YEAFT

YOUR AI WORKSPACE, WHEREVER YOU ARE



Work from anywhere.

Your AI team. Your working environment.
Ready when you connect.

ANYWHERE ACCESS / ROLE HANDOFFS / REAL WORK

Different devices. The same working context.

At home. At the office. On the move. Reconnect to the same Agent + Session.



BROWSER = ENTRY POINT


Choose the device
that works for you.

AGENT = WORKING ENVIRONMENT

Project files and execution
stay with your connected Agent.

The right role. The next step.

Start with one VP. Add distinct responsibilities when the task needs them.



01 Investigate

Find the cause. Pass the findings.



02 Implement

Make the change. Hand off the patch.



03 Review

Challenge the result. Return a verdict.

Explicit handoffs—not a fixed pipeline.

CONFIGURABLE SYSTEM PROMPTS

Define the roles. Set the working rules.

VP personas + shared Project instructions + repository conventions.

ROLE / IMPLEMENTER

A clear responsibility.

“Make the smallest useful change.
Report tests and open risks.”

SHARED RULES / EXAMPLE

Consistent standards.


“Review the exact revision.
Ask before deployment.”

Set expectations once. Carry them into the work.

Beyond chat. A real workbench.


Inspect, verify, and intervene—not just wait for an answer.

FILES / ACTUAL SOURCE



```
146 // — 1. Determine config + store
147 // Must happen BEFORE loadC
148 // default config.json that
149 // (metadata/roster/config/
150 // and stays under configDi
151 // tier for assets such as
152 const overrides = { ...configOverr
153 if (dir) overrides.dir = dir;
154 if (model) overrides.model = model
155 if (language) overrides.language =
156 if (debug !== undefined) overrides
157
158 const sessionWorkDir = typeof work
159 const configDir = overrides.dir ||
160 const yeaftDir = configDir;
161 const configInitResult = initYeaft
162 const storeInitResult = configInit
163 overrides.dir = configDir;
164
165 const managedCliInstall = managedC
166
```

TERMINAL / COMMAND OUTPUT



```
STAGED INSPECTION DEMO · read-only
Real command result; replayed via demo transport.
Source commit: a282ddb4cc5
Node v24.15.0

$ node --check agent/yeaft/session.js
[capture runner] exit code: 0

Scope: JavaScript syntax only. No regression suite or release claimed.

$
```

From a development goal to execution.

Describe the outcome—not every next prompt.

YOUR BRIEF / ILLUSTRATIVE

Fix the bug.
Add a regression test.
Prepare a patch for review.




AI ADVANCES THE WORK

Investigate and make changes.
Run tools and checks.
Record results and open risks.

Bound the task with constraints and acceptance criteria.

Keep the task moving. Keep control.

A persistent goal, visible execution, and an outcome you can evaluate.



KEEP THE GOAL

Save the objective and acceptance criteria.

FOLLOW PROGRESS

See execution status. Resolve decisions.

CHECK THE OUTCOME

Inspect evidence against the goal.

YEAF

WORK FROM ANYWHERE.

**Your AI team.
Real work.
From anywhere.**

Connect. Collaborate. Let the work move forward.

github.com/yeaft/yeaft-web-code-agent